Egbert Brieskorn and Horst Knörrer

Plane Algebraic Curves


Translated by John Stillwell

平面代数曲线

Egbert Brieskorn Horst Knörrer

Plane Algebraic Curves

Translated by John Stillwell



Reprint of the 1986 Edition



Egbert Brieskorn
Department of Mathematics
University of Bonn
Bonn
Germany

Horst Knörrer
Department of Mathematics
ETH Zürich
Zürich
Switzerland

ISBN 978-3-0348-0492-9 ISBN 978-3-0348-0493-6 (eBook) DOI 10.1007/978-3-0348-0493-6 Springer Basel Heidelberg New York Dordrecht London

Library of Congress Control Number: 2012945534

Mathematics Subject Classification (2010): 14-01, 14H20, 14Hxx, 13-XX, 57Rxx

© Springer Basel 1986 Reprint of the 1st edition 1986 by Birkhäuser Verlag, Switzerland Originally published 1981 as Ebene algebraische Kurven by Birkhäuser Boston, USA

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Reprint from English language edition:
Plane Algebraic Curves
by Egbert Brieskorn and Horst Knörrer
Copyright © Springer Basel 1986
Springer Basel is a part of Springer Science+Business Media
All Rights Reserved

This reprint has been authorized by Springer Science & Business Media for distribution in China Mainland only and not for export therefrom.

图书在版编目 (CIP) 数据

平面代数曲线 = Plane Algebraic Curves: 英文/(德) 布里斯科恩 (Brieskorn, E.) 著. 一影印本. 一北京: 世界图书出版公司北京公司, 2015. 6 ISBN 978 - 7 - 5100 - 9796 - 6

I. ①平… Ⅱ. ①布… Ⅲ. ①代数曲线—英文 Ⅳ. ①0187. 1

中国版本图书馆 CIP 数据核字 (2015) 第 121037 号

Plane Algebraic Curves 平面代数曲线

著 者: Egbert Brieskorn and Horst Knörrer

责任编辑: 刘 慧 岳利青

装帧设计: 任志远

出版发行: 世界图书出版公司北京公司

地 址:北京市东城区朝内大街 137 号

邮 编: 100010

电 话: 010-64038355 (发行) 64015580 (客服) 64033507 (总编室)

网 址: http://www.wpcbj.com.cn 邮 箱: wpcbjst@vip.163.com

销 售:新华书店

刷:三河市国英印务有限公司 开 本:711mm×1245 mm 1/24

印 张: 30.5 字 数: 585.6千


版 次: 2015 年 7 月第 1 版 2015 年 7 月第 1 次印刷

版权登记: 01-2015-6432

ISBN 978-7-5100-9796-6 定价: 98.00元

版权所有 翻印必究

(如发现印装质量问题,请与所购图书销售部门联系调换)



此为试读,需要完整PDF请访问: www.ertongbook.com

Modern Birkhäuser Classics

Many of the original research and survey monographs in pure and applied mathematics published by Birkhäuser in recent decades have been groundbreaking and have come to be regarded as foundational to the subject. Through the MBC Series, a select number of these modern classics, entirely uncorrected, are being re-released in paperback (and as eBooks) to ensure that these treasures remain accessible to new generations of students, scholars, and researchers.

Foreword to the English edition

It is natural that authors should be delighted when their works are translated into other languages, and even more so when the translation is done very nicely — as it is the case with the present translation of our notes on plane algebraic curves by John Stillwell. On the other hand, it is also true that as time goes by one gets more aware of the defects of one's work. One of our friends has criticized us for writing a heavy volume on such an elementary subject, and we have to admit that this criticism is not totally unjustified. However, we would like to say in our defence that a number of people who are now doing research on singularities found the book quite useful as a first introduction, and so it is our hope that readers of the English edition will have the same experience.

We would like to point out that there is now a more effective approach to iterated torus knots than the one presented in this book. This is developed in the beautiful new book by David Eisenbud and Walter Neumann, "Three-dimensional link theory and invariants of plane curve singularities", and in the forthcoming work of Françoise Michel and Claude Weber.

We would like to thank John Stillwell for all his work. We realize that in some instances translating such a book must have been a really difficult task. We feel that he has succeeded very well.

Egbert Brieskorn and Horst Knörrer

Bonn, April 1986

"Es ist die Freude an der Gestalt in einem höheren Sinne, die den Geometer ausmacht." (Clebsch, in memory of Julius Plücker, Göttinger Abh. Bd. 15).

Foreword

In the summer of 1976 and winter 1975/76 I gave an introductory course on plane algebraic curves to undergraduate students. I wrote a manuscript of the course for them. Since I took some trouble over it, and some colleagues have shown interest in this manuscript, I have now allowed it to be reproduced, in the hope that others may find it useful.

In this foreword I should like to explain what I wanted to achieve with this course. I wanted — above all — to show, by means of beautiful, simple and concrete examples of curves in the complex projective plane, the interplay between algebraic, analytic and topological methods in the investigation of these geometric objects. I did not succeed in developing the theory of algebraic curves as far as is possible — I must even say that in some places the course stops where the theory is just beginning. Rather, I aimed to allow the listeners to develop as much familiarity as possible with the new objects, and the best possible intuition. For this reason I almost always used the most elementary and concrete methods. Also for this reason, I have taken the trouble to make a great number of drawings. I once read a remark of Felix Klein to the effect that what a geometer values in his science is that he sees what he thinks.

Another principle which I have tried to put into effect in this course is that of breaking through the formal lecture style — the style which replaces the development of ideas by a staccato of definitions, theorems and proofs. Thus heuristic, historical and methodological

considerations took up a substantial portion of the course, which they likewise occupy in the manuscript. I am well aware of the disadvantages of this method for the reader, and the resulting lack of formal precision, conciseness, clarity and elegance is an annoyance to me too. However, I have accepted this annoyance in order to be able to develop the ideas in a natural way and to promote understanding and thought.

I have developed no new scientific ideas in this course, but have drawn much from other sources. Thus in Chappter II I have depended heavily on notes of a course by R. Remmert on algebraic curves which brought me into contact with algebraic geometry for the first time as a student, and on the book by Walker. I have also used the introduction to algebraic geometry by van der Waerden. In the historical remarks I have relied a lot on the corresponding Enzyclopädie articles and the books of Smith and Struik. My aim was not historical refinement but to give students a picture of the beginnings from which the theory has The whole later history - from the second half of the 19th century onwards - was not so important for this pedagogical purpose, and for it I refer to the new book of Dieudonné or the beginning of the book by Shafarevich. For the local investigations of topology and resolution of singularities I have depended on lecture notes of F. Pham and H. Hironaka as well as original work of A'Campo. Finally, I have used many other sources, which I perhaps have not always acknowledged. I hope the authors will forgive me.

What is lacking in the course? It lacks a chapter on the deformation of singularities, in which I would have liked to introduce the beautiful results of A'Campo and Gusein-Zade on the computation of the monodromy groups of plane curves. For this I refer to the report of A'Campo to the International Congress of Mathematicians in Vancouver in I have tried to admit the deformation viewpoint at least implicitly in sections 8.5, 9.2 and 9.3. What is not lacking? no lack of introductions to modern algebraic geometry. This course is not intended to be such an introduction. For this purpose there are now the beautiful books of D. Mumford, I.R. Shafarevich, P.A. Griffiths and R. Hartshorne. The purpose of the course is to familiarise students, in a natural, intuitive and concrete way, with the various methods for the investigation of singularities, and to lead in this way to my own field of work. I believe that it has reached this goal. This is shown by a series of beautiful Diplomarbeiten which have come

into being in the meantime. If the notes presented here can also serve others similarly, then they have fulfilled their purpose, even if only as a source of suggestions or as a collection of material.

In conclusion, I should like to thank all of those who have helped in the production of this extensive piece of work: diploma mathematician Mr. Ebeling and above all Dr. Knörrer for working out some lectures in Chapter III, and for a critical inspection and proof-reading of the manuscript, and help with assembling the references, the three secretaries Mrs. Schmirler, Mrs. Weiss and Mrs. Eligehausen for the laborious and alienating work of typing the text, and the printers at the Mathematische Institut, Mr. Vogt and Mr. Popp, for printing the almost one thousand pages. But above all I should like to thank two students, Mr. Koch and Mr. Scholz, for taking on the enormous job of producing the manuscript, proof-reading, making the index and redrawing more nicely many of the figures. Without them the manuscript would never have been completed. Once again: many thanks!

Bonn, Spring 1978

E. Brieskorn

TABLE OF CONTENTS

Ι	History of algebraic curves	1		
1.	Origin and generation of curves	2		
1.1	The circle and the straight line	2		
1.2	The classical problems of antiquity	3		
1.3	The conic sections	4		
1.4	The cissoid of Diocles	9		
1.5	The conchoid of Nicomedes	13		
1.6	The spiric sections of Perseus			
1.7	From the epicycles of Hipparchos to the Wankel motor			
1.8	Caustics and contour curves in optics and perspective	41		
1.9	Further examples of curves from science and			
	technology	58		
2.	Synthetic and analytic geometry	66		
2.1	Coordinates			
2.2	The development of analytic geometry			
2.3	Equations for curves			
2.4	Examples of the application of analytic methods			
2.5	Newton's investigation of cubic curves	87		
3.	The development of projective geometry	102		
3.1	Descriptive geometry and projective geometry	102		
3.2	The development of analytic projective geometry	106		
3.3	The projective plane as a manifold	118		
3.4	Complex projective geometry	136		
11	Investigation of curves by elementary algebraic methods	172		
	P. 1	170		
4.	Polynomials	172		
4.1	Decomposition into prime factors			
4.2	Divisibility properties of polynomials			
4.3	Zeroes of polynomials			
4.4	Homogeneous and inhomogeneous polynomials	193		

5.	Definition and elementary properties of plane	,
	algebraic curves	202
5.1	Decomposition into irreducible components	202
5.2	Intersection of a curve by a line	208
5.3	Singular points of plane curves	211
6.	The intersection of plane curves	227
6.1	Bézout's theorem	227
6.2	Applications of Bézout's theorem	239
6.3	The intersection ring of $P_2(C)$	260
7.	Some simple types of curves	278
7.1	Quadrics.	278
7.2	Linear systems of cubics	281
7.3	Inflection point figures and normal forms of cubics	283
7.4	Cubics, elliptic curves and abelian varieties	306
III	Investigation of curves by resolution of singularities	323
8.	Local investigations	325
8.1	Localisation-local rings	325
8.2	Singularities as analytic set germs	337
8.3	Newton polygons and Puiseux expansions	370
8.4	Resolution of singularities by quadratic transformations	455
8.5	Topology of singularities	535
0	Olahal dawardan da ara	
9.	Global investigations	576
9.1	The Plücker formulae	576
9.2	The formulae of Clebsch and Noether	601
9.3	Differential forms on Riemann surfaces and their periods	627
	Bibliography	694
	Index	702

I. HISTORY OF ALGEBRAIC CURVES

The plane algebraic curves have a history of more than 2000 years. At the end of this development stands a definition of algebraic curves, an understanding of the main problems of the theory, and methods for handling them, to the extent that almost all problems about algebraic curves admit methodical treatment and solution. These questions and methods are part of a general field, algebraic geometry, whose development proceeded mainly during the past and present century and still continues. The theory of algebraic curves is a part of this general theory which has the character of a paradigm, and thereby serves as a good introduction to it for the beginner. Today this is the main point of view in introductory treatments of this field, e.g. the book of Fulton [F1].

This viewpoint will also play a role in our course, but it will not be the only one. Our emphasis will be not so much on the development of the algebraic conceptual apparatus and the algebraic methods, as on the geometric viewpoint, where possible, in working out some of the many connections between this field and analysis and topology.

Moreover, I will not, as is almost always done today, completely ignore the two-thousand-year history of algebraic curves.

In the first lectures of this course I shall give an introduction to this history, naturally quite sketchy, in which I omit all proofs to save time. Of course I shall later formulate and prove all assertions with the usual rigour.

The purpose of this historical introduction is to give provisional answers to the following questions :

- 1. What is the origin of the objects of our investigation, the algebraic curves? Why were mathematicians concerned with them originally?
- 2. From which viewpoints have they been investigated? What has led

to the viewpoints and methods which predominate today?

3. What were or are the main objects of investigation?

It will be understood that the answers to these questions, as long as theory has not been given, will be incomplete. For those who are interested in more details, I recommend looking at older books on algebraic curves. I particularly recommend the following literature: the survey articles of Berzolari [B2] and Kohn-Loria [K3] in Band III, 2.1 of the Encyclopädie der Mathematischen Wissenschaften, as well as the books of Loria [L4] and Gomes Teixeira [T2].

1. Origin and generation of curves

First I should like to tell you something of the reasons why the first interesting curves were already considered in antiquity. We shall then see how these were taken up again in the Renaissance, after which there was a permanent enrichment of the theory by new content and methods. We shall see that there were many causes for the origin and generation of algebraic curves: the development of historically important mathematical problems, playful mathematical constructions and the joy of solving problems, but also, and very important in this field, numerous applications of mathematics in other fields: perspective, optics, astronomy, architecture, kinematics, mechanics and technology.

1.1 The circle and the straight line

The simplest curves are the <u>circle</u> and the <u>line</u>. Their origins lie in prehistoric times. Knowledge of them was necessary for the solution of numerous practical problems, such as land measurement (= geometry in the original meaning of the word) and building construction. Straight lines and circles are treated intuitively in the earliest mathematical texts, and the first attempt at strict definition and proof in mathematics, about 600 B.C. (Thales), concerns these objects. The attempt of the Greek mathematicians, such as Euclid (300 B.C.), to define a line was inadequate from a logical standpoint, even though the Greeks of course already knew almost all essential properties of lines in the plane. From our present-day standpoint, the question of the definition of lines depends on the conceptual framework: one can make the line an implicitly defined basic axiomatic

concept as, e.g., in Hilbert's axiomatisation of euclidean geometry, or take it to be a derived concept as, e.g., in analytic geometry or linear algebra, where it is a 1-dimensional affine subspace.

The definition of the circle causes no difficulties — and did not cause any for Euclid — when one assumes the euclidean plane as known: it is the locus of all points in the plane which have a given distance from a given point. This type of definition of curves as <u>loci</u> was typical of the way the Greeks handled curves. They were defined as the loci of points having certain distance relationships (specific for each curve) to given points, lines and circles.

To construct, i.e. draw, a circle one uses a simple mechanism, the pair of compasses. To draw a straight line one mostly uses a somewhat problematic instrument, the ruler, and hence a template.

It is very clear that numerous simple practical and mathematical problems can be solved by construction with compasses and ruler. From the analytic-algebraic standpoint, the construction of the intersection of two lines is the solution of two linear equations, the construction of the intersection of a line and a circle, or of two circles, is the solution of a quadratic equation. By iterating such constructions one can therefore solve all'problems of the form: from given segments of length a_1, \ldots, a_n , construct a segment of length a, where a results from a_1, \ldots, a_n by repeated rational operations and extractions of square roots. Criteria for this to be the case are obtained from Galois theory. Of course these conditions for the solvability of problems by ruler and compass construction were unknown to the Greeks, so it is understandable why they tried to solve the great problems of antiquity by such constructions.

1.2 The classical problems of antiquity

The classical problems of antiquity were:

- 1. The trisection of an arbitrary angle.
- 2. Squaring the circle (before 1500 B.C.?).
- Duplication of the cube. (Delian problem)
 (5th century B.C.?)

Squaring the circle means determining the number π . Lindemann (1882) showed π is transcendental, i.e. not the root of any algebraic equation

$$x^{n} + a_{1}x^{n-1} + \dots + a_{n} = 0$$

with rational coefficients $\ a_i$. This means, in particular, that $\ \pi$ cannot be constructed with compasses and ruler.

Duplication of the cube leads to solving the equation $x^3 - 2 = 0$ which, by Galois theory, likewise cannot be done by ruler and compass construction.

As for the trisection of an arbitrary angle $\,\alpha$: the addition theorem for trigonometric functions immediately yields

$$\sin 3\beta = 3 \sin \beta - 4 \sin^3 \beta$$
.

hence, setting $\beta = \alpha/3$, $x = \sin \beta$ and $c = \sin \alpha$,

$$4x^3 - 3x + c = 0$$

and it again follows from Galois theory that the solution of this equation for arbitrary c cannot be found by ruler and compass construction.

Thus the classical problems cannot be solved by ruler and compass constructions. It is true that the Greeks had no proof of this, but they saw the futility of their attempts — and found solutions with the help of curves less simple than the circle and the line. I shall say something about them in what follows.

1.3 The conic sections

The discovery of the conic sections is attributed to Menaechmus (c. 350 B.C.). They were intensively investigated by Apollonius of Perga (c. 225 B.C.). These mathematicians generated the conic sections as intersections of cones with planes. Apollonius and, to some extent, Menaechmus could also characterise the conic sections by area application properties, which are expressed in today's notation by

$$y^2 = px + qx^2.$$

In the terminology of Apollonius we obtain for

q = 0 the parabola, i.e. "application"


q > 0 the hyperbola, i.e. "application with excess"

q < 0 the ellipse, i.e. "application with defect".

Of course the Greeks also knew the definitions of these curves as loci.

A parabola is the locus of all points having equal distances from a given point $\,P\,$ and a given line $\,g\,$.

An ellipse (hyperbola) is the locus of all points for which the sum (difference) of distances from two given points P, Q has a fixed value.



Parabola

