KADAR METEOROLOGY

PRINCIPLES AND PRACTICE



Radar is a key instrument used in meteorology for monitoring wind and precipitation, and has become the primary tool used for short-term weather forecasting. This practical textbook introduces the fundamental concepts behind radar measurements and their meteorological interpretation.

The first part of the book provides the essential background theory behind radar measurements to guide students and practitioners in the proper interpretation of radar reflectivity, Doppler velocity, and dual-polarization imagery. Operational applications are then explored, such as how radar imagery can be used to analyze and forecast convective and widespread weather systems. The book concludes with an overview of current research topics, including the study of clouds and precipitation using ground-based and spaceborne radars, signal processing, and data assimilation.

Numerous full-color illustrations are included, as well as case studies, and a variety of supplementary electronic material, including problem sets and animated time sequences of images to help convey complex concepts. This book is a valuable resource for advanced undergraduate and graduate students in radar meteorology and other related courses, such as precipitation microphysics and dynamics. It will also make a useful reference for researchers, professional meteorologists, and hydrologists.

"Professor Fabry has written an excellent overview of radar meteorology, which, unlike most other textbooks, emphasizes practical applications. It will be a welcome text for undergraduates and beginning graduate students who are interested in observations of mesoscale and convective weather phenomena, and a valuable reference for weather forecasters and researchers."

Howard Bluestein, Professor of Meteorology, University of Oklahoma

"At last – a book on radar meteorology for the meteorologist. Professor Fabry's book adopts an application-oriented approach with a host of examples, allowing the meteorologist to analyze radar data in order to gain a unique insight into evolving weather systems, as well as the interplay of the dynamics and precipitation microphysics."

Anthony Illingworth, Emeritus Professor, University of Reading

"Finally, a book that explains weather radar and radar meteorology with a combination of depth and breadth suitable for graduate students, undergraduates, and general meteorologists alike. Professor Fabry covers a very diverse array of topics, with the detail that most will want, and provides extensive references for aspiring specialists to dig deeper."

Joshua Wurman, President and Founder, Center for Severe Weather Research

Cover illustration: radar reflectivity image observed by the Brownsville, TX (USA) radar showing Hurricane Brett (1999) as it was approaching the coast from the Gulf of Mexico. Image by the author.





Radar Meteorology

Principles and Practice

FRÉDÉRIC FABRY

McGill University



CAMBRIDGEUNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org Information on this title: www.cambridge.org/9781107070462

© Frédéric Fabry 2015

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2015

Printed in the United Kingdom by Bell and Bain Ltd

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data Fabry, Frédéric, 1967–

Radar meteorology : principles and practice / Frederic Fabry, McGill University.

Includes bibliographical references and index.

ISBN 978-1-107-07046-2

1. Radar meteorology. 2. Radar. 3. Meteorology. I. Title.
QC973.5.F33 2015
551.63′53–dc23
2015008279

ISBN 978-1-107-07046-2 Hardback

Additional resources for this publication at www.cambridge.org/fabry

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

Radar Meteorology

Radar is a key instrument used in meteorology for monitoring wind and precipitation, and has become the primary tool used for short-term weather forecasting. This practical text-book introduces the fundamental concepts behind radar measurements and their meteorological interpretation.

The first part of the book provides the essential background theory behind radar measurements to guide students and practitioners in the proper interpretation of radar reflectivity, Doppler velocity, and dual-polarization imagery. Operational applications are then explored, such as how radar imagery can be used to analyze and forecast convective and widespread weather systems. The book concludes with an overview of current research topics, including the study of clouds and precipitation using ground-based and spaceborne radars, signal processing, and data assimilation.

Numerous full-color illustrations are included, as well as case studies, and a variety of supplementary electronic material, including problem sets and animated time sequences of images to help convey complex concepts. This book is a valuable resource for advanced undergraduate and graduate students in radar meteorology and other related courses, such as precipitation microphysics and dynamics. It will also make a useful reference for researchers, professional meteorologists, and hydrologists.

Frédéric Fabry is an Associate Professor at McGill University in Montreal, Canada, where he teaches topics in radar, meteorology, and the environment. He is also the Director of the Marshall Radar Observatory at McGill. His research covers various facets of radar meteorology, from technical aspects such as signal processing to applications of radar in hydrology and in numerical weather modeling, including more traditional radar meteorology research such as the characterization of the melting layer of precipitation. He was awarded the 2004 Canadian Meteorological and Oceanographic Society President Prize for the development of a technique to estimate the refractive index of air using ground targets.

To Nicole, Roland, and Véronique

*		

Preface

"Radar meteorology" is an odd specialty in atmospheric science. As opposed to synoptic meteorology or cloud physics, its focus has been on the instrument from the start. Radar enabled us to observe and understand many previously unknown phenomena. What we could do with this wonderful tool drew together a vibrant community of researchers whose main point in common was the use or the development of radars for meteorology. The instrument became the center of this community. As a result, when radar meteorologists meet, many often talk about instrument characteristics such as frequency, beam width, and transmit power before they talk of science. Early influential textbooks reflected that state of affairs, and many current introductory ones follow the same mold: they tend to be very radar focused, even those that do not describe in great detail the radar and its workings, and they are not very application oriented, despite the fact that the very reason we use radars is for what it allows us to see and do, from meteorological studies to short-term forecasting. Introductions to satellite meteorology, another technically oriented specialty, have managed to free themselves from their heritage: textbooks on how to use satellite imagery can be found, as well as more traditional books focused on radiative transfer. But somehow, introductions to radar meteorology have failed to do so.

Yet, the average weather radar user has changed. Radar is an operational instrument in many countries. It offers the forecasters what is generally the best opportunity to detect rapidly developing storms, and the last one to evaluate whether the weather evolves as expected or not. Also, the twenty-first-century researcher has a different focus: while efforts to improve and better understand radar data remain the principal objective of a necessary core of specialists, the emphasis has shifted toward meteorology and how to make the best use of the rich information provided by radar. Traditional books introducing radar meteorology, and the courses that rely on them, have gradually become disconnected from this changing reality. Furthermore, the historical focus of radar meteorology on the instrument and the physics of its measurements has made the subject difficult to teach and very dry to nonspecialists. This is regrettable given how wonderfully radar can be used to illustrate and understand weather phenomena, and to reinforce the learning of meteorological concepts seen in other courses, especially in precipitation microphysics and dynamics. As a result, a proper introduction on the use of radar for meteorology is often lacking in many university or professional programs, an illogical outcome given the current use of radar in operations and research. The frustration I experienced in the way radar meteorology was (not) taught, including to those who would not take up a career based on radar research, pushed me to write this introductory book.

To be fair, there is one good reason why many textbooks emphasize the more technical side of the basic principles of radar measurements: a proper interpretation of the imagery

observed and how it may be corrupted can only be achieved after a thorough understanding of exactly what quantities a radar measures and how it does so. The day when radar imagery will be uncorrupted, free of all unwanted elements, and unambiguous has yet to arrive. Hence, one must still understand how the measurements are taken, what can corrupt them, and how to recognize what is correct from what is suspect. The book must still begin with a sufficient description of the basic principles of radar detection capability for the reader to be able to understand the nature and peculiarities of the data and how they can be contaminated. Subsequent chapters can then concentrate on the uses of radar data, starting with operational uses and gradually shifting to research applications.

An appendix introducing key mathematical and statistical concepts used in radar data analysis and processing completes the book. There are a few ways to use it depending on the level of the course and its emphasis. The appendix can be read as a block after Chapter 3 in the context of a thorough graduate-level course, or by subsections on a need basis, as these subsections are being referred to in the main text. It could also be skipped if the focus of the course is on the operational uses of radar.

The book chapters can be read in a different order depending on one's interest and focus. The cover-to-cover approach works well as an introduction for future researchers with a meteorology focus. A reader interested in how to use radar data operationally should focus on Chapters 1–8, continuing up to Chapter 12 if the first chapters stimulated your curiosity. A more traditional order of topics of radar meteorology starting with instrument and theory first would be Chapters 1–3, Appendix A, Chapter 13, and then 4–12, possibly skipping over Chapters 7 and 8.

This book has been made possible thanks to the contributions of many. Tony Banister, Don Burgess, and WenChau Lee offered background documents. Images and data were provided by Wayne Angevine, Aldo Bellon, William Brown, George Bryan, Guy Delrieu, Marielle Gosset, Robin Hogan, Robert Houze, Paul Joe, Sigrún Karlsdóttir, Jennifer Kay, Alamelu Kilambi, Pavlos Kollias, Witold Krajewski, Matthew Kumjian, Paul Markowski, Véronique Meunier, Kenji Nakamura, Rita Roberts, Steve Rutledge, Alan Seed, Matthias Steiner, Madalina Surcel, Pierre Tabary, Roger Wakimoto, and Isztar Zawadzki, in addition to the American Meteorological Society, Cambridge University Press, Elsevier, Environment Canada, the Institution of Engineering and Technology, InTech, NASA, NCDC, NOAA, Prosensing, Springer, Selex, the University Corporation for Atmospheric Research, and Wiley, Alexandra Anderson-Frey, Aldo Bellon, Alexandra Cournoyer, Véronique Meunier, and Pierre Vaillancourt provided valuable help and feedback on the manuscript, while regular discussions with Isztar Zawadzki shaped the contents of several chapters. At Cambridge University Press, Emma Kiddle, Rosina Piovani, Jonathan Ratcliffe, and Zoë Pruce shepherded the book project. Last but not least, thanks to my family, who pushed me along this long project and supported my absences during its execution, and to everyone else who kept asking me "when are you finishing your book?": I am finally able to provide them an answer.

Notation

List of symbols

а	generic coefficient of a power-law relationship
a	real part of a generic complex number, Appendix A.5
$a_{1,2, j}$	real parts of the complex numbers z_1, z_2, z_j
$a_{1,2,j}$ a_{e}	radius of the Earth
A	amplitude of the radar signal
$A_{ m HH}$	signal amplitude obtained when transmitting and receiving at horizontal
	polarization, also known as the <i>copolar</i> amplitude at horizontal
	polarization
$A_{\rm HV}$	signal amplitude obtained when transmitting at horizontal polarization
	and receiving at vertical polarization
$A_{ m VH}$	signal amplitude obtained when transmitting at vertical polarization and
	receiving at horizontal polarization, also known as the cross-polar ampli-
	tude of the signal
$A_{\rm VV}$	signal amplitude obtained when transmitting and receiving at vertical polar-
	ization, also known as the copolar amplitude at vertical polarization
b	generic exponent of a power-law relationship
b	imaginary part of a generic complex number, Appendix A.5
$b_{1,2,j}$	imaginary parts of the complex numbers z_1, z_2, z_j
B	bandwidth of the receiver
C	speed of light
c_j	complex weights to bases functions of a Fourier series, Eq. (A.37)
$c_{\rm p}$	specific heat capacity of air at constant pressure
C_{S}	speed of sound, Eq. (5.3)
C_{V}	specific heat capacity of air at constant volume
$cov_{X,Y}$	covariance between the samples X and Y , Eq. (A.13)
$cov_{X,Y}[l]$	covariance between the samples X and Y at lag I , Eqs. (A.15) and (A.24)
C_n^2	refractive index structure parameter, Eq. (2.9)
dBZ D	reflectivity factors in units of decibels, Eq. (3.5) diameter of hydrometeor or target
D_a	diameter of hydrometeor of target diameter of a parabolic reflector
e	partial pressure of water vapor
$E(\lambda)$	Flux of energy at wavelength λ
$E(\kappa)$ E_{ω}	Power spectrum value at wavenumber ω , Eq. (A.41)
ω_{ω}	Tower spectrum variae at wavenumber w, Eq. (A.71)

· ·	7. d
f	transmit frequency of the radar
f()	function
$f_{ m IF}$	intermediate frequency, or frequency of the radar return signal after mixing
f_j	value of a generic discrete function at sample j , Eq. (A.40)
f_{LO}	frequency of the internal local oscillator
f_{lobes}	fraction of the integral of the gain belonging to the sidelobes
$f_{\rm r}$	pulse repetition frequency, Eq. (2.14) and Fig. 2.14
$F(\omega)$	component of a Fourier transform at wavenumber ω , Eq. (A.39)
$\mathcal{F}()$	Fourier transform operation, Eq. (A.39)
F_{ω}	component of a discrete Fourier transform at wavenumber ω , Eq. (A.40)
g	acceleration of Earth's gravity
G	gain (or directivity) of the antenna, Eqs. (13.1) and (13.2)
$H_{\rm o}$	scale height
H_j	sample <i>j</i> of the received signal time series at horizontal polarization
i	$\sqrt{-1}$
i	unit vector in the x (east–west) direction, pointing east
I	component of the received signal in phase with the reference signal,
	Eq. (A.22)
I_j	component of the sample j of the received signal time series in phase with
9	the reference signal
I_{S_i}	component of the sample j of the received signal time series originating
2)	from targets in phase with the reference signal
j, j_1, j_2	indices of series of values
j	unit vector in the y (north-south) direction, pointing north
k	Boltzmann constant, Eq. (13.3) only
k	index to drop or target number
k	unit vector in the z (up-down) direction, pointing up
$k_{\rm e}$	multiplier to Earth radius for the k_e Earth radius approximation, Eq. (2.13)
$ K^2 $	dielectric constant of the scatterers, Eq. (3.3), Table 3.1
K_{dp}	specific differential propagation phase delay
$\ K_w^2\ $	dielectric constant of liquid water
$l_{\rm p}$	longitude of the radar pulse, Eq. (A.1b)
l	lag, or offset in sample number
$l_{\rm rad}$	longitude of radar
L	generic horizontal distance
L	interval over which a function f is assumed periodic, Appendix A.5
LDR	linear depolarization ratio, Section 6.2.2
$L_{\rm p}$	latitude of the radar pulse, Eq. (A.1a)
$L_{ m rad}$	latitude of radar
M	number of measurements in a sample
$M_{ m s}$	number of measurements or subsamples in a sample
M_{λ}	number of wavelengths over which a measurement of I and Q is made
n	refractive index of air, Eq. (2.8)
$n(\lambda)$	complex refractive index of a target

xv Notation

n_1, n_2	refractive index of medium 1 and 2, Fig. 2.9
$n_{\rm p}$	number of transmit pulses
N	refractivity of air, Section 2.3.1
N	Fraction of the received signal originating from noise, Appendix A.5
N(D)	number of scatterers of diameter D per unit volume
$N_f(D)$	number of scatterers of diameter D per unit volume after the growth process,
J. ~ ~	Eq. (9.2)
$N_{\rm i}(D)$	initial number of scatterers of diameter D per unit volume before the growth
	process
$N_{\rm o}$	number of scatterers of diameter 0 per unit volume in the context of an
	exponential drop size distribution
<i>p</i> ()	probability function
$\stackrel{r}{P}$	air pressure
P_{d}	power from the direct echo in the context of the mirror image technique, Fig.
· ·	12.6
$P_{\rm g}$	power from the ground or sea surface in the context of the mirror image
5	technique, Fig. 12.6
P_{HH}	signal power received at horizontal polarization given a transmission at
	horizontal polarization
$P_{\rm m}$	power from the mirror image in the context of the mirror image technique,
	Fig. 12.6
$P_{\rm N}$	noise power, Eq. (13.3)
$P_{\rm r}$	returned or received power, Eq. (3.2)
$\frac{P_{\rm r}}{P_{\rm r}}$	average returned or received power
P_{t}	power of the transmit pulse
P_{VV}	signal power received at vertical polarization given a transmission at ver-
	tical polarization
q	exponent of the power spectrum of atmospheric patterns, Section A.4.4
Q	component of the received signal in quadrature with the reference signal,
	Eq. (A.24)
Q_j	component of the sample j of the received signal time series in quadrature
	with the reference signal
Q_{S_j}	component of the sample j of the received signal time series originating
	from targets in quadrature with the reference signal
ľ	radar range
$r_{\rm d}$	radar range when used within an integral as the variable of integration
$r_{1,2,3,4}$	radar range of targets 1, 2, 3, and 4, Eq. (2.14) and Fig. 2.14
r_{max}	maximum unambiguous range, Eq. (2.15)
$r_{ m v}$	mixing ratio of water vapor
R	rainfall rate, Eq. (3.7)
R'	gas constant of air
S	unit length
S	unit vector perpendicular to the radar phase fronts
S	fraction of the received signal originating from targets ("signal")

xvi Notation

255	CTAD Liferantial action Continue 6.2.5
SDR	simultaneous transmit and receive (STAR) differential ratio, Section 6.2.5
S_j	signal fraction of the sample <i>j</i> of the received signal time series
ť	time
t_0	time when the transmit pulse was fired, Eq. (2.14) and Fig. 2.14
$t_{1,2,3,4}$	time when the echo from targets 1, 2, 3, and 4 is received, Eq. (2.14) and
	Fig. 2.14
$t_{\rm travel}$	time required for the radar pulse to reach the target and come back
T	temperature
$T_{\mathbf{A}}$	noise temperature of the antenna, Eq. (13.3)
$T_{\rm co}$	noise temperature of the cosmic microwave background
$T_{\rm d}$	dew point temperature
$T_{ m v}$	virtual temperature, Eq. (5.3)
и	east-west horizontal wind component
$u_{\rm s}$	east-west wind components at the surface
v	north–south horizontal wind component
$v_{\rm DOP}$	Doppler velocity of the target, Eqs. (5.2) and (A.8)
$v_{ m max}$	Nyquist velocity, Eq. (5.8)
$v_{\rm s}$	north-south wind components at the surface
$v_{\rm sr}$	speed of propagation of the source region
v	three-dimensional wind
v_{S-R}	storm-relative wind
$\mathbf{v_t}$	three-dimensional velocity of targets
V	integer value representing how a field value at one point is encoded in radar
	archive files
V_{j}	sample j of the received signal time series at vertical polarization
W	vertical wind component, or updraft velocity
w_{f}	reflectivity-weighted average terminal fall speed of hydrometeors with
	respect to still air
$w_{\rm r}(D)$	terminal fall speed of a raindrop of diameter D with respect to still air
W_{S}	vertical air velocity at the surface, Eq. (11.2)
$W_{\rm a}$	weighting function with respect to the beam axis describing the angular
	beam pattern of the radar measurement, Eq. (A.5)
$W_{\rm r}$	weighting functions for each cell in range
W_{t}	weighting functions for each cell in time, Eq. (13.6)
X	east-west distance
X	generic variable or sample
\mathcal{Y}	north-south distance
Y	generic variable or sample
Z	height (everywhere but in Section A.5)
Z	generic complex number (Section A.5 only)
$z_{1,2,j}$	generic complex numbers indexed 1, 2, and j
$z_{\rm rad}$	altitude of radar
Z_{S}	mean sea-level altitude of the surface terrain
Z	radar reflectivity factor, Eq. (3.1)

xvii Notation

$Z_{ m dr}$	differential reflectivity
$Z_{ m e}$	equivalent radar reflectivity factor, Eq. (3.4)
Z_{H}	radar reflectivity factor at horizontal polarization
$Z_{ m V}$	radar reflectivity factor at vertical polarization
$\alpha(s)$	absorptivity of a medium at location s along a path, Fig. 2.12
α_1	angle of incidence from the normal to the interface between the two
1	mediums, Fig. 2.9
α_2	angle of exit from the same normal to the interface between the two mediums, Fig. 2.9
β	volume scattering coefficient, Eq. (2.2)
$\beta_{ m D}$	slope of an exponential drop size distribution
γ	size parameter, Eq. (2.3)
$\delta_{ m co}$	differential backscattering phase delay, Eq. (6.1)
$\delta\theta$	elevation angle deviation with respect to the beam axis
$\delta\phi$	azimuth angle deviation with respect to the beam axis
$\Delta \varphi$	change in the phase of a target between successive transmit pulses, Eq. (5.7)
$\Delta\phi$	azimuth interval over which pulses are averaged to make a radial
Δr	range interval over which echoes are averaged to make a final range gate
$\mathcal E$	ratio of the gas constants of air and water vapor
ζ	vertical vorticity, everywhere but in Section A.5
ζ ζ ζ _{1,2,<i>j</i>}	generic complex number, Section A.5 only
$\zeta_{1,2,j}$	generic complex numbers indexed 1, 2, and j
η	radar reflectivity
θ	elevation angle, or angle pointed by the radar with respect to the horizon
θ'	angle with respect to the horizon of the beam as it propagates, Eq. (A.4b)
$\overline{ heta}$	average or center elevation angle
θ_{d}	elevation angle when used within an integral as the integration variable
θ_j	elevation pointed by the antenna when each transmit pulse j was fired
$\theta_{ m beam}$	half-power beamwidth of the radar, Eq. (2.11)
$\theta_{ m lobes}$	half-power width of the sidelobe envelope in elevation
λ	wavelength, Eq. (2.17)
μ	mean of a generic population
Šs	scattering efficiency factor, Eq. (2.4)
ρ	air density
$\rho_{X,Y}$	linear correlation coefficient between two time series X and Y , Eqs. (A.14) and (A.27)
$\rho_{X,Y}[l]$	linear correlation coefficient between two time series X and Y at lag I
$\rho_{\rm co}, \rho_{\rm HV}$	copolar correlation coefficient
$ ho_{ m i}$	density of ice
$ ho_{ m s}$	density of snow (air-ice mixture)
σ	standard deviation of a generic population
$\sigma_{ m b}$	backscattering cross-section, Eqs. (2.6) and (2.7)
$\sigma_{ m s}$	standard deviation of a sample, e.g., Eqs. (A.10) and (A.28)
$\sigma_{ m v}$	spectrum width of the Doppler velocity distribution, Eq. (A.32)

τ	transmit pulse duration
$ au_{ m indep}$	time to independence of successive radar measurements, Section 2.4.2
T	transmittance of the atmosphere along the path, Eq. (13.4)
φ	phase of a target, Eq. (5.1)
$\varphi_{1,2,3,4}$	phase of targets 1, 2, 3, and 4, Eq. (2.16) and Fig. 2.14
$arphi_{ m HH}$	copolar phase of echoes or signal at horizontal polarization
φ_{HV}	cross-polar phase of echoes or signal when the radar transmits at horizontal
	polarization but receives at vertical polarization
φ_{S_i}	phase of the fraction of the signal originating from targets for sample j
$\varphi_{ m VH}$	cross-polar phase of echoes or signal when the radar transmits at vertical
* ^==	polarization but receives at horizontal polarization
$\varphi_{ m VV}$	copolar phase of echoes or signal at vertical polarization
φ_z	argument of a complex number
ω	wavenumber
ϕ	azimuth angle, or clockwise angle with respect to the north direction pointed
	by the radar
ϕ'	angle with respect to the local north of the beam as it propagates, Eq. (A.2)
$rac{m{\phi}'}{m{\phi}}$	average or center azimuth
$\phi_{ m d}$	azimuth angle when used within an integral as the integration variable
ϕ_j	azimuth pointed by the antenna when each transmit pulse j was fired
$\phi_{ m lobes}$	half-power widths of the sidelobe envelope in azimuth
$\Phi_{ m dp}$	two-way differential propagation phase
Ψ_0	phase difference at range zero
Ψ_{dp}	differential phase shift between horizontally and vertically polarized
	returns, Eq. (6.1)

List of acronyms

AMS	American Meteorological Society
AP	anomalous propagation
ARM	Atmospheric Radiation Measurement (facility)
BWER	bounded weak echo region
CALIPSO	Cloud-Aerosol Lidar and Infrared Pathfinder Satellite Observation
	(satellite)
CAPE	convective available potential energy
CAPPI	constant altitude plan position indicator (radar product)
CEDRIC	Custom Editing and Display of Reduced Information in Cartesian space
	(software)
CIN	convective inhibition (energy)
DAAC	Distributed Active Archive Center
DART	Data Assimilation Research Testbed