

Aerodynamics for Engineers

Sixth Edition



John J. Bertin
Russell M. Cummings

AERODYNAMICS FOR ENGINEERS

Sixth Edition

JOHN J. BERTIN

Late Professor Emeritus, United States Air Force Academy

and
RUSSELL M. CUMMINGS

Professor Emeritus, California Polytechnic State University

PEARSON

Boston Columbus Indianapolis New York San Francisco Upper Saddle River
Amsterdam Cape Town Dubai London Madrid Milan Munich Paris Montréal Toronto
Delhi Mexico City São Paulo Sydney Hong Kong Seoul Singapore Taipei Tokyo

Vice President and Editorial Director, ECS:

Marcia J. Horton

Executive Editor: *Norrin Dias*

Editorial Assistant: *Sandra Rodriguez*

Executive Marketing Manager: *Tim Galligan*

Marketing Assistant: *Jon Bryant*

Permissions Project Manager: *Karen Sanatar*

Senior Managing Editor: *Scott Disanno*

Production Project Manager / Editorial Production Manager: *Greg Dulles*

Creative Director: *Jayne Conte*

Cover Designer: *Bruce Kenselaar*

Cover Image: *F-22 flying supersonically, courtesy of Lockheed Martin, photo by Kevin E. Robertson*

Production and Manufacturing: *Pat Brown*

Composition: *Aptara®, Inc.*

Full-Service Project Management: *Jogender Taneja, Aptara®, Inc.*

Printer/Binder: *Courier Westford*

Cover Printer: *Lehigh-Phoenix*

Typeface: *10/12 Times Ten*

*This edition of Aerodynamics for Engineers
is dedicated to the memory of John J. Bertin.*

© 2014, 2009, 2002 by Pearson Education, Inc. Pearson Prentice-Hall Upper Saddle River, NJ 07458

All rights reserved. No part of this book may be reproduced in any form or by any means, without permission in writing from the publisher. The author and publisher of this book have used their best efforts in preparing this book. These efforts include the development, research, and testing of the theories and programs to determine their effectiveness. The author and publisher make no warranty of any kind, expressed or implied, with regard to these programs or the documentation contained in this book. The author and publisher shall not be liable in any event for incidental or consequential damages in connection with, or arising out of, the furnishing, performance, or use of these programs.

Pearson Education Ltd., London

Pearson Education Singapore, Pte. Ltd

Pearson Education Canada, Inc.

Pearson Education–Japan

Pearson Education Australia PTY, Limited

Pearson Education North Asia, Ltd., Hong Kong

Pearson Educación de Mexico, S.A. de C.V.

Pearson Education Malaysia, Pte. Ltd.

Pearson Education Upper Saddle River, New Jersey

Library of Congress Cataloging-in-Publication Data

Bertin, John J.,

Aerodynamics for engineers/John J. Bertin, late professor emeritus, United States Air Force Academy, and Russell M. Cummings, professor emeritus, California Polytechnic State University.—Sixth edition.

pages cm

ISBN-13: 978-0-13-283288-5

ISBN-10: 0-13-283288-7

1. Aerodynamics. I. Cummings, Russell M. (Russell Mark) II. Title.

TL570.B42 2014

629.132'3—dc23

2012044295

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

PEARSON

ISBN-10: 0-13-283288-7

ISBN-13: 978-0-13-283288-5

Preface

A great deal has happened since the preface to the fifth edition of *Aerodynamics for Engineers* was written early in 2008. During the spring and early summer of 2008, John Bertin and I were busy checking chapter proofs for “The Book” (as he liked to call it). John was at home in Houston and teaching at his beloved Rice University (you may have noticed that covers of the various editions of *Aerodynamics for Engineers* were usually blue and light gray, the colors of Rice University). I was a visiting researcher at the Institute of Aerodynamics and Flow Technology at The German Aerospace Center (DLR) in Braunschweig. John had two major struggles in his life at the time: he was working through the last stages of the illness that would take his wife, Ruth, from him. He had also been diagnosed with pancreatic cancer, and was dealing with doctors, treatments, and hospitals. We spoke on the phone often about the various challenges he was facing, both with his wife’s and his own health. Through the support of his family, as well as his desire to finish the fifth edition, he made it through the summer of 2008 in reasonably good shape. Copies of the book were shipped to us in July 2008, and he was very glad that we had finished the undertaking we had started so many years earlier.

Unfortunately, John’s pancreatic cancer took a turn for the worse in late summer of 2008, and he passed away on October 11, 2008. A large number of former co-workers from NASA and various universities, as well as his family and friends, attended his funeral later that month, and we all knew that a very special person had passed from our ranks.

One of the things that John and I talked about during his last months of life was his desire for *Aerodynamics for Engineers* to continue to grow and evolve, even if he was not around to help with that task. I cannot help but think that he asked me to be his co-author for the fifth edition for this purpose. So, in spite of the fact that John is no longer with us, his spirit and excitement for learning will continue to live.

So, there were many goals for writing the sixth edition of *Aerodynamics for Engineers*: (1) to continue the legacy of Professor Bertin; (2) to rewrite many of the sections that provide readers with a motivation for studying aerodynamics in a more casual, enjoyable, and readable manner; (3) to update the technical innovations and advancements that have taken place in aerodynamics since the writing of the previous edition; and (4) to add aerodynamics concept boxes throughout the book to enhance the interest of readers.

To help achieve these goals, I provided readers with new sections, listed under What’s New to This Edition on the next page. In addition, there are numerous new figures containing updated information, as well as numerous, additional up-to-date references throughout the book. Finally, numerous new example problems have been added throughout the book to enhance the learning of aerodynamics by the reader, and answers to selected problems have been added to help students know when they have done the problems correctly. Users of the fifth edition of the book will find that all material included in that edition is still included in the sixth edition, with the new material added throughout the book to bring a real-world flavor to the concepts being developed. I hope that readers will find the inclusion of all of this additional material helpful and informative.

Finally, no major revision of a book like *Aerodynamics for Engineers* can take place without the help of many people. I am especially indebted to everyone who aided in collecting new

materials for the sixth edition. I want to especially thank Preston A. Henne and Robert van't Riet of McDonnell Douglas; Eli Reshotko of Case Western Reserve University; David W. Hall of DHC Engineering; Stuart Rogers of NASA Ames Research Center; David McDaniel of the University of Alabama, Birmingham; Hans Hornung of Caltech; Andreas Schütte, Thomas Streit, and Martin Hepperle of DLR; Patrick Champigny of ONERA; Aaron Byerley of the U.S. Air Force Academy; John McMasters of The Boeing Company; and William H. Mason of Virginia Tech. In addition, I am very grateful for the excellent suggestions and comments made by the reviewers of the sixth edition: Roger L. Simpson of Virginia Tech, Tej R. Gupta of Embry-Riddle Aeronautical University, Serhat Hosder of Missouri University of Science and Technology, and Lisa Grega of The College of New Jersey. The editorial and production staff at Pearson has been outstanding in their support of this new edition: I greatly appreciate their efforts. I am also extremely grateful to the many students at the U.S. Air Force Academy who have pointed out errors that they found in the previous edition. I hope that everyone who reads this book will find it useful and educational.

WHAT'S NEW TO THIS EDITION?

- Aerodynamics concept boxes added throughout the book to bring real-world examples and applications to light as new material is being learned
- Chapter objectives to give readers a better understanding of the goal of each chapter and what concepts they should understand after reading through the chapter
- Significant re-writing of material and derivations from previous editions to improve clarity and usefulness
- Extra example problems to improve understanding of how to apply concepts to useful applications
- Significant new sections added on the topics of: importance of aerodynamics to aircraft performance, a description of the airplane, the irrotational flow condition, applications of potential flow theory to aerodynamics, expanded description of airfoil geometry and nomenclature, high lift military airfoils, the effect of taper ratio on wing efficiency, induced drag estimation, converging-diverging nozzles, shock/shock interactions, subsonic compressible transformations, additional compressibility corrections, critical Mach number, drag divergence Mach number, base drag, and the distinguishing characteristics of hypersonic flow
- Updated figures and photographs to help readers see concepts from real examples and on real aircraft
- Answers to selected problems

Enjoy your study of aerodynamics!

INSTRUCTORS RESOURCES

Resources to accompany the text are located on the Instructor Resource Center website at www.pearsonhighered.com. If you are in need of a login and password for this site, please contact your local Pearson representative. Resources include; Instructor Solutions Manual, Matlab files for several example problems and lecture slides for most chapters.

RUSSELL M. CUMMINGS
Larkspur, Colorado

Contents

PREFACE

ix

CHAPTER 1 WHY STUDY AERODYNAMICS?

1

- 1.1 Aerodynamics and the Energy-Maneuverability Technique 2
- 1.2 Solving for the Aerothermodynamic Parameters 8
- 1.3 Description of an Airplane 26
- 1.4 Summary 27
- Problems 28
- References 32

CHAPTER 2 FUNDAMENTALS OF FLUID MECHANICS

33

- 2.1 Introduction to Fluid Dynamics 34
- 2.2 Conservation of Mass 36
- 2.3 Conservation of Linear Momentum 40
- 2.4 Applications to Constant-Property Flows 46
- 2.5 Reynolds Number and Mach Number as Similarity Parameters 55
- 2.6 Concept of the Boundary Layer 63
- 2.7 Conservation of Energy 65
- 2.8 First Law of Thermodynamics 66
- 2.9 Derivation of the Energy Equation 68
- 2.10 Summary 76
- Problems 76
- References 87

CHAPTER 3 DYNAMICS OF AN INCOMPRESSIBLE, INVISCID FLOW FIELD

88

- 3.1 Inviscid Flows 89
- 3.2 Bernoulli's Equation 90
- 3.3 Use of Bernoulli's Equation to Determine Airspeed 93
- 3.4 The Pressure Coefficient 96
- 3.5 Circulation 99
- 3.6 Irrotational Flow 102
- 3.7 Kelvin's Theorem 103

3.8	Incompressible, Irrotational Flow and the Velocity Potential	104
3.9	Stream Function in a Two-Dimensional, Incompressible Flow	107
3.10	Relation between Streamlines and Equipotential Lines	109
3.11	Superposition of Flows	112
3.12	Elementary Flows	113
3.13	Adding Elementary Flows to Describe Flow Around a Cylinder	126
3.14	Lift and Drag Coefficients as Dimensionless Flow-Field Parameters	134
3.15	Flow Around a Cylinder with Circulation	139
3.16	Source Density Distribution on the Body Surface	144
3.17	Incompressible, Axisymmetric Flow	149
3.18	Summary	152
	Problems	152
	References	165

CHAPTER 4

VISCOUS BOUNDARY LAYERS

166

4.1	Equations Governing the Boundary Layer for a Steady, Two-Dimensional, Incompressible Flow	167
4.2	Boundary Conditions	170
4.3	Incompressible, Laminar Boundary Layer	171
4.4	Boundary-Layer Transition	189
4.5	Incompressible, Turbulent Boundary Layer	193
4.6	Eddy Viscosity and Mixing Length Concepts	202
4.7	Integral Equations for a Flat-Plate Boundary Layer	204
4.8	Thermal Boundary Layer for Constant-Property Flows	215
4.9	Summary	221
	Problems	221
	References	225

CHAPTER 5

CHARACTERISTIC PARAMETERS FOR AIRFOIL AND WING AERODYNAMICS

226

5.1	Characterization of Aerodynamic Forces and Moments	227
5.2	Airfoil Geometry Parameters	231

- 5.3 Wing-Geometry Parameters 236
- 5.4 Aerodynamic Force and Moment Coefficients 244
- 5.5 Wings of Finite Span 273
 - Problems 288
 - References 292

CHAPTER 6

INCOMPRESSIBLE FLOWS AROUND AIRFOILS OF INFINITE SPAN

294

- 6.1 General Comments 295
- 6.2 Circulation and the Generation of Lift 296
- 6.3 General Thin-Airfoil Theory 298
- 6.4 Thin, Flat-Plate Airfoil (Symmetric Airfoil) 301
- 6.5 Thin, Cambered Airfoil 306
- 6.6 Laminar-Flow Airfoils 317
- 6.7 High-Lift Airfoil Sections 321
- 6.8 Multielement Airfoil Sections for Generating High Lift 327
- 6.9 High-Lift Military Airfoils 334
- 6.10 Summary 337
 - Problems 337
 - References 339

CHAPTER 7

INCOMPRESSIBLE FLOW ABOUT WINGS OF FINITE SPAN

341

- 7.1 General Comments 342
- 7.2 Vortex System 345
- 7.3 Lifting-Line Theory for Unswept Wings 346
- 7.4 Panel Methods 375
- 7.5 Vortex Lattice Method 379
- 7.6 Factors Affecting Drag Due-to-Lift at Subsonic Speeds 401
- 7.7 Delta Wings 404
- 7.8 Leading-Edge Extensions 414
- 7.9 Asymmetric Loads on the Fuselage at High Angles of Attack 418
- 7.10 Flow Fields for Aircraft at High Angles of Attack 422
- 7.11 Unmanned Air Vehicle Wings 424
- 7.12 Summary 426
 - Problems 426
 - References 428

CHAPTER 8	DYNAMICS OF A COMPRESSIBLE FLOW FIELD	431
8.1	Thermodynamic Concepts	432
8.2	Adiabatic Flow in a Variable-Area Streamtube	441
8.3	Isentropic Flow in a Variable-Area Streamtube	445
8.4	Converging-diverging Nozzles	451
8.5	Characteristic Equations and Prandtl-Meyer Flows	454
8.6	Shock Waves	462
8.7	Viscous Boundary Layer	473
8.8	Shock-Wave/Boundary-Layer Interactions	480
8.9	Shock/Shock Interactions	482
8.10	The Role of Experiments for Generating Information Defining the Flow Field	486
8.11	Comments About the Scaling/Correction Process(es) for Relatively Clean Cruise Configurations	494
8.12	Summary	495
	Problems	495
	References	502
CHAPTER 9	COMPRESSIBLE, SUBSONIC FLOWS AND TRANSONIC FLOWS	505
9.1	Compressible, Subsonic Flow	506
9.2	Transonic Flow Past Unswept Airfoils	517
9.3	Wave Drag Reduction by Design	526
9.4	Swept Wings at Transonic Speeds	527
9.5	Transonic Aircraft	543
9.6	Summary	548
	Problems	548
	References	548
CHAPTER 10	TWO-DIMENSIONAL, SUPERSONIC FLOWS AROUND THIN AIRFOILS	551
10.1	Linear Theory	553
10.2	Second-Order Theory (Busemann's Theory)	561
10.3	Shock-Expansion Technique	566
10.4	Summary	572
	Problems	572
	References	575

**CHAPTER 11 SUPERSONIC FLOWS OVER WINGS
AND AIRPLANE CONFIGURATIONS****577**

- 11.1 General Remarks About Lift and Drag 579
- 11.2 General Remarks About Supersonic Wings 581
- 11.3 Governing Equation and Boundary Conditions 583
- 11.4 Consequences of Linearity 584
- 11.5 Solution Methods 585
- 11.6 Conical-Flow Method 585
- 11.7 Singularity-Distribution Method 598
- 11.8 Design Considerations for Supersonic Aircraft 625
- 11.9 Some Comments About the Design of the SST and of the HSCT 627
- 11.10 Slender Body Theory 634
- 11.11 Base Drag 636
- 11.12 Aerodynamic Interaction 639
- 11.13 Aerodynamic Analysis for Complete Configurations in a Supersonic Free Stream 642
- 11.14 Summary 643
- Problems 644
- References 646

CHAPTER 12 HYPERSONIC FLOWS**649**

- 12.1 The Five Distinguishing Characteristics 652
- 12.2 Newtonian Flow Model 657
- 12.3 Stagnation Region Flow-Field Properties 660
- 12.4 Modified Newtonian Flow 665
- 12.5 High L/D Hypersonic Configurations—Waveriders 682
- 12.6 Aerodynamic Heating 691
- 12.7 A Hypersonic Cruiser for the Twenty-First Century? 697
- 12.8 Importance of Interrelating CFD, Ground-Test Data, and Flight-Test Data 700
- 12.9 Boundary-Layer-Transition Methodology 702
- 12.10 Summary 706
- Problems 706
- References 708

CHAPTER 13	AERODYNAMIC DESIGN CONSIDERATIONS	711
13.1	High-Lift Configurations	712
13.2	Circulation Control Wing	725
13.3	Design Considerations for Tactical Military Aircraft	727
13.4	Drag Reduction	731
13.5	Development of an Airframe Modification to Improve the Mission Effectiveness of an Existing Airplane	742
13.6	Considerations for Wing/Canard, Wing/Tail, and Tailless Configurations	758
13.7	Comments on the F-15 Design	763
13.8	The Design of the F-22	764
13.9	The Design of the F-35	767
13.10	Summary	770
	Problems	770
	References	772
CHAPTER 14	TOOLS FOR DEFINING THE AERODYNAMIC ENVIRONMENT	775
14.1	Computational Tools	777
14.2	Establishing the Credibility of CFD Simulations	783
14.3	Ground-Based Test Programs	785
14.4	Flight-Test Programs	788
14.5	Integration of Experimental and Computational Tools: The Aerodynamic Design Philosophy	789
14.6	Summary	790
	References	790
APPENDIX A	THE EQUATIONS OF MOTION WRITTEN IN CONSERVATION FORM	792
APPENDIX B	A COLLECTION OF OFTEN USED TABLES	798
	ANSWERS TO SELECTED PROBLEMS	806
	INDEX	811
	CREDITS	819

1 WHY STUDY AERODYNAMICS?

Chapter Objectives

- Learn why aerodynamics is important in determining the performance characteristics of airplanes
- Develop a basic understanding of fluid properties such as density, temperature, pressure, and viscosity and know how to calculate these properties for a perfect gas
- Learn about the atmosphere and why we use a “standard atmosphere” model to perform aerodynamic calculations; learn how to perform calculations of fluid properties in the atmosphere
- Learn the basic components of an airplane and what they are used for

The study of aerodynamics is a challenging and rewarding discipline within aeronautics since the ability of an airplane to perform (how high, how fast, and how far an airplane will fly, such as the F-15E shown in Fig. 1.1) is determined largely by the aerodynamics of the vehicle. However, determining the aerodynamics of a vehicle (finding the lift and drag) is one of the most difficult things you will ever do in engineering, requiring complex theories, experiments in wind tunnels, and simulations using modern high-speed computers. Doing any of these things is a challenge, but a challenge well worth the effort for those wanting to better understand aircraft flight.



Figure 1.1 Aerodynamics is required for all components of the F-15E in flight, including the wing, fuselage, horizontal and vertical tails, stores, and how they interact with each other (U.S. Air Force photo by Staff Sgt. Samuel Rogers).

In order to prepare you for the challenge of learning about aerodynamics, we will first look at some interesting aspects of aircraft performance, and how we could determine if one airplane will outperform another airplane in a dog fight. Hopefully this will lead us to the point where we realize that aerodynamics is one of the prime characteristics of an airplane, which will determine the performance of the vehicle.

Of course, aerodynamics also requires that we understand some basic information about fluid dynamics, since physical materials known as fluids are made up of both liquids and gasses, and air is a gas. So some basic concepts about fluid properties and how we can describe a fluid will also be necessary. Since airplanes fly in the atmosphere, we will also develop a standard way to describe the properties of air in the atmosphere. And finally, we will discuss some of the basic geometry of an airplane, so we will have a common nomenclature for discussing how airplanes fly and for the aerodynamics of the various parts of an airplane. All of these pieces of background information will help us get started on the path to understanding aerodynamics, which is the goal of this book.

1.1 AERODYNAMICS AND THE ENERGY-MANEUVRABILITY TECHNIQUE

Early in the First World War, fighter pilots (at least those good enough to survive their first engagement with the enemy) quickly developed tactics that were to serve them throughout the years. German aces, such as Oswald Boelcke and Max Immelman,

realized that if they initiated combat starting from an altitude that was greater than that of their adversary, they could dive upon their foe, trading potential energy (height) for kinetic energy (velocity). Using the greater speed of his airplane to close from the rear (i.e., from the target aircraft's "six o'clock position"), the pilot of the attacking aircraft could dictate the conditions of the initial phase of the air-to-air combat. Starting from a superior altitude and converting potential energy to kinetic energy, the attacker might be able to destroy his opponent on the first pass. These tactics were refined, as the successful fighter aces gained a better understanding of the nuances of air combat by building an empirical database through successful air-to-air battles. A language grew up to codify these tactics: "Check your six."

This data base of tactics learned from successful combat provided an empirical understanding of factors that are important to aerial combat. Clearly, the sum of the potential energy plus the kinetic energy (i.e., the total energy) of the aircraft is one of the factors.


EXAMPLE 1.1: The total energy

Compare the total energy of a B-52 (shown in Fig. 1.2a) that weighs 450,000 pounds and that is cruising at a true air speed of 250 knots at an altitude of 20,000 ft with the total energy of an F-5 (shown in Fig. 1.2b) that weighs 12,000 pounds and that is cruising at a true air speed of 250 knots at an altitude of 20,000 ft. The equation for the total energy is

$$E = \frac{1}{2}mV^2 + mgh \quad (1.1)$$

Solution: To have consistent units, the units for velocity should be feet per second rather than knots. A knot is a nautical mile per hour and is equal to 1.69 ft per second, so 250 knots is equal to 422.5 ft/s. The mass is given by the equation:

$$m = \frac{W}{g} \quad (1.2)$$



(a) B-52H



(b) F-5E

Figure 1.2 Aircraft used in energy-maneuverability comparison (U.S. Air Force photos; B-52H photo by Mike Cassidy).

Note that the units of mass could be grams, kilograms, lbm, slugs, or $\text{lbf} \cdot \text{s}^2/\text{ft}$. The choice of units often will reflect how mass appears in the application. The mass of the “Buff” (i.e., the B-52) is $13,986 \text{ lbf} \cdot \text{s}^2/\text{ft}$ or 13,986 slugs, while the mass for the F-5 is 373 slugs. The total energy for the B-52 is:

$$E = \frac{1}{2} \left(13,986 \frac{\text{lbf} \cdot \text{s}^2}{\text{ft}} \right) \left(422.5 \frac{\text{ft}}{\text{s}} \right)^2 + (450,000 \text{ lbf})(20,000 \text{ ft})$$

$$E = 1.0248 \times 10^{10} \text{ ft} \cdot \text{lbf}$$

Similarly, the total energy of the F-5 fighter is

$$E = \frac{1}{2} \left(373 \frac{\text{lbf} \cdot \text{s}^2}{\text{ft}} \right) \left(422.5 \frac{\text{ft}}{\text{s}} \right)^2 + (12,000 \text{ lbf})(20,000 \text{ ft})$$

$$E = 2.7329 \times 10^8 \text{ ft} \cdot \text{lbf}$$

The total energy of the B-52 is 37.5 times the total energy of the F-5. Even though the total energy of the B-52 is so very much greater than that for the F-5, it just doesn't seem likely that a B-52 would have a significant advantage in air-to-air combat with an F-5. Notice that the two aircraft are cruising at the same flight conditions (velocity/altitude combination). So in this case the difference in total energy is in direct proportion to the difference in the weights of the two aircraft. Perhaps the specific energy (i.e., the energy per unit weight) is a more realistic parameter when trying to predict which aircraft would have an edge in air-to-air combat.

EXAMPLE 1.2: The energy height

Since the weight specific energy also has units of height, it will be given the symbol H_e and is called the energy height. Dividing the terms in equation (1.1) by the weight of the aircraft ($W = mg$)

$$H_e = \frac{E}{W} = \frac{V^2}{2g} + h \quad (1.3)$$

Compare the energy height of a B-52 flying at 250 knots at an altitude of 20,000 ft with that of an F-5 cruising at the same altitude and at the same velocity.

Solution: The energy height of the B-52 is

$$H_e = \frac{1}{2} \frac{\left(422.5 \frac{\text{ft}}{\text{s}} \right)^2}{32.174 \frac{\text{ft}}{\text{s}^2}} + 20000 \text{ ft}$$

$$H_e = 22774 \text{ ft}$$

Since the F-5 is cruising at the same altitude and at the same true air speed as the B-52, it has the same energy height (i.e., the same weight specific energy).

If we consider only this weight specific energy, the B-52 and the F-5 are equivalent. This is obviously an improvement over the factor of 37.5 that the “Buff” had over the F-5, when the comparison was made based on the total energy. However, the fact that the energy height is the same for these two aircraft indicates that further effort is needed to provide a more realistic comparison for air-to-air combat.

Based on these examples, there must be some additional parameters that are relevant when comparing the one-on-one capabilities of two aircraft in air-to-air combat. Captain Oswald Boelcke developed a series of rules based on his combat experience as a forty-victory ace by October 19, 1916. Boelcke specified seven rules, or “dicta” [Werner (2005)]. The first five, which deal with tactics, are

1. Always try to secure an advantageous position before attacking. Climb before and during the approach in order to surprise the enemy from above, and dive on him swiftly from the rear when the moment to attack is at hand.
2. Try to place yourself between the sun and the enemy. This puts the glare of the sun in the enemy’s eyes and makes it difficult to see you and impossible to shoot with any accuracy.
3. Do not fire the machine guns until the enemy is within range and you have him squarely within your sights.
4. Attack when the enemy least expects it or when he is preoccupied with other duties, such as observation, photography, or bombing.
5. Never turn your back and try to run away from an enemy fighter. If you are surprised by an attack on your tail, turn and face the enemy with your guns.

Although Boelcke’s dicta were to guide fighter pilots for decades to come, they were experienced-based empirical rules. The first dictum deals with your total energy, the sum of the potential energy plus the kinetic energy. We learned from the first two example calculations that predicting the probable victor in one-on-one air-to-air combat is not based on energy alone.

Note that the fifth dictum deals with maneuverability. ***Energy AND Maneuverability!*** The governing equations should include maneuverability as well as the specific energy.

It wasn’t until almost half a century later that a Captain in the U.S. Air Force brought the needed complement of talents to bear on the problem [Coram (2002)]. Captain John R. Boyd was an aggressive and talented fighter pilot who had an insatiable intellectual curiosity for understanding the scientific equations that had to be the basis of the “Boelcke dicta.” John R. Boyd was driven to understand the physics that was the foundation of the tactics that, until that time, had been learned by experience for the fighter pilot lucky enough to survive his early air-to-air encounters with an enemy. In his role as Director of Academics at the U.S. Air Force Fighter Weapons School, it became not only his passion, but his job.

Air combat is a dynamic ballet of move and countermove that occurs over a continuum of time. Therefore, Boyd postulated that perhaps the time derivatives of

the energy height are more relevant than the energy height itself. How fast can we, in the target aircraft, with an enemy on our “six,” quickly dump energy and allow the foe to pass? Once the enemy has passed, how quickly can we increase our energy height and take the offensive? John R. Boyd taught these tactics in the Fighter Weapons School. Now he became obsessed with the challenge of developing the science of fighter tactics.

1.1.1 Specific Excess Power

If the pilot of the 12,000 lbf F-5 that is flying at a velocity of 250 knots (422.5 ft/s) and at an altitude of 20,000 ft is to gain the upper hand in air-to-air combat, his aircraft must have sufficient power either to out-accelerate or to outclimb his adversary. Consider the case where the F-5 is flying at a constant altitude. If the engine is capable of generating more thrust than the drag acting on the aircraft, the acceleration of the aircraft can be calculated using Newton’s Law:

$$\sum F = m a$$

which for an aircraft accelerating at a constant altitude becomes

$$T - D = \frac{W}{g} \frac{dV}{dt} \quad (1.4)$$

Multiplying both sides of equation (1.4) by V and dividing by W gives

$$\frac{(T - D)V}{W} = \frac{V}{g} \frac{dV}{dt} \quad (1.5)$$

which is the specific excess power, P_s .

EXAMPLE 1.3: The specific excess power and acceleration

The left-hand side of equation (1.5) is excess power per unit weight, or specific excess power, P_s . Use equation (1.5) to calculate the maximum acceleration for a 12,000-lbf F-5 that is flying at 250 knots (422.5 ft/s) at 20,000 ft.

Solution: Performance charts for an F-5 that is flying at these conditions indicate that it is capable of generating 3550 lbf thrust (T) with the afterburner lit, while the total drag (D) acting on the aircraft is 1750 lbf. Thus, the specific excess power is

$$P_s = \frac{(T - D)V}{W} = \frac{[(3550 - 1750) \text{ lbf}] 422.5 \text{ ft/s}}{12000 \text{ lbf}} = 63.38 \text{ ft/s}$$

Rearranging equation (1.5) to solve for the acceleration gives

$$\frac{dV}{dt} = P_s \frac{g}{V} = (63.38 \text{ ft/s}) \frac{32.174 \text{ ft/s}^2}{422.5 \text{ ft/s}} = 4.83 \text{ ft/s}^2$$
