

Graduate Texts in Mathematics

Dinakar Ramakrishnan
Robert J. Valenza

Fourier Analysis on Number Fields

数域上的傅里叶分析


Springer

世界图书出版公司
www.wpcbj.com.cn

ISBN 978-7-5100-3751-1/O·895

定价:45.00元

ISBN 978-7-5100-3751-1



9 787510 037511 >

上架建议: 数学/影印版

Dinakar Ramakrishnan
Robert J. Valenza

Fourier Analysis on Number Fields



Springer

Dinakar Ramakrishnan
Mathematics Department
California Institute of Technology
Pasadena, CA 91125-0001
USA

Robert J. Valenza
Department of Mathematics
Claremont McKenna College
Claremont, CA 91711-5903
USA

Editorial Board

S. Axler
Mathematics Department
San Francisco State
University
San Francisco, CA 94132
USA.

F.W. Gehring
Mathematics Department
East Hall
University of Michigan
Ann Arbor, MI 48109
USA.

K.A. Ribet
Mathematics Department
University of California
at Berkeley
Berkeley, CA 94720-3840
USA

Mathematics Subject Classification (1991): 42-01, 11F30

Library of Congress Cataloging-in-Publication Data
Ramakrishnan, Dinakar.

Fourier analysis on number fields / Dinakar Ramakrishnan, Robert
J. Valenza.

p. cm. — (Graduate texts in mathematics ; 186)

Includes bibliographical references and index.

ISBN 0-387-98436-4 (hardcover : alk. paper)

1. Fourier analysis. 2. Topological groups. 3. Number theory.

I. Valenza, Robert J., 1951— . II. Title. III. Series

QA403.5.R327 1998

515'.2433—dc21

98-16715

© 1999 Springer-Verlag New York, Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer-Verlag New York, Inc., 175 Fifth Avenue, New York, NY 10010, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandise Marks Act, may accordingly be used freely by anyone.

This reprint has been authorized by Springer-Verlag (Berlin/Heidelberg/New York) for sale in the Mainland China only and not for export therefrom.

ISBN 0-387-98436-4 Springer-Verlag New York Berlin Heidelberg SPIN 10659801

图书在版编目(CIP)数据

数域上的傅里叶分析 = Fourier Analysis on
Number Fields: 英文/(美)罗摩克里希纳
(Ramakrishnan, D.) 著. —影印本. —北京:
世界图书出版公司北京公司, 2011. 7

ISBN 978 - 7 - 5100 - 3751 - 1

I. ①数… II. ①罗… III. ①傅里叶分析—英文
IV. ①0174. 2

中国版本图书馆 CIP 数据核字(2011)第 145322 号

书 名: Fourier Analysis on Number Fields

作 者: Dinakar Ramakrishnan, Robert J. Valenza

中译名: 数域上的傅里叶分析

责任编辑: 高蓉 刘慧

出 版 者: 世界图书出版公司北京公司

印 刷 者: 三河市国英印务有限公司

发 行 者: 世界图书出版公司北京公司(北京朝内大街 137 号 100010)

联系电话: 010 - 64021602, 010 - 64015659

电子信箱: kjb@wpcbj.com.cn

开 本: 24 开

印 张: 16

版 次: 2011 年 07 月

版权登记: 图字:01 - 2011 - 2564

书 号: 978 - 7 - 5100 - 3751 - 1/O · 895

定 价: 45.00 元

Editorial Board

S. Axler F.W. Gehring K.A. Ribet

Springer

- New York
- Berlin
- Heidelberg
- Barcelona
- Hong Kong
- London
- Milan
- Paris
- Singapore
- Tokyo

Graduate Texts in Mathematics

- 1 TAKEUTI/ZARING. Introduction to Axiomatic Set Theory. 2nd ed.
- 2 OXTBY. Measure and Category. 2nd ed.
- 3 SCHAEFER. Topological Vector Spaces.
- 4 HILTON/STAMMBACH. A Course in Homological Algebra. 2nd ed.
- 5 MAC LANE. Categories for the Working Mathematician. 2nd ed.
- 6 HUGHES/PIPER. Projective Planes.
- 7 SERRE. A Course in Arithmetic.
- 8 TAKEUTI/ZARING. Axiomatic Set Theory.
- 9 HUMPHREYS. Introduction to Lie Algebras and Representation Theory.
- 10 COHEN. A Course in Simple Homotopy Theory.
- 11 CONWAY. Functions of One Complex Variable I. 2nd ed.
- 12 BEALS. Advanced Mathematical Analysis.
- 13 ANDERSON/FULLER. Rings and Categories of Modules. 2nd ed.
- 14 GOLUBITSKY/GUILLEMIN. Stable Mappings and Their Singularities.
- 15 BERBERIAN. Lectures in Functional Analysis and Operator Theory.
- 16 WINTER. The Structure of Fields.
- 17 ROSENBLATT. Random Processes. 2nd ed.
- 18 HALMOS. Measure Theory.
- 19 HALMOS. A Hilbert Space Problem Book. 2nd ed.
- 20 HUSEMOLLER. Fibre Bundles. 3rd ed.
- 21 HUMPHREYS. Linear Algebraic Groups.
- 22 BARNES/MACK. An Algebraic Introduction to Mathematical Logic.
- 23 GREUB. Linear Algebra. 4th ed.
- 24 HOLMES. Geometric Functional Analysis and Its Applications.
- 25 HEWITT/STROMBERG. Real and Abstract Analysis.
- 26 MANES. Algebraic Theories.
- 27 KELLEY. General Topology.
- 28 ZARISKI/SAMUEL. Commutative Algebra. Vol. I.
- 29 ZARISKI/SAMUEL. Commutative Algebra. Vol. II.
- 30 JACOBSON. Lectures in Abstract Algebra I. Basic Concepts.
- 31 JACOBSON. Lectures in Abstract Algebra II. Linear Algebra.
- 32 JACOBSON. Lectures in Abstract Algebra III. Theory of Fields and Galois Theory.
- 33 HIRSCH. Differential Topology.
- 34 SPITZER. Principles of Random Walk. 2nd ed.
- 35 ALEXANDER/WERMER. Several Complex Variables and Banach Algebras. 3rd ed.
- 36 KELLEY/NAMIOKA et al. Linear Topological Spaces.
- 37 MONK. Mathematical Logic.
- 38 GRAUERT/FRITZSCHE. Several Complex Variables.
- 39 ARVESON. An Invitation to C^* -Algebras.
- 40 KEMENY/SNELL/KNAPP. Denumerable Markov Chains. 2nd ed.
- 41 APOSTOL. Modular Functions and Dirichlet Series in Number Theory. 2nd ed.
- 42 SERRE. Linear Representations of Finite Groups.
- 43 GILLMAN/JERISON. Rings of Continuous Functions.
- 44 KENDIG. Elementary Algebraic Geometry.
- 45 LOÈVE. Probability Theory I. 4th ed.
- 46 LOÈVE. Probability Theory II. 4th ed.
- 47 MOISE. Geometric Topology in Dimensions 2 and 3.
- 48 SACHS/WU. General Relativity for Mathematicians.
- 49 GRUENBERG/WEIR. Linear Geometry. 2nd ed.
- 50 EDWARDS. Fermat's Last Theorem.
- 51 KLINGENBERG. A Course in Differential Geometry.
- 52 HARTSHORNE. Algebraic Geometry.
- 53 MANIN. A Course in Mathematical Logic.
- 54 GRAVER/WATKINS. Combinatorics with Emphasis on the Theory of Graphs.
- 55 BROWN/PEARCY. Introduction to Operator Theory. I: Elements of Functional Analysis.
- 56 MASSEY. Algebraic Topology: An Introduction.
- 57 CROWELL/FOX. Introduction to Knot Theory.
- 58 KOBLITZ. p -adic Numbers, p -adic Analysis, and Zeta-Functions. 2nd ed.
- 59 LANG. Cyclotomic Fields.
- 60 ARNOLD. Mathematical Methods in Classical Mechanics. 2nd ed.
- 61 WHITEHEAD. Elements of Homotopy Theory.

Preface

This book grew out of notes from several courses that the first author has taught over the past nine years at the California Institute of Technology, and earlier at the Johns Hopkins University, Cornell University, the University of Chicago, and the University of Crete. Our general aim is to provide a modern approach to number theory through a blending of complementary algebraic and analytic perspectives, emphasizing harmonic analysis on topological groups. Our more particular goal is to cover John Tate's visionary thesis, giving virtually all of the necessary analytic details and topological preliminaries—technical prerequisites that are often foreign to the typical, more algebraically inclined number theorist. Most of the existing treatments of Tate's thesis, including Tate's own, range from terse to cryptic; our intent is to be more leisurely, more comprehensive, and more comprehensible. To this end we have assembled material that has admittedly been treated elsewhere, but not in a single volume with so much detail and not with our particular focus.

We address our text to students who have taken a year of graduate-level courses in algebra, analysis, and topology. While our choice of objects and methods is naturally guided by the specific mathematical goals of the text, our approach is by no means narrow. In fact, the subject matter at hand is germane not only to budding number theorists, but also to students of harmonic analysis or the representation theory of Lie groups. We hope, moreover, that our work will be a good reference for working mathematicians interested in any of these fields.

A brief sketch of each of the chapters follows.

(1) **TOPOLOGICAL GROUPS.** The general discussion begins with basic notions and culminates with the proof of the existence and uniqueness of Haar (invariant) measures on locally compact groups. We next give a substantial introduction to profinite groups, which includes their characterization as compact, totally disconnected topological groups. The chapter concludes with the elementary theory of pro- p -groups, important examples of which surface later in connection with local fields.

(2) **SOME REPRESENTATION THEORY.** In this chapter we introduce the fundamentals of representation theory for locally compact groups, with the ultimate

aim of proving certain key properties of unitary representations on Hilbert spaces. To reach this goal, we need some weighty analytic prerequisites, including an introduction to Gelfand theory for Banach algebras and the two spectral theorems. The first we prove completely; the second we only state, but with enough background to be thoroughly understandable. The material on Gelfand theory fortuitously appears again in the following chapter, in a somewhat different context.

(3) DUALITY FOR LOCALLY COMPACT ABELIAN GROUPS. The main points here are the abstract definition of the Fourier transform, the Fourier inversion formula, and the Pontryagin duality theorem. These require many preliminaries, including the analysis of functions of positive type, their relationship to unitary representations, and Bochner's theorem. A significant theme in all of this is the interplay between two alternative descriptions of the "natural" topology on the dual group of a locally compact abelian group. The more tractable description, as the compact-open topology, is presented in the first section; the other, which arises in connection with the Fourier transform, is introduced later as part of the proof of the Fourier inversion formula.

We have been greatly influenced here by the seminal paper on abstract harmonic analysis by H. Cartan and R. Godement (1947), although we give many more details than they, some of which are not obvious—even to experts. As a subsidiary goal of the book, we certainly hope that our exposition will encourage further circulation of their beautiful and powerful ideas.

(4) THE STRUCTURE OF ARITHMETIC FIELDS. In the first two sections the basics of local fields, such as the p -adic rationals \mathbb{Q}_p , are developed from a completely topological perspective; in this the influence of Weil's *Basic Number Theory* (1974) is apparent. We also provide some connections with the algebraic construction of these objects via discrete valuation rings. The remainder of the chapter deals with global fields, which encompass the finite extensions of \mathbb{Q} and function fields in one variable over a finite field. We discuss places and completions, the notions of ramification index and residual degree, and some key points on local and global bases.

(5) ADELES, IDELES, AND THE CLASS GROUPS. This chapter establishes the fundamental topological properties of adèle and idele groups and certain of their quotients. The first two sections lay the basic groundwork of definitions and elementary results. In the third, we prove the crucial theorem that a global field embeds as a cocompact subgroup of its adèle group. We conclude, in the final section, with the introduction of the idele class group, a vast generalization of the ideal class group, and explain the relationship of the former to the more traditional ray class group.

(6) A QUICK TOUR OF CLASS FIELD THEORY. The material in this chapter is not logically prerequisite to the development of Tate's thesis, but it is used in our

subsequent applications. We begin with the Frobenius elements (conjugacy classes) associated with unramified primes P of a global field F , first in finite Galois extensions, next in the maximal extension unramified at P . In the next three sections we state the Tchebotarev density theorem, define the transfer map for groups, and state, without proof, the Artin reciprocity law for abelian extensions of global and local fields, in terms of the more modern language of idele classes. In the fifth and final section, we explicitly describe the cyclotomic extensions of \mathbf{Q} and \mathbf{Q}_p and then apply the reciprocity law to prove the Kronecker-Weber theorem for these two fields.

(7) TATE'S THESIS AND APPLICATIONS. Making use of the characters and duality of locally compact abelian groups arising from consideration of local and global fields, we carefully analyze the local and global zeta functions of Tate. This brings us to the main issue: the demonstration of the functional equation and analytic continuation of the L -functions of characters of the idele class group. There follows a proof of the regulator formula for number fields, which yields the residues of the zeta function of a number field F in terms of its class number h_F and the covolume of a lattice of the group U_F of units, in a suitable Euclidean space. From this we derive the class number formula and, in consequence, Dirichlet's theorem for quadratic number fields. Further investigation of these L -functions—in fact, some rather classical analysis—next yields another fundamental property: their nonvanishing on the line $\text{Re}(s)=1$. Finally, as a most remarkable application of this material, we prove the following theorem of Hecke: Suppose that χ and χ' are idele class characters of a global field K and that $\chi_P = \chi'_P$ for a set of primes of positive density. Then $\chi = \mu\chi'$ for some character μ of finite order.

One of the more parenthetical highlights of this chapter (see Section 7.2) is the explanation of the analogy between the Poisson summation formula for number fields and the Riemann-Roch theorem for curves over finite fields.

We have given a number of exercises at the end of each chapter, together with hints, wherever we felt such were advisable. The difficult problems are often broken up into several smaller parts that are correspondingly more accessible. We hope that these will promote gradual progress and that the reader will take great satisfaction in ultimately deriving a striking result. We urge doing as many problems as possible; without this effort a deep understanding of the subject cannot be cultivated.

Perhaps of particular note is the substantial array of nonstandard exercises found at the end of Chapter 7. These span almost twenty pages, and over half of them provide nontrivial complements to, and applications of, the material developed in the chapter.

The material covered in this book leads directly into the following research areas.

- \diamond *L-functions of Galois Representations.* Following Artin, given a finite-dimensional, continuous complex representation σ of $\text{Gal}(\overline{\mathbf{Q}}/\mathbf{Q})$, one associates an L -function denoted $L(\sigma, s)$. Using Tate's thesis in combination with a theorem of Brauer and abelian class field theory, one can show that this function has a meromorphic continuation and functional equation. One of the major open problems of modern number theory is to obtain analogous results for l -adic Galois representations σ_l , where l is prime. This is known to be true for σ_l arising from abelian varieties of CM type, and $L(\sigma_l, s)$ is in this case a product of L -functions of idele class characters, as in Tate's thesis.
- \diamond *Jacquet-Langlands Theory.* For any reductive algebraic group G [for instance, $\text{GL}_n(F)$ for a number field F], an important generalization of the set of idele class characters is given by the irreducible *automorphic* representations π of the locally compact group $G(\mathbf{A}_F)$. The associated L -functions $L(\pi, s)$ are well understood in a number of cases, for example for GL_n , and by an important conjecture of Langlands, the functions $L(\sigma_l, s)$ mentioned above are all expected to be expressible in terms of suitable $L(\pi, s)$. This is often described as nonabelian class field theory.
- \diamond *The p -adic L -functions.* In this volume we consider only complex-valued (smooth) functions on local and global groups. But if one fixes a prime p and replaces the target field \mathbf{C} by \mathbf{C}_p , the completion of an algebraic closure of \mathbf{Q}_p , strikingly different phenomena result. Suitable p -adic measures lead to p -adic-valued L -functions, which seem to have many properties analogous to the classical complex-valued ones.
- \diamond *Adelic Strings.* Perhaps the most surprising application of Tate's thesis is to the study of string amplitudes in theoretical physics. This intriguing connection is not yet fully understood.

Acknowledgments

Finally, we wish to acknowledge the intellectual debt that this work owes to H. Cartan and R. Godement, J.-P. Serre (1968, 1989, and 1997), A. Weil, and, of course, to John Tate (1950). We also note the influence of other authors whose works were of particular value to the development of the analytic background in our first three chapters; most prominent among these are G. Folland (1984) and G. Pedersen (1989). (See References below for complete bibliographic data and other relevant sources.)

Index of Notation

<i>Notation</i>	<i>Section</i>	<i>Interpretation</i>
$\mathbf{N}, \mathbf{Z}, \mathbf{Q}$	—	natural numbers, integers, and rational numbers, respectively
\mathbf{R}, \mathbf{C}	—	real and complex numbers, respectively
$\mathbf{R}_+, \mathbf{R}_+^\times$	—	nonnegative reals, positive reals
1_S	—	identity map on the set S
S^c	—	complement of the set S
$\text{Card}(S)$	—	cardinality of the set S
$\bigcup S_\alpha$	—	disjoint union of sets S_α
$\text{supp}(f)$	—	support of a function f
$\mathcal{C}(X)$	—	continuous (complex-valued) functions on a topological space X
$\mathcal{C}_c(X)$	—	continuous functions with compact support
$\mathcal{C}_c^+(X)$	—	positive elements of $\mathcal{C}_c(X)$ with positive sup norm
A^*, K^*	—	nonzero elements of a ring or field
A^\times	—	group of units of a ring A
$[K:F]$	—	degree of a finite field extension K/F
$N_{K/F}(x)$	—	norm map for a finite field extension K/F ; see also Section 6.4
$\text{tr}_{K/F}(x)$	—	trace map for a finite field extension K/F
KL	—	compositum of fields K and L
$\mathbf{Z}/n\mathbf{Z}$	—	integers modulo n
$\varphi(n)$	—	Euler phi function
S^1	—	the circle group
W^\perp	—	orthogonal complement of a subspace W
pr_W	—	orthogonal projection onto a subspace W

$k[[t]]$	—	ring of formal power series in t with coefficients in the field k
$k((t))$	—	fraction field of $k[[t]]$
$GL_n(k)$	—	group of invertible $n \times n$ matrices over k
$SL_n(k)$	—	$n \times n$ matrices over k of determinant 1
$B^1(X)$	A.1	unit ball in a normed linear space X
X^*	A.1	(norm) continuous dual of a normed linear space X
$l_1(\mathbb{C}^n)$	A.1	\mathbb{C}^n with l_1 norm
$L(X)$	A.4	measurable functions on X modulo agreement almost everywhere
$L^p(X)$	A.4	L^p -space associated with a locally compact space X
$\ \cdot\ _p$	A.4	L^p -norm
A_S	B.1	localization of a ring A at subset S
J_K	B.2	set of fractional ideals of a global field K
P_K	B.2	set of principal fractional ideals of K
Cl_K	B.2	traditional class group of a global field K
$N(I)$	B.2	absolute norm map
$\Delta(x_1, \dots, x_n)$	B.2	discriminant of a basis x_1, \dots, x_n
$\Delta(B/A)$	B.2	discriminant ideal of a ring extension B/A
$L_h f, R_h f$	1.1	left and right translation operators on f
$(f: \varphi)$	1.2	Haar covering number
$\lim_{\leftarrow} G_i$	1.3	projective limit of a projective system $\{G_i\}$
$\hat{\mathbf{Z}}$	1.3	projective completion of \mathbf{Z}
\mathbf{Z}_p	1.3	ring of p -adic integers
G°	1.3	connected component of the identity
$\text{Gal}(K/F)$	1.3	Galois group of the field extension K/F
F^S	1.3	fixed field of a set S of automorphisms of F
$ G $	1.4	order of a profinite group G
$\text{Aut}(V)$	2.1	algebraic automorphisms of a vector space
$\text{Aut}_{\text{top}}(V)$	2.1	topological automorphisms of a topological vector space
$\text{Hom}(A, B)$	2.2	bounded operators between Banach spaces
$\text{End}(A)$	2.2	endomorphisms on a Banach space A
$\ T\ $	2.2	norm of a bounded operator T

$\text{sp}(a)$	2.2.	spectrum of an element in a Banach algebra
$r(a)$	2.2	spectral radius
\hat{A}	2.2	space of characters of a Banach algebra A
\hat{a}	2.2	Gelfand transform of a
$\mathcal{C}_0(X)$	2.3	continuous functions that vanish at infinity
T^*	2.3	adjoint of an operator T on a Hilbert space
$A_T \subseteq \text{End}(H)$	2.3	the closed, self-adjoint, unital subalgebra generated by T in the ambient ring
$T^{1/2}$	2.3	square root of a positive operator
$\text{Hom}_G(V, V')$	2.4	space of G -linear maps between two representation spaces
\hat{G}	3.1	Pontryagin dual of G
$X^{(n)} \subseteq G$	3.1	n -fold products within a group G
$W(K, V)$	3.1	local basis sets for the compact-open topology
$N(\varepsilon) \subseteq S^1$	3.1	ε -neighborhood of the identity in S^1
V_φ	3.2	Hilbert space associated with φ
$f * g$	3.2	convolution of functions
$\mathcal{P}(G)$	3.2	continuous function of positive type, bounded by 1 on G
$\mathcal{E}(G)$	3.2	elementary functions on G
\hat{f}	3.3	Fourier transform of a function f
$V(G)$	3.3	complex span of continuous functions of positive type
$V^1(G)$	3.3	L^1 -functions in $V(G)$
$T_{\hat{\mu}}$	3.3	Fourier transform of a measure $\hat{\mu}$
$\text{mod}_G(\alpha)$	4.1	module of an automorphism α on G
$B_m \subseteq k$	4.1	ball of module radius m in a topological field k
$\text{ord}_k(a)$	4.2	order of an element of a local field k
$ \cdot _p, \cdot _\infty$	4.2	p -norm and infinity norm on \mathbb{Q} or $\mathbb{F}_q(t)$; see also Section 4.3
$\pi = \pi_k$	4.2	uniformizing parameter for a local field k
$e = e(k_1/k)$	4.3	ramification index of an extension of local fields