


Clinical Phonocardiography & External Pulse Recording

Morton E. Tavel



THIRD EDITION

Clinical Phonocardiography and External Pulse Recording

MORTON E. TAVEL, M.D.

Professor of Medicine, Indiana University School of Medicine
Research Associate, Krannert Institute of Cardiology, Marion County
General Hospital, Indianapolis; Director, Phonocardiographic Laboratory and
Member of Teaching Faculty, Department of Internal Medicine,
Methodist Hospital Graduate Center, Indianapolis, Indiana

THIRD EDITION



YEAR BOOK MEDICAL PUBLISHERS, INC.
CHICAGO • LONDON

Copyright © 1967, 1972 and 1978 by Year Book Medical Publishers, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher. Printed in the United States of America.

First edition, 1967

Second edition, 1972

Third edition, 1978

Reprinted, September 1979

Library of Congress Catalog Card Number: 78-52543

International Standard Book Number: 0-8151-8725-4

Library of Congress Cataloging in Publication Data
Tavel, Morton E.

Clinical phonocardiography and external pulse recording.

Bibliography: p.

Includes index.

1. Heart—Diseases—Diagnosis. 2. Phonocardiography. 3. Pulse—Measurement. I. Title.
RC683.5.P5T3 1978 616.1'2'0754 78-52543
ISBN 0-8151-8725-4

End-sheet diagram reprinted courtesy of Graham J. Leech and Irex Medical Systems. Upper Saddle River N.J.

To
Carole,
Elizabeth,
Robert
&
Michael

Preface to Third Edition

ALTHOUGH THERE HAVE BEEN FEW fundamental changes in the field of phonocardiography since the last edition, improved diagnostic accuracy has been made possible through more extensive correlation of sounds and pulses both with intracardiac events and with simultaneous use of echocardiography. This latter technique has been especially valuable in advancing understanding of the basic mechanisms of sound production as related to valvar events, e.g., first heart sound splitting and ejection sounds.

Measurements of systolic time intervals have now been worked out sufficiently for use on a practical day-to-day basis in better assessment of valvar and myocardial diseases. I have attempted to detail these in Chapter 7.

The text has been updated throughout, with deletion of material no longer considered clinically important and with addition of newer, more useful information. Illustrations have been replaced where technically better ones have become available.

I wish to acknowledge the valuable assistance given me by Mr. John Joseph, former Electronics Engineer at Krannert Institute of Cardiology, and by Mr. Francis Andries, Engineer and President, Heart Sound Reproductions, Tomball, Texas, in the preparation of much of the technical information concerning the underlying principles of sonic phenomena and their recording. I also wish to thank Dr. Charles Fisch, Director, Cardiovascular Division, and the late Dr. John Hickam, former Chairman, Department of Medicine, Indiana University, for their generous support and encouragement. The Department of Medical Illustration, Indiana University, deserves special thanks for aiding in the preparation of most of the illustrations used in this book. I am indebted to Mrs. Ronald Stewart, phonocardiographic technician, who recorded most of the following tracings and provided clerical assistance in the preparation of this manuscript. Finally, I am indebted to the scores of readers who, through their interest in previous editions, have permitted

me to continue the inevitable process of self-improvement that comes with each revision.

The work involved in preparing all editions of this book was supported by the Herman Krannert Fund, Marion County General Hospital, and by U.S. Public Health Service Training Grants 5363 and H-6303.

MORTON E. TAVEL, M.D., F.A.C.C.

Preface to First Edition

DURING THE PAST TWENTY YEARS, phonocardiography has burgeoned into a full-fledged scientific discipline. The technique of external pulse recording, although it has been used and studied for a relatively long time, also has acquired a new significance, resulting from its more exact correlation with internal hemodynamic events and from its relatively new applicability of providing reference tracings for the phonocardiogram. Similarly, cardiac auscultation has undergone a tremendous upheaval, much of which has been fostered by the improved graphic techniques. For reasons which are entirely justified, auscultation remains in the foreground of attention and popularity, and graphic techniques have been relegated to a secondary position. Unfortunately, however, most books refer to phonocardiography *only* as a tool for displaying phenomena which can be appreciated by cardiac auscultation, with the result that usually no serious attempt is made to present phonocardiography as a science in itself. Possibly for this reason, there has been little attempt to summarize current knowledge about the phonocardiographic technique, and particularly about the relationship between the phonocardiogram and the various pulse tracings used for reference. How does one use the graphic techniques to predict hemodynamic events within the heart? What equipment does one need? How can the practicing physician make the best use of his present equipment to acquire specific information about a given patient? In the following pages, I have attempted to answer these questions and to summarize current ideas and information about phonocardiography.

This book is aimed primarily at the physician or student wishing to acquire a working knowledge of the technique and present-day applicability of graphic recordings. It is also aimed at those who wish to learn to interpret these recordings. Hopefully, it will help the individual who wishes to broaden his understanding of the principles of cardiac auscultation. The presentation in this book presupposes, however, a certain basic knowledge of cardiac auscultation and fundamental hemodynamic

concepts, such as that which is usually acquired in the early years of medical school.

Table of Contents

| | |
|---|-----------|
| 1. Introduction | 1 |
| 2. Basic Principles of Sound and Pulse Recording | 5 |
| The Concept of Wave Formation | 5 |
| Registration of Waves | 6 |
| Wave Frequency | 6 |
| Wave Intensity | 8 |
| Wave Production in the Cardiovascular System | 8 |
| Filtration of Waves | 9 |
| Characteristics of Human Perception | 12 |
| Effect of Ordinary Stethoscopes | 14 |
| The Aims of Wave Filtration in Sound Recording | 14 |
| “Time Constant” of a Recording System | 16 |
| The Recording Equipment | 18 |
| The Microphone | 18 |
| The Amplifier | 19 |
| Technique of Wave Registration | 20 |
| Galvanometer | 20 |
| Cathode-Ray Tube | 21 |
| Methods of Displaying Waves | 21 |
| 3. The Basic Laboratory Setup and Technique of Recording | 23 |
| Room Conditions | 23 |
| Use of Multiple Channels | 23 |
| Oscilloscope | 24 |
| Paper Processing and Speed | 24 |
| Pickup Devices and Technique of Applying Microphones for Sound Recording | 25 |
| Pickup for Indirect Carotid Pulse | 26 |
| Indirect Jugular Pulse Recording | 28 |
| The Apexcardiogram | 29 |
| Routine Phonocardiographic and Pulse Recording Procedures | 32 |
| The Use of Pharmacologic Agents | 33 |

| | |
|--|-----------|
| Amyl Nitrite | 33 |
| Isoproterenol (Isuprel) | 33 |
| Vasopressors | 33 |
| Isometric (Handgrip) Exercise | 34 |
| Prompt Squatting | 34 |
| Valsalva Maneuver | 35 |
| Adjustment of Recording Sensitivity | 35 |
| Required Personnel | 36 |
| 4. Normal Sounds and Pulses: Relationships and Intervals | |
| Between the Various Events | 37 |
| Normal Sounds | 37 |
| First Heart Sound | 37 |
| Second Heart Sound | 40 |
| Third Heart Sound | 42 |
| Murmurs in the Normal Individual | 44 |
| The Use of Two or More Simultaneous Recording Sites for Accurate Identification of Sounds | 44 |
| Normal Pulses and Their Relationship to Heart Sounds | 46 |
| Carotid Pulse | 46 |
| Jugular Pulse | 54 |
| The Apexcardiogram | 57 |
| The Echocardiogram | 61 |
| The Electrocardiogram | 63 |
| Summary of Interrelationship Between Sounds and Pulses | 63 |
| 5. Abnormalities of the Heart Sounds (Transients) | 64 |
| First Heart Sound | 64 |
| Changes of Intensity | 64 |
| Abnormally Wide Splitting | 68 |
| Reversed (Paradoxical) Splitting | 69 |
| Q-1 Interval | 70 |
| Ejection Sound (Ejection Click) | 75 |
| Pulmonary Ejection Sound | 81 |
| Aortic Ejection Sound | 83 |
| Middle and Late Systolic Sounds | 84 |
| Second Heart Sound | 88 |
| Abnormally Wide Splitting | 88 |
| "Fixed" Splitting | 94 |
| Reversed (Paradoxical) Splitting | 96 |
| Increased Intensity | 98 |
| Reduced Intensity | 100 |
| Opening Snap | 101 |
| Interval from A2 to Opening Snap (2-OS) | 104 |
| Differentiation of Opening Snap from Other Sounds | 107 |
| "Tumor Plop" | 111 |

| | |
|---|------------|
| Third Heart Sound (Protodiastolic Gallop) | 112 |
| Pericardial Knock | 114 |
| Other Early or Mid-diastolic Sounds | 115 |
| Fourth Heart Sound (Presystolic Gallop, Atrial Gallop) | 117 |
| Summation Gallop | 122 |
| 6. Murmurs | 124 |
| Etiology of Murmurs | 124 |
| Transmission Characteristics of Murmurs | 125 |
| Classification of Murmurs | 125 |
| Systolic Murmurs | 125 |
| Diastolic Murmurs | 146 |
| Continuous and Extracardiac Murmurs | 164 |
| Special Methods of Differentiation Between the Different Types of Murmurs | 170 |
| Valsalva Maneuver | 171 |
| Cycle Length | 172 |
| Isometric (Handgrip) Exercise | 173 |
| Prompt Squatting | 174 |
| The Use of Pharmacologic Agents in Diagnosis | 174 |
| 7. The Carotid Pulse Tracing: Its Clinical Application | 187 |
| Reference for the Phonocardiogram | 187 |
| Identification of the First and Second Heart Sounds | 187 |
| Identification of Ejection Sound | 187 |
| Identification of the Components of the Second Heart Sound | 188 |
| Assessing Events in the Cardiac Cycle | 188 |
| Indirect Measurement of Isovolumetric Contraction | 188 |
| Ejection Time | 192 |
| Interrelationships Among Pre-ejection Period, Ejection Time, and Total Systole | 197 |
| Summary and Comments Regarding Systolic Time Intervals | 201 |
| Contour Analysis of Carotid Pulse | 202 |
| Valvar Aortic Stenosis | 202 |
| Idiopathic Hypertrophic Subaortic Stenosis | 210 |
| Mitral Insufficiency | 212 |
| Pulsus Bisferiens | 213 |
| Dicrotic Pulse | 214 |
| Peripheral Arterial Sphygmograms | 215 |
| Supravalvar Aortic Stenosis | 219 |
| 8. The Apexcardiogram: Its Clinical Application | 221 |
| Reference for the Phonocardiogram | 221 |
| Identification of the Fourth Heart Sound (Atrial Gallop) | 221 |

| | |
|---|----------------|
| Relationship to Mitral Opening Snap | 223 |
| Differentiation of Mitral Opening Snap from Left-Ventricular Third Heart Sound | 223 |
| Identification of Summation Gallop | 224 |
| Relationship of ACG to the Second Heart Sound | 224 |
| Relationship of ACG to Electrocardiographic QRS | 225 |
| Relationship of ACG to the First Heart Sound Complex | 226 |
| Reference for Other Graphic Modalities | 226 |
| Contour Alterations of the Apexcardiogram | 227 |
| <i>A</i> Wave | 227 |
| Patterns of Diastolic Ventricular Filling | 230 |
| Systolic Events | 234 |
| Calibration and Differentiation of the Apexcardiogram | 242 |
| Pulsations Overlying the Right Ventricle | 244 |
| 9. The Jugular Pulse Tracing: Its Clinical Application | 250 |
| Reference for the Phonocardiogram | 250 |
| Morphologic Changes of the Jugular Pulse in Disease States | 252 |
| Large <i>A</i> Wave | 252 |
| <i>X</i> Descent | 254 |
| <i>V</i> Wave Abnormalities | 256 |
| <i>Y</i> Descent and <i>H</i> Wave | 261 |
| Absence of Venous Pulsations | 263 |
| Calibration of the Venous Pulse | 265 |
| The Jugular Pulse in Cardiac Arrhythmias | 266 |
| 10. Phonocardiographic and Pulse Changes in Specific Cardiovascular Diseases | 273 |
| Diseases of the Valves and Their Associated Orifices | 273 |
| Valvar Aortic Stenosis | 273 |
| Idiopathic Hypertrophic Subaortic Stenosis | 274 |
| Discrete Subvalvar Aortic Stenosis | 275 |
| Supravalvar Aortic Stenosis | 275 |
| Insufficiency of Aortic Valve | 276 |
| Mitral Stenosis | 277 |
| Mitral Insufficiency | 277 |
| Tricuspid Stenosis | 278 |
| Tricuspid Insufficiency | 279 |
| Tricuspid Atresia | 279 |
| Ebstein's Anomaly of Tricuspid Valve | 280 |
| Pulmonary Stenosis | 281 |
| Pulmonary Insufficiency | 282 |
| Abnormal Communications in the Heart and Great Vessels | 283 |
| Atrial Septal Defect—Ostium Secundum | 283 |
| Atrial Septal Defect—Ostium Primum | 284 |

| | |
|--|------------|
| Partial Anomalous Pulmonary Venous Drainage into the Right Atrium | 284 |
| Total Anomalous Pulmonary Venous Drainage into the Right Atrium | 285 |
| Ventricular Septal Defect | 285 |
| Patent Ductus Arteriosus | 286 |
| Ruptured Sinus of Valsalva | 288 |
| Persistent Truncus Arteriosus | 288 |
| Transposition of the Great Vessels | 288 |
| Corrected Transposition of the Great Vessels | 289 |
| Combined Valvar and Communication Anomalies | 289 |
| Tetralogy of Fallot | 289 |
| Diseases of the Blood Vessels | 290 |
| Coarctation of the Aorta | 290 |
| Peripheral Pulmonary Artery Stenosis | 291 |
| Pulmonary Arterial Banding Procedures | 291 |
| Idiopathic Dilatation of the Pulmonary Artery | 291 |
| Primary Pulmonary Hypertension | 292 |
| Systemic Arterial Hypertension | 292 |
| Diseases of the Pericardium and Myocardium | 293 |
| Constrictive Pericarditis | 293 |
| Acute Pericarditis | 293 |
| Myocardial Infarction | 294 |
| Left-Ventricular Aneurysm | 295 |
| Diffuse Myocardial Disease (Cardiomyopathy) | 296 |
| Miscellaneous Cardiovascular Diseases | 296 |
| Myxoma of Left Atrium | 296 |
| Myxoma of Right Atrium | 297 |
| Pulmonary Heart Disease (Cor Pulmonale) | 298 |
| Funnel Chest and Straight-Back Deformities | 298 |
| Coronary Artery Fistulas and Stenosis | 298 |
| Prosthetic Valve Replacement | 299 |
| Ball and Cage Valve | 299 |
| Tilting Disk Valves | 303 |
| Tissue Valves | 306 |
| Sounds Related to Artificial Pacemakers | 306 |
| Clinical Applications | 309 |
| References | 347 |
| Index | 373 |

1 / Introduction

PHONOCARDIOGRAPHY MAY BE DEFINED as the graphic representation of the sounds that originate in the heart and great vessels. These sounds may be picked up from the surface of the body or, more directly, by placing a suitable apparatus within the heart or vascular structures where sound originates. In this book, we shall be concerned exclusively with the sounds as they are recorded from the body's surface, corresponding to what the clinician hears through an ordinary stethoscope at the bedside. As we shall see, external pulse recording is closely allied with sound recording and might be classified as an extension of phonocardiography. By external pulse recording, we mean the graphic representation of pulsations as they occur on the surface of the body, and the record so obtained usually corresponds to what the clinician sees or feels during an ordinary examination.

Sound and pulse recordings are not—and probably never will be—a substitute for the ear or the hand. The human ear generally is far more sensitive and discriminating than a machine. Although many murmurs and sounds can be accurately characterized by phonocardiography, this technique occasionally fails completely to register certain sounds, such as the soft, high-pitched murmur of aortic insufficiency, that are heard by the clinician. On the other hand, the phonocardiogram makes possible the accurate timing of sounds and events—often with the use of simultaneous reference pulse curves—that are too rapid or too subtle to be discerned by our senses. Graphic recording also provides a permanent objective record of events with which subsequent comparison may be made. Such records are especially valuable in following a patient's progress and in evaluating the results of surgery. Thus, although there is considerable overlap between what can be learned by careful physical examination and by phonocardiographic techniques, each of them can supply information not otherwise obtainable. Obviously, it is impossible to divorce totally the two approaches from one another. In the following pages, however, I wish to concentrate heavily on the areas in which the graphic techniques are es-

pecially useful. However, in order to present a complete picture, I shall discuss briefly, where pertinent, many fundamentals of clinical auscultation.

The role of sound and pulse recording as a teaching device cannot be overemphasized. These graphic techniques should be utilized freely in teaching centers, since they allow the student to analyze carefully, at his leisure, the graphic representation of what he sees, hears and feels. Having made the correlation between sensory perception and graphic representation, he can then return to the bedside and reconstruct each time in the mind's eye how each perceptual phenomenon would appear if it were graphically recorded. As this process is repeated over and over again, the student becomes progressively more accurate in predicting the graphic appearance, and his need for making such records is correspondingly reduced. It is in this fashion that many of the recent advances in cardiac auscultation have come about. It was not until accurate elucidation of many sound and murmur characteristics became possible through graphic recording that clinicians went back to the bedside and discovered—probably much to their surprise—that one actually could hear and feel many of the changes described!

Cardiac catheterization and cineangiocardiology, which have provided an accurate diagnosis of both right- and left-heart abnormalities, have added a new dimension to the usefulness of the phonocardiogram and external pulse record in assessing the presence and severity of cardiovascular abnormalities. Although cardiac catheterization generally provides the decisive evidence of the presence and severity of cardiac abnormalities, the external recordings correlate sufficiently well with the internal findings for them to serve, in many instances, as diagnostic tools per se. In this connection, phonocardiography often provides information complementary to that obtained by echocardiography. Once the physician has learned to recognize these correlations, he will be able to predict, with reasonable accuracy, many intracardiac events that were previously unrecognized or uncertain. With this enhanced diagnostic accuracy, he can use the simpler and less painful external techniques to determine when a patient needs more extensive cardiac diagnosis or treatment.

In summary, then, the purpose of phonocardiography and pulse recording is threefold: (1) to serve as a teaching device for training and disciplining the senses of sight, touch and hearing; (2) to provide information about underlying hemodynamic events that is not obtainable through physical examination; and (3) to provide a permanent objective record of events with which subsequent comparison may be made.

In this book, I have attempted to approach the subject in much the same fashion that the phonocardiographer must, to assess each individual record. He is usually presented with a complex array of sounds, murmurs

and pulses, and is called upon first to identify what each of these recorded phenomena represents, then to explain their meaning in terms of their relationship to underlying hemodynamic events. Finally, he must ascertain their importance in the differential diagnosis and in assessing the severity of any lesion known to be present. I have, therefore, treated the subject primarily from the standpoint of analyzing each sound and pulsatory phenomenon, and only in the final pages are the various principal disease entities dealt with—this latter section being designed to serve as a brief summary and point of reference. At the end, a chapter of interpretative exercises for the reader, consisting of unidentified tracings, has been appended—each tracing being followed by the author's discussion and diagnosis. It should be understood that differential diagnostic features are discussed primarily from the standpoint of these graphic techniques. No serious attempt is made to compare the relative value of these techniques with other clinical, laboratory or roentgenologic tools. For example, certain conditions may be more easily distinguished from one another by means of electrocardiograms and/or roentgenograms, and the graphic records would be of secondary value. Nevertheless, this does not obviate the need for careful analysis of the graphic records whenever possible, in much the same fashion that a chest roentgenogram does not eliminate the need for careful physical examination of the chest.

For the sake of brevity, I have avoided long discussions of controversial, theoretical or nonclinical subjects. Where disagreement or uncertainty exists, this has been acknowledged, and I have attempted to fill the void in some instances by expressing my own theories and opinions, with appropriate notice that this has been done. For the interested reader, I have included selected references to work underlying many of the conclusions herein described. I have emphasized more recent publications simply because the older literature already has been well reviewed by McKusick (1958) and Ongley et al. (1960). Besides, the more recent publications generally make reference to the literature published previously on the same and related subjects. Detailed electronic principles underlying the techniques discussed in the book have been simplified considerably, and appropriate references are listed for those readers who are interested in knowing them.

The following is a list of the principal abbreviations used in the illustrations in this book.*

- | | |
|--------------|---|
| 1 | first heart sound |
| 2 | second heart sound |
| A2 | aortic component of second heart sound |
| P2 | pulmonary component of second heart sound |

*These symbols deviate partially from those recommended by the International Subcommittee on Nomenclature in Phonocardiography (Holldack and Luisada, 1965).

| | |
|-----------------|---|
| 3 | third heart sound |
| 4 | fourth heart sound |
| SM | systolic murmur |
| DM | diastolic murmur |
| X | ejection sound |
| OS | opening snap |
| ACG | apexcardiogram |
| ECG | electrocardiogram |
| Jug | jugular venous pulse |
| Carot | carotid pulse |
| PA | pulmonary area (second left intercostal space) |
| AA | aortic area (second right intercostal space) |
| LSB | left sternal border at fourth intercostal space ("tricuspid area") |
| Apex | area of apex beat ("mitral area") |