Graduate Texts in Mathematics

Serge Lang

Cyclotomic Fields I and II

Combined Second Edition

分圆域

第2版

光界用まれ版公司 www.wpcbj.com.cn

Serge Lang

Cyclotomic Fields I and II

Combined Second Edition

With an Appendix by Karl Rubin



Springer-Verlag New York Berlin Heidelberg London Paris Tokyo

图书在版编目 (CIP) 数据

分圆域 I 和 II = Cyclotomic Fields I and II Combined: 第 2 版: 英文∕(美)朗(Lang, S.)著.—2 版.

北京:世界图书出版公司北京公司,2009.6 ISBN 978-7-5100-0477-3

I. 分··· II. 朗··· III. 分圆数—代数数域—英文 IV. 0156. 2

中国版本图书馆 CIP 数据核字 (2009) 第 084897 号

书 作	名: 者:	Cyclotomic Fields I and II Combined 2nd ed. Serge Lang
	平 名: 编辑:	分圆域 I 和 II 第 2 版 高容 刘慧
出版	反者:	世界图书出版公司北京公司
印刷	∄者:	三河国英印务有限公司
发	行:	世界图书出版公司北京公司(北京朝内大街 137 号 100010)
联系	电话:	010-64021602, 010-64015659
电子	信箱:	kjb@ wpcbj. com. cn
开	本:	24 开
EP	张:	19
版	次:	2009 年 06 月
版权	登记:	图字: 01-2009-1072
书	号:	978-7-5100-0477-3/0・692 定 价: 55.00元

世界图书出版公司北京公司已获得 Springer 授权在中国大陆独家重印发行

Serge Lang
Department of Mathematics
Yale University
New Haven, CT 06520
U.S.A.

Editorial Board
J.H. Ewing
Department of
Mathematics
Indiana University
Bloomington, IN 47405
U.S.A.

F.W. Gehring
Department of
Mathematics
University of Michigan
Ann Arbor, MI 48109
U.S.A.

P.R. Halmos
Department of
Mathematics
Santa Clara University
Santa Clara, CA 95053
U.S.A.

Mathematical Subject Classifications (1980): 12A35, 12B30, 12C20, 14G20

Library of Congress Cataloging-in-Publication Data
Lang, Serge, 1927Cyclotomic fields I and II (Combined Second Edition)/Serge Lang
p. cm. -- (Graduate texts in mathematics; 121)
Bibliography: p.
Includes index.
ISBN 0-387-96671-4
I. Fields, Algebraic. 2. Cyclotomy. I. Title. II. Series
QA247.L33 1990
512'.3-dc19
87-35616

This book is a combined edition of the books previously published as Cyclotomic Fields and Cyclotomic Fields II, by Springer-Verlag New York Inc., in 1978 and 1980, respectively. It contains an additional appendix by Karl Rubin.

① 1990 by Springer-Verlag New York Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer-Verlag, 175 Fifth Avenue, New York, NY 10010, U.S.A.), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use of general descriptive names, trade names, trademarks, etc. in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandise Marks Act, may accordingly be used freely by anyone.

This reprint has been authorized by Springer-Verlag (Berlin/Heidelberg/New York) for sale in the Mainland China only and not for export therefrom.

987654321

ISBN 0-387-96671-4 Springer-Verlag New York Berlin Heidelberg ISBN 3-540-96671-4 Springer-Verlag Berlin Heidelberg New York

Graduate Texts in Mathematics 121

J.H. Ewing F.W. Gehring P.R. Halmos

Graduate Texts in Mathematics

- 1 TAKEUTI/ZARING. Introduction to Axiomatic Set Theory. 2nd ed.
- 2 Oxtoby. Measure and Category. 2nd ed.
- 3 SCHAEFFER. Topological Vector Spaces.
- 4 HILTON/STAMMBACH. A C urse in Homological Algebra.
- 5 MAC LANE. Categories for the Working Mathematician.
- 6 HUGHES/PIPER. Projective Planes.
- 7 SERRE. A Course in Arithmetic.
- 8 TAKEUTI/ZARING. Axiomatic Set Theory.
- 9 HUMPHREYS. Introduction to Lie Algebras and Representation Theory.
- 10 COHEN, A Course in Simple Homotopy Theory.
- 11 CONWAY. Functions of One Complex Variable. 2nd ed.
- 12 BEALS. Advanced Mathematical Analysis.
- 13 ANDERSON/FULLER. Rings and Categories of Modules.
- 14 GOLUBITSKY/GUILLEMIN. Stable Mappings and Their Singularities.
- 15 Berberian. Lectures in Functional Analysis and Operator Theory.
- 16 WINTER. The Structure of Fields.
- 17 ROSENBLATT. Random Processes. 2nd ed.
- 18 HALMOS. Measure Theory.
- 19 HALMOS. A Hilbert Space Problem Book. 2nd ed., revised.
- 20 HUSEMOLLER. Fibre Bundles. 2nd ed.
- 21 HUMPHREYS. Linear Algebraic Groups.
- 22 BARNES/MACK. An Algebraic Introduction to Mathematical Logic.
- 23 GREUB. Linear Algebra. 4th ed.
- 24 HOLMES. Geometric Functional Analysis and its Applications.
- 25 HEWITT/STROMBERG. Real and Abstract Analysis.
- 26 Manes. Algebraic Theories.
- 27 Kelley. General Topology.
- 28 ZARISKI/SAMUEL. Commutative Algebra. Vol. 1.
- 29 ZARISKI/SAMUEL. Commutative Algebra. Vol. II.
- 30 JACOBSON. Lectures in Abstract Algebra I: Basic Concepts.
- 31 JACOBSON. Lectures in Abstract Algebra II: Linear Algebra.
- 32 JACOBSON. Lectures in Abstract Algebra III: Theory of Fields and Galois Theory.
- 33 HIRSCH. Differential Topology.
- 34 SPITZER. Principles of Random Walk. 2nd ed.
- 35 WERMER. Banach Algebras and Several Complex Variables. 2nd ed.
- 36 KELLEY/NAMIOKA et al. Linear Topological Spaces.
- 37 MONK. Mathematical Logic.
- 38 GRAUERT/FRITZSCHE. Several Complex Variables.
- 39 ARVESON. An Invitation to C*-Algebras.
- 40 KEMENY/SNELL/KNAPP. Denumerable Markov Chains. 2nd ed.
- 41 Apostol. Modular Functions and Dirichlet Series in Number Theory. 2nd ed.
- 42 SERRE. Linear Representations of Finite Groups.
- 43 GILLMAN/JERISON. Rings of Continuous Functions.
- 44 KENDIG. Elementary Algebraic Geometry.
- 45 LOEVE. Probability Theory I. 4th ed.
- 46 LOEVE. Probability Theory II. 4th ed.
- 47 Moise. Geometric Topology in Dimensions 2 and 3.

Notation

 $Z(N) = integers \mod N = Z/NZ$.

If A is an abelian group, we usually denoted by A_N the elements $x \in A$ such that Nx = 0. Thus for a prime p, we denote by A_p the elements of order p. However, we also use p in this position for indexing purposes, so we rely to some extent on the context to make the intent clear. In his book, Shimura uses A[p] for the kernel of p, and more generally, if A is a module over a ring, uses A[a] for the kernel of an ideal a in A. The brackets are used also in other contexts, like operators, as in Lubin-Tate theory. There is a dearth of symbols and positions, so some duplication is hard to avoid.

We let A(N) = A/NA. We let $A^{(p)}$ be the subgroup of A consisting of all elements annihilated by a power of p.

Introduction

Kummer's work on cyclotomic fields paved the way for the development of algebraic number theory in general by Dedekind, Weber, Hensel, Hilbert, Takagi, Artin and others. However, the success of this general theory has tended to obscure special facts proved by Kummer about cyclotomic fields which lie deeper than the general theory. For a long period in the 20th century this aspect of Kummer's work seems to have been largely forgotten, except for a few papers, among which are those by Pollaczek [Po], Artin-Hasse [A-H] and Vandiver [Va].

In the mid 1950's, the theory of cyclotomic fields was taken up again by Iwasawa and Leopoldt. Iwasawa viewed cyclotomic fields as being analogues for number fields of the constant field extensions of algebraic geometry, and wrote a great sequence of papers investigating towers of cyclotomic fields, and more generally, Galois extensions of number fields whose Galois group is isomorphic to the additive group of p-adic integers. Leopoldt concentrated on a fixed cyclotomic field, and established various p-adic analogues of the classical complex analytic class number formulas. In particular, this led him to introduce, with Kubota, p-adic analogues of the complex L-functions attached to cyclotomic extensions of the rationals. Finally, in the late 1960's, Iwasawa [Iw 11] made the fundamental discovery that there was a close connection between his work on towers of cyclotomic fields and these p-adic L-functions of Leopoldt-Kubota.

The classical results of Kummer, Stickelberger, and the Iwasawa-Leopoldt theories have been complemented by, and received new significance from the following directions:

1. The analogues for abelian extensions of imaginary quadratic fields in the context of complex multiplication by Novikov, Robert, and Coates— Wiles. Especially the latter, leading to a major result in the direction of the Birch-Swinnerton-Dyer conjecture, new insight into the explicit reciprocity laws, and a refinement of the Kummer-Takagi theory of units to all levels.

- 2. The development by Coates, Coates—Sinnott and Lichtenbaum of an analogous theory in the context of K-theory.
- 3. The development by Kubert-Lang of an analogous theory for the units and cuspidal divisor class group of the modular function field.
- 4. The introduction of modular forms by Ribet in proving the converse of Herbrand's theorem. The connection between cyclotomic theory and modular forms reached a culmination in the work of Mazur-Wiles, who proved the "main conjecture". This is one of the greatest achievements of the modern period of mathematics.
- 5. The connection between values of zeta functions at negative integers and the constant terms of modular forms starting with Klingen and Siegel, and highly developed to congruence properties of these constant terms by Serre, for instance, leading to the existence of the *p*-adic *L*-function for arbitrary totally real fields.
- 6. The construction of p-adic zeta functions in various contexts of elliptic curves and modular forms by Katz, Manin, Mazur, Vishik.
- 7. The connection with rings of endomorphisms of abelian varieties or curves, involving complex multiplication (Shimura-Taniyama) and/or the Fermat curve (Davenport-Hasse-Weil and more recently Gross-Rohrlich).

My two volumes on Cyclotomic Fields provided a systematic introduction to the basic theory. No such introduction existed when they first came out. Since then, Washington's book has appeared, covering some of the material but emphasizing different things. As my books went out of print, Springer-Verlag and I decided to continue making them available in a single volume for the convenience of readers. No changes have been made except for some corrections, for which I am indebted to Larry Washington, Neal Koblitz, and others. Thus the book is kept essentially purely cyclotomic, and as elementary as possible, although in a couple of places we use class field theory. No connection is made with modular forms. This would require an entire book by itself. However, in a major development, a purely cyclotomic proof of the "main conjecture", the Mazur-Wiles theorem, has been found, and I am very much indebted to Karl Rubin for having given me an appendix containing a self-contained proof, based on work of Thaine, Kolyvagin and Rubin himself. For details of the history, see Rubin's own introduction to his appendix.

My survey article [L 5] provides another type of introduction to cyclotomic theory. First, at the beginning in §2 it gives a quick and efficient summary of main results, stripped of their proofs which necessarily add bulk. Second, this article is also useful to get a perspective on cyclotomic fields in connection with other topics, for instance having to do with modular curves and elliptic curves. In that survey, I emphasize questions about class groups and unit groups in a broader context than cyclotomic fields. Specifically, in Theorem 4.2 of [L 5] I state how Mazur-

Wiles construct certain class fields (abelian unramified extensions) of cyclotomic fields by means of torsion points on the Jacobians of modular curves. The existence of class fields of certain degrees is predicted abstractly by the pure cyclotomic theory, but the explicit description of the irrationalities generating such class fields provides an additional basic structure. In that sense, the purely cyclotomic proof of the "main conjecture", and even the "main conjecture" itself, do not supersede and are not substitutes for the Mazur-Wiles theory.

The first seven chapters of the present book, together with Chapters 10, 11, 12 and 13 and Rubin's appendix develop systematically the basic structure of units and ideal class groups in cyclotomic fields, or possibly Galois extensions whose Galois group is isomorphic to the group of p-adic integers. We look at the ideal class group in fields such as $\mathbf{Q}(\boldsymbol{\mu}_{p^n})$ where $\boldsymbol{\mu}_{p^n}$ is the group of p'-th roots of unity. We decompose these groups, as well as their projective limits, into eigenspaces for characters of $(\mathbf{Z}/p\mathbf{Z})^*$, and we attempt to describe as precisely as possible the structure of these eigenspaces. For instance, let h_p denote the class number of $\mathbf{Q}(\boldsymbol{\mu}_p)$. There is already a natural decomposition $h_p = h_p^+ h_p^-$, where h_p^+ is the order of the (+1)-eigenspace, and h_p^- is the order of the (-1)-eigenspace for complex conjugation, and similarly for p^n instead of p. Part of the problem is to determine as accurately as possible the p-divisibility of h_p^+ and h_p^- , and also asymptotically for p^n instead of p when $n \to \infty$.

A number of chapters are logically independent of each other. For instance, readers might want to read Chapter 10 on measures and Iwasawa power series immediately after Chapter 4, since the ideas of Chapter 10 are continuations of those of Chapter 4. This leads naturally into the Ferrero-Washington theorems, proving Iwasawa's conjecture that the p-primary part of the ideal class group in the cyclotomic \mathbb{Z}_p -extension of a cyclotomic field grows linearly rather than exponentially. This is first done for the minus part (the minus referring, as usual, to the eigenspace for complex conjugation), and then it follows for the plus part because of results bounding the plus part in terms of the minus part. Kummer had already proved such results. Another proof for the Ferrero-Washington theorem was subsequently given by Sinnott [Sin 2].

The first seven chapters suffice for the proof of the "main conjecture" in Rubin's appendix, which does not use the Ferrero-Washington theorem. However, using that theorem in addition gives a clearer picture of the projective limit of the ideal class groups as module over the projective limit of the group rings $\mathbb{Z}_p[G_n]$, where G_n is the Galois group of $\mathbb{Q}(\mu_{p^n})$ over $\mathbb{Q}(\mu_p)$, and therefore also as module over \mathbb{Z}_p . This module plays a role analogous to the Jacobian in the theory of curves. The Ferrero-Washington theorem states that up to a finite torsion group, this module is free of finite rank over \mathbb{Z}_p . The "main conjecture" gives some description of the characteristic polynomial of a generator for the Galois group playing an analogous role to the Frobenius endomorphism in the theory

of curves. Questions then arise whether these characteristic polynomials behave in ways similar to those in the theory of curves over finite fields. These questions pertain both to the nature of these polynomials, e.g. their coefficients and their roots (Riemann type hypotheses); and also concerning the behavior of these polynomials for varying p. Cf. [L 5], p. 274.

After dealing mostly with ideal class groups and units, we turn to a more systematic study of Gauss sums. We do what amounts to "Dwork theory", to derive the Gross-Koblitz formula expressing Gauss sums in terms of the p-adic gamma function. This lifts Stickelberger's theorem p-adically. Half of the proof relies on a course of Katz, who had first obtained Gauss sums as limits of certain factorials, and thought of using Washnitzer-Monsky cohomology to prove the Gross-Koblitz formula.

Finally, we apply these latter results to the Ferrero-Greenberg theorem, showing that $L'_p(0,\chi) \neq 0$ under the appropriate conditions. We take this opportunity to introduce a technique of Washington, who defined the *p*-adic analogues of the Hurwitz partial zeta functions, in a way making it possible to parallel the treatment from the complex case to the *p*-adic case, but in a much more efficient way.

Some basic conjectures remain open, notably the Kummer-Vandiver conjecture that h_p^+ is prime to p. The history of that conjecture is interesting. Kummer made it in no uncertain terms in a letter to Kronecker dated 28 December 1849. Kummer first tells Kronecker off for not understanding properly what he had previously written about cyclotomic fields and Fermat's equation, by stating "so liegt hierin ein grosser Irrthum deinerseits ..."; and then he goes on (Collected Works, Vol. 1, p. 84):

Deine auf dieser falschen Ansicht berühenden Folgerungen fallen somit von selbst weg. Ich gedenke vielmehr den Beweis des Fermatschen Satzes auf folgendes zu grunden:

 Auf den noch zu beweisenden Satz, dass es für die Ausnahmszahlen λ stets Einheiten giebt, welche ganzen Zahlen congruent sind für den Modul λ, ohne darum λte Potenzen anderer Einheiten zu sein, oder was dasselbe ist, dass hier niemals D/Δ durch λ theilbar wird.

In our notation: $\lambda = p$ and $D/\Delta = h_p^+$. Kummer wrote D/Δ as a quotient of regulators, expressing the index of the cyclotomic units in the group of all units. This index happens to coincide with h_p^+ (cf. Theorem 5.1 of Chapter 3). Thus Kummer rather expected to prove the conjecture. According to Barry Mazur, who reviewed Kummer's complete works when they were published by Springer-Verlag, Kummer never mentioned the conjecture in a published paper, but he mentioned it once more in another letter to Kronecker on 24 April 1853 (loc cit p. 93):

Hierein hängt auch zusammen, dass eines meiner Haupresultate auf welches ich seit-einem Vierteljahre gebaut hatte, dass der zweite Faktor der Klassen-

zahl D/d niemals durch λ theilbar ist, falsch ist oder wenigstens unbewiesen ... Ich werde also vorlaufig hauptsachlich meinen Fleiss nur auf die Weiterführung der Theorie der complexen Zahlen wenden, und dann sehen ob etwas daraus entsteht, was auch uber jene Aufgabe Licht verbreitet.

So the situation was less clear than Kummer thought at first. Much later, Vandiver made the same conjecture, and wrote [Va 1]:

... However, about twenty-five years ago I conjectured that this number was never divisible by /[referring to h^+]. Later on, when I discovered how closely the question was related to Fermat's Last Theorem, I began to have my doubts, recalling how often conjectures concerning the theorem turned out to be incorrect. When I visited Furtwängler in Vienna in 1928, he mentioned that he had conjectured the same thing before I had brought up any such topic with him. As he had probably more experience with algebraic numbers than any mathematician of his generation, I felt a little more confident

On the other hand, many years ago, Feit was unable to understand a step in Vandiver's "proof" that $p \nmid h^+$ implies the first case of Fermat's Last Theorem, and stimulated by this, Iwasawa found a precise gap which is such that there is no proof.

The Iwasawa-Leopoldt conjecture that the p-primary part of C^- is cyclic over the group ring, and is therefore isomorphic to the group ring modulo the Stickelberger ideal, also remains open. For prime level, Leopoldt and Iwasawa have shown that this is a consequence of the Kummer-Vandiver conjecture. Cf. Chapter IV, §4.

Much of the cyclotomic theory extends to totally real number fields, as theorems or conjecturally. We do not touch on this aspect of the question. Cf. Coates' survey paper [Co 3], and especially Shintani [Sh].

Coates, Ribet, and Rohrlich had read the original manuscript and had made a large number of suggestions for improvement. I thank them again, as well as Koblitz and Washington, for their suggestions and corrections.

New Haven, 1989

SERGE LANG

Contents

No	Notation	
Int	roduction	xiii
CF	IAPTER 1	
Ch	naracter Sums	1
1.	Character Sums over Finite Fields	1
2.	Stickelberger's Theorem	6
3.	Relations in the Ideal Classes	14
4.	Jacobi Sums as Hecke Characters	16
5.	Gauss Sums over Extension Fields	20
6.	Application to the Fermat Curve	22
CF	HAPTER 2	
St	ickelberger Ideals and Bernoulli Distributions	26
1.	The Index of the First Stickelberger Ideal	27
2.	Bernoulli Numbers	32
3.	Integral Stickelberger Ideals	43
4.	General Comments on Indices	48
5.	The Index for k Even	49
6.	The Index for k Odd	50
7.	Twistings and Stickelberger Ideals	51
8.	Stickelberger Elements as Distributions	53
9.	Universal Distributions	57
10.	The Davenport-Hasse Distribution	61
	Appendix. Distributions	65

Contents

CH	IAPTER 3	
Co	emplex Analytic Class Number Formulas	69
1. 2. 3.	Gauss Sums on Z/mZ Primitive L-series Decomposition of L-series	69 72 75
4. 5.	The (±1)-eigenspaces	81
5. 6.	Cyclotomic Units The Dedekind Determinant	84 89
7.	Bounds for Class Numbers	91
СН	IAPTER 4	
Th	e p-adic L-function	94
1.	Measures and Power Series	95
2.	Operations on Measures and Power Series	101
3.	The Mellin Transform and p-adic L-function	105
	Appendix. The p-adic Logarithm The p-adic Regulator	111
4. 5.	The Formal Leopoldt Transform	112 115
6.	The p-adic Leopoldt Transform	117
CL	IAPTER 5	
Iw	asawa Theory and Ideal Class Groups	123
1.	The Iwasawa Algebra	124
2.	Weierstrass Preparation Theorem	129
3.	Modules over $\mathbb{Z}_p[[X]]$	131
4.	Z _p -extensions and Ideal Class Groups	137
5. 6.	The Maximal p-abelian p-ramified Extension The Galois Group as Module over the Iwasawa Algebra	143 145
		143
	HAPTER 6	148
N	ummer Theory over Cyclotomic Z _p -extensions	146
1. 2.	The Cyclotomic \mathbb{Z}_{p} -extension The Maximal p -abelian p -ramified Extension of the Cyclotomic	148
	\mathbf{Z}_{p} -extension	152
3.	Cyclotomic Units as a Universal Distribution	157
4.	The Iwasawa-Leopoldt Theorem and the Kummer-Vandiver	1/0
	Conjecture	160
	HAPTER 7	
Iw	asawa Theory of Local Units	166
1.	The Kummer-Takagi Exponents	166
2.	Projective Limit of the Unit Groups	175
3.	A Basis for $U(\chi)$ over Λ	179
4. 5.	The Coates-Wiles Homomorphism The Closure of the Cyclotomic Units	182 186
•	and propert or the obstorouse onto	

	ni		

СН	APTER 8	
Lubin-Tate Theory		190
1. 2.	Lubin-Tate Groups Formal p-adic Multiplication	190 196
3.		200
4.	The Reciprocity Law	203
5.	The Kummer Pairing	204
6.	The Logarithm	211
7.	Application of the Logarithm to the Local Symbol	217
CF	IAPTER 9	
Ex	plicit Reciprocity Laws	220
1.	Statement of the Reciprocity Laws	221
2.	The Logarithmic Derivative	224
	A Local Pairing with the Logarithmic Derivative	229 232
4.	The Main Lemma for Highly Divisible x and $\alpha = x_n$	232
5. 6.	The Main Theorem for the Symbol $\langle x, x_n \rangle_n$ The Main Theorem for Divisible x and $\alpha = \text{unit}$	239
7.		242
CF	HAPTER 10	
	easures and Iwasawa Power Series	244
	Towns In the Control of the Control	245
1. 2.	Iwasawa Invariants for Measures Application to the Bernoulli Distributions	243 251
3.	Class Numbers as Products of Bernoulli Numbers	258
٥.	Appendix by L. Washington: Probabilities	261
4.	Divisibility by I Prime to p: Washington's Theorem	265
CI	HAPTER 11	
T	he Ferrero-Washington Theorems	269
1.	Basic Lemma and Applications	269
2.	Equidistribution and Normal Families	272
	An Approximation Lemma	276
4.	Proof of the Basic Lemma	277
Cl	HAPTER 12	
M	leasures in the Composite Case	280
1.	Measures and Power Series in the Composite Case	280
2.	· · · · · · · · · · · · · · · · · · ·	
	Multiplicative Group	286
3.	Computation of $L_p(1, \chi)$ in the Composite Case	291

Contents

CH	IAPTER 13	
Di	visibility of Ideal Class Numbers	295
1. 2. 3. 4. 5.	Examples of Iwasawa	295 299 304 306 310 312
CF	IAPTER 14	
p-8	adic Preliminaries	314
1. 2. 3.	The p-adic Gamma Function The Artin-Hasse Power Series Analytic Representation of Roots of Unity Appendix: Barsky's Existence Proof for the p-adic Gamma Function	314 319 323 325
	HAPTER 15	
T	ne Gamma Function and Gauss Sums	329
1. 2. 3. 4.	Gamma Function	330 336 341 343 348
CI	HAPTER 16	
G	auss Sums and the Artin-Schreier Curve	360
1. 2. 3. 4.	The Artin-Schreier Equation Washnitzer-Monsky Cohomology	360 369 374 378
_	HAPTER 17	
G	auss Sums as Distributions	381
1. 2. 3.	The Gauss Sums as Universal Distributions The L-function at $s = 0$	381 385 389 391

	Contents
APPENDIX BY KARL RUBIN	
The Main Conjecture	397
Introduction	397
1. Setting and Notation	397
2. Properties of Kolyvagin's "Euler System"	399
3. An Application of the Chebotarev Theorem	401
4. Example: The Ideal Class Group of $Q(\mu_p)^+$	403
5. The Main Conjecture	405
6. Tools from Iwasawa Theory	406
7. Proof of Theorem 5.1	411
8. Other Formulations and Consequences of the Main Conjecture	415
Bibliography	421
Index	431