


MICROBIAL BIOTECHNOLOGY

Progress and Trends



Edited by
Farshad Darvishi Harzevili
Hongzhang Chen


MICROBIAL BIOTECHNOLOGY

Progress and Trends

Edited by

Farshad Darvishi Harzevili

Hongzhang Chen



CRC Press

Taylor & Francis Group

Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group, an **informa** business

CRC Press
Taylor & Francis Group
6000 Broken Sound Parkway NW, Suite 300
Boca Raton, FL 33487-2742

© 2015 by Taylor & Francis Group, LLC
CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works

Printed on acid-free paper
Version Date: 20140919

International Standard Book Number-13: 978-1-4822-4520-2 (Hardback)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access www.copyright.com (<http://www.copyright.com/>) or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Visit the Taylor & Francis Web site at
<http://www.taylorandfrancis.com>

and the CRC Press Web site at
<http://www.crcpress.com>

MICROBIAL BIOTECHNOLOGY

Preface

Microbial biotechnology is a technology based on microbiology. Microbial biotechnology is the use of microorganisms and their derivatives to make or modify specific products or processes. Microbial biotechnology is closely related to applied and industrial microbiology. Microbial biotechnology is sometimes considered synonymous with modern industrial microbiology.

The microorganisms used in industrial processes are natural, laboratory-selected mutants, or genetically engineered strains to obtain an economically valuable product or activity on a commercial and large scale. Natural and mixed microbial strains were used in ancient or traditional industrial microbiology, whereas pure or mutant microbial strains are used in classic industrial microbiology. The use of genetically engineered microbial strains began with modern industrial microbiology or microbial biotechnology.

Microbial biotechnology is an interdisciplinary field, and successful development in this field requires major contributions in a wide range of disciplines, particularly microbiology, biochemistry, genetics, molecular biology, chemistry, biochemical engineering, bioprocess engineering, and so on.

Recently, new methods of metabolic engineering, industrial systems biology, bioinformatics, and X-omics science such as genomics, metagenomics, transcriptomics, proteomics, metabolomics, fluxomics, and even nanobiotechnology, have been used to find and modify microorganisms with industrial capacity and their valuable products.

In general, the production of products in industrial microbiology and microbial biotechnology are typically investigated under upstream processes, fermentation processes, and downstream processes.

Microbial Biotechnology: Progress and Trends covers recent developments in some fields of microbial biotechnology. Chapter 1 reviews microbial biotechnology from its historical roots to its different processes. Chapters 2 through 5 discuss some of the new developments in upstream processes. Chapter 6 considers solid-state fermentation as an interesting field in fermentation processes. Chapters 7 through 12 argue about recent developments in the production of valuable microbial products such as biofuels, organic acids, amino acids, probiotics, healthcare products, and edible biomass. Chapters 13 through 15 discuss important microbial activities such as biofertilizer, biocontrol, biodegradation, and bioremediation.

The book is written in simple and clear text, and we also used many figures and tables to make the book easier to understand. Furthermore, case studies are included at the end of some chapters.

Overall, this book will serve as a suitable reference for students, scientists, and researchers at universities, industries, corporations, and government agencies interested in biotechnology, applied microbiology, bioprocess/fermentation technology, healthcare/

pharmaceutical products, food innovations/food processing, plant agriculture/crop improvement, energy and environment management, and all disciplines related to microbial biotechnology.

Farshad Darvishi Harzevili
Harzevil, Gilan, Iran

Hongzhang Chen
Beijing, China

Acknowledgments

I thank Hongzhang Chen as coeditor, and the experienced authors for their sound and enlightening contributions. I am extremely grateful to Michael Slaughter (acquiring editor) for his continued interest, critical evaluation, constructive criticism, and support.

On behalf of the authors, I would like to thank Michele Smith (editorial assistant), Marsha Pronin (project coordinator), Rachael Panthier (production editor), Scott Shamblin (cover designer) and their respective teams at CRC Press/Taylor & Francis Group for their valuable efforts to develop our manuscript into a high-quality book.

Farshad Darvishi Harzevili

Editor-in-Chief

Editors

Dr. Farshad Darvishi Harzevili earned a BSc in biology at the University of Guilan, Iran. He earned his MSc and PhD in industrial microbiology and microbial biotechnology from the University of Isfahan, Iran. He is currently a faculty member and head of the microbial biotechnology and bioprocess engineering (MBBE) group at the University of Maragheh, Iran. His main interest is in the biotechnological and environmental applications of yeasts, especially the use of agro-industrial wastes and renewable low-cost substrates in the production of biotechnologically valuable products such as microbial enzymes, organic acids, single-cell oils, biofuels, and so forth. He is also interested in the expression of heterologous proteins, metabolic engineering and synthetic biology of yeasts.

Dr. Hongzhang Chen earned his master's degree in microbiology from Shandong University in 1991, and his PhD in biochemical engineering from the Institute of Process Engineering, Beijing, China in 1998. He is currently a member of the Chinese Academy of Sciences and the vice director of the State Key Laboratory of Biochemical Engineering. His research is focused on ecological biochemical engineering and cellulose biotechnology. Currently, his research explores new types of solid-state fermentation techniques, devices and processes, and clean fractionation using steam explosion techniques for efficient pretreatment in cellulose conversion to useful biorenewable materials.

Contributors

Muna M. Abbas

Department of Biological Sciences
Faculty of Sciences
University of Jordan
Amman, Jordan

Siba Prasad Adhikary

Department of Biotechnology
Fakir Mohan University
Odisha, India

Temitope Banjo

Institute of Human Resources and
Development
Federal University of Agriculture
Ogun State, Nigeria

R. Baskaran

Department of Ocean Studies and
Marine Biology
Pondicherry University
Port Blair, India

Hongzhang Chen

National Key Laboratory of
Biochemical Engineering
Institute of Process Engineering
Chinese Academy of Sciences
Beijing, China

Farshad Darvishi Harzevili

Division of Microbiology
Department of Biology
University of Maragheh
Maragheh, Iran

Patrick Fickers

Biotechnology and Bioprocess
Université Libre de Bruxelles
Brussels, Belgium

S. Ganesamoorthy

Department of Biotechnology
Himachal Pradesh University
Shimla, India

and

Synthetic Chemistry
Syngene International Ltd.
Bangalore, India

Armando Hernández García

Department of Microbiology
Swedish University of Agricultural Sciences
Uppsala, Sweden

Rikita Gupta

School of Biotechnology
University of Jammu
Jammu, India

Pankaj Kumar Jain

Biotechnology Laboratory
Department of Biological Science FASC
MITS University
Rajasthan, India

Sarafadeen Olateju Kareem

Department of Microbiology
Federal University of Agriculture
Ogun State, Nigeria

Guanhua Li

National Key Laboratory of
Biochemical Engineering
Institute of Process Engineering
Chinese Academy of Sciences
Beijing, China

Catherine Madzak

INRA
UMR1319 Micalis
Domaine de Vilvert
Jouy-en-Josas, France

Adel M. Mahasneh

Department of Biological Sciences
Faculty of Sciences
University of Jordan
Amman, Jordan

Saad Bin Zafar Mahmood

Aga Khan University Hospital
Stadium Road
Karachi, Pakistan

Zafar Alam Mahmood

Colorcon Limited
Kent, United Kingdom

P.M. Mohan

Department of Chemistry
National Institute of Technology
Tiruchirappalli, India

and

Synthetic Chemistry
Syngene International Ltd.
Bangalore, India

Poonam Singh Nigam

Faculty of Life and Health Sciences
University of Ulster
Coleraine, United Kingdom

Ashok K. Rathoure

Department of Biotechnology
Himachal Institute of Life Sciences
Paonta Sahib, India

and

En-vision Enviro Engineers Pvt. Ltd.
Surat, Gujarat, India

Jayanti Kumari Sahu

Department of Botany
Dhenkanal Autonomous College
Odisha, India

Santosh Kumar Sethi

Department of Biotechnology
Utkal University
Odisha, India

Sakshi Sharma

School of Biotechnology
University of Jammu
Jammu, India

Andriy Sibirny

Department of Molecular Genetics and
Biotechnology
Institute of Cell Biology
National Academy of Sciences of Ukraine
Lviv, Ukraine

Anoop Singh

Department of Scientific and Industrial
Research
Ministry of Science and Technology
Government of India
New Delhi, India

Jyoti Vakhlu

University of Jammu
Jammu, India

Contents

Preface..... vii

Acknowledgmentsix

Editors.....xi

Contributors..... xiii

Chapter 1 Microbial biotechnology: An introduction 1
Farshad Darvishi Harzevili

Chapter 2 Screening of microbial metabolites and bioactive components 9
R. Baskaran, P.M. Mohan, S. Ganesamoorthy, and Ashok K. Rathoure

**Chapter 3 Metagenomics as advanced screening methods for novel microbial
metabolites 43**
Sakshi Sharma and Jyoti Vakhlu

**Chapter 4 Genetic engineering of nonconventional yeasts for the production of
valuable compounds..... 63**
Andriy Sibirny, Catherine Madzak, and Patrick Fickers

**Chapter 5 Induced anhydrobiosis: Powerful method for preservation of
industrial microorganisms 113**
Armando Hernández García

**Chapter 6 Recent developments in solid-state fermentation: Chinese herbs as
substrate..... 131**
Hongzhang Chen and Guanhua Li

Chapter 7 Microbial biofuels production..... 155
Anoop Singh and Poonam Singh Nigam

Chapter 8 Microbial production of organic acids 169
Sarafadeen Olateju Kareem and Temitope Banjo

Chapter 9 Microbial amino acids production..... 187
Zafar Alam Mahmood

Chapter 10 Probiotics: The possible alternative to disease chemotherapy..... 213
Adel M. Mahasneh and Muna M. Abbas

Chapter 11 Microbial healthcare products	239
<i>Zafar Alam Mahmood and Saad Bin Zafar Mahmood</i>	
Chapter 12 Microbial biomass production.....	279
<i>Ashok K. Rathoure</i>	
Chapter 13 Microbial biofertilizers and their pilot-scale production	297
<i>Santosh Kumar Sethi, Jayanti Kumari Sahu, and Siba Prasad Adhikary</i>	
Chapter 14 Bacterial biocontrol agents	317
<i>Rikita Gupta and Jyoti Vakhlu</i>	
Chapter 15 Microbial biodegradation of polycyclic aromatic hydrocarbons.....	331
<i>Pankaj Kumar Jain</i>	
Index	351

chapter one

Microbial biotechnology

An introduction

Farshad Darvishi Harzevili

Contents

1.1 Introduction..... 1

1.2 A brief history 2

1.3 Nature of industrial microbiology and microbial biotechnology 2

1.4 Review of main processes in microbial biotechnology 4

 1.4.1 Upstream processes in microbial biotechnology 4

 1.4.2 Fermentation processes in microbial biotechnology 5

 1.4.3 Downstream processes in microbial biotechnology 6

1.5 Conclusion 7

References..... 8

1.1 Introduction

There are many definitions for biotechnology. Simply, biotechnology is a technology based on biology, or the use of living systems and organisms to make or develop useful products. The most comprehensive definition was given by the United Nations Convention on Biological Diversity at a meeting held in Rio de Janeiro, Brazil in 1992. In this convention, biotechnology was defined as “any technological application that uses biological systems, living organisms, or derivatives thereof, to make or modify products or processes for specific use.” This definition was signed and accepted by 168 countries up to now.

The biological processes of microorganisms have been used to make and preserve useful food products for more than 6000 years. Microbial biotechnology or industrial microbiology is the use of microorganisms to obtain an economically valuable product or activity at a commercial or large scale. The microorganisms used in industrial processes are natural, laboratory-selected mutant or genetically engineered strains. Economically valuable products such as alcohols, solvents, organic acids, amino acids, enzymes, fermented dairy products, food additives, vitamins, antibiotics, recombinant proteins and hormones, biopolymers, fertilizers, and biopesticides are produced by microorganisms that are used in chemical, food, pharmaceutical, agricultural, and other industries. Biodegradation and biotransformation of complex compounds, domestic and industrial wastewater treatment, biomining, and enhanced oil recovery are examples of microbially valuable activities. According to the UN Convention on Biological Diversity, microbial biotechnology can be defined as any technological application that uses microbiological systems, microbial organisms, or derivatives thereof, to make or modify products or processes for specific use.

1.2 A brief history

Industrial microbiology has a long history and its roots can be traced back to the ancient times of human life, when microbiology had not yet been accepted and developed as a science. Approximately 7000 years BC, the Sumerians and Babylonians used yeast to convert sugar to alcohol. By 4000 years BC, the Egyptians used leaven containing yeast to improve bread quality. Moreover, the ancients knew how to use bacteria and molds for vinegar and cheese production.

The Chinese used molds as antibiotics for the treatment of purulent wounds approximately 500 years BC. This first period, from several thousand years to 150 years ago, is known as the ancient or traditional industrial microbiological period, in which mixed and impure cultures of microorganisms were used in nonsterile conditions to make products (El-Mansi et al. 2012; Soetaert and Vandamme 2010).

Approximately 150 years ago, Louis Pasteur proved the microbial source of fermentation and established industrial microbiology as a science based on scientific principles. During World War I, Chaim Weizmann used *Clostridium* bacterium for the production of acetone and butanol. Then *Aspergillus* mold was used to produce citric acid.

Following Alexander Fleming's discovery of the antibiotic properties of *penicillium* mold, Florey and Chain were able to prepare a pure form of penicillin during the Second World War. In the 1940s, Waksman discovered several aminoglycoside antibiotics such as streptomycin and neomycin. In the late 1950s and 1960s, microorganisms were used to produce amino acids and single-celled proteins, respectively. This second period, 150 years to 40 years ago, is known as the classic industrial microbiological period, in which pure cultures of microorganisms were used in sterile conditions for the manufacture of products. Furthermore, the microbial strains were improved by classic genetic methods such as protoplasm fusion and mutagenesis with physical and chemical mutagens (Glazer and Nikaido 2007).

The third period, which began in the 1970s and continues to the present, is known as the modern industrial microbiology or microbial biotechnology period. The prominent features of this period are its use of recombinant DNA or genetic engineering methods for the improvement of industrial strains and the production of recombinant proteins (Figure 1.1).

1.3 Nature of industrial microbiology and microbial biotechnology

In some sources, the term *biotechnology* was incorrectly substituted for genetic engineering or modification. This mistake originated in the United States where, several years ago, new genetic methods were considered as awful and demonic procedures. Therefore, the term biotechnology was used instead of genetic engineering and producing transgenic organisms to reduce worry and diversion of public opinion. Later, the term was used by the media and politicians, and thus it entered legislation and government documents.

Humans have been using genetic modification with the selective breeding of plants and animals for more productivity over tens of thousands of years. For more than 50 years, classic methods such as protoplasm fusion and mutagenesis have been used for the genetic modification of organisms. Genetic engineering and its equivalent terms, genetic modification or genetic manipulation, are advanced molecular biology techniques that have been used since the 1970s (Smith 2009).




Figure 1.1 Timeline of industrial microbiology and microbial biotechnology.

The term biotechnology was first coined by Karl Ereky in 1917, when molecular genetics and genetic engineering had not yet been discovered. By 1919, in his book entitled *Biotechnology of Meat, Fat and Milk Production in an Agricultural Large-scale Farm*, Ereky described biotechnology as a technology based on converting raw materials into useful products.

Afterward, many definitions were proposed for biotechnology. The application of biological systems, living organisms, or derivatives thereof, to make or modify products is the most comprehensive definition for biotechnology. Biotechnology is not only a science or a set of methods but it is also the interdisciplinary science that encompasses microbiology, plant and animal science, biochemistry, cellular and molecular biology, genetic modification, and engineering fields with biological perspectives such as mechanics, electronics, information technology, robotics, and so on.

The European Federation of Biotechnology considers biotechnology in two categories—“traditional or old” and “new or modern” biotechnology. Several thousand-years-old traditional methods are used to produce beverages, foods, and dairy in traditional or old biotechnology, which is the equivalent of traditional industrial microbiology and classic industrial microbiology. New methods of genetic engineering, which were used from the 1970s to the early 1980s, began the development and evolution of traditional biotechnology to new or modern biotechnology, which is the equivalent of modern industrial microbiology or microbial biotechnology (Smith 2009).

Today, the third wave of biotechnology, known as industrial biotechnology or white biotechnology, is expanding. It has made considerable progress in comparison with the second wave, namely, red biotechnology or medical biotechnology and the first wave, namely, green biotechnology or agricultural biotechnology.

Industrial biotechnology uses biological systems, especially microorganisms, in industrial fermentation processes to produce large quantities of pure materials and energy including alcohols, organic acids, amino acids, vitamins, solvents, antibiotics, biopolymers, biopesticides, enzymes, alkaloids, steroids, and others. Industrial biotechnology is founded on biological catalysts and fermentation technology, and it is associated with advances in molecular genetics, protein engineering, and metabolic engineering of microorganisms and cells.

Recently, new methods of metabolic engineering, industrial systems biology, bioinformatics, X-omics such as genomics, metagenomics, transcriptomics, proteomics, metabolomics, fluxomics, and even nanobiotechnology, have been used to find and modify microorganisms with industrial capacity and their valuable products (Soetaert and Vandamme 2010).

1.4 *Review of main processes in microbial biotechnology*

In the past, many diverse products were derived from natural sources or synthesized through chemical processes; nowadays, some of these products are commercially produced through microbial fermentation and biological conversion processes. The benefits of using microorganisms in such processes includes the ease of mass production, the high growth rate, and the use of cheap substrates which, in many cases, are considered waste products of some industries. In general, the products of industrial microbiology and microbial biotechnology are typically investigated under upstream processes, fermentation processes, and downstream processes (Stanbury et al. 1995).

1.4.1 *Upstream processes in microbial biotechnology*

The upstream processes consider the isolation and screening of microorganisms, strain improvement to produce cheap and abundant amounts of the desired product, industrial strain preservation, development of inoculum, substrate selection, optimization and development of appropriate media, and industrial sterilization of media (Figure 1.2).

Microorganisms (as producing agents) and raw materials (as substrates of fermentation) are important in the upstream processes. Strain improvement is critical in the development of most fermentation industries because it increases production efficiency and reduces production costs. In many cases, strain improvement is performed by conventional mutagenesis and recombinant DNA techniques. Then, a suitable strain for the industrial fermentation process is selected through mutant and recombinant strains.

The choice of medium depends on the scale of fermentation. In the small laboratory scale, mostly pure chemicals are used in media composition. This is not possible for large-scale fermentation due to the high costs. Hence, low-cost complex substrates are mainly used in large and commercial-scale fermentations. Most of these compounds are obtained from plant and animal residues, as well as from other industrial wastes that have variable compositions. The effects of fluctuation must be considered between each group of substrates. These effects on performance and product recovery are examined in the small scale with each group of substrate (Waites et al. 2009).




Figure 1.2 Upstream processes in microbial biotechnology.

1.4.2 Fermentation processes in microbial biotechnology

The root word of fermentation is derived from the Latin verb *fervere*, meaning to boil, which describes the boiling appearance of the action of yeast on extracts of fruit or grain during fermentation. Fermentation, from the viewpoint of an industrial microbiologist, is the production of a product by the mass culture of microorganisms under aerobic or anaerobic conditions. Fermentation is usually carried out in a fermentor or bioreactor set, whose main objective is to provide a suitable environment for organisms to produce biomass and metabolites. Fermentation system performance depends on many factors, but the main physicochemical properties that need to be controlled are temperature, pH, oxygen transfer, agitation, and foam level.

Fermentation is performed in simple to complex fermentors consisting of a tank equipped with (or without) an agitator controlled by an integrated computer system.