

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

INDEX

Volumes 17 to 20

PEROXIDES AND
PEROXY COMPOUNDS,
INORGANIC to SILK



WILEY-INTERSCIENCE

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

INDEX

Volumes 17 to 20

**PEROXIDES AND
PEROXY COMPOUNDS,
INORGANIC to SILK**

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO • SINGAPORE

Copyright © 1983 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

A

- 1,4,4a,5,8,8a,9a,10a-Octahydro-1,4:5,8-bismethano-9,10-dione [5439-22-5]
addition to quinones, 19:590
- 5a,11a-Dehydrochlortetracycline [22688-60-4]
configuration inversion, 17:321
- 1a,7a-Dihydro-1a-methylnaphth[2,3-b]oxirene-2,7-dione [61840-91-3], 19:578
- 1A,7a-dihydro-1a-phenylnaphth[2,3-b]oxirene-2,7-dione [73377-82-9], 19:588
- 1,4,4a,8a-Tetrahydro-1,4-methano-5,8-dione [1200-89-1], 19:590
- ABA, 18:6
- Abbreviated New Drug Application, 17:277
- (+)-(3S,4aS,13bS)-Butaclamol [56245-67-1], 17:315
- Abherent coatings
of poly(phenylene sulfide), 18:812
- Abherents
silicones, 20:941, 20:942
- Abies balsamea*
resin from, 20:203
- Abietic acid [514-10-3], 20:201
from kraft pulping, 19:405
- Abrasion resistance
of plastics, 18:218
- Abrasion tests
on rubber, 20:464
- Abrasives
for dentifrices, 17:468
phenolic resin binding, 17:407
in polishes, 18:326
- ABS. See *Acrylonitrile-butadiene-styrene*.
- Abscissic acid [14674-85-2], 18:6. (See also 3-Methyl-5-(1'-hydroxy-4'-oxo-2',6',6'-trimethyl-2'-cyclohexen-1'-yl)cis,trans-2,4-pentadienoic acid.)
- Abscisin, 18:5
- Abscission
control of, 18:14
- Abscission stimulant
for citrus, 18:1
for olives, 18:1
- Abson, 18:472
- Absorbent
of oil, polynorbornene, 18:440
- Absorbers, countercurrent packed-column, 19:884
- Absorbers, impact
from scrap tires, 19:1008
- Absorpt, 19:855
- Absorption machines
for refrigeration, 20:80
- Acacia [9000-01-5]
tablet coating, 17:281
- Accelerator Bismet, 20:340
- Accelerators
of electrons, 19:610
for polyesters, 18:581
of vulcanization, 20:337
- Accelerator ZBED, 20:342
- Accident investigation, 18:84
- Accroides resin [9000-20-8]
properties, 20:198
- Acenaphthene [83-32-9]
as priority pollutant, 20:114
- Acenaphthenequinone [82-86-0], 19:573
- Acetal copolymer [52232-78-7], 18:184
- Acetaldehyde [75-07-0]
in Chichibabin pyridine synthesis, 19:457
from ethylene, 18:260
as monomer, 18:732
peracetic acid from, 19:262
peroxyacetic acid reaction, 17:47
in PET, 18:558
p-toluidine reaction, 20:352
xylene oxidation promoter, 17:750
- Acetal homopolymer [9002-81-7], 18:184
- Acetals
from propylene oxide, 19:252
- 3-Acetamido-6-methyl-trifluoromethylsulfonanilide [47000-92-0], 18:8
- p*-Acetamidophenyl salicylate [118-57-0], 20:514
- (3-Acetamidopropyl)-2-(decylamino)ethyl disulfide [15386-71-7]
radioprotective agent, 19:813
- Acetazolamide [59-66-5]
glaucoma treatment, 17:302
- Acetic acid [64-19-7]
from methanol, 18:264
photographic use, 17:642
quinoline reaction, 19:548
separation from water, 20:702
xylene oxidation solvent, 17:749
- (*R*)-Acetic acid [23198-05-2], 17:333
- (*S*)-Acetic acid [23198-06-3], 17:333
- Acetic acid (1-¹⁴C) [2845-03-6], 19:634
- Acetic acid, chiral
synthesis, 17:333
- Acetic anhydride [108-24-7]
methyltrichlorosilane reaction, 20:927
salicylic acid reaction, 20:504
in THF polymerization, 18:661
- Acetic anhydride (³H) [25962-31-6], 19:635
- Acetic hydrazide [1068-57-1]
in alprazolam preparation, 19:353
- Acetoacetaldehyde dimethyl acetal [5436-21-5]
pyrrole synthesis, 19:502
- Acetoacetanilide [102-01-2]
coupling agent, 17:840
quinolines from, 19:542
- o*-Acetoacetanilide [92-15-9]
coupling agent, 17:842
- Acetoacet-2,4-dimethylanilide [97-36-9]
coupling agent, 17:842

- o*-Acetoacetotoluidide [93-68-5]
 coupling agent, 17:842
o-Acetoacetotoluidide [93-68-5]
 coupling agent, 17:842
 2,4-Acetoacetoxylidide [97-36-9]
 coupling agent, 17:842
 Acetoacet-*m*-xylidide [97-36-9], 17:847
N-Acetoacetylthranilate [35354-86-0]
 2,4-dehydroxyquinolines from, 19:553
 Aceto HMT, 20:338
 Acetone [67-64-1]
 ammonia reaction, 19:458
 anesthetic potency, 17:360
 2,6-dimethylphenol condensation, 18:490
 from isopropyl alcohol, 19:202
 phenol coproduct, 17:374
 from propylene oxide, 19:252
 refrigerant brine, 20:91
 Acetone semicarbazone [110-20-3]
 in photobleaching, 17:634
 Acetonitrile [75-05-8]
 as mass-separating agent, 20:708
 1-Acetonylisoquinoline [1531-30-2], 19:557
 Acetophenazine dimaleate [5714-00-1], 19:361
 Acetophenone [98-86-2]
 asymmetric reduction, 17:337
 from ethylbenzene, 19:258
 hydrogenation, 19:258
 phenol by-product, 17:377
 photosensitizer, 17:544
 (*R*)-1-Acetophenone [29430-05-5], 17:333
 (*S*)-1-Acetophenone [29430-06-6], 17:333
 Acetophenones
 chiral reduction, 17:335
o-Acetotoluidide [120-66-1]
 coupling agent, 17:841
o-Acetoxybenzoic acid [50-78-2], 20:519. (See
 also *Aspirin*.)
p-Acetoxybenzoic acid [2345-34-8]
 PET reaction, 18:559
 2-Acetoxy-9,10-dimethoxy-1,3,4,6,7,11b-hexahy-
 dro-2*H*-benzo[*a*]quinolizin-3-carboxylic acid
 diethylamide [63-12-7], 19:564
 α -Acetoxyvinyl-1-cyclohexene [65882-67-9],
 19:591
 Acetrizoic acid [85-36-9]
 radiopaque, 19:789
 2'-Acetylacetanilide [5234-26-4]
 quinolines from, 19:543
 Acetylacetonatoplatinum(II) [15170-57-7]
 for Pt coatings, 18:259
 2-Acetyl-3-(3-acetyl-4-hydroxyphenoxy)-2,5-
 cyclohexadiene-1,4-dione [68157-88-0],
 19:584
 3-(Acetylamino)-5-(acetylmethylamino)-2,4,6-tri-
 iodobenzoyl chloride [31209-30-0]
 metrizamide from, 19:790
 3-(Acetylamino)-5-amino-2,4,6-triiodobenzoic
 acid [1713-07-1]
 metrizoic acid from, 19:790
 3-[(Acetylamino)methyl]-5-aminobenzoic acid
 [1574-52-3]
 iodination, 19:790
 2-Acetyl-1,4-benzoquinone [1125-55-9]
 photodimerization, 19:584
 Acetyl benzoyl peroxide [644-31-5]
 properties, 17:65
 5-Acetyl-2-bromo-1,4-naphthoquinone [77189-
 69-6]
 oxidation, 19:601
 Acetyl *t*-butylsulfonyl peroxide [26305-18-0],
 17:73
 Acetyl chloride [75-36-5]
 sodium salicylate reaction, 20:519
 Acetylcholine [51-84-3]
 antagonism of by benzilylcholine mustard,
 17:355
 neurotransmitter, 19:345
 quaternary ammonium compd, 19:526
 receptors, 17:348
 Acetylcholine-receptor model, 17:364
 Acetylcholinesterase [9012-78-6]
 SAR for inhibition of, 17:352
 Acetylcholinesterase inhibitors, 19:474
 Acetyl cyclohexycarbonyl peroxide [3901-10-8]
 properties, 17:65
 Acetyl cyclohexylsulfonyl peroxide [3179-56-4],
 17:68, 72, 73, 82
 Acetylene [74-86-2]
 conductive polymers of, 18:779
 nitrile reactions, 19:459
 titanium reaction, 20:44
 Acetylene black, 17:830
 Acetylene (¹⁴C) [1636-58-4], 19:634
 Acetylenes
 pyrazoles from, 19:439
 silane reduction, 20:903
O-Acetylglactoglucomannan [9039-28-5]
 in wood, 19:388
 α -*N*-Acetylglucosamine [7512-17-6], 17:314
 Acetyl *sec*-heptylsulfonyl peroxide [3179-58-6],
 17:73
 4-Acetylisochroman-1,3-diones
 isoquinolines from, 19:562
S-Acetyl-2-mercaptopethylamine [6197-31-5]
 radioprotective agent, 19:811
 3-(Acetylmethylamino)-2,4,6-triiodo-5-[(methyla-
 mino)carbonyl]benzoyl chloride [58763-17-0]
 ioxaglic acid from, 19:793
 Acetyl- β -methylcholine [55-92-5]
 stereoselectivity, 17:350
 Acetyl(1-methylcyclohexyl)sulfonyl peroxide
 [32666-40-3], 17:73
O-Acetyl-4-*O*-methylglucuronoxylan [37360-74-0]
 in wood, 19:388
 10-Acetyl-2-(methylmercapto)phenothiazine
 [23503-69-7]
 mesoridazine besylate precursor, 19:362

- N*-Acetyl-2-methyl-*N*(3-nitrophenyl)- β -alanine [16034-76-7]
 iocetamic acid from, 19:795
- 3-Acetyl-6-methyl-2*H*-pyran-3,4-dihydro-2,4-dione [520-45-6], 19:461
- 10-Acetyl-2-(methylsulfinyl)phenothiazine [80471-59-6]
 mesoridazine besylate precursor, 19:363
- 5-[[2-(Acetyloxy)-1-oxopropyl]amino]-2,4,6-triiodo-1,3-benzenedicarbonyl dichloride [60166-91-8]
 iopamidol from, 19:791
- L-2-Acetyloxypropanoyl chloride [36394-75-9]
 iopamidol from, 19:791
- N*-(Acetyl)phenethylamine [33098-65-6]
 cyclodehydration, 19:559
- 2-Acetylphenothiazine [6631-94-3], 19:362
- Acetyl-2-phenylhydrazide [114-83-0]
 β -ketoester reaction, 19:449
- Acetyl propionyl peroxide [13043-82-8]
 properties, 17:65
- 2-Acetylpyridine [1122-62-9], 19:474
- 3-Acetylpyridine [350-03-8], 19:474
- 4-Acetylpyridine [1122-54-9], 19:474
- 4-Acetylpyrogallol [528-21-2], 18:678
- N*-Acetyl-2-pyrrolidinone [932-17-2], 19:512
- Acetylsalicylic acid [50-78-2], 20:504, 519. (See also *Aspirin*.)
- o*-Acetylsalicyloyl chloride [5538-51-2], 17:57
- N*-Acetylsulfanilyl chloride [121-60-8]
 2-aminopyridine reaction, 19:468
- 3-Acetyl-4-thiazolidine carboxylic acid [5025-82-1], 18:2
- Achatina fulica*, 18:302
- 10a-Chloro-1,4,4a,10a-tetrahydro-2,3-dimethylphenanthrenequinone [21715-73-1], 19:593
- Acid Black 2 [8005-03-6], 17:886
- Acid Blue 249 [36485-85-5], 17:784. (See also *CI 74220*.)
- Acid chlorides
 hydrogen peroxide reactions, 17:62
- Acid Green 3 [4680-78-8], 17:886
- Acid Green 9 [4857-81-2], 17:886
- Acid Green 1 EX [4680-78-8], 17:886
- Acidium spiricum*, 20:501. (See also *Salicylic acid*.)
- Acid mists
 sampling of, 20:534
- Acid Orange 7 [633-96-5], 17:886
- Acid Orange 8 [5850-86-2], 17:886
- Acid Orange R Ex [5850-86-2], 17:886
- Acid Orange Y [633-96-5], 17:886
- Acid Red 14 [3567-69-9], 17:886
- Acid Red 17 [5858-33-3], 17:886
- Acid Red 26 [3761-53-3], 17:886
 pigment, 17:841
- Acid Red 51 [16423-68-0], 17:886
- Acid Red 87 [17372-87-1], 17:886
- Acid Scarlet [3761-53-3], 17:886
- Acid Yellow 1 [846-70-8], 17:886
- Acid Yellow 3 [8004-92-0], 19:548
- Acid Yellow 23 [1934-21-0], 17:886
- Acne
 treatment of, 17:79
- Acne lotions
 organic peroxides in, 17:28
- cis*-Aconitase [9024-25-3]
 inhibition of by trimesic acid, 17:768
- Aconitic acid [499-12-7]
 in polyesters, 18:579
- Acorus calamus* L, 18:681
- Acoustic velocity
 in refrigerants, 20:86
- AC polyethylenes, 20:390
- Acrawax C, 20:390
- Acrolein [107-02-8]
 ammonia reaction, 19:458
 isopropyl alcohol reaction, 19:203
 as priority pollutant, 20:114
 from propylene, 19:242
 quinolines from, 19:544
- Acronil
 radioprotective agent, 19:823
- Acropor
 plastic film, 20:241
- Acrylamide [79-06-1]
 as a neurotoxin, 20:214
 water-soluble polymers of, 20:212
- Acrylic acid [79-10-7]
 aniline reaction, 19:554
 nylon-6,6 reaction, 18:334
 in polishes, 18:323
 polymerization, 20:217
- Acrylic acid-styrene copolymerization, 18:735
- Acrylic resins
 in powder coatings, 19:12
- Acrylics
 coloring of, 17:882
 plasticizer-modified, 18:161
 plasticizer selectivity, 18:154
 plasticizers for, 18:133
 radiation-cured, 19:616
 sales volume, 18:108
- Acrylic sealants, 20:552
- Acrylic sheeting
 casting, 18:200
- Acrylvin, 18:472
- Acryloid A-21, 18:162
- Acryloid A-101, 18:162
- Acryloid B-82, 18:162
- Acryloid MC-46, 18:163
- Acrylonitrile [84-11-7]
 acetone reaction, 19:458
 dichloromethylsilane reaction, 20:927
 isopropanol reaction, 19:204
 as monomer, 18:732

- Acrylonitrile (*Continued*)
 photopolymerization of, 17:697
 in polishes, 18:323
 as priority pollutant, 20:114
 propylene process, 19:240
 trichlorosilane addition, 20:929
- Acrylonitrile-butadiene-styrene
 sales volume, 18:108
- Acrylonitrile-butadiene-styrene copolymer
 [9003-56-9]
 dispersed pigments in, 17:882
- Acrylonitrile-butadiene-styrene terpolymer
 [9003-56-9], 18:185; 19:994. (See also
Poly(acrylonitrile-co-butadiene-co-styrene).)
 in building products, 18:94
 toughening, 18:471
- Acrylonitrile-vinyl acetate copolymerization,
 18:736
- Acrylon T, 18:609
- 3-Acryloyloxybenzophenone [53146-56-8]
 photopolymerization of, 17:697
- N*-(2-Acryloyloxypropyl)succinimide [79665-36-4]
 photopolymerization of, 17:697
- Acrysol, 20:216
- Acti-Aid, 18:4
- Actin
 in muscle action, 19:320
- Actinium [7440-34-8]
 radiochemistry, 19:655
- Actinium-227 [14952-40-0]
 natural radionuclide, 19:649
- Actinium-228 [14331-83-0]
 natural radionuclide, 19:655
- Actinomycin D [50-76-0]
 in controlled-release systems, 17:307
- Actinomycins [1402-38-6]
 structure, 19:320
- Actinon [14835-02-0], 19:653. (See also *Radon-219*.)
- Activated reactive evaporation (ARE), 20:43
- Activators
 photographic, 17:641
- Activol, 18:8
- Actuator
 shape-memory alloy for, 20:734
- 1a-Cyclohexyl-1a,7a-dihydronaphth[2,3-*b*]oxir-
 ene-2,7-dione [73377-78-3], 19:588
- Acyl alkanesulfonyl peroxides, 17:68
- (*Z*)- α -Acylaminocinnamic acids, 17:338
- (*Z*)- α -Acylaminocinnamic amides, 17:338
- 5-Acylhydroxyhydroquinones, 18:681
- Acylimidazolides
 perhydrolysis of, 17:63
- α -Acyloxy acid chlorides, 17:57
- Acyloxysilanes, 20:918
- Adamantane [281-25-4]
 in petroleum, 17:122
- Adams catalyst [1314-15-4], 18:256. (See also
Platinum dioxide.)
- Adapin, 19:373
- Addition polymerization, 18:720. (See also
Polymerization, addition.)
- Additives
 in petroleum oils, 19:980
 in plastics, analysis, 18:216
 stress-relieving, 20:58
- Additivity principle
 of polyblends, 18:446
- Adenosine triphosphate (γ - ^{32}P) [2964-07-0],
 19:638
- Adenylate cyclase [9012-42-4]
 in rat adrenal tumor cells, 17:366
 sites of action, 17:365
 stimulation of, 17:318
- β -Adenylate cyclase [9012-42-4]
 (*S*)-trimetoquinol as agonist of, 17:318
- Adeturon
 radioprotective agent, 19:820
- Adhesives, 20:549. (See also *Sealants*.)
 phenolic resins in, 17:409
 plasticizer-modified, 18:165
 as plasticizers, 18:165
 silicates as, 20:876
 silicones, 20:941
- 3a,6-Dihydro-3a-hydroxy-2-methyl-1,3-benzothi-
 azol-6-one [68001-47-8], 19:594
- 3a,6-Dihydro-3a-hydroxy-2-phenyl-1,3-benzathi-
 azol-6-one [68001-54-7], 19:594
- Adipates
 as plasticizers, 18:131
 as rubber softeners, 20:389
- Adipic acid [124-04-9]
 hexamethylenediamine reaction, 18:721
 in polyamide plastics, 18:406
 polyamides from, 18:329
 in polyesters, 18:579
- Adipic acid polyester [39363-92-3]
 plasticizer, 18:114
- [Adipicbis(acetyl)] peroxide [6039-32-3]
 properties, 17:65
- Adiprene, 20:368
- Adiprenes, 18:651
- Adjacency effects
 photographic, 17:640
- ADLPIPE
 computer program, 17:948
- Adogens, 19:524
- β -Adrenergic activity, 17:318
- Adrenergic agents
 stereoselective properties of, 17:316
- β -Adrenoceptor-stimulating activity
 of (1*R*,2*S*)-isoetharine, 17:318
- Adrenocorticoids
 stereoselectivity of, 17:321
- Adriamycin [23214-92-8], 19:574
- Aerofloc, 20:214

- Aerogel
 - silica, properties, 20:774
- Aerogel process
 - for silica gel, 20:775
- Aerogels, 20:877
 - dry silica gel, 20:763
- Aerogel silica, 17:812
- Aerosil, 17:813
- Aerosils, 20:763. (See also *Fumed silicas*.)
- Aerosol polishes, 18:322
- Aerosols
 - for drugs, 17:287
- AES. See *Auger electron microscopy*.
- AET. See *2-Aminoethylisothiuronium*.
- Aflatoxin B, 18:690
- Agar [9002-18-0], 20:208
- Agema-B spacecraft, 19:59
- Ageratum houstonianum*, 18:684
- Agerite stalite, 20:404
- Agerite white, 20:424
- Agilon, 18:387
- Aging
 - as plasticizer loss, 18:175
 - treatment, 20:598
- Agonists
 - pharmacodynamics of, 17:348
- Agranulocytosis, 19:450
- Agricultural film
 - recycling, 19:997
- Agriculture Department (USDA), 20:109. (See also *Department of Agriculture*.)
- Agrotect, 18:3
- (1S)(1 α ,2 β ,3 β ,5A-3-Hydroxy-6-oxabicyclo-[3.1.0]-hexane-2-ethanol [51096-34-5]
 - pgf_{2 α} from, 17:336
- AIBN. See *Azobisisobutyronitrile*.
- Aids, 19:128
- Air
 - plasticizing effects, 18:173
 - solar-power density, 17:710
- Airbag inflators, 19:484
- Air-classifying mill, 19:14
- Air compressors
 - plant hazards, 18:73
- Air-conditioning installations
 - shape-memory alloys in, 20:734
- Aircraft
 - friction elements, 17:408
 - graphite-reinforced composites in, 17:411
- Aircraft carriers
 - arrestor gear in, 18:382
- Aircraft engines
 - performance characteristics, 19:72
- Aircraft sealants, 18:830
- Air Pollution Act, 18:61
- Air Pollution Control Act of 1955, 20:115
- Air Quality Acts of 1967, 20:115
- Air quality standards, 17:238
- Air Quality Standards Act, 18:61
- Akathisia
 - side effect of antipsychotics, 19:366
- Akrochem, 20:338
- Alanap-3, 18:6
- Alanine [56-41-7]
 - in protein, 19:315
 - quinone reaction, 19:594
 - in silk, 20:976
- (S)(+)-Alanine [56-41-7], 17:327
- Alar, 18:7
- Albego, 19:347
- Alcian blue [33864-99-2], 17:782
- Alcoholism
 - treatment, 19:342, 442
- Alcohols
 - alkoxysilanes from, 20:917
 - CO reaction to carbonates, 18:492
 - halosilane reaction, 20:883
 - reduction to alkanes, 20:902
- Alcohols, chiral
 - synthesis, 17:333
- Alcohol, Tobacco, and Firearms Bureau (ATF), 20:109
- Aldehydes
 - alkyl hydroperoxide reactions, 17:47
 - autoxidation, 17:62
- Alden, 18:2
- Aldicarb [116-06-3]
 - repellent, 18:318
- Aldrin [309-00-2]
 - as priority pollutant, 20:114
- Aleuritic acid [533-87-9], 20:740. (See also *9,10,16-Trihydroxypalmitic acid*.)
 - from lac, 20:740
- Aleyeska pipeline, 17:914
- Alfalfa
 - amino acid content, 17:97
 - composition, 17:97
- Algebraic notation, 19:178
- Alginic acid [9005-32-7]
 - latex creaming agent, 20:486
- Algorithmic methods
 - in separation synthesis, 20:718
- Alimentary tract
 - radiographic examination, 19:786
- Alizarin [72-48-0]
 - pigment complex of, 17:854
- Alizarine Red B [72-48-0]
 - pigment, 17:841
- Alizarin Yellow C [528-21-2]
 - antiseptic, 18:678
- Alkali blue [58569-23-6], 17:874
 - in ink, 17:826
 - pigment, 17:840
- Alkali cellulose
 - in rayon mfg, 19:856
- Alkaline flooding
 - silicates in, 20:876

- Alkali resistance
 - swimming-pool paint, 17:845
- Alkanoic acids
 - synthesis of chiral, 17:329
- 1-Alkanols
 - SAR, 17:349
- Alkox, 18:625
- Alkoxymethylpyrazoles, 19:438
- Alkoxysilane
 - anhydride reaction, 20:917
- Alkyd resins
 - isophthalic acid in, 17:762
- Alkyds
 - plasticizer selectivity, 18:154
- Alkyd silicones, 20:932
- Alkyd–styrene resin
 - in flares, 19:491
- Alkylamino phthalocyanine derivatives, 17:779
- Alkylating agents
 - trialkyl phosphites, 17:494
- Alkylation
 - in petroleum refining, 17:220
 - with propylene, 19:239
- Alkyl benzyl phthalate [68515-40-2]
 - plasticizer, 18:114
- N*-*t*-Alkyl-*O*-*t*-butylhydroxylamine, 17:77
- Alkyl carbonates
 - from peroxycarbonates, 17:68
- Alkyl dihalides
 - polyalkylene polyamine reactions, 20:215
- 2-(*t*-Alkyldioxy)-1,3-dioxolan-4-ones, 17:57
- O*-Alkyl dithiocarbonate, 17:39
- Alkylene–oxygen copolymers, 17:50. (See also *Poly(alkyleneperoxide)s*.)
- Alkyl hydroperoxides
 - radical-induced decompositions, 17:31
- Alkyl nitrosamines
 - in rubber plants, 20:355
- t*-Alkyl peroxydicarboxylates
 - saponification, 17:36
- Alkylsulfonic acid ester of phenol and cresol [8064-70-8]
 - plasticizer, 18:114
- Alkyl trifluoromethanesulfonates
 - dialkyl peroxides from, 17:59
- Alloyed-junction transistor, 20:635
- Alloying agent
 - silicon as, 20:853
- Alloys
 - from metal powder, 19:50
 - nitinol, shape-memory effect, 20:727
 - osmium, 18:252
 - potassium, 18:917
 - of Pt-group metals, 18:249
 - PVD process for, 20:42
 - refractory, by P/M, 19:56
 - rhenium-containing, 20:251
 - rhodium–platinum, 18:251
 - silicon, 20:826
- Alloys, shape-memory, 20:726
- All-pro turf, 19:935
- Allyl acetate [591-87-7]
 - from propylene, 19:242
- Allyl alcohol [107-18-6]
 - from acrolein, 19:203
- Cr-39 from, 18:479
- from propylene oxide, 19:252
- α -Allylbenzoin
 - in photopolymer coatings, 19:134
- Allyl bromide [106-95-6]
 - triethylsilane reaction, 20:901
- Allyl chloride [107-05-1]
 - from propylene, 19:242
- O*-Allylcyclohexanone oxime [53561-17-4]
 - quinoline synthesis, 19:552
- 2-Allyl-1,2-dihydroquinoline [55570-23-5], 19:534
- 1-Allyl-1-(3',7'-dimethyloctyl)piperidinium bromide [56717-11-4], 18:1
- Allyl glycidyl ether [106-92-3]
 - plasticizing effect in epoxy resins, 18:171
 - propylene oxide reaction, 19:250
- Alnico magnets
 - by P/M, 19:55
- Alpha-tricalcium phosphate [7758-87-4], 17:431
- Alprazolam [28981-97-7], 19:347
- Alsai, 18:2
- Alsol, 18:2
- Altax, 20:339
- Alumina [1344-28-1], 20:67. (See also *Aluminum oxide*.)
 - refractory fibers, 20:66, 67
- Alumina fibers, 20:67
- Alumina hydrate [1332-73-6]
 - pigment, 17:790
- Alumina–silica–boria fibers, 20:67
- Alumina–silica–chromia fibers, 20:67
- Alumina–silica fibers, 20:67
- Alumina trihydrate [21645-51-2]
 - in polyester sealants, 20:555
- Aluminide cementation coatings, 20:54
- Aluminizing, 20:53
- Aluminosilicates, 20:878
- Aluminum [7429-90-5]
 - cans, recycling, 19:960
 - evaporation of, 20:62
 - in flares, 19:491
 - pigments of, 17:834
 - in P/M porous products, 19:50
 - recycling, 19:967
 - refractory properties, 19:56
 - roofing material, 20:326
 - silica dopant, 20:799
- Aluminum-26 [14682-66-7]
 - in radiometric dating, 19:668

- Aluminum acetate, basic [142-03-0]
 refractory fibers from, 20:72
- Aluminum antimonide [25152-52-7]
 semiconductor properties, 20:603
- Aluminum borosilicate [12794-54-5]
 refractory fibers, 20:72
- Aluminum borosilicate fibers, 20:72
- Aluminum bromide [7727-15-3]
 phosgene reaction, 17:418
- Aluminum bronze powder, 17:834
- Aluminum chloride [13845-12-0]
 structure, 20:749
- Aluminum chloride, anhydrous [7446-70-0]
 phosgene complexes, 17:418
- Aluminum chloride, complex with phosgene
 [78480-30-5] (2:5), 17:418
- Aluminum dichlorobromide, 17:418
- Aluminum dihydrogen tripolyphosphate [13939-25-8], 17:432
- Aluminum flake [7429-90-5]
 pigment, 17:790
- Aluminum flake powder
 characteristics, 19:33
- Aluminum fluoride [7784-18-1]
 in tungsten lamps, 20:812
- Aluminum gallium arsenide
 semiconductors, 20:646
- Aluminum glycinate, 19:200
- Aluminum hydroxide [21645-51-2]
 radioelement carrier, 19:654
- Aluminum inositol hexasulfate [70479-09-3]
 cancer treatment with, 18:698
- Aluminum isopropoxide [555-31-7], 19:198
 from aluminum containers, 19:213
 in Meerwein-Ponndorf-Verley reduction,
 19:199
- Aluminum oxide [1344-28-1]
 evaporation of, 20:44
 in high temperature service, 20:38
 by reactive sputtering, 20:46
 refractories from, 20:10
 as semiconductor, 20:621
- Aluminum oxide–chromium cermet
 in electroplating, 20:42
- Aluminum oxide, mixture with silicon dioxide and
 boron trioxide [65997-17-3*], 20:67
- Aluminum oxide, mixture with silicon dioxide and
 chromium trioxide [65997-17-3*], 20:67
- Aluminum oxychloride [13596-11-7]
 refractory fibers from, 20:72
- Aluminum phosphate [7784-30-7], 17:432
- Aluminum phosphate dihydrate [13477-75-3],
 17:432
- Aluminum phosphide [20859-73-8], 17:488
 hydrolysis, 17:527
- Aluminum potassium selenate [13530-59-1],
 20:591
- Aluminum potassium silicate [12001-26-2]. (See
 also *Mica*.)
 pigment, 17:792
- Aluminum powders
 pyrotechnic fuels, 19:485
- Aluminum powder, sintered, 19:33
- Aluminum salicylate [18921-11-4], 20:511
- Aluminum silicate [1318-74-7]. (See also
Kaolin.)
 pigment, 17:791
 in polishes, 18:324
- Aluminum–silicon alloys, 20:850
- Aluminum stearate [637-12-7]
 in drilling muds, 17:160
- Aluminum sulfate [10043-01-3]
 sodium carbonate reaction, 17:813
- Alvite
 rhenium in, 20:249
- Alzamer bioerodible matrix
 in controlled-release systems, 17:306
- Alzet mini-osmotic pumps, 17:302
- Amaize, 18:4
- Amax, 20:340
- Amber [8002-67-3], 20:197
- Amberlite IRA 402
 2-methylquinoline in, 19:547
- Amberlite IRA 900
 2-methylquinoline in, 19:547
- Amberol ST137, 20:398
- Ambident ion
 salicylate, 20:503
- Ambrettolite [123-69-3]
 from aleuritic acid, 20:740
- American College of Apothecaries, 17:274
- American Pharmaceutical Association, 17:274
- Americium-241 [7440-35-9]
 in smoke detectors, 19:677
- Americium-243 [14993-75-0], 18:282
- Americology system, 19:988
- Ameripol CB-880, 20:378
- Amersil, 20:787
- Ames test, 18:64
 with PET, 18:568
- 2-Amidino-1,2,3,4-tetrahydroisoquinoline [518-25-2], 19:558
- Amidoamines, ethoxylated, 19:527
- Amid-thin, 18:6
- Amifostine [41510-53-6]
 radioprotective agent, 19:819
- Amilan, 18:422
- Amination
 isopropyl alcohol, 19:203
- Amine oxides
 pyridine based, 19:466
- Amines
 halosilane reaction, 20:883
- p-Aminoacetophenone [99-92-3]
 radioprotective agent, 19:822
- 3-[(Aminoacetyl)amino]-5-[(2-hydroxyethyl)amino]carbonyl]-2,4,6-triiodobenzoic acid
 [59017-39-9]
 ioxaglic acid from, 19:793

- Amino acid *N*-carboxyanhydrides (NCAS)
in polypeptide synthesis, 18:888
- Amino acid esters
resolution of racemic mixtures, 17:326
- Amino acids
nitrous acid reaction, 20:508
optically active, 17:311
in proteins, 19:314
- (*R*)-Amino acids
asymmetric synthesis of, 17:327
- (*S*)-Amino acids
synthesis, 17:329
- D-Amino acids
metabolic role, 17:313
- Aminoamides, ethoxylated, 19:527
- 5-Amino-1-(4'-aminophenyl)-1,3,3-trimethyl
indane [60451-10-7]
in polyimides, 18:710
- 6-Amino-1-(4'-aminophenyl)-1,3,3-trimethyl
indane [60451-10-7]
in polyimides, 18:710
- Aminoantipyrine [83-07-8]
in phenol analysis, 17:380
- S-6-Amino-3-azahexylphosphorothioate [20537-88-6]
radioprotective agent, 19:805
- o*-Aminobenzaldehyde [529-23-7]
Camps reaction, 19:543
- 4(4'-Aminobenzamido)phthalic acid
electrochemical self-condensation of, 18:708
- m*-Aminobenzoic acid [99-05-8]
nitrous acid reaction, 20:517
- p*-Aminobenzoic acid [150-13-0]
competitive inhibition of, 17:349
nitrous acid reaction, 20:518
- 2-Amino-*N*-(2-benzoyl-4-chlorophenyl)acetamide
[5504-71-2]
diazepam from, 19:347
- 4(2'-Aminobenzoyl)phthalic acid
electrochemical self-condensation of, 18:708
- 4(3'-Aminobenzoyl)phthalic acid
electrochemical self-condensation of, 18:708
- 1-Amino-4,4'-biisoquinoline [55270-30-9], 19:562
- 4-Aminobutanoic acid [56-12-2]
dehydration of, 19:511
- γ -Aminobutanoic acid [56-12-2] (GABA), 19:511
- 2-Aminobutylthiopseudourea dihydrobromide
[33977-39-8]
radioprotective agent, 19:820
- γ -Aminobutyric acid [56-12-2] (GABA)
effect of tranquilizers on, 17:364
neurotransmitter, 17:319
- γ -Aminobutyric acid (GABA)-related analogues
stereoselective properties of, 17:316
- 2-Amino-5-chlorobenzophenone [719-59-5]
chlordiazepoxide from, 19:347
- 2-Amino-5-chlorobenzophenone oxime [18097-52-4]
chlordiazepoxide from, 19:347
- 2-Amino-5-chloro-4-methylbenzenesulfonic acid
[88-53-9]
coupling agent, 17:841
- 6-Amino-4-chloro-3-methylbenzenesulfonic acid
[88-53-9]
coupling agent, 17:841
- 2-[[[(2-Amino-5-chlorophenyl)(2-chlorophenyl)-
methylene]amino]ethanol [2109-46-8]
cloxazolam from, 19:353
- 1-[[[(2-Amino-5-chlorophenyl)phenylmethylene]
amino]-2-propanol [57603-83-5]
oxazolam from, 19:353
- 2-Amino-5-chloropyridine [1072-98-6], 19:467
- 2-Amino-3-cyanoquinoline [31407-25-7], 19:554
- DL-*cis*-2-Aminocyclobutanethiol [36455-65-9]
radioprotective agent, 19:810
- DL-*trans*-2-Aminocyclobutanethiol [36455-66-0]
radioprotective agent, 19:810
- DL-*cis*-2-Aminocyclobutylmethanethiol [81643-74-5]
radioprotective agent, 19:810
- DL-*trans*-2-Aminocyclobutylmethanethiol
[59276-24-3]
radioprotective agent, 19:810
- DL-*trans*-2-Aminocyclohexanethiol [20509-06-2]
radioprotective agent, 19:810
- 2-Amino-3,5-dichloropyridine [4214-74-8], 19:467
- 5-Amino-1,3-dihydroxybenzene [20734-67-2],
18:685
- 2-Amino-1,3,4-dihydroxyphenylethanolamine
[149-95-1]. (See also *Norepinephrine*.)
alkyl substitution vs activity, 17:350
- 2-Amino-3,5-diiodobenzoic acid [609-86-9]
stabilizer in nylon, 18:380
- 5-Amino-4,7-dimethoxy-6-benzofuranol [52631-80-8], 18:694
- (4*S*,5*S*)(+)-5-Amino-2,2-dimethyl-4-phenyl-1,3-
dioxane [35019-66-0]
chiral reagent, 17:329
- 2-Aminoethaneselenol [21681-94-7]
radioprotective agent, 19:822
- 2-Aminoethaneselenosulfuric acid [2697-60-1]
radioprotective agent, 19:822
- 2-Aminoethanethiol [60-23-1]. (See also *MEA*.)
radioprotective agent, 19:808
- 2-Aminoethanethiosulfuric acid [2937-53-3]
radioprotective agent, 19:814
- Aminoethoxyvinylglycine
in fruit treatment, 18:11

- 2-Aminoethyl 2-aminoethanethiolsulfinate dihydrochloride [1204-52-0]
radioprotective agent, 19:814
- 2-Aminoethyl 2-aminoethanethiolsulfonate dihydrochloride [10416-85-0]
radioprotective agent, 19:814
- [γ -(β -Aminoethylamino)propyl]trimethoxysilane [25704-87-4]
silylating agent, 20:968
- Amino-*N*-ethyl carbazole [132-32-1]
pigment from, 17:859
- o*-(2-Aminoethylthio)benzoic acid hydrochloride [1204-52-0]
radioprotective agent, 19:812
- 3-Amino- α -ethylhydrocinnamic acid [16623-25-9]
iodination of, 19:794
- 5-(1-Aminoethyl)-3-hydroxyisoxazole [69489-02-7], 17:319
- Aminoethylisothiuronium adenosine triphosphate [63346-83-8]
radioprotective agent, 19:820
- 2-Aminoethylisothiuronium bromide hydrobromide [151-16-6] (AET)
radioprotective agent, 19:818, 820
- N*-(2-Aminoethyl)-*N*-methyl-*p*-chloroaniline [6241-46-9]
medazepam from, 19:352
- 2-Aminoethylphosphine [14085-97-3]
properties, 17:529
- 2-Aminoethylselenopseudourea [1704-04-7]
radioprotective agent, 19:822
- (2-Amino-5-ethyl-3-thienyl)(2-chlorophenyl) ketone [50508-60-6]
clotiazepam from, 19:354
- Aminoethyltrithiocarbonate [15547-18-9]
radioprotective agent, 19:812
- 7-Aminoheptanoic acid [929-17-9]
polyamides from, 18:361
- 6-Aminohexanoic acid [60-32-2], 18:329
- 2-Amino-6-hydroxybenzothiazole [26278-79-5], 19:594
- 3,3'-(4-Amino-4'-hydroxy)biquinoline [64372-81-2], 19:555
- 3-Amino-5-[[[(2-hydroxyethyl)amino]carbonyl]-2,4,6-triiodobenzoic acid [22871-58-5]
ioxaglic acid from, 19:793
- 2-Amino-5-(hydroxymethyl)-2-thiazoline [35525-88-3]
radioprotective agent, 19:821
- 1-Amino-8-hydroxynaphthalene-3,6-sulfonic acid in diazocopy, 20:139
- 2-Amino-5-hydroxy-naphthalene-7-sulfonic acid [87-02-5]
in diazocopy, 20:139
- 1-Aminoisoquinoline [1532-84-9], 19:556, 557
- 5-Aminoisoquinoline [1125-60-6], 19:562
- 6-Aminoisoquinoline [23687-26-5], 19:562
- (*S*)-1-Amino-2-methoxymethylpyrrolidine [59983-39-0]
chiral reagent, 17:334
- 2-Amino-5-methylbenzenesulfonic acid [88-44-8]
coupling agent, 17:851
- DL-*cis*-Aminomethylcyclobutanethiol [40830-54-4]
radioprotective agent, 19:810
- DL-*trans*-Aminomethylcyclobutanethiol [59273-23-2]
radioprotective agent, 19:810
- Aminomethylmethacrylate-acrylamide copolymer [25568-01-4], 20:214
- Aminomethylphosphonates, 17:498
- 2-Amino-3-methylpyridine [1603-40-3], 19:468
- 2-Amino-4-methylpyridine [695-34-1], 19:468
- 2-Amino-5-methylpyridine [1603-41-4], 19:468
- 2-Amino-6-methylpyridine [1824-81-3], 19:468
alkoxymethylenemalonate reaction, 19:468
- 2-Amino-5-methyl-2-thiazoline [10416-80-5]
radioprotective agent, 19:821
- 2-Amino-1-naphthalenesulfonic acid [81-16-3]
coupling agent, 17:841
- 3-Amino-5-nitrobenzoic acid [618-84-8]
metrizoic acid from, 19:790
- 2-Amino-5-nitrophenol [121-88-0]
quinone reaction, 19:598
- 2-Amino-3-nitropyridine [4214-75-9], 19:467
- 2-Amino-5-nitropyridine [4214-76-0], 19:467
- 9-Aminononanoic acid [1120-12-3]
polyamide from, 18:331
- ω -Aminopelargonic acid [1120-12-3]. (See also 9-Aminononanoic acid.)
polyamide from, 18:331
polyamides from, 18:363
- 6-Aminopenicillanic acid [551-16-6] (6-APA)
silylation, 20:965
- 2-(5-Aminopentylamino)ethanephosphorothioate [20724-76-9]
radioprotective agent, 19:819
- 2-(5-Aminopentylamino)ethanephosphorothioic acid [20724-76-9]
radioprotective agent, 19:824
- 2-(5-Aminopentylamino)ethanethiol [14653-79-3]
radioprotective agent, 19:824
- Aminophenazone [58-15-1], 19:449. (See also Aminopyrine.)
- m*-Aminophenol [591-27-5], 20:516
carboxylation, 20:514
- p*-Aminophenol [123-30-8]
in rubber, 20:475
- α -Amino- γ -phenylpoly-*p*-aniline [101-54-2], 18:777

- 2-Amino-3-phenylquinoline [36926-84-8], 19:554
- Aminophthalic acid
electrochemical condensation, 18:706
- Aminopolymethine dyes, 18:848
- N*-Amino-*S*-proline [2577-48-2]
chiral agent, 17:329
- 2-Amino-1,3-propanediol [534-03-2]
iopamidol from, 19:792
- 3-Amino-1,2-propanediol [616-30-8]
iohexol from, 19:792
- 1-Amino-2-propanethiol [598-36-7]
radioprotective agent, 19:809
- 2-Aminopropanethiol [10229-29-5]
radioprotective agent, 19:809
- 3-Aminopropanethiol [462-47-5]. (See also 3-*Mercaptopropylamine*.)
radioprotective agent, 19:809
- 1-Aminopropane-2-thiosulfuric acid [2403-34-1]
radioprotective agent, 19:814
- 2-Aminopropane-1-thiosulfuric acid [2403-32-9]
radioprotective agent, 19:814
- 3-Aminopropanethiosulfuric acid [13286-24-3]
radioprotective agent, 19:814
- 1-Amino-2-propanol. See *Isopropanolamine*.
- p*-Aminopropiophenone [70-69-9] (PAPP)
radioprotective agent, 19:822
- α -Aminopropiophenone hydrochloride [16735-19-6], 19:503
- 2-(3-Aminopropylamino)ethanephosphorothioic acid [41510-53-6]
radioprotective agent, 19:819
- 1-[(4-Amino-2-propyl-5-pyrimidinyl)methyl]-2-methylpyridinium chloride [121-25-5], 19:466
- γ -Aminopropylsilyl gel [919-30-2]
in chromatographic resolution, 17:326
- 3-Aminopropylthiopseudourea bromide hydrobromide [7072-40-4]
radioprotective agent, 19:820
- (3-Aminopropyl)triethoxysilane [3069-30-5]
silylating agent, 20:968
- γ -Aminopropyltriethoxysilane [919-30-2], 20:947
- Aminopyrazoles, 19:438, 442
- 2-Aminopyridine [504-29-0], 19:462
chlorination, 19:467
nitration, 19:467
- 3-Aminopyridine [462-08-8], 19:473
reactions, 19:468
- 4-Aminopyridine [504-24-5], 19:473, 479
reactions, 19:468
repellent, 18:318
- 4-Aminopyridine *N*-oxide [3535-75-9], 19:479
- 2-Aminopyridine, sodium salt [40825-17-0], 19:468
- Aminopyrine [58-15-1], 19:449. (See also *Aminophenazone*.)
- 2-Aminoquinoline [580-22-3], 19:535
- 3-Aminoquinoline [580-17-6], 19:535
- 4-Aminoquinoline [578-68-7], 19:534, 535
corrosion inhibitor, 19:546
- 8-Aminoquinoline [578-66-5], 19:554
- Aminoquinolines, 19:554
- Amino resins
in building products, 18:96
- p*-Aminosalicyclic acid [65-49-6]
properties, 20:514
- p*-Aminostyrene [1520-21-4]
styrene reaction, 17:684
- 5-(Aminosulfonyl)-2-methoxybenzoyl chloride [52542-44-6]
sulpiride from, 19:366
- (*R*)-6-Amino-5,6,7,8-tetrahydro-2,3-naphthalene [71074-51-6], 17:315
- (*R,S*)-6-Amino-5,6,7,8-tetrahydro-2,3-naphthalenediol [53463-78-8]
inhibitor for, 17:315
- 2-Amino-1,3,4-thiadiazole-5-thione hydrochloride [59909-21-6]
radioprotective agent, 19:821
- 2-Amino-2-thiazoline [1779-81-3]
radioprotective agent, 19:819
- 6-Amino-*m*-toluenesulfonic acid [88-44-8]
coupling agent, 17:841
- 3-Amino-2,4,6-triiodobenzenepropanoic acid [1206-91-3]
dimethylformamide reaction, 19:795
- 3-Amino-2,4,6-triiodobenzoic acid [3119-15-1]
hexanedioyl dichloride reaction, 19:796
- 3-Amino-2,4,6-triiodo-5-[(methylamino)carbonyl]-benzoic acid [2280-89-9]
iothalamic acid from, 19:789
- 11-Aminoundecanoic acid [2432-99-7]
in polyamide plastics, 18:406
- ω -Aminoundecanoic acid [2432-99-7]
polyamide from, 18:364
- Aminox, 20:389, 424
- Amitriptyline [50-48-6], 19:371
- Amitriptyline hydrochloride [549-18-8], 19:371
- Ammelide [645-93-2], 17:418
- Ammonia [7664-41-7]
chlorotrimethylsilane reaction, 20:927
dopant, 18:777
from geothermal steam, 19:64
latex anticoagulant, 20:470
phosgene reaction, 17:418
phosphorus trichloride reaction, 17:507
photographic ripening with, 17:619
propylene oxide reaction, 19:251
refrigerant, 20:83
triethylsilane reaction, 20:899
triphenylsilane reaction, 20:899
- Ammonia pipelines, 17:920
- Ammonia synthesis
reactors for, 19:907

- Ammonium alginate [9005-34-9]
 latex creaming agent, 20:486
- Ammonium bichromate [7789-09-5]
 in photomechanical processes, 19:130
- Ammonium bisulfate [7803-63-6]
 anodic oxidation, 17:17
- Ammonium bisulfite [17026-44-7]
 for oxygen removal in wells, 17:165
- Ammonium chloride [12125-02-9]
 in drilling muds, 17:159
 PCl_5 reaction, 17:523
- Ammonium chloroiridate [16940-92-4], 18:239
 reduction to Ir, 18:250
- Ammonium chloroplatinate [13820-41-2], 18:236
 reduction to Pt, 18:247
- Ammonium chlororhodate
 decomposition of, 18:251
- Ammonium chlororuthenate [18746-63-9], 18:239
- Ammonium citrate [7632-50-0]
 in rare-earth separation, 19:843
- Ammonium compounds
 quaternary, 19:521
- Ammonium dichromate [7789-09-5]
 pyrotechnics reaction, 19:488
- Ammonium dihydrogen phosphate [7722-76-1],
 17:431
- Ammonium ethylenediaminetetraacetate [7379-
 26-2]
 lanthanides separation, 19:844
- Ammonium hexachlororuthenate(IV) [18748-63-
 9]
 reduction to RuOCl_2 , 18:252
- Ammonium
 hydroxyethylethylenediaminetriacetate
 [20148-50-9]
 lanthanides separation, 19:844
- Ammonium inositol hexasulfate [73208-89-6]
 cancer treatment with, 18:698
- Ammonium laurate [2437-23-2]
 as latex stabilizer, 20:486
- Ammonium magnesium phosphate hexahydrate
 [13478-16-5], 17:432
- Ammonium molybdate [13106-76-8]
 phthalocyanine preparation catalyst, 17:779
 in silicon test, 20:842
- Ammonium
 μ -nitridobis[tetrachloroaquoruthenate(IV)]
 [27316-90-1]
 electroplating salt, 18:269
- Ammonium nitrite [13446-48-5]
 SO_2 reaction, 18:428
- Ammonium ozonide [12161-20-5], 17:23
- Ammonium pentachloronitrosylruthenate
 [13820-58-1]
 electroplating salt, 18:269
- Ammonium perchlorate [7790-98-9]
 in fireworks, 19:486
- Ammonium peroxyborate monohydrate [77883-
 48-8], 17:6
- Ammonium peroxydisulfate [7727-54-0],
 17:17. (See also *Diammonium
 peroxydisulfate*.)
- Ammonium perrenate [13598-65-7], 20:250
- Ammonium persulfate [7727-54-0], 17:16. (See
 also *Diammonium peroxydisulfate*.)
- Ammonium phosphate [10124-31-9]
 in fire extinguishing, 18:83
- Ammonium platinum chloride
 in platinum recovery, 18:236
- Ammonium polyacrylate [9003-03-6]
 properties, 20:216
- Ammonium polymetaphosphate [13446-46-3],
 17:431
- Ammonium pyrosulfate [32736-64-4], 17:16
- Ammonium rhodium chloride [15336-18-2],
 18:236
- Ammonium rhodium nitrate, 18:236
- Ammonium salicylate [528-94-9], 20:511
- Ammonium selenide [66455-76-3], 20:589
- Ammonium sulfate [7783-20-2]
 as dehydrating agent, 19:863
 in drilling muds, 17:159
- Ammonium sulfite [10196-04-0]
 in pulping, 19:409
- Ammonium tetrametaphosphate [14693-64-2],
 17:461
- Ammonium thiosulfate [7783-18-8]
 film developer, 19:117
 in fixers, 17:644
- Ammonium uranyl phthalocyaninetetrasulfonate
 [78919-49-0]
 as tissue stain, 17:782
- Ammonolysis
 isopropyl alcohol, 19:203
- Ammoxidation
 methylpyridines, 19:472
- Amnicola limosa*, 18:303
- Amobarbital [57-43-2]
 anxiolytic, 19:346
- Amoco A-I, 18:717
- Amoeba movement
 plasticization, 18:175
- Amorphous semiconductors, 20:631, 654
- Amorphous silica, 20:766
 forms of, 20:762
- Amphetamine [300-62-9]
 inhibition, 19:357
- (S)-Amphetamine [51-64-9]
 site activity, 17:319
- Ampholytes
 in polyamides, 18:392
- Ampicillin [69-53-4], 17:321
- Amplifiers, 20:613
- Amprolium [121-25-5], 19:466
- Amyl acetate [628-63-7]
 in photography, 17:613
- Amyl alcohol [71-41-0]
 salicylic acid reaction, 20:505
- Amylase [9000-92-4]
 stimulation in barley, 18:1

- Amyl Cadmate, 20:340
t-Amyl hydroperoxide [3425-61-4]
 properties, 17:30
 Amyl Ledate, 20:341
 Amylopectin, 20:208
 Amylose [9005-82-7], 20:208
 Amylose starch, linear [9005-82-7], 20:207
t-Amyl peroxy-2-ethylhexanoate [686-31-7], 17:82
t-Amyl peroxy-pivalate [29240-17-3], 17:82
 Amyl Zimate, 20:342
 Analgesics
 sales, 17:272
 Anatase [1317-70-0]
 pigment, 17:794
 Anchimeric reactions, 17:74
 Anchors
 in piping systems, 17:942
Ancylostoma duodenale, 18:305
 Ancyimidol [12771-68-5], 18:3. (See also
 α -Cyclopropyl-4-methoxy- α -(pyrimidin-
 5-yl)benzyl alcohol.)
 ANDA. See *Abbreviated New Drug Application*.
 Andalusite [12183-80-1]
 for refractories, 20:7
 Anderson stack sampler, 20:534
 Anesthetic activity
 SAR for 2-diethyl aminoethyl benzoates, 17:352
 Anesthetics
 in plant operations, 18:63
 stereoselective activity of, 17:316
 Anesthetics, general
 pharmacodynamics, 17:360
 Anesthetics, local
 quinolines, 19:550
 Angiography, 19:786, 787
 Angiotensin-converting enzyme [9015-82-1],
 17:321
 Angle valves, 17:936
 Anglo drum chipper, 19:390
 Anhydrides
 hydrogen peroxide reactions, 17:62
 in polypeptide synthesis, 18:893
 Anhydrogalactose-galactose copolymer sulfate,
 20:208
 Anhydrohemimellitic acid [3786-39-8], 18:886
 Aniline [62-53-3]
 carbon disulfide reaction, 20:350
 ethyl acetoacetate reaction, 19:542
 oxidation, 19:602
 in rubber curing, 20:337
 salicylic acid reaction, 20:516
 skin absorption, 18:62
 Anilinoacrolein anil hydrochloride [28140-60-5]
 dicarbocyanine dyes from, 18:859
 price, 18:871
 3-Anilinobutyraldehyde [81045-44-5]
 quinolines from, 19:541
 β -Anilinobutyraldehyde [81045-44-5], 19:541
 3-Anilinobutyraldehyde phenylhydrazone
 [81045-45-6]
 quinolines from, 19:541
 β -Anilinopropionaldehyde [81045-43-4]
 quinolines from, 19:539
 Animal diets. See *Pet and livestock feeds*.
 Animal-feed supplements
 phosphorus in, 17:483
 Animal glue, 20:208
 Annihilation radiation, 19:688
 Anode coatings
 platinum-group metals, 18:244
 Ansar, 18:4
 ANSI design code
 for piping systems, 17:939
 Antacids
 antifermentor in, 17:4
 sales, 17:272
 Antagonists
 pharmacodynamics of, 17:348
 Anthelmintic
 levamisole, 17:321
 Anthelmintics
 quinolines, 19:551
 Anthracene [120-12-7]
 conductivity, 20:678
 singlet-oxygen reaction, 17:58
 Anthracene brown [602-64-2], 17:746
 Anthrahydroquinone [4981-66-2]
 in pulping, 19:408
 Anthranilic acid [118-92-3], 17:746
 coupling agent, 17:841
 Anthrapyrimidine yellow [4216-01-7]
 pigment, 17:863
 Anthraquinone [84-65-1], 17:738, 746
 in kraft process, 19:406
 repellent, 18:318
 in reprography, 20:146
 1,2-Anthraquinone [655-04-9], 19:572
 1,4-Anthraquinone [635-12-1], 19:572
 9,10-Anthraquinone [84-65-1], 19:572
 in photoinitiator systems, 17:697
 Antiarrhythmic agent, 18:689
 Antibacterials
 quinolines, 19:551
 Anticoagulant
 sodium warfarin, 19:301
 Anticoagulants
 rodenticides, 18:313
 Anticonvulsants
 of known absolute configuration, 17:315
 Antidepressants, 19:344, 368. (See also
 Psychopharmacological agents.)
 stereoselective activity of, 17:315
 Antidiarrheals
 quinolines, 19:551

- Antiferromagnetism, 20:683
 Antiflatulents
 silicones in, 20:956
 Antifoggants
 photographic, 17:636
 Antifreeze
 dipotassium phosphate in, 17:444
 Antihalation layers, 17:630
 Antihepatitis agents, 18:689
 Anti-inflammatory drug, 19:450
 Antimalarials
 quinolines, 19:551
 Antimicrobials
 silanes as, 20:968
 Antimildew agent
 salicyl compds, 20:516
 Antimitotic dyes, 18:870
 Antimony [7440-36-0]
 determination in petroleum, 17:130
 as dopant, 20:606
 as priority pollutant, 20:114
 as semiconductor dopant, 20:641
 Antimony compounds
 as priority pollutants, 20:114
 Antimony oxide [1309-64-4]
 pigment, 17:790
 in wire insulation, 18:142
 Antimony pentafluoride [7783-70-2]
 dopant, 18:780
 Antimony poisoning
 treatment, 19:812
 Antimony sulfide [1345-04-6]
 in percussion primers, 19:493
 Antimony trifluoride [7783-56-4]
 phosgene reaction, 17:418
 Antimony vermilion [1317-86-8]
 pigment, 17:829
 Antineutrino
 in β^- decay, 19:686
 Antioxidant, 18:637
 pyrogallol, 18:676
 Antioxidants
 in photopolymer coatings, 19:134
 in plastics, analysis, 18:216
 in polishes, 18:326
 quinolines as, 19:545
 for rubber, 20:403
 in rubber compounding, 20:404
 for THF copolymers, 18:652
 Antiozite, 20:407
 Antiozonants
 for rubber, 20:406
 Antiplasticization, 18:120
 Antipsychotics, 19:344, 356. (See also
 Psychopharmacological agents.)
 Antipyrine [60-80-0], 19:448, 449. (See also
 Phenazone.)
 Antirheumatics
 quinolines, 19:550
 Antiscorching agents, 20:355. (See also
 Retarders.)
 Antiseptics
 quinolines, 19:550
 sales, 17:272
 Antispasmodics, 18:688
 Antistatic agents
 conducting composites as, 18:757
 for nylon, 18:392
 quaternary ammonium compds, 19:528
 Antitranspirant
 for plants, 18:1
 Antitumor agent, 17:324
 Antu [86-88-4], 18:310
 Anturane, 19:449. (See also *Sulfinpyrazone.*)
 Anxiety
 treatment, 19:344
 Anxiolytics, 19:344. (See also
 Psychopharmacological agents.)
 Aortography, 19:786
 6-APA. See 6-Aminopenicillanic acid.
 APACHE, 19:903
 Apatite [1306-05-4], 17:432
 phosphorus compounds from, 17:445
 Apatites, 17:477
 APHA. See *American Pharmaceutical Association.*
 Apical dominance reducer, 18:1
 Apionol [642-96-6]. (See also 1,2,3,4-
 Benzenetetrol.)
 properties, 18:671
 Apomorphine [58-00-4], 17:318; 19:558
 inhibition, 19:357
 Apophyllite [1306-03-2]
 structure, 20:750
 Apple thinner, 18:1
 Aqualon, 20:226
 Aqua regia [8007-56-5]
 platinum reaction, 18:245
 in platinum recovery, 18:236
 Aqua regia metal-refining process, 18:236
 Aquasorb, 20:226
 L-Arabinan [9060-75-7]
 in wood pulp, 19:388
 Arabinogalactan [9036-66-2]
 in wood, 19:388
 Arabino(4-O-methylglucurono)xylan [9040-28-2]
 in wood, 19:388
 Arabinose [147-81-9], 20:208
 Arachidonic acid [27400-91-5]
 in cat diet, 17:96
 conformation, 17:353
 Arachidylamine [10525-37-8]
 KCl collector, 18:927
 Aragonite
 synthetic, 17:809
 Aralen, 19:550
 Aramid fibers, 18:366. (See also *Polyamides.*)

- Aramid pulps, 19:420
 Aramids, 18:372. (See also *Polyamides*,
polyamide fibers.)
 Aranox, 20:405, 425
 Arazate, 20:342, 397, 420
 Arcanite [14293-72-2]
 potassium source, 18:912
 Arcon, 20:368
 Arc-plasma spraying
 of refractory coatings, 20:49
 Arc welding
 of refractory coatings, 20:50
 ARE. See *Activated reactive evaporation*.
 A-Rest, 18:3
 Arginine [74-79-3]
 in silk, 20:976
 Argon-36 [13965-95-2]
 in dating, 19:663
 Argon-37 [13994-71-3], 19:646
 Argon-38 [13994-72-4]
 in dating, 19:663
 Argon-39 [25729-41-3], 19:646
 Argon-40 [7440-37-1]
 from potassium-40, 18:913
 Arnite, 18:567
 Arofen resins, 20:390
 Aromatic polycarbonates, 18:479
 Aroplaz 930, 18:156
 Arquads, 19:524
 Arrestor ropes, 18:382
 Arsenic [7440-38-2]
 determination in petroleum, 17:130
 as dopant, 17:713; 20:606
 in phosphorus, 17:440
 as priority pollutant, 20:114
 in semiconductor doping, 20:644
 Arsenic acid [7778-39-4], 18:18
 Arsenic compounds
 as priority pollutants, 20:114
 Arsenic pentafluoride [7784-36-3]
 conductivity, 20:678
 dopant, 18:757, 762, 780
 Arsenic poisoning
 treatment, 19:812
 Arsenic sulfide [1303-33-9] (2:3)
 semiconductivity, 20:662
 Arsenic trichloride [7784-34-1]
 in semiconductor doping, 20:648
 Arsenic trifluoride [7784-35-2]
 transhalogenation reaction, 17:505
 Arsenic triselenide [1303-36-2]
 semiconductivity, 20:662
 Arsenic trisulfide [1303-33-9]
 shellac adulterant, 20:745
 Arsenic tritelluride [12044-54-1]
 semiconductivity, 20:661
 Arsenious acid [13768-07-5]
 in peroxymonosulfuric acid analysis, 17:14
 removal from phosphoric acid, 17:440
 Arsine [7784-42-1]
 silane reaction, 20:892
 Arthritis
 treatment, 19:450
 Arthritis, rheumatoid
 treatment, 20:510
 Arthrography, 19:786
 Artificial limbs. See *Prosthetic and biomedical devices*.
 Artificial organs. See *Prosthetic and biomedical devices*.
 Artillery shells
 phosphorus in, 17:487
 3-Aryl-3-(*t*-alkyldioxy)phthalides, 17:57
 Arylide maroons, 17:847
 Arylide reds, 17:847
 Arylon, 18:472
N-Aryl-2-pyrazolines, 19:443
 ASA exposure speeds, 17:633
 Asarone [494-40-6]
 tranquilizer, 18:682
 Asbestine [14807-96-6], 17:810
 Asbestos [12001-29-5]
 in built-up roofing, 20:322
 fibers from, 20:65
 pigment, 17:790
 as priority pollutant, 20:114
 substitute synthetic pulp, 19:428
 Asbestos dusts
 health hazard of, 18:63
 Asbestos felts
 roofing material, 20:329
 Ascaridole [512-85-6], 17:556
 Ascorbic acid [50-81-7]
 control of tellurium breath, 20:691
 phosphorus poisoning treatment, 17:486
 photographic use, 17:648
 in photography, 17:635
 ASME boiler and pressure vessel code, 17:940
 Aspartic acid [56-84-8]
 in silk, 20:976
 L-Aspartyl-L-phenylalanine methyl ester [53906-69-7]
 sweet, 17:349
 Aspen, 19:173
Aspergillum versicolor, 18:682
Aspergillus flavus, 18:690
 Asphalt [8052-42-4]
 in built-up roofing, 20:322
 in drilling fluids, 17:160
 in petroleum, 17:132, 228, 259
 Asphalt emulsions, 19:531
 Asphaltenes
 in petroleum, 17:128
 Asphaltic materials, 20:553
 Asphalts
 from petroleum, 17:266