Mathematical Surveys and Monographs

□iffeology

Patrick Iglesias-Zemmour




American Mathematical Society

Mathematical Surveys and Monographs Volume 185

Diffeology

Patrick Iglesias-Zemmour





EDITORIAL COMMITTEE

Ralph L. Cohen, Chair Michael A. Singer Benjamin Sudakov Michael I. Weinstein

2010 Mathematics Subject Classification. Primary 53Cxx, 53Dxx, 55Pxx, 55P35, 55Rxx, 55R65, 58A10, 58A40, 58Bxx.

For additional information and updates on this book, visit

www.ams.org/bookpages/surv-185

Library of Congress Cataloging-in-Publication Data

Iglesias-Zemmour, Patrick, 1953-

Diffeology / Patrick Iglesias-Zemmour.

pages cm. — (Mathematical surveys and monographs; volume 185)

Includes bibliographical references.

ISBN 978-0-8218-9131-5 (alk. paper)

Global differential geometry.
 Symplectic geometry.
 Algebraic topology.
 Differentiable manifolds.
 Title.

QA670.I35 2013 516.3'62—dc23

2012032894

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

- © 2013 by the American Mathematical Society. All rights reserved.

 The American Mathematical Society retains all rights except those granted to the United States Government.

 Printed in the United States of America.
- © The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

 Visit the AMS home page at http://www.ams.org/

10 9 8 7 6 5 4 3 2 1 18 17 16 15 14 13

Diffeology

לֹא עָלֶיךָ הַמְּלָאכָה לִגְמוֹר וְאֵין אַתָּה בֶן־חוֹרִין לִבְּטֵל מִמֶּנָּה רבי טרפון, משנה אבות ב טז

Preface

At the end of the last century, differential geometry was challenged by theoretical physics: new objects were displaced from the periphery of the classical
theories to the center of attention of the geometers. These are the irrational tori,
quotients of the 2-dimensional torus by irrational lines, with the problem of quasiperiodic potentials, or orbifolds with the problem of singular symplectic reduction,
or spaces of connections on principal bundles in Yang-Mills field theory, also groups
and subgroups of symplectomorphisms in symplectic geometry and in geometric
quantization, or coadjoint orbits of groups of diffeomorphisms, the orbits of the
famous Virasoro group for example. All these objects, belonging to the outskirts
of the realm of differential geometry, claimed their place inside the theory, as full
citizens. Diffeology gives them satisfaction in a unified framework, bringing simple
answers to simple problems, by being the right balance between rigor and simplicity, and pushing off the boundary of classical geometry to include seamlessly these
objects in the heart of its concerns.

However, diffeology did not spring up on an empty battlefield. Many solutions have been already proposed to these questions, from functional analysis to noncommutative geometry, via smooth structures à la Sikorski or à la Frölicher. For what concerns us, each of these attempts is unsatisfactory: functional analysis is often an overkilling heavy machinery. Physicists run fast; if we want to stay close to them we need to jog lightly. Noncommutative geometry is uncomfortable for the geometer who is not familiar enough with the C*-algebra world, where he loses intuition and sensibility. Sikorski or Frölicher spaces miss the singular quotients. Perhaps most frustrating, none of these approaches embraces the variety of situations at the same time.

So, what's it all about? Roughly, a diffeology on an arbitrary set X declares, which of the maps from \mathbb{R}^n to X are smooth, for all integers n. This idea, refined and structured by three natural axioms, extends the scope of classical differential geometry far beyond its usual targets. The smooth structure on X is then defined by all these smooth parametrizations, which are not required to be injective. This is what gives plenty of room for new objects, the quotients of manifolds for example, even when the resulting topology is vague. The examples detailed in the book prove that diffeology captures remarkably well the smooth structure of singular objects. But quotients of manifolds are not the sole target of diffeology, actually they were not even the first target, which was spaces of smooth functions, groups of diffeomorphisms. Indeed, these spaces have a natural functional diffeology, which makes the category Cartesian closed. But also, the theory is closed under almost all set-theoretic operations: products, sums, quotients, subsets etc. Thanks to these nice properties, diffeology provides a fair amount of applications and examples and offers finally a renewed perspective on differential geometry.

xviii PREFACE

Also note the existence of a convenient *powerset diffeology*, defined on the set of all the subsets of a diffeological space. Thanks to this original diffeology, we get a clear notion of what is a smooth family of subsets of a diffeological space, without needing any model for the elements of the family. This powerset diffeology «encodes genetically» the smooth structure of many classical constructions without any exterior help. The set of the lines of an affine space, for example, inherits a diffeology from the powerset diffeology of the ambient space, and this diffeology coincides with its ordinary manifold diffeology, which is remarkable.

Moreover, every structural construction (homotopy, Cartan calculus, De Rham cohomology, fiber bundles etc.) renewed for this category, applies to all these derived spaces (smooth functions, differential forms, smooth paths etc.) since they are diffeological spaces too. This unifies the discourse in differential geometry and makes it more consistent, some constructions become more natural and some proofs are shortened. For example, since the space of smooth paths is itself a diffeological space, the Cartan calculus naturally follows and then gives a nice shortcut in the proof of homotopic invariance of the De Rham cohomology.

What about standard manifolds? Fortunately, they become a full subcategory. Then, considering manifolds and traditional differential geometry, diffeology does not subtract anything nor add anything alien in the landscape. About the natural question, "Why is such a generalization of differential geometry necessary, or for what is it useful?" the answer is multiple. First of all, let us note that differential geometry is already a generalization of traditional Greek Euclidean geometry, and the question could also be raised at this level. More seriously, on a purely technical level, considering many of the recent heuristic constructions coming from physics, diffeology provides a light formal rigorous framework, and that is already a good reason. Two examples:

Example 1. For a space equipped with a closed 2-form, diffeology gives a rigorous meaning to the moment maps associated with every smooth group action by automorphisms. It applies to every kind of diffeological space, it can be a manifold, a space of smooth functions, a space of connection forms, an orbifold or even an irrational torus. It works that way because the theory provides a unified coherent notion of differential forms, on all these kinds of spaces, and the tools to deal with them. In particular, such a general diffeological construction clearly reveals that the status of moment maps is high in the hierarchy of differential geometry. It is clearly a categorical construction which exceeds the ordinary framework of the geometry of manifolds: every closed 2-form on a diffeological space gets naturally a universal moment map associated with its group of automorphisms.

Example 2. Every closed 2-form on a simply connected diffeological space¹ is the curvature of a connection form on some diffeological principal bundle. The structure group of this bundle is the diffeological torus of periods of the 2-form, i.e., the quotient of the real line by the group of periods of the 2-form. This construction is completely universal and applies to every diffeological space and to every closed 2-form, whether the form is integral or not. The only condition is that the group of periods is diffeologically discrete, that is, a strict subgroup of the real numbers. The construction of a prequantization bundle corresponds to the special case when the periods are a subgroup of the group generated by the Planck constant h or,

¹The general case is a work in progress.

PREFACE xix

if we prefer, when the group of periods is generated by an integer multiple of the Planck constant.

The crucial point in these two constructions is that the quotient of a diffeological group — the group of momenta of the symmetry group by the holonomy for the first example, and the group of real numbers by the group of periods for the second — is naturally a nontrivial diffeological group whose structure is rich enough to make these generalizations possible. In this regard, the *contravariant* approaches — Sikorski or Frölicher differentiable spaces — are globally helpless because these crucial quotients are trivial, and this is irremedible. By respecting the internal (nontrivial) structure of these quotients, diffeology leads one to a good level of generality for such general constructions and statements. The reason is actually quite simple, the contravariant approaches define smooth structures by declaring which maps from X to R are smooth. Doing so, they capture only what looks like **R** — or a power of **R** — in X, killing everything else. The quotient of a manifold may not resemble R at all, if we wanted to capture its singularity, we would have to compare it with all kinds of standard quotients. A contrario, diffeology as a covariant approach assumes nothing about the resemblance of the diffeological space to some Euclidean space. It just declares what are the smooth families of elements of the set, and this is enough to retrieve the local aspect of the singularity, if it is it what we are interested in.

Another strong point is that diffeology treats simply and rigorously infinite-dimensional spaces without involving heavy functional analysis, where obviously it is not needed. Why would we involve deep functional analysis to show, for example, that every symplectic manifold is a coadjoint orbit of its group of automorphisms? It is so clear when we know that it is what happens when a Lie group acts transitively, and the group of symplectomorphisms acts transitively. In this case, and maybe others, diffeology does the job easily, and seems to be, here again, the right balance between rigor and simplicity. Recently A. Weinstein et al. wrote "For our purposes, spaces of functions, vector fields, metrics, and other geometric objects are best treated as diffeological spaces rather than as manifolds modeled on infinite-dimensional topological vector spaces" [BFW10].

NOTE A. The axiomatics of *Espaces différentiels*, which became later the diffeological spaces, were introduced by J.-M. Souriau in the beginning of the eighties [Sou80]. Diffeology is a variant of the theory of *differentiable spaces*, introduced and developed a few years before by K.T. Chen [Che77]. The main difference between these two theories is that Souriau's diffeology is more differential geometry oriented, whereas Chen's theory of differentiable spaces is driven by algebraic geometry considerations.

NOTE B. I began to write this textbook in June 2005. My goal was, first of all, to describe the basics of diffeology, but also to improve the theory by opening new fields inside, and by giving many examples of applications and exercises. If the basics of diffeology and a few developments have been published a long time ago now [Sou80] [Sou84] [Don84] [Igl85], many of the constructions appearing in this book are original and have been worked out during its redaction. This is what also explains why it took so long to complete. I chose to introduce the various concepts and constructions involved in diffeology from the simple to the complex, or from the particular to the more general. This is why there are repetitions, and some constructions, or proofs, can be shortened, or simplified. I included sometimes

xx PREFACE

these simplifications as exercises at the end of the sections. In the examples treated, I tried to clearly separate what is the responsibility of the category and what is specific. I hope this will help for a smooth progression in the reading of this text.

NOTE C. By the time I wrote these words, and seven years after I began this project. a few physicists or mathematicians have shown some interest in diffeology, enough to write a few papers [BaHo09] [Sta10] [Sch11]. The point of view adopted in these papers is strongly categorical. Diffeology is a Cartesian closed category, complete and cocomplete. Thus, diffeology is an «interesting beast» from a pure categorical point of view. However, if I understand and appreciate the categorical point of view, it does not correspond to the way I apprehended this theory. I may not have commented clearly enough, or exhaustively, on the categorical aspects of the constructions and objects appearing there because my approach has been guided by my habits in classical differential geometry. I made an effort to introduce a minimum of new vocabulary or notation, to give the feeling that studying the geometry of a torus or of its group of diffeomorphisms, or the geometry of its quotient by an irrational line, is the same exercise, involving the same concepts and ideas, the same tools and intuition. I believe that the role of diffeology is to bring closer the objects involved in differential geometry, to treat them on an equal footing, respecting the ordinary intuition of the geometer. All in all, I no longer see diffeology as a replacement theory, but as the natural field of application of traditional differential geometry. But I judged, at the moment when I began this textbook, that diffeology was far enough from the main road to avoid moving too far away. Maybe it is not true anymore, and it is possible that, in a future revision of this book, I shall insist, or write a special chapter, on the categorical aspects of diffeology.

CONTENTS OF THE BOOK

Throughout its nine chapters, the contents of the book try to cover, from the point of view of diffeology, the main fields of differential geometry used in theoretical physics: differentiability, groups of diffeomorphisms, homotopy, homology and cohomology, Cartan differential calculus, fiber bundles, connections, and eventually some comments and constructions on what wants to be *symplectic diffeology*.

Chapter 1 presents the abstract constructions and definitions related to diffeology: objects are diffeologies, or diffeological spaces, and morphisms are *smooth maps*. This part contains all the categorical constructions: sums, products, subset diffeology, quotient diffeology, functional diffeology.

In Chapter 2 we shall discuss the local properties and related constructions, in particular: D-topology, generating families, local inductions or subductions, dimension map, modeling diffeology, in brief, everything related to local properties and constructions.

In Chapters 3 and 4, we shall see the notion of diffeological vector spaces, which leads to the definition of diffeological manifolds. Each construction is illustrated with several examples, not all of them coming from traditional differential geometry. In particular the examples of the infinite-dimensional sphere and the infinite-projective space are treated in detail.

Chapter 5 describes the diffeological theory of homotopy. It presents the definitions of connectedness, Poincaré's groupoid and fundamental groups, the definition

PREFACE xxi

of higher homotopy groups and relative homotopy. The exact sequence of the relative homotopy of a pair is established. Everything relating to functional diffeology of iterated spaces of paths or loops finds its place in this chapter.

Chapter 6 is about Cartan calculus: exterior differential forms and De Rham constructions, their generalization to the context of diffeology. Differential forms are defined and presented first on open subsets of real vector spaces, where everything is clearly explicit, and then carried over to diffeologies. Then, we shall see exterior derivative, exterior product, generalized Lie derivative, generalized Cartan formula, integration on chain, De Rham cohomology on diffeology, chain homotopy operator and obstructions to exactness of differential forms. We shall also see a very useful formula for the variation of the integral of differential forms on smooth chains. In particular, the generalization of Stokes' theorem; the homotopic invariance of De Rham cohomology, and the generalized Cartan formula are established by application of this formula.

Chapter 7 talks about diffeological groups and gives some constructions relative to objects associated with diffeological groups, for instance the space of its momenta, equivalence between right and left momenta, etc. Smooth actions of diffeological groups and natural coadjoint actions of diffeological groups on their spaces of momenta are defined.

Chapter 8 presents the theory of diffeological fiber bundles, defined by local triviality along the plots of the base space (not to be confused with the local triviality of topological bundles). It is more or less a rewriting of my thesis [Igl85]. We shall define principal and associated bundles, and establish the exact homotopy sequence of a diffeological fiber bundle. The construction of the universal covering and the construction of coverings by quotient is also a part of the theory, as well as the generalization of the monodromy theorem in the diffeological context. We shall also see, in this general framework, how we can understand connections, reductions, construction of the holonomy bundle and group. In the same vein, we shall represent any closed 1-form or 2-form on a diffeological space by a special structured fiber bundle, a groupoid.

In Chapter 9 we discuss symplectic diffeology. It is an attempt to generalize to diffeological spaces the usual constructions in symplectic geometry. This construction will use an essential tool, the moment map, or more precisely its generalization in diffeology. We have to note first that, if diffeology is perfectly adapted to describe covariant geometry, i.e., the geometry of differential forms, pullbacks etc., it needs more work when it comes to dealing with contravariant objects, for example vectors. This is why it is better to introduce directly the space of momenta of a diffeological group, the diffeological equivalent of the dual of the Lie algebra, without referring to some putative Lie algebra. Then, we generalize the moment map relative to the action of a diffeological group on a diffeological space preserving a closed 2-form. This generalization also extends slightly the classical moment map for manifolds. Thanks to these constructions, we get the complete characterization of homogeneous diffeological spaces equipped with a closed 2-form ω . This theorem is an extension of the well-known Kirillov-Kostant-Souriau theorem. It applies to every kind of diffeological spaces, the ones regarded as singular by traditional differential geometry, as well as spaces of infinite dimensions. It applies to the exact/equivariant case as well as the not-exact/not-equivariant case, where xxii PREFACE

exact here means Hamiltonian. In fact, the natural framework for these constructions is some equivariant cohomology, generalized to diffeology. This theory locates pretty well all the questions related to exactness versus nonexactness, equivariance versus nonequivariance, as well as the so-called Souriau symplectic cohomology [Sou70]. Incidentally, this definition of the moment map for diffeology gives a way for defining symplectic diffeology, without considering the kernel of a 2-form for a diffeological space, what can be problematic because of the contravariant nature of the kernel of a form. They are defined as diffeological spaces X, equipped with a closed 2-form ω which are homogeneous under some subgroup of the whole group of diffeomorphisms preserving ω , and such that the moment map is a covering. This definition can be considered as strong, but it includes a lot of various situations.² For example every connected symplectic manifold is symplectic in this meaning. Some refinements are needed to deal with some nonhomogeneous singular spaces like orbifolds for example, but this is still a work in progress. Many questions are still open in this new framework of symplectic diffeology. I discuss some of them when they appear throughut the book.

On the structure of the book

The book is made up of numbered chapters, each chapter is made of unnumbered sections. Each section is made of a series of numbered paragraphs, with a title which summarizes the content. Throughout the book, we refer to the numbered paragraphs as (art. X). Paragraphs may be followed by notes, examples, or a proof if the content needs one. This structure makes the reading of the book easy, one can decide to skip some proofs, and the title of each paragraph gives an idea about what the paragraph is about. Moreover, at the end of most of the sections there are one or more exercises related to their content. These exercises are here to familiarize the reader with the specific techniques and methods introduced by diffeology. We are forced, sometimes, to reconsider the way we think about things and change our methods accordingly. The solutions of the exercises are given at the end of the book in a special chapter. Also, at the end of the book there is a list of the main notations used. There is no index but a table of contents which includes the title of each paragraph, so it is easy to find the subject in which one is interested in, if it exists.

ACKNOWLEDGMENT

Thanks to Yael Karshon and François Ziegler for their encouragements to write this textbook on diffeology. I am especially grateful to Yael Karshon for our many discussions on orbifolds and smooth structures, and particularly for our discussions on «symplectic diffeology» which pushed me to think seriously about this subject.

I am very grateful to The Hebrew University of Jerusalem for its hospitality, specials thanks to Emmanuel Farjoun for his many invitations to work there. I started, and mainly carried out, this project in Jerusalem. Without my various

²I have often discussed the question of symplectic diffeological spaces with J.-M. Souriau. The definition given here seems to be a good answer to the question, because this moment map and the related construction of *elementary spaces* include the complete case of symplectic manifolds even if the action of the group of symplectomorphisms is not Hamiltonian, or the orbit is not linear but affine. But the few discussions I have had with Yael Karshon about the status of *symplectic orbifolds* will maybe lead to a refinement of the concept of symplectic diffeological space. It is however too early to conclude.

PREFACE xxiii

stays in Israel I would never have finished it. Givat Ram campus is a wonderful place where I enjoyed the studious and friendly atmosphere, and certainly its peaceful and intense scientific environment. Thanks also to David Blanc from the University of Haifa, to Misha Polyak and Yoav Moriah from the Technion, to Misha Katz from Bar-Ilan University, to Leonid Polterovich and Paul Biran, from Tel-Aviv University, for their care and invitations to share my ideas with them. Thanks also to Yonatan Barlev, Erez Nesrim and Daniel Shenfeld, from the Einstein Institute, for their participation in the 2006 seminar on Diffeology. Working together has been very pleasant and their remarks have been helpful.

Thanks to Paul Donato, my old accomplice in diffeology, who checked some of my claims when I needed a second look. Thanks also to the young guard: Jordan Watt, Enxin Wu and Guillaume Tahar, their enthusiasm is refreshing and their contribution somehow significant. Thanks also to the referee of the manuscript for his support and his clever suggestions which made me improve the content.

Thanks, obviously, to the CNRS that pays my salary, and gives me the freedom necessary to achieve this project. Thanks particularly to Jérôme Los for his support when I needed it.

Thanks also to Liliane Périchaud who helped me fixing misprints, to David Trotman for trying to make my English look English. Thanks eventually to the AMS publishing people for their patience and care, in particular to Jennifer Wright-Sharp for the wonderful editing job she did with the manuscript.

Patrick Iglesias-Zemmour Jerusalem, September 2005 — Aix-en-Provence, August 2012 Laboratoire d'Analyse, Topologie et Probabilités du CNRS 39, rue F. Joliot-Curie 13453 Marseille, cedex 13 France

8-

The Hebrew University of Jerusalem Einstein Institute Campus Givat Ram 91904 Jerusalem Israel

http://math.huji.ac.il/~piz/piz@math.huji.ac.il

Contents

Preface	xvii
Chapter 1. Diffeology and Diffeological Spaces	1
Linguistic Preliminaries	1
Euclidean spaces and domains	1
Sets, subsets, maps etc.	2
Parametrizations in sets	2
Smooth parametrizations in domains	3
Axioms of Diffeology	4
Diffeologies and diffeological spaces	4
Plots of a diffeological space	4
Diffeology or diffeological space?	4
The set of diffeologies of a set	4
Real domains as diffeological spaces	5
The wire diffeology	5
A diffeology for the circle	5
A diffeology for the square	5
A diffeology for the sets of smooth maps	6
Smooth Maps and the Category Diffeology	7
Smooth maps	7
Composition of smooth maps	7
Plots are smooth	7
Diffeomorphisms	8
Comparing Diffeologies	9
Fineness of diffeologies	9
Fineness via the identity map	10
Discrete diffeology	10
Coarse diffeology	10
Intersecting diffeologies	11
Infimum of a family of diffeologies	11
Supremum of a family of diffeologies	12
Playing with bounds	12
Pulling Back Diffeologies	14
Pullbacks of diffeologies	14
Smoothness and pullbacks	15
Composition of pullbacks	15
Inductions	15
What is an induction?	15
Composition of inductions	16
Criterion for being an induction	16
Surjective inductions	16
Subspaces of Diffeological Spaces	18

viii CONTENTS

Subspaces and subset diffeology	18
Smooth maps to subspaces	18
Subspaces subsubspaces etc.	19
Inductions identify source and image	19
Restricting inductions to subspaces	19
Discrete subsets of a diffeological space	19
Sums of Diffeological Spaces	21
Building sums with spaces	21
Refining a sum	22
Foliated diffeology	22
Klein structure and singularities of a diffeological space	22
Pushing Forward Diffeologies	24
Pushforward of diffeologies	24
Smoothness and pushforwards	24
Composition of pushforwards	25
Subductions	25
What is a subduction?	26
Compositions of subductions	26
Criterion for being a subduction	26
Injective subductions	27
Quotients of Diffeological Spaces	27
Quotient and quotient diffeology	28
Smooth maps from quotients	28
Uniqueness of quotient	28
Sections of a quotient	29
Strict maps, between quotients and subspaces	30
Products of Diffeological Spaces	32
Building products with spaces	32
Projections on factors are subductions	33
Functional Diffeology	34
Functional diffeologies	34
Restriction of the functional diffeology	35
The composition is smooth	35
Functional diffeology and products	35
Functional diffeology on groups of diffeomorphisms	36
Slipping X into $\mathcal{C}^{\infty}(\mathcal{C}^{\infty}(X,X),X)$	36
Functional diffeology of a diffeology	37
Iterating paths	37
Compact controlled diffeology	38
Generating Families	40
Generating diffeology	40
Generated by the empty family	41
Criterion of generation	41
Generating diffeology as projector	42
Fineness and generating families	42
Adding and intersecting families	43
Adding constants to generating family	43
Lifting smooth maps along generating families	43
Pushing forward families	44
Pulling back families	45
Nebula of a generating family Dimension of Diffeological Spaces	46
Limpongian at Littaclamical Engage	47