

“十二五”国家重点图书

Advanced Functional Materials Series


丛书 丛书主编 师昌绪

Bioinspired Intelligent Nanostructured Interfacial Materials

仿生智能纳米界面材料

Lei Jiang Lin Feng

江雷 冯琳 著



化学工业出版社
Chemical Industry Press



World Scientific

“十二五”国家重点图书

Advanced Functional Materials Series

先进功能材料丛书 丛书主编 师昌绪

Bioinspired Intelligent Nanostructured Interfacial Materials

仿生智能纳米界面材料

Lei Jiang Lin Feng

江 雷 冯 琳 著



化学工业出版社
Chemical Industry Press

 World Scientific

· 北京 ·

智能材料是 20 世纪 90 年代新兴的一种复合功能材料。智能材料体系, 包括多级次结构与功能, 是一个认识自然、模仿自然, 进一步超越自然的研究过程。它也为科技的创新提供了新的思想, 新的理论和前沿的方法。因此, 模仿自然界生物的微纳米结构与功能将为生物与技术之前建起一座桥梁, 这将为解决今天我们所面临的技术问题提供新的启示。

本书从智能材料入手, 试图对仿生智能纳米界面材料进行尽可能的全面介绍, 并重点讨论具有特殊浸润性的仿生智能纳米界面材料, 第 1 章概述了智能材料的定义、仿生智能纳米界面材料的设计思想和典型实例及仿生纳米界面材料的智能化设计等。第 2 章介绍了几种自然界中具有特殊表面性能的生物体, 如自清洁荷叶、在水面行走的水龟、在墙壁上行走的壁虎、沙漠集水的甲虫、具有特殊结构颜色的蛋白石、蝴蝶翅膀、孔雀羽毛等。第 3 章从理论上阐述了表面微结构与特殊宏观浸润性能之间的必然联系。第 4 章介绍了仿生超疏水表面, 描述了几种典型的制备方法。第 5 章介绍了具有特殊浸润性的智能纳米界面材料。第 6 章为结论与展望。

本书对自然与人造微纳多尺度界面材料进行了一个较为全面的介绍, 重点介绍了具有特殊浸润性的智能界面材料。受自然启发, 作者提出一个“二元协同微纳米界面材料”的新概念。基于这种设计理念, 异质材料的接触与耦合将为表面与界面材料带来全新的性质, 这将创造出新的材料与器件。本书将科普与专业相结合, 非常适合包括专业研究人员和科学爱好者。

图书在版编目(CIP)数据

仿生智能纳米界面材料 = Bioinspired Intelligent Nanostructured Interfacial Materials: 英文 / 江雷、冯琳著. —北京: 化学工业出版社, 2016.2

(先进功能材料丛书)

ISBN 978-7-122-25903-5

I. ①仿… II. ①江… ②冯… III. ①仿生-应用-纳米材料-智能材料-英文
IV. ①TB383

中国版本图书馆 CIP 数据核字(2015)第 294860 号

本书由化学工业出版社与新加坡世界科技出版公司合作出版。版权由化学工业出版社所有。本版本仅限在中华人民共和国境内(不包括中国台湾地区和香港、澳门特别行政区)销售。

责任编辑: 吴刚

封面设计: 关飞

出版发行: 化学工业出版社(北京市东城区青年湖南街 13 号 邮政编码 100011)

印刷: 北京永鑫印刷有限责任公司

装订: 三河市胜利装订厂

710 mm×1000 mm 1/16 印张 22 字数 428 千字 2016 年 1 月北京第 1 版第 1 次印刷

购书咨询: 010-64518888(传真: 010-64519686) 售后服务: 010-64518899

网址: <http://www.cip.com.cn>

凡购买本书, 如有缺损质量问题, 本社销售中心负责调换。

定 价: 298.00 元

版权所有 违者必究

About the Authors



Prof. Lei Jiang, members of the Chinese Academy of Sciences (2009) and the Third World Academy of Sciences (2012). He received his B.S. degree in solid state physics (1987), and M.S. degree in physical chemistry (1990) from Jilin University in China. From 1992 to 1994, he studied in the University of Tokyo in Japan as a China-Japan joint course Ph.D. student and received his Ph.D. degree from Jilin University of China with Prof. Tiejin Li. Then, he worked as a postdoctoral fellow in Prof. Akira Fujishima's group in the University of Tokyo. In 1996, he worked as researcher in Kanagawa Academy of Sciences and Technology, Prof. Hashimoto's project. In 1999, he joined Institute of Chemistry, Chinese Academy of Sciences (CAS). In 2015, he moved to the Technological Institute of Physics and Chemistry, CAS. Since 2008, he also served as the dean of School of Chemistry and Environment in Beihang University. He has published over 500 papers including 2 papers in *Nature*, 1 paper in *Nature Nanotechnology*, 1 paper in *Nature Materials*, 4 papers in *Natural Communication*, 2 papers in *Chem. Rev.*, 5 papers in *Chem. Soc. Rev.*, 5 papers in *Acc. Chem. Res.*, 32 papers in *Angew. Chem. Int. Ed.*, 23 papers in *J. Am. Chem. Soc.*, and 82 papers in *Adv. Mater*, the works have been cited more than 33000 times with an *H* index of 84.

He won the "TWAS Prize in Chemistry" (2011, The Academy of Sciences for the developing world), the Advanced Science and Technology Award of "THE HO LEUNG HO LEE FUNDATION" (2013), The MRS Mid-Career Researcher Award (2014, Materials Research Society, USA, the first awardee in China Mainland), Thomson Reuters China Citation Laureates, Highly Cited Researcher Award (Chemistry), Highly Cited Researcher Award (Material Science), International Citation Impact Award (2014), "ChinaNANO Award" (2015, The first Chinese awardee).



Lin Feng is an Associate Professor of Chemistry in Tsinghua University. She received her Ph. D degree in Institute of Chemistry, Chinese Academy of Sciences in 2003 (Prof. Lei Jiang's group). She was engaged her post-doc research work at Institute of Physics, Chinese Academy of Sciences (2005) and worked as

a visiting scholar in University of California, Berkeley (2009). Her research interests are focused on Biomimic functional nano-scale interfacial materials, nano-scale interfacial materials for oil/water separation and the research of nanocatalyst.

Preface

Intelligent materials are emerging composite materials that have boomed since 1990s. These novel materials have gained outstanding achievements and influenced multidisciplinary fields in recent years. In the 21st century, the content of intelligent materials is continuously expanding and the domains of which are constantly being broadened. The outstanding features are the tight connection between fundamental researches and practical applications, as well as the tight coupling of biomimic technology and nanotechnology. The intelligent material system is of great scientific significance; it combines studies that explore nature, mimic nature and surpass nature, involving a multitude of structures and functions. It provides new ideas, new theories, and new methodologies for the innovation of science and technology. After millions of years of evolution, plants and animals have completely and perfectly adapted to natural environments. Thus, mimicking the natural microstructures and functions of these creatures will build a bridge between biology and technology, which may provide inspirations for solving today's technological problems.

By summarizing the research findings on the synthesis, properties, and applications of photonic/electrical stimulative intelligent interfacial materials, the authors were the first to propose the concept of "Binary cooperative complementary micro/nanoscale interfacial materials". According to this design idea, the contact and coupling of heterogeneous materials will result in novel properties on the surface or interface of materials, which may create new functional

materials and devices. For example, the investigations on superamphiphilic surfaces (the material's surface are both superhydrophilic and superoleophilic), superamphiphobic surfaces (the material's surface are both superhydrophobic and superoleophobic), and smart switchable superhydrophobic/superhydrophilic materials will be of important applications in daily life, environmental protection and a good number of other domains.

This book devotes to give a complementary introduction about biomimic intelligent micro/nanoscale interfacial materials, paying attention to the intelligent materials with special wettabilities. The first chapter summarizes the definition of the intelligent materials, the design ideas and representative examples of biomimic intelligent micro/nanoscale interfacial materials. The second chapter introduces some natural creatures that possess special surface properties, including self-cleaning of lotus-leaf, walking-on-water of water strider, walking-on-wall of gecko, water-collection of desert beetle, special structural color of opal, wing of butterfly, feather of peacock and many others. In Chapter 3, we demonstrate the relationship between surface microstructures and special wettabilities in theory. The fourth chapter gives some typical manufacturing method of biomimic superhydrophobic surfaces; the fifth chapter introduces intelligent micro/nanoscale interfacial materials with special wettabilities. In the last and sixth chapter, we give conclusion of intelligent materials with some personal perspective in this area.

This text has tried to strike a balance between specialty and popular science. It has summarized a great deal of relative literature and the authors' research findings on biomimic intelligent micro/nanoscale interfacial materials in recent years. It can be used not only as a reference book for researchers in areas including chemistry, material science and biology, but also for scientific enthusiasts. The authors would be very gratified if this book could spur readers' interests on biomimic intelligent micro/nanoscale interfacial materials.

This book is the collective effort and creative results of the research group led by the authors. It would not be possible without the help and support from many colleagues. The authors would like

to give the most sincere appreciation to the following colleagues: Prof. Jian Xu, Prof. Zhenzhong Yang, Prof. Lin Li, Prof. Yanlin Song, Prof. Meixiang Wan, Prof. Yuliang Li, Prof. Yunqi Liu, Prof. Jin Zhai at the Institute of Chemistry, Chinese Academy of Sciences, Prof. Xi Zhang, Prof. Quanshui Zheng, Prof. Xiqiao Feng, Prof. Ziniu Wu at Tsinghua University, Prof. Guangzhao Zhang at University of Science and technology of China, Prof. Bai Yang at JiLin University, and Prof. Xianbao Wang at HuBei University. Great thanks to academicians Daoben Zhu, academicians Chuli Bai, academicians Jiannian Yao, academicians Zhenhe Tong, academicians Qi Wu, academicians Hongyuan Chen, and academicians Long Jiang of the Chinese Academy of Sciences. Thanks for the hard works of graduates and post-docs of our group: Huanjun Li, Jian Jin, Yingshun Li, Lin Feng, TaoLei Sun, Xinjian Feng, Shuhong Li, Huan Liu, Chaowei Guo, Mei Li, Shutao Wang, Ying Zhu, Jingxia Wang, Yong Zhao, Xuefeng Gao, Meihua Jin, Yongmei Zheng, Xianbao Wang, Fan Xia, Weiqin Zhu, Hongli Ge, Wenlong Song *et al.*

Particular thanks go to teacher Guilan Wang, Dr. Jinming Xi, Dongliang Tian, Nv Wang, Hui Zhang, Dan Wang, Wenfang Yuan, Liang Xu, Tianyi Zhao, Chunling Yu, Jihua Zhang, and Huiqiong Zhou for their efforts on images treatment, literature collection and proofreading of the manuscript.

Lei Jiang, PhD, Professor,
Member of Chinese Academy of Science(CAS),
Member of the Third World Academy of Sciences (TWAS),
Technological Institute of Physics and Chemistry, CAS
Zhongguancun North First Street 2,
100190 Beijing,
P.R. China

Lin Feng, PhD, Associate Professor,
Department of Chemistry,
Tsinghua University,
Hai Dian, 100084, Beijing
P.R.China

The first part of the report deals with the general situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the conclusions reached.

The second part of the report deals with the financial aspects of the work. It includes a statement of the income and expenditure for the year, and a balance sheet. It also contains a statement of the assets and liabilities of the organization.

Contents

| | |
|---|-----------|
| <i>About the Authors</i> | iii |
| <i>Preface</i> | v |
| Chapter 1. Summary of Biomimetic Smart Nano-scale Interfacial Materials | 1 |
| 1.1 Definition of Smart Materials | 2 |
| 1.2 Designing Concept of Bio-inspired Smart Interfacial Materials | 6 |
| 1.3 Typical Examples of Using Above-Mentioned Five Principles to Design Smart Materials | 43 |
| 1.4 Intellectualized Design of Biomimetic Interfacial Materials | 45 |
| References | 49 |
| Chapter 2. Living Organisms with Special Surface Performance | 57 |
| 2.1 Self-Cleaning Property of the Surfaces of Plant Leaves | 57 |
| 2.2 Surface Anisotropy | 66 |
| 2.3 The Self-Cleaning and Anti-Reflection Function of the Surface of Insect Wing | 74 |
| 2.4 Walking on Water — Water Strider | 79 |
| 2.5 Climbing Up the Wall — Gecko | 84 |
| 2.6 A Desert Water-Collecting Insect — Desert Beetle | 92 |

| | |
|--|------------|
| 2.7 Master of Hiding — Color-Changing Desert Beetle | 93 |
| 2.8 Structural Color in the Nature | 96 |
| References | 102 |
| Chapter 3. Wettability of the Solid Surface | 107 |
| 3.1 Basic Theory of Wettability | 108 |
| 3.2 Surfaces with Special Wettability | 126 |
| 3.3 Contact Angle Hysteresis | 142 |
| References | 162 |
| Chapter 4. Biomimic Superhydrophobic Surface | 165 |
| 4.1 Methods of Preparing Superhydrophobic Surfaces | 165 |
| 4.2 Multi-Functional Superhydrophobic Surfaces | 197 |
| References | 204 |
| Chapter 5. Smart Nanoscale Interfacial Materials with Special Wettability | 209 |
| 5.1 Superamphiphobic Surface | 210 |
| 5.2 Surface with Superhydrophobicity and Superoleophilicity | 213 |
| 5.3 Smart Surface with Reversible Superhydrophilicity and Superhydrophobicity | 215 |
| References | 310 |
| Chapter 6. Conclusion and Prospect | 319 |
| 6.1 Super-lattice Surface Structures (Stable and Metastable Binary Cooperative Complementary Structure) | 323 |
| 6.2 Optically Controllable Superconducting System (Superconducting/Normal-conducting Phase Binary Cooperative Complementary Structure) | 325 |
| 6.3 Chiroptical Switch (Chiral/Achiral Binary Cooperative Complementary Structure) | 325 |

| | |
|--|-----|
| 6.4 Novel Mesoporous Structure (Crystalline/ Amorphous Phase Binary Cooperative Complementary Structure) | 326 |
| 6.5 Interface of the Engineered Magnetism (Ferromagnetic/Antiferromagnetic Binary Cooperative Complementary Structure) | 328 |
| 6.6 Ionic/Nonionic Conductor Binary Cooperative Complementary Structure | 330 |
| 6.7 Concave/Convex Periodic Binary Cooperative Complementary Structure | 332 |
| 6.8 Organic/Inorganic Binary Cooperative Complementary Structure | 334 |
| References | 337 |
| <i>Index</i> | 339 |

1. The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for the company's financial health and for providing reliable information to stakeholders.

2. The second part of the document outlines the specific procedures for recording transactions. It details the steps from identifying a transaction to entering it into the accounting system, ensuring that all necessary details are captured.

3. The third part of the document addresses the role of the accounting department in monitoring and controlling the company's resources. It highlights how accurate record-keeping enables the company to identify areas of inefficiency and take corrective action.

4. The fourth part of the document discusses the impact of accurate financial records on the company's decision-making process. It explains how reliable data allows management to make informed choices about investments, operations, and overall strategy.

5. The fifth part of the document concludes by reiterating the significance of the accounting function and the commitment to maintaining the highest standards of accuracy and integrity in all financial reporting.

Chapter 1

Summary of Biomimetic Smart Nano-scale Interfacial Materials

In a sense, the progress of human society is based on the development of materials. Materials with excellent performance accelerate the development of human society; the development of society also desires more new materials. In the 21st century, the target of material sciences has changed from research on relationship between chemical composition, structure and performance of materials to the systemic investigation of the materials, including the fabrication and processing of the materials. It is characterized remarkably by the fact that material sciences and material technology have become very closely connected, while the core issue of the development of material science and technology is to discover and develop novel advanced materials. It has been a guiding concept in many research fields that novel materials and devices can be created by controlling the structures of materials and the peculiar functions of interface generated by contacting and amalgamating heterogeneous materials.

Smart materials are novel composite materials which have rapidly developed since 1990. They have attracted much attention for their wide applications and the evident influences on a variety of fields. For example, in modern medicine, smart material can be used to prepare artificial muscle, artificial skin, and drug delivery system; in military field, it can be used in the construction of warships to restrict the travel of noise, which is advantageous as it enhances the stealth performance of submarines and warships; in daily life, it can be used to enhance the performance and comfort of cars, and also used to

change the color of houses at your pleasure. With the development of surface and interface sciences in mesoscopic scale, it is advantageous to the interaction of many significant subjects such as physics, chemistry, and material science, and also to the amalgamation of burgeoning sciences such as nanotechnology, biotechnology, and information science, though some new scientific theories are still needed to be established. In the 21st century, the connotation and fields of smart materials are enlarging gradually, the outstanding characteristic of which is the tight combination of basic research and applied research, biomimetic technology and nanotechnology. For instance, self-cleaning materials have been fabricated by mimicking microstructures and properties of lotus leaves; tires with more security have been produced by imitating the function of cat's forepaw pad combined with supple structure and properties of spider web; low-energy-loss airplane coating has been manufactured by mimicking the ribbed microstructure of the scales of a shark; and "smart glass" has been designed by imitating color changing mechanism of animals such as squid and others. Therefore, research on smart materials has attracted extensive interests in many fields, such as the design of structures and the new fabrication strategies.

1.1 Definition of Smart Materials

Smart materials refer to those special materials which are characterized by their intelligence as they can respond appropriately to stimuli from internal and external environment. Specifically, smart materials need to have properties as follows:

- (1) can perceive, that is to detect and identify the intensity of stimuli from external (or internal) world, such as electricity, light, heat, stress, strain, chemistry, environment etc;
- (2) can respond to external changes;
- (3) can select and control the responses according to the designed ways;
- (4) responses are sensitive, timely and appropriate;
- (5) can return to the original state quickly when external stimuli are removed.

The concept of smart materials derives from bio-mimicking. It is to develop some new “live” materials with diverse functions similar to those of organisms. Therefore, smart materials must be able to perceive the stimuli, respond according to stimuli and control the responding behavior, which are three basic factors of smart materials. However, existing materials are usually too simple to meet the requirements of smart materials. Thus smart materials generally refer to smart material systems which are composite materials of two or even more kinds of materials. As a result, studies on the design, manufacturing, processing, property and structural characteristics of smart materials all involve the forelands of material sciences, which make smart materials the most active fields and the most advanced developing direction of material sciences, that will play an important role in world economy, society, national security, and the development of science and technology.

Stimuli-responsive smart materials possess perception, response and control functions when stimulated by external fields such as electricity, light, heat, stress, strain, chemistry, nuclear radiation etc. Studies on smart materials and development of smart devices have attracted closed attention of many scientists in the whole world. For example, Hu *et al.*¹ reported that the surface patterns on Poly(N-isopropylacrylamine) hydrogel could be controlled and modulated by diverse environmental stimuli. Beebe *et al.*² introduced active hydrogel into microfluidic channels to act as valves, such that local flow inside microchannels could be controlled by using external stimuli to adjust the expanded and contracted state of hydrogel. This result is very important in the transport of microfluid. Russell³ reported a surface-responsive material, the response mechanisms and rates of which could be easily manipulated by changing the length, chemical composition, architecture, and topology of the polymer chains. Livage⁴ summarized the stimuli-responsive materials — smart artificial muscles, and highlighted that the sheets made of entangled vanadium oxide nanofibers behaved like artificial muscles that contract reversibly on applying an electrical signal. Researchers from the Institute of Electron Physics, University of Stuttgart of Germany, invented a kind of smart solar clothes, which was a novel

chemical fiber smart material using solar energy as energy resource, so that mobile telephone and electronic diary could be directly connected to the clothes.⁵

Biological smart interfacial materials are of great value in recognition and assembly of biomolecules and manipulation of complicated information. Kim and Abbott⁶ reported that the specific binding of anti-biotin IgG to rubbed films of BSA functionalized by biotin could be detected by observing the optical appearances of liquid crystals supported onto these substrates. Liquid crystals were uniformly oriented when no antibody molecules were absorbed, while the alignment of liquid crystals was disrupted when complementary antibody molecules combined with antigens connected to BSA. Mason *et al.*⁷ revealed that the excellent ability of identifying the sound sources of *Ormia* attributed to the special structures of its tympana (eardrums). Thereby, researchers prepared a tympana prototype which was suitable in ultrasonic range by using silicon to simulate the special tympana of *Ormia*. Furthermore, they invented a novel audiphone which could identify the direction of sound sources and enhance the effect of audiphones. This project had been recommended to the Ministry of Health and Department of Welfare of America as a demonstration project of results transforming by National Institutes of Health, USA in June, 2004.

Scientists from our country have done a lot of work with worldwide influence on fabrication, performances and theoretical studies of smart materials. Our group proposed a novel concept of “Binary Cooperative Complementary Interfacial Materials”⁸ for the first time to guide the design and synthesis of new materials. We reported that the reversible transition between superhydrophobicity and superhydrophilicity on surfaces of nano-scale materials could be realized by stimulating with light, heat, etc.^{9,10}

Professor Gu and co-workers from Southeast University of China has achieved great advances in studies on structural color and photonic crystals. Through thermo-processing method, they fabricated reverse opal photonic crystals by assembling composite nanospheres of polystyrene and silicon dioxide. Interestingly, the