

ANALYTICAL METHODS IN COMBINATORIAL CHEMISTRY

SECOND EDITION






SHANATORIAL CHEMIS

Bing Yan Bin Zhang



ANALYTICAL METHODS IN COMBINATORIAL CHEMISTRY

SECOND EDITION





CRC Press Taylor & Francis Group 6000 Broken Sound Parkway NW, Suite 300 Boca Raton. FL 33487-2742

© 2011 by Taylor and Francis Group, LLC CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works

Printed in the United States of America on acid-free paper 10 9 8 7 6 5 4 3 2 1

International Standard Book Number: 978-0-8493-1860-3 (Hardback)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access www.copyright.com (http://www.copyright.com/) or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Library of Congress Cataloging-in-Publication Data

Yan, Bing.

Analytical methods in combinatorial chemistry / Bing Yan and Bin Zhang. -- 2nd ed. p. cm. -- (Critical reviews in combinatorial chemistry)

Includes bibliographical references and index.

ISBN 978-0-8493-1860-3 (alk. paper)

1. Combinatorial chemistry. I. Zhang, Bin, 1968- II. Title.

RS419.Y36 2011 615'.19--dc22

2010004973

Visit the Taylor & Francis Web site at http://www.taylorandfrancis.com

and the CRC Press Web site at http://www.crcpress.com

ANALYTICAL METHODS IN COMBINATORIAL CHEMISTRY

SECOND EDITION

CRITICAL REVIEWS IN COMBINATORIAL CHEMISTRY

Series Editors

BING YAN

School of Chemistry and Chemical Engineering Shandong University, China

ANTHONY W. CZARNIK

Department of Chemistry University of Nevada-Reno, U.S.A.

A series of monographs in molecular diversity and combinatorial chemistry, high-throughput discovery, and associated technologies.

Analytical Methods in Combinatorial Chemistry, Second Edition Bing Yan and Bin Zhang

Combinatorial and High-Throughput Discovery and Optimization of Catalysts and Materials Edited by Radislav A. Potyrailo and Wilhelm F. Maier

Combinatorial Synthesis of Natural Product-Based Libraries Edited by Armen M. Boldi

High-Throughput Lead Optimization in Drug Discovery Edited by Tushar Kshirsagar

High-Throughput Analysis in the Pharmaceutical Industry Edited by Perry G. Wang

A Practical Guide to Assay Development and High-Throughput Screening in Drug Discovery Edited by Taosheng Chen

Preface

During the preparation of this edition, we were as excited as when we were working on the first edition of this book. After 11 years, chemical library and combinatorial chemistry methods have been developed into mature technologies and merged into various cutting-edge approaches, such as chemical biology, chemical genetics, drug discovery, and nanotechnology. The concepts and technologies have also been integrated into the discovery processes of many industries and scientific disciplines.

Over the past decade, combinatorial chemistry has been gaining strength. It has become an active research field worldwide after its beginnings in the United States. Combinatorial chemistry publications are now mostly from academia, whereas a decade ago they were mostly from industry. All pharmaceutical companies have accepted compound libraries as a main source of screening compounds, although they are now almost entirely outsourced to countries such as China, Russia, and India. Internally they rely heavily on small library synthesis to optimize hit compounds. And applications of combinatorial chemistry approaches in other disciplines, such as those concerned with catalysts, material, and agricultural products, are very successful.

Over the years, there have been significant shifts in emphasis in combinatorial synthesis. This edition reflects such shifts. First, the demand for quality control of every library member stimulated the development of many high-throughput analytical techniques and the associated informatics. We have thus significantly modified and enriched Chapter 6, on high-throughput analytical methods. Second, the chromatographic purification of every compound in a library has become a must. We therefore added a new Chapter 7, focused entirely on high-throughput purification

xii Preface

methods. Third, we updated all other chapters with new data, and the new Chapter 8 was added to describe future directions and the associated analytical challenges. We are very optimistic about the next wave of progress in this field in the coming decade.

Bing Yan

Member, St. Jude Children's Research Hospital, Memphis, Tennessee, U.S.A.
Professor, Shandong University, Jinan, China

Bin Zhang

Associate Professor, Shandong University, Jinan, China

Authors

Bing Yan received his Ph.D. from Columbia University with Koji Nakanishi in 1990. He was a postdoctoral fellow at the University of Cambridge from 1990 to 1991, and at University of Texas Medical School in Houston from 1991 to 1993. From 1993 to 1999, he worked at Novartis in the area of Core Drug Discovery Technologies as assistant fellow, associate fellow, and senior associate fellow. From 1999 to 2004, he worked at Discovery Partners International as the director of analytical sciences. From 2004 to 2005, he worked at Bristol-Myers Squibb as a senior principal scientist. Now he is a faculty member at the Department of Chemical Biology and Therapeutics at St. Jude Children's Research Hospital in Memphis, Tennessee, and an adjunct professor at Shandong University. He has published or edited eight books and more than 105 peer-reviewed papers. He is the editor of the book series Critical Reviews in Combinatorial Chemistry published by the Taylor & Francis Group. He also serves as the associate editor for the Journal of Combinatorial Chemistry published by the American Chemical Society.

Bin Zhang received his Ph.D. from the Institute of Inorganic and Analytical Chemistry and Radiochemistry at Saarland University (Germany) with Professor Doctor Horst P. Beck in 2003. He is currently an associate professor of analytical chemistry in the School of Chemistry and Chemical Engineering at Shandong University, China. His scientific interests include the development of analytical methods in combinatorial chemistry and the characterization and analysis of surface chemically functionalized nanoparticles and their interaction with biological molecules.

Contents

Preta	ace		xi
Auth	nors		xiii
		Analytical issues in combinatorial chemistry	
1.1	Combinatorial chemistry		
1.2	Synthesis methods		
1.3	Analytical challenges		
	1.3.1	Properties of solid supports	
	1.3.2	Reaction optimization stage	
	1.3.3	Library synthesis stage	
	1.3.4	Lead selection and optimization stage	
Refe	rences		8
Cha	pter 2	An examination of the analytical sample: resin	
		support	
2.1	Introduction		
2.2		Physical properties of resins	
	2.2.1	Resin type	
		2.2.1.1 Polystyrene resins	
		2.2.1.2 PS-PEG resins	
	222	2.2.1.3 Other resin and nonresin supports	
	2.2.2	Resin bead size distribution	
	2.2.3	Loading and the intraresin site distribution	
	2.2.4	Thermal stability	
	2.2.5	Chemical stability	
2.3		swelling and solvation	
	2.3.1	Effects of swelling on resin	
	2.3.2	Effects of swelling on reagent and solvent molecules	
	2.3.3	Swelling ability of solvents	
	2.3.4	Dynamic resin solvation	
2.4		s of the solvated resin on solid-phase reactions	
	2.4.1	The effects of support solvation on SPPS	
	2.4.2	Resin support as another "solvent phase"	35

		2.4.2.1	Selective adsorption of reactant and			
			reagent molecules	35		
		2.4.2.2	The effect of phase-transfer catalyst (PTC)			
			on SPOS reactions	36		
	2.4.3	Suppor	t effects on SPOS reaction kinetics	36		
	2.4.4		aration and site interaction			
		$2.4.4.1^{1}$	Site-separation effect			
		2.4.4.2	Site-interaction effect			
		2.4.4.3	Factors affecting site separation	45		
	2.4.5	Solid su	apport effects on product purity			
2.5	Summ	Summary				
Refe	rences			49		
Cha	pter 3	Solid-ph	ase reaction optimization using FTIR	55		
3.1	Introd	uction		55		
3.2	Comp	arison of	FTIR and Raman techniques	56		
	3.2.1		ques			
	3.2.2	Analys	is of resin-bound compounds	61		
	3.2.3	Comparison of techniques				
	3.2.4	Monitoring of polymer-supported organic reactions				
3.3	The monitoring of reactions on polystyrene-based resin					
	3.3.1	Yes-and	d-no information	69		
	3.3.2		on kinetics on resin support			
	3.3.3		tative estimation of chemical conversions (%)			
			n	79		
	3.3.4		ection of optimal reaction conditions using			
			bead IR	85		
3.4	The monitoring of reactions on PS-PEG resins: Comparing					
	the re	action rat	e on PS and PS-PEG resins	87		
	3.4.1	Backgr	ound	87		
	3.4.2	Examp	les	88		
	3.4.3		les: Peptide secondary structure on resin			
			t	89		
3.5	The monitoring of reactions on surface-functionalized					
	polyn	ners		91		
	3.5.1	Techni	ques	91		
	3.5.2		les			
3.6			n monitoring			
3.7	Sumn	narv		95		
Cha	pter 4	Reaction	n optimization using MS and NMR methods	99		
4.1	Intro	duction		99		
	MS methods					

4.3	NMR methods			
	4.3.1	Gel-pha	se NMR	102
		4.3.1.1	Gel-phase ¹³ C NMR	104
		4.3.1.2	Gel-phase ¹⁹ F NMR	108
		4.3.1.3	Gel-phase ³¹ P NMR	
		4.3.1.4	Gel-phase ¹⁵ N NMR	111
		4.3.1.5	Gel-phase deuterium NMR	
	4.3.2	Magic a	ngle spinning (MAS) NMR	
		4.3.2.1	1D NMR spectroscopy of resin	
			samples	114
		4.3.2.2	2D NMR spectroscopy of resin	
		-	samples	118
		4.3.2.3	NMR on multipin crowns	
	4.3.3	Other N	IMR methods	
		4.3.3.1	Flow NMR spectroscopy in drug	
			discovery	122
		4.3.3.2	Flow injection analysis NMR (FIA-NMR)	
		4.3.3.3	High-throughput NMR analysis using a	
			multiple coil flow probe	123
		4.3.3.4	NMR detection with multiple solenoidal	
			microcoils for continuous-flow capillary	
			electrophoresis	123
		4.3.3.5	Quantitative measurements in continuous-	
			flow HPLC/NMR	124
		4.3.3.6	Reaction monitoring in LPOS by 19F NMR	
4.4	Summ		,	
Refe				
				int mese
Cha	pter 5	Reaction	optimization using spectrophotometric and	
			thods	131
5.1				
5.2			lysis of amines	
5.3			alysis of amines	
5.4			ectroscopic methods for organic functional	
				142
	5.4.1		ation of aldehyde/ketone groups	
	5.4.2		ation of hydroxyl groups on resin	
	5.4.3		ation of carboxyl groups on resin	
	5.4.4		ation of polymer-supported sulfhydryl	22.5
				151
5.5	Combi		mental analysis methods	
	5.5.1		s of resin-bound organic compounds	
	5.5.2		atively monitoring SPOS reactions	
5.6			l methods	

5.7	On-resi	On-resin X-ray, EPR, SERS, and fluorescence methods			
5.8	Summary				
Refe					
		Quality control of combinatorial libraries			
6.1		iction			
6.2	Analysis of discrete compound libraries				
	6.2.1	MS analysis	165		
	6.2.2	MS-guided purification	166		
	6.2.3	High-throughput NMR			
6.3	Analys	is of pooled libraries	169		
	6.3.1	Theoretical calculation of mass distribution	169		
	6.3.2	MS analysis	171		
	6.3.3	High-resolution MS			
	6.3.4	Tandem MS			
	6.3.5	Liquid chromatography (LC)/MS and capillary			
		electrophoresis (CE)/MS	180		
		6.3.5.1 LC-MS	180		
		6.3.5.2 CE-MS			
	6.3.6	NMR methods for mixture analysis			
6.4	HPLC for analyzing compounds from discrete and				
	mixtur	e libraries	185		
	6.4.1	HPLC with a chemiluminescence nitrogen			
		detector (CLND)	186		
	6.4.2	Evaporative light scattering detector (ELSD)	188		
6.5		ary			
			170		
Cha	pter 7	High-throughput purification	195		
7.1	Introdu	action	195		
7.2	Nonchi	romatographic high-throughput purification			
	method	ds	195		
7.3	Chrom	atographic high-throughput purification	2>0		
	method	ls	197		
7.4		ritical fluid chromatographic purification	177		
		ds	201		
7.5	Purification methods based on fluorous chemistry				
	separation technique				
	7.5.1	Fluorous liquid-liquid·extraction (F-LLE)			
	7.5.2	Fluorous solid-phase extraction (F-SPE)			
	7.5.3	Fluorous HPLC (F-HPLC)			
	7.5.4	Fluorous-flash chromatography (F-FC)			
7.6		ary			
			414		

Char	oter 8 Final thoughts and future perspectives	217
	Introduction	
8.2	Stability of compound collections	217
	Nanocombinatorial library and associated analytical issues	
	Green process and technologies	
References		
Index	C	221

Analytical issues in combinatorial chemistry

1.1 Combinatorial chemistry

Combinatorial chemistry research has undergone enormous development since the 1990s (Figure 1.1), and the practice of combinatorial chemistry has spread worldwide. These developments have been the subject of many reviews and books (Reviews: Jung and Beck-Sickinger, 1992; Pavia et al. 1993; Felder 1994; Janda 1994; Gordon et al. 1994; Czarnik 1995; Lyttle 1995; Thompson and Ellman 1996; DeWitt and Czarnik 1996; Still 1996; Balkenhohl et al. 1996; Lam et al. 1997; Fenniri 1996; Trautwein et al. 1997; Wentworth Jr. and Janda 1998; Dolle 2002 to 2005; Dolle et al. 2006; Schmatloch et al. 2003; Kenseth and Coldiron 2004; Zhou 2008; Moos et al. 2009. Books: Bannwarth and Hinzen 2006; Jung 2000; Bunin 1998; Gordon and Kerwin 1998; Obrecht and Villalgordo 1998; Terrett 1998; Czarnik and DeWitt 1997; Devlin 1997; Moos et al. 1997; Wilson and Czarnik 1997; Abelson 1996; Chaiken and Janda 1996; Cortese 1996; Epton 1996; Jung 1996; Geysen et al. 1995; Houghten 1995; Merrifield 1993).

Combinatorial chemistry can be defined (Czarnik 1998) as a subfield of chemistry that aims to combine a small number of chemical reagents, in all the combinations determined by a given reaction scheme, to yield a large number of well-defined products in a form that is easy to screen for properties of interest. It can be considered an umbrella term that covers a wide array of topics, including the combinatorial and high-throughput parallel synthesis and all the associated technologies for handling, analyzing, and screening these libraries and obtaining useful molecules from them. Combinatorial chemistry has come to be regarded as a tool rather than an end in itself. Its success is measured in terms of the lead compounds and new chemical entities discovered in various areas, such as molecular recognition, catalysis, drug discovery, materials science, and agrochemical applications.

The integration of combinatorial chemistry and high-throughput (HT) screening has provided a versatile and powerful tool in the drug discovery process. In drug discovery, several factors have catalyzed the dramatic growth of combinatorial chemistry. First, the rapid




Figure 1.1 Number of publications in combinatorial chemistry based on a search result in SciFinder for the term *combinatorial chemistry*.

developments in genetics and molecular biology can now provide an ever-increasing number of therapeutic target proteins for testing. Second, to meet the need for screening biological targets, significant progress in high-throughput screening technologies has been made since the beginning of the 1990s. It is possible to test more than 100,000 compounds in a period of months. This has made it clear that the synthesis of molecules has become the rate-limiting step in the drug-discovery process. Third, the huge cost and the lengthy process of developing a marketable drug have become formidable, so that all pharmaceutical companies are eagerly searching for more efficient and cost-effective ways of drug discovery. Figure 1.1 shows a literature search using SciFinder for the term combinatorial chemistry. Although the use of this term has had a 3% drop in recent years, publications on parallel synthesis, high-throughput synthesis, and compound library synthesis have increased by the same percentage. The combined research and publications have kept steady for the past eight years. Although no longer in the spotlight or heralded as the savior of the drug industry, combinatorial chemistry is alive and well: actually, combinatorial chemistry science is more prevalent and widespread than ever before (Kennedy et al. 2008).

Combinatorial synthesis is a technology that allows the rapid synthesis of large numbers of compounds with diverse features (structural and physicochemical properties). The term *combinatorial chemistry* used to be

more accurately reserved for the synthesis of compound libraries containing an extremely large number of compounds with all possible combination of substituents, to distinguish it from *parallel synthesis*, where the compound libraries consist of a smaller number of individual or discrete compounds; but it is now used indiscriminately to embrace both methodologies. Combinatorial libraries can be made on solid supports, on soluble polymer supports, or in solution.

From the vast new sources of organic compounds, efficient screening machines identify active compounds for defined targets—a process known as *lead generation*. Once active compounds are found, more focused libraries based on those chemical structures provide valuable structure-activity relationship data by way of what is known as *lead optimization*. Note that current lead generation and lead optimization are based only on *in vitro* activity. Physicochemical and other properties are optimized during a later developmental stage. Ideally, compounds with good physicochemical properties should also be selected as lead compounds, and their *in vitro* activity can be optimized in lead optimization.

In the lead identification phase, the goal is to make the most diverse organic compound libraries in the shortest time. The molecular diversity of a compound library means the greatest variation in molecular structure, size, shape, polarity, and polarizability—therefore, with a wide variation in *in vitro* activity and physicochemical properties such as LogP, solubility, permeability, metabolic stability, and bioavailability. The lead selection should be based on all of these criteria. Unfortunately, for technical and philosophical reasons, lead compounds are currently selected on the basis of *in vitro* activity alone.

1.2 Synthesis methods

Few advances in chemistry have had as profound an effect on biotechnology as solid-phase-supported synthesis. First developed by Merrifield (1963) for peptide synthesis, the method has already been adapted to small organic molecules (Fridkin et al. 1966; Leznoff 1974; Crowley and Rapoport 1976; Leznoff 1978; Frechet 1981; Hodge 1988; Brown 1997) and is now routinely used in laboratories worldwide. Although SPOS was continuously studied by several academicians in the 1970s and 1980s, the technology flourished only after the seminal publications of Bunin and Ellman (1992) and of De Witt et al. (1993).

Solid-phase chemistry has advantages that make it an extremely important combinatorial methodology. Since the synthesis is conducted on a solid support, the removal of excess reagents and byproducts is accomplished easily by a copious washing of the polymer. A large excess of reagents can be added and then washed away after the reaction terminates. This allows each reaction step to be driven very close to completion. If, on the other

hand, the reaction efficiency were to be much less than 100%, then a fraction of unreacted chains would remain incomplete at the end of each reaction step. Multiply this by any reasonable number of steps, and the resulting combinatorial library will contain a large portion of undesired products.

Two formats for library synthesis are high-throughput parallel synthesis on polymer supports or in solution, and combinatorial synthesis on polymer support using methods such as "split-and-pool" synthesis (also known as split synthesis). Parallel synthesis makes discrete compounds and, if they are pure, provides substances for unambiguous testing. The number of compounds and the diversity made through this method are, however, limited. Split synthesis, on the other hand, is a promising technique for covering much more chemical diversity. It is capable of making a library of millions of compounds, with each bead containing only one compound. In a sense, split synthesis also makes discrete compounds at a single-bead level. Because of the huge number of compounds, it is not practical at present to assay discrete compounds released from every bead. Future development in the miniaturization of HT screening will enforce this format. At present, compounds from split libraries are usually assayed in the form of mixtures. The screening of pooled compounds in solution, however, may give ambiguous results. On-bead screening has also been combined with tagging schemes in identifying lead compounds.

After years of widespread practice of SPOS, difficulties associated with this technology became more evident. First, the synthetic methods required to make organic molecules on a polymer support have not been optimized. The shortage of SPOS literature, the insufficient knowledge of solid support and its effect on SPOS, and the lack of effective ways of monitoring many diverse organic reactions on support have significantly prolonged the optimization of combinatorial reactions. Further problems include the following:

- Reactions are frequently thought to be retarded on solid phase owing to the lack of understanding of solid-phase reaction kinetics and fundamental effects of support on organic reactions.
- Heterogeneous reagents are typically less effective.
- Resin supports display significant solvent-dependent swelling and shrinking properties, which can severely affect reaction rates and site accessibility.
- The optimal solvent for resin swelling may not be the optimal solvent for the desired reaction.
- There is an attachment step and a cleavage step.

For these reasons, the size of the typical library has been decreasing since the end of the last century, while there has been an upswing of solution-phase synthesis.