

Kirk-Othmer

**Encyclopedia
of Chemical
Technology**

Third Edition

Volume 21

Silver and Silver Alloys
to Sulfolanes and Sulfones

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

VOLUME 21

**SILVER AND SILVER ALLOYS
TO
SULFOLANES AND SULFONES**

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO • SINGAPORE

Copyright © 1983 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:

Main entry under title:

Encyclopedia of chemical technology.

At head of title: Kirk-Othmer.

"A Wiley-Interscience publication."

Includes bibliographies.

I. Chemistry, Technical—Dictionaries. I. Kirk, Raymond
Eller, 1890–1957. II. Othmer, Donald Frederick, 1904—

III. Grayson, Martin. IV. Eckroth, David. V. Title:
Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1978 660'.03 77-15820

ISBN 0-471-02074-5

Printed in the United States of America

KIRK-OTHMER
ENCYCLOPEDIA
OF CHEMICAL
TECHNOLOGY

Third Edition

VOLUME 21

Silver and Silver Alloys
to
Sulfolanes and Sulfones

EDITORIAL BOARD

HERMAN F. MARK

Polytechnic Institute of New York

DONALD F. OTHMER

Polytechnic Institute of New York

CHARLES G. OVERBERGER

University of Michigan

GLENN T. SEABORG

University of California, Berkeley

EXECUTIVE EDITOR

MARTIN GRAYSON

ASSOCIATE EDITOR

DAVID ECKROTH

EDITORIAL STAFF FOR VOLUME 21

Executive Editor: **Martin Grayson**

Associate Editor: **David Eckroth**

Production Supervisor: **Michalina Bickford**

Editors: **Joyce Brown** **Caroline I. Eastman** **Carolyn Golojuch**

Anna Klingsberg **Mimi Wainwright**

CONTRIBUTORS TO VOLUME 21

Thomas A. Augurt, *Propper Manufacturing Co., Inc., Long Island City, New York*, Sterilization techniques

Kim Badenhop, *B. W. Dyer & Co., New York, New York*, Sugar economics under Sugar

Robert S. Bailey, *Lilly Industrial Coatings, Inc., Indianapolis, Indiana*, Stains, industrial

S. M. Balaban, *Monsanto Co., St. Louis, Missouri*, Sorbic acid

Elmer B. Bell, *E. I. du Pont de Nemours & Co., Inc., Wilmington, Delaware*, Sulfamic acid and sulfamates

G. N. Bollenback, *The Sugar Foundation, Washington, D. C.*, Special sugars under Sugar

D. E. Brownlee, *University of Washington, Seattle, Washington*, Space chemistry

Thomas F. Canning, *Kerr-McGee Chemical Corporation, Trona, California*, Sodium sulfates under Sodium compounds

C. E. Capes, *National Research Council of Canada, Ottawa, Canada*, Size enlargement

Frank G. Carpenter, *United States Department of Agriculture, New Orleans, Louisiana*, Sugar analysis; Cane sugar both under Sugar

C. M. Cooper, *Michigan State University, East Lansing, Michigan*, Solvent recovery

James R. Daniel, *Purdue University, West Lafayette, Indiana*, Starch

- V. G. DiFate**, *Monsanto Co., St. Louis, Missouri*, Sorbic acid
- Frederick Disque**, *Alpha Metals, Inc., Jersey City, New Jersey*, Solder and brazing alloys
- Charles Drum**, *PPG Industries, Inc., New Martinsville, West Virginia*, Sodium sulfides under Sodium compounds
- James Fair**, *University of Texas, Austin, Texas*, Sprays
- Russell E. Farris**, *Sandoz Colors & Chemicals, Inc., Martin, South Carolina*, Stilbene dyes
- B. P. Faulkner**, *Allis Chalmers Corporation, Milwaukee, Wisconsin*, Size reduction
- C. Hagopian**, *The Badger Co., Inc., Cambridge, Massachusetts*, Styrene
- Dan Halacy**, *Solar Energy Research Institute, Golden, Colorado*, Solar energy
- John F. Heiss**, *Diamond Crystal Salt Co., St. Clair, Michigan*, Sodium chloride under Sodium compounds, sodium halides
- C. S. Helling**, *Agricultural Research Service, USDA, Beltsville, Maryland*, Soil chemistry of pesticides
- C. S. Hickey**, *Monsanto Co., St. Louis, Missouri*, Sorbic acid
- Otakar Jonas**, *Westinghouse Electric Co., Philadelphia, Pennsylvania*, Steam
- P. C. Kearney**, *Agricultural Research Service, USDA, Beltsville, Maryland*, Soil chemistry of pesticides
- C. S. Keller**, *Monsanto Co., St. Louis, Missouri*, Sorbic acid
- Robert J. King**, *United States Steel Corporation, Monroeville, Pennsylvania*, Steel
- P. Koch**, *The Badger Co., Inc., Cambridge, Massachusetts*, Styrene
- John Kraljic**, *Allied Corporation, Sovay, New Jersey*, Sodium nitrite under Sodium compounds
- Eugene J. Kuhajek**, *Morton Salt, Woodstock, Illinois*, Sodium chloride under Sodium compounds, sodium halides
- Martin Laborde**, *CODELCO, Santiago, Chile*, Sodium nitrate under Sodium compounds
- Charles H. Lemke**, *University of Delaware, Newark, Delaware*, Sodium and sodium alloys
- George R. Lenz**, *Searle Laboratories, Chicago, Illinois*, Steroids
- P. J. Lewis**, *The Badger Co., Inc., Cambridge, Massachusetts*, Styrene
- Merle Lindstrom**, *Phillips Research Center, Bartlesville, Oklahoma*, Sulfolanes and sulfones
- Haines B. Lockhart, Jr.**, *Eastman Kodak Company, Rochester, New York*, Silver compounds
- Samuel Maya**, *Beecham Products, Parsippany, New Jersey*, Sodium nitrate under Sodium compounds
- R. A. McGinnis**, *Consultant, San Rafael, California*, Beet sugar under Sugar
- P. H. Merrell**, *Mallinckrodt, Inc., St. Louis, Missouri*, Sodium iodide under Sodium compounds, sodium halides
- Clyde Orr**, *Micrometrics Instrument Corp., Norcross, Georgia*, Size measurement of particles
- Frederick S. Osmer**, *Lever Brothers Co., Inc., Edgewater, New Jersey*, Soap
- K. J. Parker**, *Tate & Lyle, Ltd., Reading, Berks, United Kingdom*, Sugar derivatives under Sugar
- Clyde F. Parrish**, *Indiana State University, Terre Haute, Indiana*, Solvents, industrial
- E. M. Peters**, *Mallinckrodt, Inc., St. Louis, Missouri*, Sodium iodide under Sodium compounds, sodium halides
- A. E. Platt**, *The Dow Chemical Co., Midland, Michigan*, Styrene plastics

- J. R. Plimmer**, *Agricultural Research Service, USDA, Beltsville, Maryland*, Soil chemistry of pesticides
- H. W. Rimmer**, *Allis Chalmers Corporation, Oak Creek, Wisconsin*, Size reduction
- Robert E. Sequeira**, *Amstar Corporation, Woodland, California*, Properties of sucrose under Sugar
- George Sistare**, *Consultant, Fairfield, Connecticut*, Silver and silver alloys; Solders and brazing alloys
- V. A. Stenger**, *Dow Chemical U.S.A., Midland, Michigan*, Sodium bromide under Sodium compounds, sodium halides
- T. C. Wallace**, *The Dow Chemical Co., Midland, Michigan*, Styrene plastics
- William J. Welstead, Jr.**, *A. H. Robins Company, Inc., Richmond, Virginia*, Stimulants
- Leonard A. Wenzel**, *Lehigh University, Bethlehem, Pennsylvania*, Simultaneous heat and mass transfer
- Roy L. Whistler**, *Purdue University, West Lafayette, Indiana*, Starch
- Ralph Williams**, *Phillips Research Center, Bartlesville, Oklahoma*, Sulfolanes and sulfones
- Theodore J. Williams**, *Purdue University, West Lafayette, Indiana*, Simulation and process design
- Leon O. Windstrom**, *Consultant, East Aurora, New York*, Succinic acid and succinic anhydride
- Walter J. Wolf**, *U.S. Department of Agriculture, Peoria, Illinois*, Soybeans and other oilseed proteins
- Andrew F. Zeller**, *FMC Corporation, Philadelphia, Pennsylvania*, Strontium and strontium compounds

NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named β -phenylethylamine or, as in *Chemical Abstracts*, benzenethanamine. The usefulness of the *Encyclopedia* depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the *Chemical Abstracts* index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-, $C_8H_{17}N$; in the *Encyclopedia* this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline, and Toxline.


In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Registry numbers for each substance will be provided in the third edition cumulative index and appear as well in the annual indexes (eg, Alkaloids shows the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates have their Registry Numbers shown only in the index). Articles such as Analytical methods, Batteries and electric cells, Chemurgy, Distillation, Economic evaluation, and Fluid mechanics have no Registry Numbers in the text.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of *(S)-2-propylpiperidine*, *aniline* instead of *benzenamine*, and *acrylic acid* instead of *2-propenoic acid*).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure appears in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin, [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers the aim is to help the reader have a concise means of substance identification.

CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

SI Units (Adopted 1960)

A new system of measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

BASE UNITS

length	meter [†] (m)
mass [‡]	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature [§]	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

[†] The spellings "metre" and "litre" are preferred by ASTM; however "-er" are used in the Encyclopedia.

[‡] "Weight" is the commonly used term for "mass."

[§] Wide use is made of "Celsius temperature" (t) defined by

$$t = T - T_0$$

where T is the thermodynamic temperature, expressed in kelvins, and $T_0 = 273.15$ K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

xiv FACTORS, ABBREVIATIONS, AND SYMBOLS

SUPPLEMENTARY UNITS

plane angle
solid angle

radian (rad)
steradian (sr)

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2–4). Those derived units having special names and symbols are marked with an asterisk in the list below:

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	m/s ²	
*activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	km ²	
	square hectometer	hm ²	ha (hectare)
	square meter	m ²	
*capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m ³	
*conductance	siemens	S	A/V
current density	ampere per square meter	A/m ²	
density, mass density	kilogram per cubic meter	kg/m ³	g/L; mg/cm ³
dipole moment (quantity)	coulomb meter	C·m	
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m ³	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m ²	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electron volt [†]	eV [†]	
	kilowatt-hour [†]	kW·h [†]	

[†] This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
energy density	joule per cubic meter	J/m ³	
*force	kilonewton	kN	
	newton	N	kg·m/s ²
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m ² ·K)	
*illuminance	lux	lx	lm/m ²
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m ²	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m ²
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt watt	kW W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m ²	
*pressure, stress	megapascal kilopascal pascal	MPa kPa Pa	N/m ²
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m ³ /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second kilometer per hour	m/s km/h	
viscosity, dynamic	pascal second millipascal second	Pa·s mPa·s	
viscosity, kinematic	square meter per second	m ² /s	

Quantity	Unit	Symbol	Acceptable equivalent
	square millimeter		
	per second	mm ² /s	
volume	cubic meter	m ³	
	cubic decimeter	dm ³	L(liter) (5)
	cubic centimeter	cm ³	mL
wave number	1 per meter	m ⁻¹	
	1 per centimeter	cm ⁻¹	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication

factor	Prefix	Symbol	Note
10 ¹⁸	exa	E	
10 ¹⁵	peta	P	
10 ¹²	tera	T	
10 ⁹	giga	G	
10 ⁶	mega	M	
10 ³	kilo	k	
10 ²	hecto	h ^a	^a Although hecto, deka, deci, and centi are SI prefixes, their use should be avoided except for SI unit-multiples for area and volume and nontechnical use of centimeter, as for body and clothing measurement.
10	deka	da ^a	
10 ⁻¹	deci	d ^a	
10 ⁻²	centi	c ^a	
10 ⁻³	milli	m	
10 ⁻⁶	micro	μ	
10 ⁻⁹	nano	n	
10 ⁻¹²	pico	p	
10 ⁻¹⁵	femto	f	
10 ⁻¹⁸	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors which will appear in a later volume of the *Encyclopedia*.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-79(4) and ANSI Z210.1-1976 (6).

Conversion Factors to SI Units

To convert from	To	Multiply by
acre	square meter (m ²)	4.047 × 10 ³
angstrom	meter (m)	1.0 × 10 ^{-10†}
are	square meter (m ²)	1.0 × 10 ^{2†}
astronomical unit	meter (m)	1.496 × 10 ¹¹
atmosphere	pascal (Pa)	1.013 × 10 ⁵
bar	pascal (Pa)	1.0 × 10 ^{5†}
barn	square meter (m ²)	1.0 × 10 ^{-28†}

† Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
barrel (42 U.S. liquid gallons)	cubic meter (m ³)	0.1590
Bohr magneton (μ_B)	J/T	9.274×10^{-24}
Btu (International Table)	joule (J)	1.055×10^3
Btu (mean)	joule (J)	1.056×10^3
Btu (thermochemical)	joule (J)	1.054×10^3
bushel	cubic meter (m ³)	3.524×10^{-2}
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184 [†]
centipoise	pascal second (Pa·s)	$1.0 \times 10^{-3}\dagger$
centistoke	square millimeter per second (mm ² /s)	1.0 [†]
cfm (cubic foot per minute)	cubic meter per second (m ³ /s)	4.72×10^{-4}
cubic inch	cubic meter (m ³)	1.639×10^{-5}
cubic foot	cubic meter (m ³)	2.832×10^{-2}
cubic yard	cubic meter (m ³)	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10}\dagger$
debye	coulomb-meter (C·m)	3.336×10^{-30}
degree (angle)	radian (rad)	1.745×10^{-2}
denier (international)	kilogram per meter (kg/m) tex [†]	1.111×10^{-7} 0.1111
dram (apothecaries')	kilogram (kg)	3.888×10^{-3}
dram (avoirdupois)	kilogram (kg)	1.772×10^{-3}
dram (U.S. fluid)	cubic meter (m ³)	3.697×10^{-6}
dyne	newton (N)	$1.0 \times 10^{-5}\dagger$
dyne/cm	newton per meter (N/m)	$1.0 \times 10^{-3}\dagger$
electron volt	joule (J)	1.602×10^{-19}
erg	joule (J)	$1.0 \times 10^{-7}\dagger$
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m ³)	2.957×10^{-5}
foot	meter (m)	0.3048 [†]
footcandle	lux (lx)	10.76
furlong	meter (m)	2.012×10^{-2}
gal	meter per second squared (m/s ²)	$1.0 \times 10^{-2}\dagger$
gallon (U.S. dry)	cubic meter (m ³)	4.405×10^{-3}
gallon (U.S. liquid)	cubic meter (m ³)	3.785×10^{-3}
gallon per minute (gpm)	cubic meter per second (m ³ /s) cubic meter per hour (m ³ /h)	6.308×10^{-5} 0.2271
gauss	tesla (T)	1.0×10^{-4}
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m ³)	1.183×10^{-4}
grad	radian	1.571×10^{-2}
grain	kilogram (kg)	6.480×10^{-5}
gram force per denier	newton per tex (N/tex)	8.826×10^{-2}

† Exact.

† See footnote on p. xiv.

xviii FACTORS, ABBREVIATIONS, AND SYMBOLS

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
hectare	square meter (m ²)	$1.0 \times 10^4^\dagger$
horsepower (550 ft-lbf/s)	watt (W)	7.457×10^2
horsepower (boiler)	watt (W)	9.810×10^3
horsepower (electric)	watt (W)	$7.46 \times 10^{2\dagger}$
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	$2.54 \times 10^{-2\dagger}$
inch of mercury (32°F)	pascal (Pa)	3.386×10^3
inch of water (39.2°F)	pascal (Pa)	2.491×10^2
kilogram force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6^\dagger
kip	newton (N)	4.48×10^3
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter (cd/m ²)	3.183×10^3
league (British nautical)	meter (m)	5.559×10^3
league (statute)	meter (m)	4.828×10^3
light year	meter (m)	9.461×10^{15}
liter (for fluids only)	cubic meter (m ³)	$1.0 \times 10^{-3\dagger}$
maxwell	weber (Wb)	$1.0 \times 10^{-8\dagger}$
micron	meter (m)	$1.0 \times 10^{-6\dagger}$
mil	meter (m)	$2.54 \times 10^{-5\dagger}$
mile (statute)	meter (m)	1.609×10^3
mile (U.S. nautical)	meter (m)	$1.852 \times 10^{3\dagger}$
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	1.0×10^2
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^{2\dagger}$
minute (angular)	radian	2.909×10^{-4}
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	2.835×10^{-2}
ounce (troy)	kilogram (kg)	3.110×10^{-2}
ounce (U.S. fluid)	cubic meter (m ³)	2.957×10^{-5}
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m ³)	8.810×10^{-3}
pennyweight	kilogram (kg)	1.555×10^{-3}
pint (U.S. dry)	cubic meter (m ³)	5.506×10^{-4}
pint (U.S. liquid)	cubic meter (m ³)	4.732×10^{-4}
poise (absolute viscosity)	pascal second (Pa-s)	0.10^\dagger
pound (avoirdupois)	kilogram (kg)	0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	newton (N)	4.448
pound per square inch (psi)	pascal (Pa)	6.895×10^3
quart (U.S. dry)	cubic meter (m ³)	1.101×10^{-3}

[†] Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
quart (U.S. liquid)	cubic meter (m ³)	9.464×10^{-4}
quintal	kilogram (kg)	$1.0 \times 10^{2\dagger}$
rad	gray (Gy)	$1.0 \times 10^{-2\dagger}$
rod	meter (m)	5.029
roentgen	coulomb per kilogram (C/kg)	2.58×10^{-4}
second (angle)	radian (rad)	4.848×10^{-6}
section	square meter (m ²)	2.590×10^6
slug	kilogram (kg)	14.59
spherical candle power	lumen (lm)	12.57
square inch	square meter (m ²)	6.452×10^{-4}
square foot	square meter (m ²)	9.290×10^{-2}
square mile	square meter (m ²)	2.590×10^6
square yard	square meter (m ²)	0.8361
stere	cubic meter (m ³)	1.0 [†]
stokes (kinematic viscosity)	square meter per second (m ² /s)	$1.0 \times 10^{-4\dagger}$
tex	kilogram per meter (kg/m)	$1.0 \times 10^{-6\dagger}$
ton (long, 2240 pounds)	kilogram (kg)	1.016×10^3
ton (metric)	kilogram (kg)	$1.0 \times 10^{3\dagger}$
ton (short, 2000 pounds)	kilogram (kg)	9.072×10^2
torr	pascal (Pa)	1.333×10^2
unit pole	weber (Wb)	1.257×10^{-7}
yard	meter (m)	0.9144 [†]

Abbreviations and Unit Symbols

Following is a list of commonly used abbreviations and unit symbols appropriate for use in the *Encyclopedia*. In general they agree with those listed in *American National Standard Abbreviations for Use on Drawings and in Text* (ANSI Y1.1) (6) and *American National Standard Letter Symbols for Units in Science and Technology* (ANSI Y10) (6). Also included is a list of acronyms for a number of private and government organizations as well as common industrial solvents, polymers, and other chemicals.

Rules for Writing Unit Symbols (4):

1. Unit symbols should be printed in upright letters (roman) regardless of the type style used in the surrounding text.

2. Unit symbols are unaltered in the plural.

3. Unit symbols are not followed by a period except when used as the end of a sentence.

4. Letter unit symbols are generally written in lower-case (eg, cd for candela) unless the unit name has been derived from a proper name, in which case the first letter of the symbol is capitalized (W, Pa). Prefix and unit symbols retain their prescribed form regardless of the surrounding typography.

5. In the complete expression for a quantity, a space should be left between the numerical value and the unit symbol. For example, write 2.37 lm, *not* 2.37lm, and 35 mm, *not* 35mm. When the quantity is used in an adjectival sense, a hyphen is often used, for example, 35-mm film. *Exception:* No space is left between the numerical value and the symbols for degree, minute, and second of plane angle, and degree Celsius.