

Graduate Texts in Mathematics

Daniel Bump

Lie Groups

李群

Springer

世界图书出版公司
www.wpcbj.com.cn

Daniel Bump

Lie Groups

图书在版编目 (CIP) 数据

李群: 英文/ (美) 巴浦著. —北京: 世界图书出版
公司北京公司, 2009. 8

ISBN 978-7-5100-0500-8

I. 李… II. 巴… III. 李群—研究生—教材—英文
IV. 0152. 5

中国版本图书馆 CIP 数据核字 (2009) 第 100907 号

书 名: Lie Groups
作 者: Daniel Bump

中 译 名: 李群
责任编辑: 高蓉

出 版 者: 世界图书出版公司北京公司
印 刷 者: 三河国英印务有限公司
发 行 者: 世界图书出版公司北京公司 (北京朝内大街 137 号 100010)
联系电话: 010-64021602, 010-64015659
电子信箱: kjb@wpchj.com.cn

开 本: 24 开
印 张: 19.5
版 次: 2009 年 08 月
版权登记: 图字: 01-2009-1090

书 号: 978-7-5100-0500-8/O · 716 定 价: 55.00 元

世界图书出版公司北京公司已获得 Springer 授权在中国大陆独家重印发行

Daniel Bump
Department of Mathematics
Stanford University
450 Serra Mall, Bldg. 380
Stanford, CA 94305-2125
USA

Editorial Board

S. Axler
Mathematics Department
San Francisco State
University
San Francisco, CA 94132
USA

F.W. Gehring
Mathematics Department
East Hall
University of Michigan
Ann Arbor, MI 48109
USA

K.A. Ribet
Mathematics Department
University of California,
Berkeley
Berkeley, CA 94720-3840
USA

Mathematics Subject Classification (2000): 20xx, 22xx

Library of Congress Cataloging-in-Publication Data

Bump, Daniel.

Lie groups / Daniel Bump.

p. cm.—(Graduate texts in mathematics: 225)

Includes bibliographical references and index.

ISBN 0-387-21154-3 (hard cover : alk. paper)

© 2004 Springer Science+Business Media, Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, Inc., 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

This reprint has been authorized by Springer-Verlag (Berlin/Heidelberg/New York) for sale in the People's Republic of China only and not for export therefrom

9 8 7 6 5 4 3

springer.com

Graduate Texts in Mathematics 225

Editorial Board

S. Axler F.W. Gehring K.A. Ribet

Graduate Texts in Mathematics

- 1 TAKEUTI/ZARING. Introduction to Axiomatic Set Theory. 2nd ed.
- 2 OXToby. Measure and Category. 2nd ed.
- 3 SCHAEFER. Topological Vector Spaces. 2nd ed.
- 4 HILTON/STAMMBACH. A Course in Homological Algebra. 2nd ed.
- 5 MAC LANE. Categories for the Working Mathematician. 2nd ed.
- 6 HUGHES/PIPER. Projective Planes.
- 7 J.-P. SERRE. A Course in Arithmetic.
- 8 TAKEUTI/ZARING. Axiomatic Set Theory.
- 9 HUMPHREYS. Introduction to Lie Algebras and Representation Theory.
- 10 COHEN. A Course in Simple Homotopy Theory.
- 11 CONWAY. Functions of One Complex Variable I. 2nd ed.
- 12 BEALS. Advanced Mathematical Analysis.
- 13 ANDERSON/FULLER. Rings and Categories of Modules. 2nd ed.
- 14 GOLUBITSKY/GUILLEMIN. Stable Mappings and Their Singularities.
- 15 BERBERIAN. Lectures in Functional Analysis and Operator Theory.
- 16 WINTER. The Structure of Fields.
- 17 ROSENBLATT. Random Processes. 2nd ed.
- 18 HALMOS. Measure Theory.
- 19 HALMOS. A Hilbert Space Problem Book. 2nd ed.
- 20 HUSEMOLLER. Fibre Bundles. 3rd ed.
- 21 HUMPHREYS. Linear Algebraic Groups.
- 22 BARNES/MACK. An Algebraic Introduction to Mathematical Logic.
- 23 GREUB. Linear Algebra. 4th ed.
- 24 HOLMES. Geometric Functional Analysis and Its Applications.
- 25 HEWITT/STROMBERG. Real and Abstract Analysis.
- 26 MANES. Algebraic Theories.
- 27 KELLEY. General Topology.
- 28 ZARISKI/SAMUEL. Commutative Algebra. Vol. I.
- 29 ZARISKI/SAMUEL. Commutative Algebra. Vol. II.
- 30 JACOBSON. Lectures in Abstract Algebra I. Basic Concepts.
- 31 JACOBSON. Lectures in Abstract Algebra II. Linear Algebra.
- 32 JACOBSON. Lectures in Abstract Algebra III. Theory of Fields and Galois Theory.
- 33 HIRSCH. Differential Topology.
- 34 SPITZER. Principles of Random Walk. 2nd ed.
- 35 ALEXANDER/WERMER. Several Complex Variables and Banach Algebras. 3rd ed.
- 36 KELLEY/NAMIOKA et al. Linear Topological Spaces.
- 37 MONK. Mathematical Logic.
- 38 GRAUBERT/FRITZSCHE. Several Complex Variables.
- 39 ARVESON. An Invitation to C^* -Algebras.
- 40 KEMENY/SNELL/KNAPP. Denumerable Markov Chains. 2nd ed.
- 41 APOSTOL. Modular Functions and Dirichlet Series in Number Theory. 2nd ed.
- 42 J.-P. SERRE. Linear Representations of Finite Groups.
- 43 GILLMAN/JERISON. Rings of Continuous Functions.
- 44 KENDIG. Elementary Algebraic Geometry.
- 45 LOÈVE. Probability Theory I. 4th ed.
- 46 LOÈVE. Probability Theory II. 4th ed.
- 47 MOISE. Geometric Topology in Dimensions 2 and 3.
- 48 SACHS/WU. General Relativity for Mathematicians.
- 49 GRUENBERG/WEIR. Linear Geometry. 2nd ed.
- 50 EDWARDS. Fermat's Last Theorem.
- 51 KLINGENBERG. A Course in Differential Geometry.
- 52 HARTSHORNE. Algebraic Geometry.
- 53 MANIN. A Course in Mathematical Logic.
- 54 GRAVER/WATKINS. Combinatorics with Emphasis on the Theory of Graphs.
- 55 BROWN/PEARCY. Introduction to Operator Theory I: Elements of Functional Analysis.
- 56 MASSEY. Algebraic Topology: An Introduction.
- 57 CROWELL/FOX. Introduction to Knot Theory.
- 58 KOBLITZ. p -adic Numbers, p -adic Analysis, and Zeta-Functions. 2nd ed.
- 59 LANG. Cyclotomic Fields.
- 60 ARNOLD. Mathematical Methods in Classical Mechanics. 2nd ed.
- 61 WHITEHEAD. Elements of Homotopy Theory.
- 62 KARGAPOLOV/MERLJAKOV. Fundamentals of the Theory of Groups.
- 63 BOLLOBAS. Graph Theory.

(continued after index)

Preface

This book aims to be a course in Lie groups that can be covered in one year with a group of good graduate students. I have attempted to address a problem that anyone teaching this subject must have, which is that the amount of *essential* material is too much to cover.

One approach to this problem is to emphasize the beautiful representation theory of compact groups, and indeed this book can be used for a course of this type if after Chapter 25 one skips ahead to Part III. But I did not want to omit important topics such as the Bruhat decomposition and the theory of symmetric spaces. For these subjects, compact groups are not sufficient.

Part I covers standard general properties of representations of compact groups (including Lie groups and other compact groups, such as finite or p -adic ones). These include Schur orthogonality, properties of matrix coefficients and the Peter-Weyl Theorem.

Part II covers the fundamentals of Lie groups, by which I mean those subjects that I think are most urgent for the student to learn. These include the following topics for compact groups: the fundamental group, the conjugacy of maximal tori (two proofs), and the Weyl character formula. For noncompact groups, we start with complex analytic groups that are obtained by complexification of compact Lie groups, obtaining the Iwasawa and Bruhat decompositions. These are the reductive complex groups. They are of course a special case, but a good place to start in the noncompact world. More general noncompact Lie groups with a Cartan decomposition are studied in the last few chapters of Part II. Chapter 31, on symmetric spaces, alternates examples with theory, discussing the embedding of a noncompact symmetric space in its compact dual, the boundary components and Bergman-Shilov boundary of a symmetric tube domain, and Cartan's classification. Chapter 32 constructs the relative root system, explains Satake diagrams and gives examples illustrating the various phenomena that can occur, and reproves the Iwasawa decomposition, formerly obtained for complex analytic groups, in this more general context. Finally, Chapter 33 surveys the different ways Lie groups can be embedded in one another.

Part III returns to representation theory. The major unifying theme of Part III is Frobenius-Schur duality. This is the correspondence, originating in Schur's 1901 dissertation and emphasized by Weyl, between the irreducible representations of the symmetric group and the general linear groups. The correspondence comes from decomposing tensor spaces over both groups simultaneously. It gives a dictionary by which problems can be transferred from one group to the other. For example, Diaconis and Shahshahani studied the distribution of traces of random unitary matrices by transferring the problem of their distribution to the symmetric group. The plan of Part III is to first use the correspondence to simultaneously construct the irreducible representations of both groups and then give a series of applications to illustrate the power of this technique. These applications include random matrix theory, minors of Toeplitz matrices, branching formulae for the symmetric and unitary groups, the Cauchy identity, and decompositions of some symmetric and exterior algebras. Other thematically related topics discussed in Part III are the cohomology of Grassmannians, and the representation theory of the finite general linear groups.

This plan of giving thematic unity to the "topics" portion of the book with Frobenius-Schur the unifying theme has the effect of somewhat overemphasizing the unitary groups at the expense of other Lie groups, but for this book the advantages outweigh this disadvantage, in my opinion. The importance of Frobenius-Schur duality cannot be overstated.

In Chapters 48 and 49, we turn to the analogies between the representation theories of symmetric groups and the finite general linear groups, and between the representation theory of the finite general linear groups and the theory of automorphic forms. The representation theory of $GL(n, \mathbb{F}_q)$ is developed to the extent that we can construct the cuspidal characters and explain Harish-Chandra's "Philosophy of Cusp Forms" as an analogy between this theory and the theory of automorphic forms. It is a habit of workers in automorphic forms (which many of us learned from Piatetski-Shapiro) to use analogies with the finite field case systematically.

The three parts have been written to be somewhat independent. One may thus start with Part II or Part III and it will be quite a while before earlier material is needed. In particular, either Part II or Part III could be used as the basis of a shorter course. Regarding the independence of Part III, the Weyl character formula for the unitary groups is obtained independently of the derivation in Part II. Eventually, we need the Bruhat decomposition but not before Chapter 47. At this point, the reader may want to go back to Part II to fill this gap.

Prerequisites include the Inverse Function Theorem, the standard theorem on the existence of solutions to first order systems of differential equations and a belief in the existence of Haar measures, whose properties are reviewed in Chapter 1. Chapters 17 and 50 assume some algebraic topology, but these chapters can be skipped. Occasionally algebraic varieties and algebraic groups

are mentioned, but algebraic geometry is not a prerequisite. For affine algebraic varieties, only the definition is really needed.

The notation is mostly standard. In $\mathrm{GL}(n)$, I or I_n denotes the $n \times n$ identity matrix and if g is any matrix, ${}^t g$ denotes its transpose. Omitted entries in a matrix are zero. The identity element of a group is usually denoted 1 but also as I , if the group is $\mathrm{GL}(n)$ (or a subgroup), and occasionally as e when it seemed the other notations could be confusing. The notations \subset and \subseteq are synonymous, but we mostly use $X \subset Y$ if X and Y are known to be unequal, although we make no guarantee that we are completely consistent in this. If X is a finite set, $|X|$ denotes its cardinality.

One point where we differ with some of the literature is that the root system lives in $\mathbb{R} \otimes X^*(T)$ rather than in the dual space of the Lie algebra of the maximal torus T as in much of the literature. This is of course the right convention if one takes the point of view of algebraic groups, and it is also arguably the right point of view in general since the real significance of the roots has to do with the fact that they are characters of the torus, not that they can be interpreted as linear functionals on its Lie algebra.

To keep the book to a reasonable length, many standard topics have been omitted, and the reader may want to study some other books at the same time. Cited works are usually recommended ones.

Acknowledgments. The proofs in Chapter 36 on the Jacobi-Trudi identity were worked out years ago with Karl Rumelhart when he was still an undergraduate at Stanford. Very obviously, Chapters 40 and 41 owe a great deal to Persi Diaconis, and Chapter 43 on Cauchy's identity was suggested by a conversation with Steve Rallis. I would like to thank my students in Math 263 for staying with me while I lectured on much of this material.

This book was written using $\mathrm{T\!E\!X}$ macs, with further editing of the exported $\mathrm{L\!A\!T\!E\!X}$ file. The utilities patch and diff were used to maintain the differences between the automatically generated and the hand-edited $\mathrm{T\!E\!X}$ files. The figures were made with MetaPost. The weight diagrams in Chapter 24 were created using programs I wrote many years ago in Mathematica based on the Freudenthal multiplicity formula.

This work was supported in part by NSF grant DMS-9970841.

Daniel Bump

Contents

Preface	v
---------------	---

Part I: Compact Groups

1 Haar Measure	3
2 Schur Orthogonality	6
3 Compact Operators	17
4 The Peter-Weyl Theorem	21

Part II: Lie Group Fundamentals

5 Lie Subgroups of $GL(n, \mathbb{C})$	29
6 Vector Fields	36
7 Left-Invariant Vector Fields	41
8 The Exponential Map	46
9 Tensors and Universal Properties	50
10 The Universal Enveloping Algebra	54
11 Extension of Scalars	58
12 Representations of $\mathfrak{sl}(2, \mathbb{C})$	62
13 The Universal Cover	69

14	The Local Frobenius Theorem	79
15	Tori	86
16	Geodesics and Maximal Tori	94
17	Topological Proof of Cartan's Theorem	107
18	The Weyl Integration Formula	112
19	The Root System	117
20	Examples of Root Systems	127
21	Abstract Weyl Groups	136
22	The Fundamental Group	146
23	Semisimple Compact Groups	150
24	Highest-Weight Vectors	157
25	The Weyl Character Formula	162
26	Spin	175
27	Complexification	182
28	Coxeter Groups	189
29	The Iwasawa Decomposition	197
30	The Bruhat Decomposition	205
31	Symmetric Spaces	212
32	Relative Root Systems	236
33	Embeddings of Lie Groups	257

Part III: Topics

34	Mackey Theory	275
35	Characters of $GL(n, \mathbb{C})$	284
36	Duality between S_k and $GL(n, \mathbb{C})$	289

37	The Jacobi-Trudi Identity	297
38	Schur Polynomials and $GL(n, \mathbb{C})$	308
39	Schur Polynomials and S_k	315
40	Random Matrix Theory	321
41	Minors of Toeplitz Matrices	331
42	Branching Formulae and Tableaux	339
43	The Cauchy Identity	347
44	Unitary Branching Rules	357
45	The Involution Model for S_k	361
46	Some Symmetric Algebras	370
47	Gelfand Pairs	375
48	Hecke Algebras	384
49	The Philosophy of Cusp Forms	397
50	Cohomology of Grassmannians	428
	References	438
	Index	446

Part I: Compact Groups

Haar Measure

If G is a locally compact group, there is, up to a constant multiple, a unique regular Borel measure μ_L that is invariant under left translation. Here *left translation invariance* means that $\mu(X) = \mu(gX)$ for all measurable sets X . *Regularity* means that

$$\mu(X) = \inf \{ \mu(U) \mid U \supseteq X, U \text{ open} \} = \sup \{ \mu(K) \mid K \subseteq X, K \text{ compact} \}.$$

Such a measure is called a *left Haar measure*. It has the properties that any compact set has finite measure and any nonempty open set has measure > 0 .

We will not prove the existence and uniqueness of the Haar measure. See for example Halmos [51], Hewitt and Ross [57], Chapter IV, or Loomis [94] for a proof of this. Left-invariance of the measure amounts to left-invariance of the corresponding integral,

$$\int_G f(\gamma g) d\mu_L(g) = \int_G f(g) d\mu_L(g), \quad (1.1)$$

for any Haar integrable function f on G .

There is also a right-invariant measure, μ_R , unique up to constant multiple, called a *right Haar measure*. Left and right Haar measures may or may not coincide. For example, if

$$G = \left\{ \begin{pmatrix} y & x \\ 0 & 1 \end{pmatrix} \mid x, y \in \mathbb{R}, y > 0 \right\},$$

then it is easy to see that the left- and right-invariant measures are, respectively,

$$d\mu_L = y^{-2} dx dy, \quad d\mu_R = y^{-1} dx dy.$$

They are not the same. However, there are many cases where they do coincide, and if the left Haar measure is also right-invariant, we call G *unimodular*.

Conjugation is an automorphism of G , and so it takes a left Haar measure to another left Haar measure, which must be a constant multiple of the first. Thus, if $g \in G$, there exists a constant $\delta(g) > 0$ such that

$$\int_G f(g^{-1}hg) d\mu_L(h) = \delta(g) \int_G f(h) d\mu_L(h).$$

If G is a topological group, a *quasicharacter* is a continuous homomorphism $\chi : G \rightarrow \mathbb{C}^\times$. If $|\chi(g)| = 1$ for all $g \in G$, then χ is a *unitary quasicharacter*.

Proposition 1.1. *The function $\delta : G \rightarrow \mathbb{R}_+^\times$ is a quasicharacter. The measure $\delta(h)\mu_L(h)$ is right-invariant.*

The measure $\delta(h)\mu_L(h)$ is a right Haar measure, and we may write $\mu_R(h) = \delta(h)\mu_L(h)$. The quasicharacter δ is called the *modular quasicharacter*.

Proof. Conjugation by first g_1 and then g_2 is the same as conjugation by g_1g_2 in one step. Thus $\delta(g_1g_2) = \delta(g_1)\delta(g_2)$, so δ is a quasicharacter. Using (1.1),

$$\delta(g) \int_G f(h) d\mu_L(h) = \int_G f(g \cdot g^{-1}hg) d\mu_L(h) = \int_G f(hg) d\mu_L(h).$$

Replace f by $f\delta$ in this identity and then divide both sides by $\delta(g)$ to find that

$$\int_G f(h) \delta(h) d\mu_L(h) = \int_G f(hg) \delta(h) d\mu_L(h).$$

Thus, the measure $\delta(h) d\mu_L(h)$ is right-invariant. □

Proposition 1.2. *If G is compact, then G is unimodular and $\mu_L(G) < \infty$.*

Proof. Since δ is a homomorphism, the image of δ is a subgroup of \mathbb{R}_+^\times . Since G is compact, $\delta(G)$ is also compact, and the only compact subgroup of \mathbb{R}_+^\times is just $\{1\}$. Thus δ is trivial, so a left Haar measure is right-invariant. We have mentioned as an assumed fact that the Haar volume of any compact subset of a locally compact group is finite, so if G is finite, its Haar volume is finite. □

If G is compact, then it is natural to normalize the Haar measure so that G has volume 1.

To simplify our notation, we will denote $\int_G f(g) d\mu_L(g)$ by $\int_G f(g) dg$.

Proposition 1.3. *If G is unimodular, then the map $g \rightarrow g^{-1}$ is an isometry.*

Proof. It is easy to see that $g \rightarrow g^{-1}$ turns a left Haar measure into a right Haar measure. If left and right Haar measures agree, then $g \rightarrow g^{-1}$ multiplies the left Haar measure by a positive constant, which must be 1 since the map has order 2. □

EXERCISES

Exercise 1.1. Let $d_a X$ denote the Lebesgue measure on $\text{Mat}_n(\mathbb{R})$. It is of course a Haar measure for the additive group $\text{Mat}_n(\mathbb{R})$. Show that $|\det(X)|^{-n} d_a X$ is both a left and a right Haar measure on $\text{GL}(n, \mathbb{R})$.

Exercise 1.2. Let P be the subgroup of $\text{GL}(r+s, \mathbb{R})$ consisting of matrices of the form

$$p = \begin{pmatrix} g_1 & X \\ & g_2 \end{pmatrix}, \quad g_1 \in \text{GL}(r, \mathbb{R}), \quad g_2 \in \text{GL}(s, \mathbb{R}), \quad X \in \text{Mat}_{r \times s}(\mathbb{R}).$$

Let dg_1 and dg_2 denote Haar measures on $\text{GL}(r, \mathbb{R})$ and $\text{GL}(s, \mathbb{R})$, and let $d_a X$ denote an additive Haar measure on $\text{Mat}_{r \times s}(\mathbb{R})$. Show that

$$d_L p = |\det(g_1)|^{-s} dg_1 dg_2 d_a X, \quad d_R p = |\det(g_2)|^{-r} dg_1 dg_2 d_a X,$$

are (respectively) left and right Haar measures on P , and conclude that the modular quasicharacter of P is

$$\delta(p) = |\det(g_1)|^s |\det(g_2)|^{-r}.$$