Arnol'd

# Ordinary Differential Equations

常微分方程



Springer-Verlag 光界的まま版でる



ISBN 7-5062-5946-X/O・365 WB5946 定价:45.00元 

### Vladimir I. Arnol'd

## Ordinary Differential Equations

Translated from the Russian by Roger Cooke

With 272 Figures

Springer-Verlag
Berlin Heidelberg New York
London Paris Tokyo
Hong Kong Barcelona
Budapest

Vladimir I. Arnol'd Steklov Mathematical Institute ul. Vavilova 42 Moscow 117966, USSR

Translator:

Roger Cooke Department of Mathematics University of Vermont Burlington, VT 05405, USA

Title of the original Russian edition: Obyknovennye differentsial'nye uravneniya, 3rd edition, Publisher Nauka, Moscow 1984

Mathematics Subject Classification (1991): 34-01

ISBN 3-540-54813-0 Springer-Verlag Berlin Heidelberg New York ISBN 0-387-54813-0 Springer-Verlag New York Heidelberg Berlin

Library of Congress Cataloging-in-Publication Data

Arnol'd, V. I. (Vladimir Igorevich), 1937- [Obyknovennye differentsial'nye uravneniiâ. English] Ordinary differential equations / Vladimir I. Arnol'd; translated from the Russian by Roger Cooke. - 3rd ed. Translation of: Obyknovennye differentsial'nye uravneniiâ. Includes bibliographical references and index.

ISBN 3-540-54813-0 (Berlin). – ISBN 0-387-54813-0 (New York) 1. Differential equations. I.Title. QA327.A713 1992 515'.352-dc20 91-44188

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and a copyright fee must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1992

This reprint has been authorized by Springer-Verlag (Berlin/Heidelberg/New York) for sale in the People's Republic of China only and not for export therefrom.

Reprinted in China by Beijing World Publishing Corporation, 2003

### Springer Textbook





#### Preface to the Third Edition

The first two chapters of this book have been thoroughly revised and significantly expanded. Sections have been added on elementary methods of integration (on homogeneous and inhomogeneous first-order linear equations and on homogeneous and quasi-homogeneous equations), on first-order linear and quasi-linear partial differential equations, on equations not solved for the derivative, and on Sturm's theorems on the zeros of second-order linear equations. Thus the new edition contains all the questions of the current syllabus in the theory of ordinary differential equations.

In discussing special devices for integration the author has tried throughout to lay bare the geometric essence of the methods being studied and to show how these methods work in applications, especially in mechanics. Thus to solve an inhomogeneous linear equation we introduce the delta-function and calculate the retarded Green's function; quasi-homogeneous equations lead to the theory of similarity and the law of universal gravitation, while the theorem on differentiability of the solution with respect to the initial conditions leads to the study of the relative motion of celestial bodies in neighboring orbits.

The author has permitted himself to include some historical digressions in this preface. Differential equations were invented by Newton (1642–1727). Newton considered this invention of his so important that he encoded it as an anagram whose meaning in modern terms can be freely translated as follows: "The laws of nature are expressed by differential equations."

One of Newton's fundamental analytic achievements was the expansion of all functions in power series (the meaning of a second, long anagram of Newton's to the effect that to solve any equation one should substitute the series into the equation and equate coefficients of like powers). Of particular importance here was the discovery of Newton's binomial formula (not with integer exponents, of course, for which the formula was known, for example, to Viète (1540–1603), but – what is particularly important – with fractional and negative exponents). Newton expanded all the elementary functions in "Taylor series" (rational functions, radicals, trigonometric, exponential, and logarithmic functions). This, together with a table of primitives compiled by Newton (which entered the modern textbooks of analysis almost unaltered), enabled him, in his words, to compare the areas of any figures "in half of a quarter of an hour."

#### Preface to the Third Edition

2

Newton pointed out that the coefficients of his series were proportional to the successive derivatives of the function, but did not dwell on this, since he correctly considered that it was more convenient to carry out all the computations in analysis not by repeated differentiation, but by computing the first terms of a series. For Newton the connection between the coefficients of a series and the derivatives was more a means of computing derivatives than a means of constructing the series.

On of Newton's most important achievements is his theory of the solar system expounded in the *Mathematical Principles of Natural Philosophy* (the *Principia*) without using mathematical analysis. It is usually assumed that Newton discovered the law of universal gravitation using his analysis. In fact Newton deserves the credit only for proving that the orbits are ellipses (1680) in a gravitational field subject to the inverse-square law; the actual law of gravitation was shown to Newton by Hooke (1635–1703) (cf. § 8) and seems to have been guessed by several other scholars.

Modern physics begins with Newton's *Principia*. The completion of the formation of analysis as an independent scientific discipline is connected with the name of Leibniz (1646–1716). Another of Leibniz' grand achievements is the broad publicizing of analysis (his first publication is an article in 1684) and the development of its algorithms<sup>1</sup> to complete automatization: he thus discovered a method of teaching how to use analysis (and teaching analysis itself) to people who do not understand it at all – a development that has to be resisted even today.

Among the enormous number of eighteenth-century works on differential equations the works of Euler (1707–1783) and Lagrange (1736–1813) stand out. In these works the theory of small oscillations is first developed, and consequently also the theory of linear systems of differential equations; along the way the fundamental concepts of linear algebra arose (eigenvalues and eigenvectors in the n-dimensional case). The characteristic equation of a linear operator was long called the secular equation, since it was from just such an equation that the secular perturbations (long-term, i.e., slow in comparison with the annual motion) of planetary orbits were determined in accordance with Lagrange's theory of small oscillations. After Newton, Laplace and Lagrange and later Gauss (1777–1855) develop also the methods of perturbation theory.

When the unsolvability of algebraic equations in radicals was proved, Liouville (1809–1882) constructed an analogous theory for differential equations, establishing the impossibility of solving a variety of equations (including such classical ones as second-order linear equations) in elementary functions and quadratures. Later S. Lie (1842–1899), analyzing the problem of integration equations in quadratures, discovered the need for a detailed investigation of groups of diffeomorphisms (afterwards known as Lie groups) – thus from the

Incidentally the concept of a matrix, the notation  $a_{ij}$ , the beginnings of the theory of determinants and systems of linear equations, and one of the first computing machines, are due to Leibniz.

theory of differential equations arose one of the most fruitful areas of modern mathematics, whose subsequent development was closely connected with completely different questions (Lie algebras had been studied even earlier by Poisson (1781–1840), and especially by Jacobi (1804–1851)).

A new epoch in the development of the theory of differential equations begins with the works of Poincaré (1854-1912), the "qualitative theory of differential equations," created by him, taken together with the theory of functions of a complex variable, lead to the foundation of modern topology. The qualitative theory of differential equations, or, as it is more frequently known nowadays, the theory of dynamical systems, is now the most actively developing area of the theory of differential equations, having the most important applications in physical science. Beginning with the classical works of A. M. Lyapunov (1857-1918) on the theory of stability of motion, Russian mathematicians have taken a large part in the development of this area (we mention the works of A. A. Andronov (1901-1952) on bifurcation theory, A. A. Andronov and L. S. Pontryagin on structural stability, N. M. Krylov (1879-1955) and N. N. Bogolyubov on the theory of averaging, A. N. Kolmogorov on the theory of perturbations of conditionally-periodic motions). A study of the modern achievements, of course, goes beyond the scope of the present book (one can become acquainted with some of them, for example, from the author's books, Geometrical Methods in the Theory of Ordinary Differential Equations, Springer-Verlag, New York, 1983; Mathematical Methods of Classical Mechanics, Springer-Verlag, New York, 1978; and Catastrophe Theory, Springer-Verlag, New York, 1984).

The author is grateful to all the readers of earlier editions, who sent their comments, which the author has tried to take account of in revising the book, and also to D. V. Anosov, whose numerous comments promoted the improvement of the present edition.

V. I. Arnol'd

#### From the Preface to the First Edition

In selecting the material for this book the author attempted to limit the material to the bare minimum. The heart of the course is occupied by two circles of ideas: the theorem on the rectification of a vector field (equivalent to the usual existence, uniqueness, and differentiability theorems) and the theory of one-parameter groups of linear transformations (i.e., the theory of autonomous linear systems).

The applications of ordinary differential equations in mechanics are studied in more detail than usual. The equation of the pendulum makes its appearance at an early stage,; thereafter efficiency of the concepts introduced is always verified through this example. Thus the law of conservation of energy appears in the section on first integrals, the "small parameter method" is derived from the theorem on differentiation with respect to a parameter, and the theory of linear equations with periodic coefficients leads naturally to the study of the swing ("parametric resonance").

The exposition of many topics in the course differs widely from the traditional exposition. The author has striven throughout to make plain the geometric, qualitative side of the phenomena being studied. In accordance with this principle there are many figures in the book, but not a single complicated formula. On the other hand a whole series of fundamental concepts appears, concepts that remain in the shadows in the traditional coordinate presentation (the phase space and phase flows, smooth manifolds and bundles, vector fields and one-parameter diffeomorphism groups). The course could have been significantly shortened if these concepts had been assumed to be known. Unfortunately at present these topics are not included in courses of analysis or geometry. For that reason the author was obliged to expound them in some detail, assuming no previous knowledge on the part of the reader beyond the standard elementary courses of analysis and linear algebra.

The present book is based on a year-long course of lectures that the author gave to second-year mathematics majors at Moscow University during the years 1968–1970.

In preparing these lectures for publication the author received a great deal of help from R. I. Bogdanov. The author is grateful to him and all the students and colleagues who communicated their comments on the mimeographed text of the lectures (MGU, 1969). The author is also grateful to the reviewers D. V. Anosov and S. G. Krein for their attentive review of the manuscript.

1971 V. Arnol'd

#### Frequently used notation

R - the set (group, field) of real numbers. C - the set (group, field) of complex numbers. Z - the set (group, ring) of integers.  $x \in X \subset Y - x$  is an element of the subset X of the set Y.  $X \cap Y$ ,  $X \cup Y$  - the intersection and union of the sets X and Y.  $f: X \to Y - f$  is a mapping of the set X into the set Y.  $x \mapsto y$  - the mapping takes the point x to the point y.  $f \circ g$  - the composite of the mappings (g being applied first).  $\exists, \forall$  - there exists, for all.

\* - a problem or theorem that is not obligatory (more difficult).

 $\mathbb{R}^n$  - a vector space of dimension n over the field  $\mathbb{R}$ .

Other structures may be considered in the set  $\mathbb{R}^n$  (for example, an affine structure, a Euclidean structure, or the direct product of n lines). Usually this will be noted specifically ("the affine space  $\mathbb{R}^n$ ", "the Euclidean space  $\mathbb{R}^n$ ", "the coordinate space  $\mathbb{R}^n$ ", and so forth).

Elements of a vector space are called *vectors*. Vectors are usually denoted by bold face letters  $(v, \xi, and so forth)$ . Vectors of the coordinate space  $\mathbb{R}^n$  are identified with *n*-tuples of numbers. We shall write, for example,  $v = (v_1, \ldots, v_n) = v_1 e_1 + \cdots + v_n e_n$ ; the set of *n* vectors  $e_i$  is called a *coordinate basis* in  $\mathbb{R}^n$ .

We shall often encounter functions a real variable t called *time*. The derivative with respect to t is called *velocity* and is usually denoted by a dot over the letter:  $\dot{x} = dx/dt$ .

#### Contents

Chapter 1. Basic Concepts	13
§ 1. Phase Spaces  1. Examples of Evolutionary Processes  2. Phase Spaces  3. The Integral Curves of a Direction Field  4. A Differential Equation and its Solutions  5. The Evolutionary Equation with a One-dimensional	13 13 14 16 17
Phase Space  6. Example: The Equation of Normal Reproduction  7. Example: The Explosion Equation  8. Example: The Logistic Curve  9. Example: Harvest Quotas  10. Example: Harvesting with a Relative Quota  11. Equations with a Multidimensional Phase Space	19 21 23 24 25 26 27
12. Example: The Differential Equation of a Predator-Prey System  13. Example: A Free Particle on a Line  14. Example: Free Fall  15. Example: Small Oscillations  16. Example: The Mathematical Pendulum  17. Example: The Inverted Pendulum  18. Example: Small Oscillations of a Spherical Pendulum	28 31 32 32 33 34 34
§ 2. Vector Fields on the Line  1. Existence and Uniqueness of Solutions  2. A Counterexample  3. Proof of Uniqueness  4. Direct Products  5. Examples of Direct Products  6. Equations with Separable Variables  7. An Example: The Lotka-Volterra Model	36 36 37 39 39 41 43
§ 3. Linear Equations	48 48

Contents	7
<ol> <li>First-order Homogeneous Linear Equations with Periodic Coefficients</li> <li>Inhomogeneous Linear Equations</li> <li>The Influence Function and δ-shaped Inhomogeneities</li> <li>Inhomogeneous Linear Equations with Periodic Coefficients</li> </ol>	49 53 53 56
4. Phase Flows  1. The Action of a Group on a Set  2. One-parameter Transformation Groups  3. One-parameter Diffeomorphism Groups  4. The Phase Velocity Vector Field	57 57 59 61 63
5. The Action of Diffeomorphisms on Vector Fields and Direction Fields.  1. The Action of Smooth Mappings on Vectors.  2. The Action of Diffeomorphisms on Vector Fields.  3. Change of Variables in an Equation.  4. The Action of a Diffeomorphism on a Direction Field.  5. The Action of a Diffeomorphism on a Phase Flow.	66 66 70 72 73 75
1. Symmetries 1. Symmetry Groups 2. Application of a One-parameter Symmetry Group to Integrate an Equation 3. Homogeneous Equations 4. Quasi-homogeneous Equations 5. Similarity and Dimensional Considerations 6. Methods of Integrating Differential Equations	76 76 77 79 82 84 86
Chapter 2. Basic Theorems	89
7. Rectification Theorems  1. Rectification of a Direction Field.  2. Existence and Uniqueness Theorems  3. Theorems on Continuous and Differentiable Dependence of the	89 89 92
	93 96 97 100 103
2 • 10 10 10 10 10 10 10 10 10 10 10 10 10	104 104 107
3. Differentiability and Extension Theorems	108

4. Systems of Equations	
§ 9. The Phase Curves of an Autonomous System  1. Autonomous Systems  2. Translation over Time  3. Closed Phase Curves	117 117
§ 10. The Derivative in the Direction of a Vector Field and First Integrals  1. The Derivative in the Direction of a Vector  2. The Derivative in the Direction of a Vector Field  3. Properties of the Directional Derivative  4. The Lie Algebra of Vector Fields  5. First Integrals  6. Local First Integrals  7. Time-Dependent First Integrals	121 121 122 123 124 125 126
§ 11. First-order Linear and Quasi-linear Partial Differentic Equations  1. The Homogeneous Linear Equation 2. The Cauchy Problem 3. The Inhomogeneous Linear Equation 4. The Quasi-linear Equation 5. The Characteristics of a Quasi-linear Equation 6. Integration of a Quasi-linear Equation 7. The First-order Nonlinear Partial Differential Equation	129 130 131 132 133
§ 12. The Conservative System with one Degree of Freedor  1. Definitions 2. The Law of Conservation of Energy 3. The Level Lines of the Energy 4. The Level Lines of the Energy Near a Singular Point 5. Extension of the Solutions of Newton's Equation 6. Noncritical Level Lines of the Energy 7. Proof of the Theorem of Sect. 6 8. Critical Level Lines 9. An Example 10. Small Perturbations of a Conservative System.	138 139 140 142 144 145 146 147 148
Chapter 3. Linear Systems	152
§ 13. Linear Problems  1. Example: Linearization  2. Example: One-parameter Groups of Linear Transformations	152
$R^n$	153
§ 14. The Exponential Function	155

	Contents	9
	<ol> <li>The Norm of an Operator</li> <li>The Metric Space of Operators</li> <li>Proof of Completeness</li> <li>Series</li> <li>Definition of the Exponential e<sup>A</sup></li> <li>An Example</li> <li>The Exponential of a Diagonal Operator</li> <li>The Exponential of a Nilpotent Operator</li> <li>Quasi-polynomials</li> </ol>	155 156 156 157 158 159 160 160
§	<ol> <li>Properties of the Exponential</li> <li>The Group Property.</li> <li>The Fundamental Theorem of the Theory of Linear Equations with Constant Coefficients.</li> <li>The General Form of One-parameter Groups of Linear Transformations of the Space R<sup>n</sup>.</li> <li>A Second Definition of the Exponential.</li> </ol>	162 163 164 165 165
	<ol> <li>An Example: Euler's Formula for e<sup>z</sup></li> <li>Euler's Broken Lines</li> </ol>	166 167
§	<ol> <li>The Determinant of an Exponential</li> <li>The Determinant of an Operator</li> <li>The Trace of an Operator</li> <li>The Connection Between the Determinant and the Trace</li> <li>The Determinant of the Operator e<sup>A</sup></li> </ol>	169 169 170 171 171
8	<ul> <li>17. Practical Computation of the Matrix of an Exponential – The Case when the Eigenvalues are Real and Distinct</li> <li>1. The Diagonalizable Operator</li></ul>	173 173 174 175
8	18. Complexification and Realification  1. Realification  2. Complexification  3. The Complex Conjugate  4. The Exponential, Determinant, and Trace of a Complex Operator  5. The Derivative of a Curve with Complex Values	177 177 177 177 178 179 180
§	<ol> <li>The Linear Equation with a Complex Phase Space</li> <li>Definitions</li> <li>The Fundamental Theorem</li> <li>The Diagonalizable Case</li> <li>Example: A Linear Equation whose Phase Space is a Complex Line</li> <li>Corollary</li> </ol>	181 181 181 182 182
§	20. The Complexification of a Real Linear Equation  1. The Complexified Equation	185 185

	<ol> <li>The Invariant Subspaces of a Real Operator.</li> <li>The Linear Equation on the Plane.</li> <li>The Classification of Singular Points in the Plane.</li> <li>Example: The Pendulum with Friction.</li> <li>The General Solution of a Linear Equation in the Case when the Characteristic Equation Has Only Simple Roots.</li> </ol>	187 189 190 191
8	<ol> <li>The Classification of Singular Points of Linear Systems.</li> <li>Example: Singular Points in Three-dimensional Space</li> <li>Linear, Differentiable, and Topological Equivalence</li> <li>The Linear Classification</li> <li>The Differentiable Classification</li> </ol>	195 195 197 198 199
8	<ol> <li>The Topological Classification of Singular Points.</li> <li>Theorem</li> <li>Reduction to the Case m<sub>-</sub> = 0.</li> <li>The Lyapunov Function</li> <li>Construction of the Lyapunov Function</li> <li>An Estimate of the Derivative</li> <li>Construction of the Homeomorphism h</li> <li>Proof of Lemma 3</li> <li>Proof of the Topological Classification Theorem</li> </ol>	199 199 200 201 202 204 206 207 208
8	23. Stability of Equilibrium Positions  1. Lyapunov Stability  2. Asymptotic Stability  3. A Theorem on Stability in First Approximation  4. Proof of the Theorem	210 210 211 211 212
§	24. The Case of Purely Imaginary Eigenvalues  1. The Topological Classification  2. An Example.  3. The Phase Curves of Eq. (4) on the Torus  4. Corollaries  5. The Multidimensional Case  6. The Uniform Distribution	215 215 215 217 219 219 220
§	<ol> <li>The Case of Multiple Eigenvalues.</li> <li>The Computation of e<sup>A</sup>t, where A is a Jordan Block.</li> <li>Applications.</li> <li>Applications to Systems of Equations of Order Higher than the First.</li> <li>The Case of a Single nth-order Equation.</li> <li>On Recursive Sequences.</li> <li>Small Oscillations</li> </ol>	221 221 223 224 225 226 227
§	26. Quasi-polynomials	229 229 230