

Jari Kaipio
E. Somersalo

Applied Mathematical Sciences 160

Statistical and Computational Inverse Problems

With 102 Figures

统计和计算逆问题


Springer

世界图书出版公司
www.wpcbj.com.cn

Jari Kaipio Erkki Somersalo

Statistical and Computational Inverse Problems

With 102 Figures



 Springer

Jari P. Kaipio
Department of Applied Physics
University of Kuopio
70211 Kuopio
Finland
Jari.Kaipio@uku.fi

Erkki Somersalo
Institute of Mathematics
Helsinki University of Technology
02015 HUT
Finland
Erkki.Somersalo@hut.fi

Editors:

S.S. Antman
Department of Mathematics
and
Institute for Physical Science
and Technology
University of Maryland
College Park, MD 20742-4015
USA
ssa@math.umd.edu

J.E. Marsden
Control and Dynamical
Systems, 107-81
California Institute of
Technology
Pasadena, CA 91125
USA
marsden@cds.caltech.edu

L. Sirovich
Laboratory of Applied
Mathematics
Department of
Biomathematical Sciences
Mount Sinai School
of Medicine
New York, NY 10029-6574
USA
chico@camelot.mssm.edu

Mathematics Subject Classification (2000): 15A29, 35R25, 35R30, 62F15, 62P30, 62P35, 62K05, 65C05, 65C40, 65J20, 65J22, 65F10, 65F22, 65N21, 65R30, 65R32, 78A70

Library of Congress Cataloging-in-Publication Data
Kaipio, Jari.

Statistical and computational inverse problems / Jari Kaipio and Erkki Somersalo.

p. cm. — (Applied mathematical sciences)

"April 1, 2004."

Includes bibliographical references and index.

ISBN 0-387-22073-9 (alk. paper)

I. Inverse problems (Differential equations) 2. Inverse problems (Differential equations)—Numerical solutions. I. Somersalo, Erkki. II. Title. III. Applied mathematical sciences (Springer-Verlag New York, Inc.)

QA377.K33 2004

515'.357—dc22

2004049181

ISBN 0-387-22073-9

© 2005 Springer Science+Business Media, Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, Inc., 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandise Marks Act, may accordingly be used freely by anyone.

Reprint from English language edition:

Statistical and Computational Inverse Problems

by Jari Kaipio, E. Somersalo

Copyright © 2005, Springer Science+Business Media, Inc.

This reprint has been authorized by Springer Science & Business Media for distribution in China Mainland only and not for export therefrom.

To Eerika, Paula, Maija and Noora

*Between the idea
And the reality
Between the motion
And the act
Falls the Shadow*

T.S. Eliot

Preface

This book is aimed at postgraduate students in applied mathematics as well as at engineering and physics students with a firm background in mathematics. The first four chapters can be used as the material for a first course on inverse problems with a focus on computational and statistical aspects. On the other hand, Chapters 3 and 4, which discuss statistical and nonstationary inversion methods, can be used by students already having knowledge of classical inversion methods.

There is rich literature, including numerous textbooks, on the classical aspects of inverse problems. From the numerical point of view, these books concentrate on problems in which the measurement errors are either very small or in which the error properties are known exactly. In real-world problems, however, the errors are seldom very small and their properties in the deterministic sense are not well known. For example, in classical literature the error norm is usually assumed to be a known real number. In reality, the error norm is a random variable whose mean might be known.

Furthermore, the classical literature usually assumes that the operator equations that describe the observations are exactly known. Again, usually when computational solutions based on real-world measurements are required, one should take into account that the mathematical models are themselves only approximations of real-world phenomena. Moreover, for computational treatment of the problem, the models must be discretized, and this introduces additional errors. Thus, the discrepancy between the measurements and the predictions by the observation model are not only due to the “noise that has been added to the measurements.” One of the central topics in this book is the statistical analysis of errors generated by modelling.

There is rich literature also in statistics, especially concerning Bayesian statistics, that is fully relevant in inverse problems. This literature has been fairly little known to the inverse problems community, and thus the main aim of this book is to introduce the statistical concepts to this community. As for statisticians, the book contains probably little new information regarding, for example, sampling methods. However, the development of realistic observation

models based, for example, on partial differential equations and the analysis of the associated modelling errors might be useful.

As for citations, in Chapters 1–6 we mainly refer to books for further reading and do not discuss historical development of the topics. Chapter 7, which discusses our previous and some new research topics, also does not contain reviews of the applications. Here we refer mainly to the original publications as well as to sources that contain modifications and extensions which serve to illustrate the potential of the statistical approach.

Chapters 5–7, which form the second part of the book, focus on problems for which the models for measurement errors, errorless observations and the unknown are really taken as *models*, which themselves may contain uncertainties. For example, several observation models are based on partial differential equations and boundary value problems. It might be that part of the boundary value data are inherently unknown. We would then attempt to model these boundary data as random variables that could either be treated as secondary unknowns or taken as a further source of uncertainty and compute its contribution to the discrepancy between the observation model and the predictions given by the observation model.

In the examples, especially in Chapter 7 that discusses nontrivial problems, we concentrate on research that we have carried out earlier. However, we also treat topics that either have not yet been published or are discussed here with more rigor than in the original publications.

We have tried to enhance the readability of the book by avoiding citations in the main text. Every chapter has a section called “Notes and Comments” where the citations and further reading, as well as brief comments on more advanced topics, are given.

We are grateful to our colleague and friend, Markku Lehtinen, who has advocated the statistical approach to inverse problems for decades and brought this topic to our attention. Much of the results in Chapter 7 have been done in collaboration with our present and former graduate students - as well as other scientists. We have been privileged to work with them and thank them all. We mention here only the people who have contributed directly to this book by making modifications to their computational implementations or otherwise: Dr. Ville Kolehmainen for Sections 7.2 and 7.9, Dr. Arto Voutilainen for Section 7.4, Mr. Aku Seppänen for Sections 7.5 and 7.7 and Ms. Jenni Heino for Section 7.8. We are also much obliged to Daniela Calvetti for carefully reading and commenting the whole manuscript and to the above-mentioned people for reading some parts of the book. For possible errors that remain we assume full responsibility.

This work was financially supported by the Academy of Finland and the Finnish Academy of Science and Letters (JPK) to whom thanks are due. Thanks are also due to the inverse problems group at the University of Kuopio and to vice head of the Applied Physics department, Dr. Ari Laaksonen, who saw to the other author’s duties during his leave. Thanks are also due to Dr. Geoff Nicholls and Dr. Colin Fox from the University of Auckland, NZ, where

much of the novel material in this book was conceived during the authors' visits there.

Helsinki and Kuopio
June 2004

Jari P. Kaipio
Erkki Somersalo

Contents

Preface	IX
1 Inverse Problems and Interpretation of Measurements	1
1.1 Introductory Examples	3
1.2 Inverse Crimes	5
2 Classical Regularization Methods	7
2.1 Introduction: Fredholm Equation	7
2.2 Truncated Singular Value Decomposition	10
2.3 Tikhonov Regularization	16
2.3.1 Generalizations of the Tikhonov Regularization	24
2.4 Regularization by Truncated Iterative Methods	27
2.4.1 Landweber–Fridman Iteration	27
2.4.2 Kaczmarz Iteration and ART	31
2.4.3 Krylov Subspace Methods	39
2.5 Notes and Comments	46
3 Statistical Inversion Theory	49
3.1 Inverse Problems and Bayes' Formula	50
3.1.1 Estimators	52
3.2 Construction of the Likelihood Function	55
3.2.1 Additive Noise	56
3.2.2 Other Explicit Noise Models	58
3.2.3 Counting Process Data	60
3.3 Prior Models	62
3.3.1 Gaussian Priors	62
3.3.2 Impulse Prior Densities	62
3.3.3 Discontinuities	65
3.3.4 Markov Random Fields	66
3.3.5 Sample-based Densities	70
3.4 Gaussian Densities	72

3.4.1	Gaussian Smoothness Priors	79
3.5	Interpreting the Posterior Distribution	90
3.6	Markov Chain Monte Carlo Methods	91
3.6.1	The Basic Idea	91
3.6.2	Metropolis–Hastings Construction of the Kernel	94
3.6.3	Gibbs Sampler	98
3.6.4	Convergence	106
3.7	Hierarcical Models	108
3.8	Notes and Comments	112
4	Nonstationary Inverse Problems	115
4.1	Bayesian Filtering	115
4.1.1	A Nonstationary Inverse Problem	116
4.1.2	Evolution and Observation Models	118
4.2	Kalman Filters	123
4.2.1	Linear Gaussian Problems	123
4.2.2	Extended Kalman Filters	126
4.3	Particle Filters	129
4.4	Spatial Priors	133
4.5	Fixed-lag and Fixed-interval Smoothing	138
4.6	Higher-order Markov Models	140
4.7	Notes and Comments	143
5	Classical Methods Revisited	145
5.1	Estimation Theory	146
5.1.1	Maximum Likelihood Estimation	146
5.1.2	Estimators Induced by Bayes Costs	147
5.1.3	Estimation Error with Affine Estimators	149
5.2	Test Cases	150
5.2.1	Prior Distributions	150
5.2.2	Observation Operators	152
5.2.3	The Additive Noise Models	155
5.2.4	Test Problems	157
5.3	Sample-Based Error Analysis	158
5.4	Truncated Singular Value Decomposition	159
5.5	Conjugate Gradient Iteration	162
5.6	Tikhonov Regularization	164
5.6.1	Prior Structure and Regularization Level	166
5.6.2	Misspecification of the Gaussian Observation Error Model	170
5.6.3	Additive Cauchy Errors	173
5.7	Discretization and Prior Models	175
5.8	Statistical Model Reduction, Approximation Errors and Inverse Crimes	181
5.8.1	An Example: Full Angle Tomography and CGNE	184

5.9	Notes and Comments	186
6	Model Problems	189
6.1	X-ray Tomography	189
6.1.1	Radon Transform	190
6.1.2	Discrete Model	192
6.2	Inverse Source Problems	194
6.2.1	Quasi-static Maxwell's Equations	194
6.2.2	Electric Inverse Source Problems	197
6.2.3	Magnetic Inverse Source Problems	198
6.3	Impedance Tomography	202
6.4	Optical Tomography	208
6.4.1	The Radiation Transfer Equation	208
6.4.2	Diffusion Approximation	211
6.4.3	Time-harmonic Measurement	219
6.5	Notes and Comments	219
7	Case Studies	223
7.1	Image Deblurring and Recovery of Anomalies	223
7.1.1	The Model Problem	223
7.1.2	Reduced and Approximation Error Models	225
7.1.3	Sampling the Posterior Distribution	229
7.1.4	Effects of Modelling Errors	234
7.2	Limited Angle Tomography: Dental X-ray Imaging	236
7.2.1	The Layer Estimation	239
7.2.2	MAP Estimates	240
7.2.3	Sampling: Gibbs Sampler	241
7.3	Biomagnetic Inverse Problem: Source Localization	242
7.3.1	Reconstruction with Gaussian White Noise Prior Model	243
7.3.2	Reconstruction of Dipole Strengths with the ℓ^1 -prior Model	245
7.4	Dynamic MEG by Bayes Filtering	249
7.4.1	A Single Dipole Model	250
7.4.2	More Realistic Geometry	253
7.4.3	Multiple Dipole Models	254
7.5	Electrical Impedance Tomography: Optimal Current Patterns	260
7.5.1	A Posteriori Synthesized Current Patterns	260
7.5.2	Optimization Criterion	262
7.5.3	Numerical Examples	265
7.6	Electrical Impedance Tomography: Handling Approximation Errors	269
7.6.1	Meshes and Projectors	270
7.6.2	The Prior Distribution and the Prior Model	272
7.6.3	The Enhanced Error Model	273

7.6.4	The MAP Estimates	275
7.7	Electrical Impedance Process Tomography	278
7.7.1	The Evolution Model	280
7.7.2	The Observation Model and the Computational Scheme	283
7.7.3	The Fixed-lag State Estimate	285
7.7.4	Estimation of the Flow Profile	286
7.8	Optical Tomography in Anisotropic Media	291
7.8.1	The Anisotropy Model	292
7.8.2	Linearized Model	296
7.9	Optical Tomography: Boundary Recovery	299
7.9.1	The General Elliptic Case	300
7.9.2	Application to Optical Diffusion Tomography	303
7.10	Notes and Comments	305
A	Appendix: Linear Algebra and Functional Analysis	311
A.1	Linear Algebra	311
A.2	Functional Analysis	314
A.3	Sobolev Spaces	316
B	Appendix 2: Basics on Probability	319
B.1	Basic Concepts	319
B.2	Conditional Probabilities	323
	References	329
	Index	337

Inverse Problems and Interpretation of Measurements

Inverse problems are defined, as the term itself indicates, as the inverse of direct or forward problems. Clearly, such a definition is empty unless we define the concept of direct problems. Inverse problems are encountered typically in situations where one makes indirect observations of a quantity of interest. Let us consider an example: one is interested in the air temperature. Temperature itself is a quantity defined in statistical physics, and despite its usefulness and intuitive clarity it is not directly observable. A ubiquitous thermometer that gives us information of the air temperature relies on the fact that materials such as quicksilver expand in a very predictable way in normal conditions as the temperature increases. Here the forward model is the function relating the volume of the quicksilver as a function of the temperature. The inverse problem in this case is trivial, and therefore it is not usually considered as a separate inverse problem at all, namely the problem of determining the temperature from the volume measured. A more challenging inverse problem arises if we try to measure the temperature in a furnace. Due to the high temperature, the traditional thermometer is useless and we have to use more advanced methods. One possibility is to use ultrasound. The high temperature renders the gases in the furnace turbulent, thus changing their acoustic properties which in turn is reflected in the acoustic echoes. Now the forward model consists of the challenging problem of describing the turbulence as a function of temperature plus acoustic wave propagation in the medium, and its even more challenging inverse counterpart of determining the temperature from acoustic observations.

It is the legacy of Newton, Leibniz and others that laws of nature are often expressed as systems of differential equations. These equations are *local* in the sense that at a given point they express the dependence of the function and its derivatives on physical conditions at that location. Another typical feature of the laws is *causality*: later conditions depend on the previous ones. Locality and causality are features typically associated with direct models. Inverse problems on the other hand are most often *nonlocal* and/or *noncausal*. In our example concerning the furnace temperature measurement, the acoustic

echo observed outside depends on the turbulence everywhere, and due to the finite signal speed, we can hope to reconstruct the temperature distribution in a time span prior to the measurement, i.e., computationally we try to go upstream in time.

The nonlocality and noncausality of inverse problems greatly contribute to their instability. To understand this, consider heat diffusion in materials. Small changes in the initial temperature distributions smear out in time, leaving the final temperature distribution practically unaltered. The forward problem is then stable as the result is little affected by changes in the initial data.

Going in the noncausal direction, if we try to estimate the initial temperature distribution based on the observed temperature distribution at the final time, we find that vastly different initial conditions may have produced the final condition, at least within the accuracy limit of our measurement. On the one hand, this is a serious problem that requires a careful analysis of the data; on the other hand we need to incorporate all possible information about the initial data that we may have had *prior* to the measurement. The *statistical inversion theory*, which is the main topic of this book, solves the inverse problems systematically in such a way that all the information available is properly incorporated in the model.

Statistical inversion theory reformulates inverse problems as problems of statistical inference by means of Bayesian statistics. In Bayesian statistics all quantities are modeled as random variables. The randomness, which reflects the observer's uncertainty concerning their values, is coded in the probability distributions of the quantities. From the perspective of statistical inversion theory, the solution to an inverse problem is the probability distribution of the quantity of interest when all information available has been incorporated in the model. This distribution, called the *posterior distribution*, describes the degree of confidence about the quantity after the measurement has been performed.

This book, unlike many of the inverse problems textbooks, is not concerned with analytic results such as questions of uniqueness of the solution of inverse problems or their a priori stability. This does not mean that we do not recognize the value of such results; to the contrary, we believe that uniqueness and stability results are very helpful when analyzing what complementary information is needed in addition to the actual measurement. In fact, designing methods that incorporate all prior information is one of the big challenges in statistical inversion theory.

There is another line of textbooks on inverse problems, which emphasize the numerical solution of *ill-posed problems* focusing on regularization techniques. Their point of view is likewise different from ours. Regularization techniques are typically aimed at producing a *reasonable estimate* of the quantities of interest based on the data available. In statistical inversion theory, the solution to an inverse problem is not a single estimate but a probability distribution that can be used to produce estimates. But it gives more than just a single estimate: it can produce very different estimates and evaluate their