






GEORGE LIBRARY COLLECTION

A TREATISE ON ANALYTICAL STATICS

WITH NUMEROUS EXAMPLES

VOLUME 2

EDWARD JOHN ROUTH



CAMBRIDGE

A Treatise on Analytical Statics

With Numerous Examples

VOLUME 2

EDWARD JOHN ROUTH



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE UNIVERSITY PRESS

University Printing House, Cambridge, CB2 8BS, United Kingdom

Published in the United States of America by Cambridge University Press, New York

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781108050296

© in this compilation Cambridge University Press 2013

This edition first published 1902

This digitally printed version 2013

ISBN 978-1-108-05029-6 Paperback

This book reproduces the text of the original edition. The content and language reflect the beliefs, practices and terminology of their time, and have not been updated.

Cambridge University Press wishes to make clear that the book, unless originally published by Cambridge, is not being republished by, in association or collaboration with, or with the endorsement or approval of, the original publisher or its successors in title.

CAMBRIDGE LIBRARY COLLECTION

Books of enduring scholarly value

Mathematics

From its pre-historic roots in simple counting to the algorithms powering modern desktop computers, from the genius of Archimedes to the genius of Einstein, advances in mathematical understanding and numerical techniques have been directly responsible for creating the modern world as we know it. This series will provide a library of the most influential publications and writers on mathematics in its broadest sense. As such, it will show not only the deep roots from which modern science and technology have grown, but also the astonishing breadth of application of mathematical techniques in the humanities and social sciences, and in everyday life.

A Treatise on Analytical Statics

As senior wrangler in 1854, Edward John Routh (1831–1907) was the man who beat James Clerk Maxwell in the Cambridge mathematics tripos. He went on to become a highly successful coach in mathematics at Cambridge, producing a total of twenty-seven senior wranglers during his career – an unrivalled achievement. In addition to his considerable teaching commitments, Routh was also a very able and productive researcher who contributed to the foundations of control theory and to the modern treatment of mechanics. This two-volume textbook, which first appeared in 1891–2 and is reissued here in the revised edition that was published between 1896 and 1902, offers extensive coverage of statics, providing formulae and examples throughout for the benefit of students. While the growth of modern physics and mathematics may have forced out the problem-based mechanics of Routh's textbooks from the undergraduate syllabus, the utility and importance of his work is undiminished.

Cambridge University Press has long been a pioneer in the reissuing of out-of-print titles from its own backlist, producing digital reprints of books that are still sought after by scholars and students but could not be reprinted economically using traditional technology. The Cambridge Library Collection extends this activity to a wider range of books which are still of importance to researchers and professionals, either for the source material they contain, or as landmarks in the history of their academic discipline.

Drawing from the world-renowned collections in the Cambridge University Library and other partner libraries, and guided by the advice of experts in each subject area, Cambridge University Press is using state-of-the-art scanning machines in its own Printing House to capture the content of each book selected for inclusion. The files are processed to give a consistently clear, crisp image, and the books finished to the high quality standard for which the Press is recognised around the world. The latest print-on-demand technology ensures that the books will remain available indefinitely, and that orders for single or multiple copies can quickly be supplied.

The Cambridge Library Collection brings back to life books of enduring scholarly value (including out-of-copyright works originally issued by other publishers) across a wide range of disciplines in the humanities and social sciences and in science and technology.

A TREATISE ON
ANALYTICAL STATICS

**London: C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.**

Glasgow: 50, WELLINGTON STREET.



**Leipzig: F. A. BROCKHAUS.
New York: THE MACMILLAN COMPANY.**

[All Rights reserved]

A TREATISE ON ANALYTICAL STATICS

WITH ILLUSTRATIONS TAKEN FROM THE THEORIES OF
ELECTRICITY AND MAGNETISM

BY

EDWARD JOHN ROUTH, Sc.D., LL.D., M.A., F.R.S., ETC.,

HON. FELLOW OF PETERHOUSE, CAMBRIDGE;

FELLOW OF THE UNIVERSITY OF LONDON.

VOLUME II

SECOND EDITION. REVISED AND ENLARGED.

CAMBRIDGE:
AT THE UNIVERSITY PRESS.

1902

Cambridge :

**PRINTED BY J. & C. F. CLAY,
AT THE UNIVERSITY PRESS.**

PREFACE.

IN the first edition of this treatise the subject of Attractions was presented only in its gravitational aspect. This limitation was formerly customary, when electricity was less studied than now, but the result has become somewhat unsatisfactory. When lecturing on the subject the Author found that some of the most striking examples of Attraction were those derived from the theory of electricity. While it was impossible wholly to pass these over, it appeared that the interest in them was sensibly diminished if they were discussed without explanations of their meaning. Examples on the attractions of thin layers of matter, subject to what appeared to be arbitrary laws, seemed to have no real applications.

For these reasons a selection has been made of those propositions in Magnetism and Electricity which appeared most forcibly to illustrate the theory of Attraction. These have been joined together, with brief introductions, so as to form a continuous story which could be understood without reference to any other book.

These illustrations have been so far separated from the rest of the volume that any portion of them may be omitted by a reader who desires to confine his attention chiefly to gravitational problems.

Some theorems, which it was not deemed expedient to include in the text, have been shortly discussed in the notes at the end of the volume. These are not always closely connected with the theory of attractions, yet, being natural developments of the text, will probably assist the reader in following the argument.

The general arrangement of the gravitational part of "Attraction" has been only slightly altered. New theorems have, however, been introduced and the demonstrations of some of the old ones simplified.

The second part of this volume is on the stretching and bending of rods. The investigation of the stretching, and consequent thinning, of a rod is founded on Hooke's law. The fact that (with certain restrictions) the stress couple is proportional to the bending is assumed as an experimental result and applied to determine the bending of rods and springs under various circumstances. The problem, when put into this form, is properly included in a treatise on Statics. Although this chapter is not a treatise on the theory of Elasticity, it did not seem proper wholly to omit the theoretical considerations by which the truth of the fundamental law is confirmed. Accordingly some simple examples which had been briefly discussed in the last edition have been retained.

The theory of Astatics occupies the third part of this volume. It was discussed with sufficient fulness in the first edition and only very slight alterations have now been made.

A separate index to each of the three chapters has been given. So many results are included under the head of Attraction that it was found impossible to mention them all without unduly lengthening the list. It was also necessary to classify some theorems only under one heading.

Finally, I desire to express my thanks to Mr J. D. H. Dickson of Peterhouse for the very great assistance he has given me in correcting most of the proof-sheets and for his many valuable suggestions.

EDWARD J. ROUTH.

PETERHOUSE,

December, 1901.

CONTENTS.

ATTRACTIONS.

Introductory remarks.

ARTS.		PAGES
1—6.	Law of attraction, units and magnitude	1—3
7—9.	Law of the direct distance	3—4

Attraction of Rods, Discs, &c.

10—13.	Components and resultant attraction	4—6
14.	Attraction of an infinite cylinder	6
15—16.	Examples and theorems on rods	6—8
17—19.	Curvilinear rods. Examples and theorems	8—9
20.	Some inverse problems	9—10
21—23.	Circular disc. Infinite plate. Young's rule	10—12
24.	Attraction of cylinders	12—13
25—30.	Attraction of a lamina. Playfair's rule	13—16
31—32.	Solid of greatest attraction	16—17
33—38.	Attraction of mountains; density of the earth	17—19

The Potential.

39—43.	Relations of force to potential	20—22
44.	Work and potential	22—23
45—48.	Level surfaces, various theorems	23—24
49—51.	Potentials of rods. Rectilinear lamina, with confocal level surfaces. See also Art. 253	24—26
52.	Circle of parallel rods. A discontinuity	26
53—54.	Discs and cylinders	27
55—57.	Attraction of a homogeneous cylindrical shell at (1) an internal, (2) an external, point	27—29
58.	A heterogeneous cylindrical shell	29
59—63.	Systems of particles, mutual work	30—33

Spherical Surface.

ARTS.		PAGES
64—67.	Potential and attraction of a thin shell	33—35
68—72.	Ellipsoidal and cylindrical elliptic shells	35—37
73—76.	Various theorems	37—38
77—78.	Solid sphere	38—39
79.	Portions of spheres, hemispheres, &c.	39—40
80.	Other laws of force	40—41
81—83.	Eccentric shells	41—42
84.	Gauss and Poisson on mean potential	42
85—88.	Heterogeneous spherical shell	43—44
89—91.	Find the law of force that the attraction may be the same as that of a particle	44—45
92—93.	Method of differentiation	45—46
94.	Similar solids	47

Laplace's, Poisson's and Gauss' Theorems.

95—98.	Laplace's theorem. Jellett's theorem, &c.	47—49
99.	Potential constant through a finite space (see Art. 139)	49
100.	Invariant property of Laplace's operator	49
101—104.	Potential at internal points (see Art. 146)	49—51
105.	Poisson's theorem	51—52
106—107.	Gauss' theorem, $\int F d\sigma = 4\pi M$	52—54
108—110.	Polar, cylindrical, orthogonal and elliptic coordinates	54—56

Theorems on the Potential.

111—114.	Potential not an absolute minimum	56—58
115—117.	Potential constant through any space	58—59
118—121.	Points of equilibrium. Stability. Separating cone	59—61
122—125.	Intersections of a level surface. Rankine's theorem	61—62
126—128.	Tubes of force, &c. Theorems. Note A, page 356	62—63
129—132.	Bodies with equal potentials	63—65
133.	Extensions of these theorems	65—66
134.	To trace level curves and lines of force	66
135.	Potential at a distant point. MacCullagh's theorem	66—67
136.	Theorem on equipotential bodies	67—68
137—138.	Centrobatic bodies	69
139—141.	Potential constant through a finite space (see Art. 99)	69—70

Attraction of a Thin Stratum.

142.	Green's theorem, $X' - X = 4\pi m$	70—72
143.	Attraction of a stratum on an element of itself, $X' + X = 2F$. . .	72—73
144—146.	Changes of force and potential at the surface	73
147.	Green's theorem deduced from Gauss'	73—74
148.	Relation between normal force and constant potential	74

Green's Theorem.

ARTS.	PAGES
149—153. A volume integral replaced by a surface integral. Also a surface integral by a line integral, Note A, page 356	74—77
154—157. Green's equivalent layer	77—79
158—160. Points at which V is infinite	79—80
161—162. Multiple-valued functions	80—81
163. Extensions of Green's theorems	81—82

Given the Potential, find the Body.

164—165. Solid and superficial matter	82—83
166—167. To find these, see also Art. 299	83—84

Method of Inversion.

168—180. Inversion from a point. Theorems	84—89
181—183. Inversion from a line	89—90
184. Extension of the theory, $r' = Ar^n$, $\theta' = n\theta$	90—92

Circular Rings and Anchor Rings.

185—189. Potential found by the use of a conic	92—93
190—191. Law of the inverse n th power. See Note B, page 358	93—96
192—193. Anchor rings	96—97

Attraction of Ellipsoids.

194—195. Two kinds of shells	97—98
196—200. Homoeoid, internal point. The integrals I and J	98—101
201—207. Thin homoeoids, attractions and lines of force	102—105
208—210. Homoeoid, external point, $F = Mp'/a'b'c'$, &c.	105—106
211—215. Solid homogeneous ellipsoid. Note C, page 358	106—108
216—217. Level surfaces	108—109
218. Other laws of force. Note D, page 359	109—110
219—221. Spheroids. Nearly spherical ellipsoids	110—111
222—223. Ivory's theorem	111—112
224—227. Maclaurin's theorem, &c.	112—114
228. Focal discs. Focaloids	114—115
229. Mutual attraction	115
230. Potential in elliptic coordinates	115
231. Ellipsoidal quadratic layers. Heterogeneous shells	116—117
232—238. Elliptic cylinders, attraction and potential	117—120
239—244. Heterogeneous ellipsoid, similar strata	120—122
245—250. Ellipsoids with any law of density. Note E, page 360	122—128
251—254. Elliptic discs. Confocal level surfaces, &c.	128—130

Rectilinear Figures.

ARTS.	PAGES
255—261. Potential of a lamina found in terms of those of the sides and that of a solid in terms of those of the faces . . .	130—133
262. Application to a tetrahedron, &c.	133

Laplace's Functions and Spherical Harmonics.

263—277. Legendre's functions. Elementary theorems. Note F, page 360	134—138
278—282. The integrals $\int f(p) P_n dp = 0$, $\int P_n^2 dp = 2/(2n+1)$. See also Note G, page 361	138—140
283. Expression for the potential of a body	140
284—287. Laplace's second equation	140—142
288—291. Three fundamental theorems. See Note H, page 362	142—145
292—293. Examples and theorems	145—146
294—296. Heterogeneous spherical strata, &c.	146—148
297—298. Nearly spherical bodies. See Art. 221	148—150
299. Potential found when given on spheres	150—151
300—302. Solid of revolution	151—153
303. Potential of a ring, &c. Oblate spheroid	153—154
304—309. Clairaut's theorem, first and second approximations	154—159
310. Figure of Saturn acted on by the ring	159—160
311—313. Jacobi's ellipsoid. Nearly spherical earth and Haughton's problem on a fluid nucleus	160—162

Magnetic Attractions.

314—322. Potentials, couples, forces and energy	162—167
323. Lines of force of a rectilinear row of particles and of parallel rods in a plane	168—169
324—325. Examples and applications	169—170
326—332. Magnetic body. Elementary rule, rod, sphere, ellipsoid, cylinder. Note I, page 363	170—174
333. Infinite cylinder in a field of force	174—175
335—338. Terrestrial magnetism	175—177
339—341. Poisson's general theorem	177—178
342—345. Magnetic force and Magnetic induction. See Notes K, L, page 363	178—180
346—349. Solenoids	180—181
350—362. Lamellar shells. Potential force, mutual energy. Circular shells, &c. See Note M on vector potential, page 364	181—187

Electrical Attractions.

363—375. Introductory statement and elementary examples	187—193
376—385. Ellipsoids. Quantity on a portion of the surface. Elliptic discs, potentials, &c.	193—196

ARTS.	PAGES
386—392. Conductor with a cavity. Screens	196—198
393—396. Two methods of solution. Green's theorem	198—201
397—406. Sphere acted on by a point charge. Lines of force, &c. Quantity on a portion of the sphere and its potential. See Note N, page 365. Electrified ring. See Art. 422	201—207
407—411. Cylinders with parallel axes	207—210
412—416. Plane conductors. Intersecting at right angles or at an angle π/n	210—212
417—419. Condensers. Electric cables	212—215
420—421. Nearly spherical bodies, &c. Point charge	215—219
422. Sphere with electrified ring. See Art. 406	219
423—432. Two orthogonal spheres. Capacity	219—224
433—437. Spheres intersecting at π/n . Three orthogonal	224—227
438—450. Theory of a system of conductors. Energy. Junction and introduction of conductors	227—233
451—455. Circular disc with point charge	233—236
456—458. Spherical bowl	236—238
459—464. Two separate spheres	238—241

Magnetic Induction.

465—472. Induced magnetism. The boundary condition	242—245
473—486. Specific Inductive Capacity. Dielectrics. Kelvin's theorem. Problems on Condensers and on Induction	245—258
487. Magnetic shells	258
488—491. Surface integral of magnetic induction	258—260
492—494. Gauss' and Poisson's theorems applied to dielectrics	260—261
495. Potential of an electric system	261—262

THE BENDING OF RODS.

Introductory Remarks.

1—4. Definition of central line, thickness of rod, extent of deformation, &c.	263—264
---	---------

The Stretching of Rods.

5. Hooke's law	264
6. Isotropic and æolotropic bodies	264
7—9. Theory of a stretched rod. Change of sectional area	265—266

The Bending of Rods.

10—12. Equations of equilibrium. Two methods	267—269
13. The additional experimental law. Flexural rigidity	269—270

ARTS.	PAGES
14—15. Limits to the law of elasticity	270
16. Work of bending an element	270—271
17—18. Deflection of a straight heavy rod	271—274
19—20. Equation of the three moments	274—275
21. General method of solving problems. Yielding	275—277
22. Examples of bent rods. Determination of the constants of bending by experiment	277—278
23. Problems on the Britannia Bridge	278
24. Supported rods with weights. Relation of the pressures at consecutive points of support. Also the deflection	278—279
25. How $2m+1$ supports should be arranged that the pressures of a heavy beam may be equal	279—280
27—32. A bent bow. Euler's theorem on the strength of columns. Greenhill's problems on columns	281—285
33—35. Theory of a bent rod. The displacements of the fibres . .	285—288
36. Airy's problem on the proper method of supporting standards of length	288—289
37—39. Bending of circular rods; inextensible and extensible . .	289—291
40—42. Work of bending and stretching a circular rod	291—292
43—44. Very flexible rods	292—294

Rods in Three Dimensions.

45. Measures of twist	294—295
46—50. Resolved curvature	295—297
51. Relations of stress to strain	297—298
52—53. Work of bending	298—299
54. Helical twisted rods	299—301
55—56. Spiral springs	301—303
57—59. Equations of equilibrium	303—306

ASTATICS.

Astatic Couples.

1—2. Definitions of the astatic arm, the astatic angle. History .	307—308
3. A couple may be moved parallel to itself	308
4—5. Resultant of two couples, (1) forces parallel, (2) arms parallel	308—309
6—7. Working rule	309—310
8. Three couples cannot in general be in astatic equilibrium .	310—311

The Central Ellipsoid.

9. Reduction to a force and three couples	311—312
10. Astatic notation. The twelve elements. See Art. 59 . . .	312—313
11—12. Conditions of equilibrium, &c.	313—314