Emergencies in Medical Practice

edited by C. Allan derch Tenth edition

Emergencies in Medical Practice

EDITED BY

C. ALLAN BIRCH M.D., F.R.C.P.

Honorary Consulting Physician, Chase Farm Hospital, Enfield, Middlesor

TENTH EDITION



CHURCHILL LIVINGSTONE EDINBURGH LONDON AND NEW YORK 1976

CHURCHILL LIVINGSTONE Medical Division of Longman Group Limited

Distributed in the United States of America by Longman Inc., 19 West 44th Street, New York, N.Y. 10036 and by associated companies, branches and representatives throughout the world.

C LONGMAN GROUP LIMITED, 1976

All rights reserved. No part of this publication may be reproduced stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers (Churchill Livingstone, 23 Ravelston Terrace, Edinburgh, EH4 3TL).

ISBN 0 443 01169 9

Library of Congress Catalog Card Number 74-33160

First edition -- 1948 Second edition -- 1950 Third edition -1952 Fourth edition -- 1954 Fifth edition -- 1956 German translation -1956 Spanish translation - 1956 Sixth edition -- 1960 Seventh edition -- 1963 Eighth edition -- 1967 Ninth edition -- 1971 Tenth edition -- 1976

Library of Congress Cataloging in Publication Data

Birch, Charles Allan, ed. Emergencies in medical practice.

Includes bibliographies and index.

1. Medical emergencies, I. Title. [DNLM:

1. Emergencies. WB100 E5151

RC87.B57 1975 616'.025 74-33160

Preface to the Tenth Edition

REVISION for this tenth edition has been a continuous process since the ninth appeared. The arrangement of chapters remains the same but much pruning has been needed to accommodate new material. Twelve of the 32 contributors are new. Only three of the original 19 authors of 1948 remain (Birch, Cheetham and Avery Jones). Retirement and change of interest, but death in only one case, has caused changes in the authorship of seven chapters. Dr Wilkinson's account of 'Emergencies in Blood Diseases' has been taken over by Dr John MacIver, also of Manchester. Surgeon Captain Peter Preston, Professor of Naval Medicine, fills the gap caused by the death of Surgeon Captain J. M. Cliff. Professor G. M. Bull, because his contact with renal disease has lessened, has handed his chapter to Dr J. M. Goldsmith of the Urological Centre in Liverpool. David Pyke continues from King's College Hospital the authoritative account of diabetic emergencies originally written by Wilfrid Oakley. Dr Bertram Mandelbrote of Oxford gives an account of psychiatric emergencies previously written by Denis Leigh. Roger Williams and Martin Smith, who have made liver disease one of the growing points of medicine, contribute a section on hepatic coma. Gillian Hanson from her wide experience of intensive care at Whipps Cross Hospital writes on 'Resuscitation' in place of Sherwood Jones and has helped me to bring the account of postoperative emergencies up-to-date. Thelwall Jones in retirement has been replaced by Professor Schilling and J. M. Harrington. Dr R. E. Irvine and Dr Theodore Strouthidis, from their experience at St Helen's Hospital, Hastings, and the country's newest geriatric unit at Bexhill, emphasise special aspects of medical emergencies in old people.

This is one of the few medical textbooks which has survived for over 25 years and its success is very gratifying. Of the many doctors who have helped me to produce this tenth edition I must first record my grateful thanks to Bobbie Irvine, the clinical tutor at Hastings, for his kindness in allowing me to maintain contact with clinical medicine in two acute hospitals and the Postgraduate Centre. Other Hastings doctors who have helped me include Gwyn Roberts, M.S., F.R.C.S. (surgeon and my former H.P.); Duncan Lawrie (cardiologist); Harry Middleton and Stephen Bramwell (anaesthetists); Kathleen J. Harrison (haematologist) and Eurwen Innes (rheumatologist), as well as many registrars. In addition I have corresponded with many professional people, particularly Dr A. S. R. Peffers of

the Air Corporations Joint Medical Service; Mr S. R. Speller, O.B.E., LL.B., Ph.D., late Secretary and Director of Education of the Institute of Hospital Administrators; David Maclean, F.R.C.S., of the Surgical Unit of the London Hospital and Robert Sells, F.R.C.S., of Liverpool. Lord Platt and Dr John Surtees of Eastbourne have given valuable advice. Mr D. B. Mathieson, Chief Pharmacist at The Royal East Sussex Hospital, Hastings, has willingly answered many queries. All contributors have been very patient with my editorial actions in some of which they have shared.

Many of the lists in the appendices of earlier editions are now unnecessary and have been deleted. The temptation to flood the text with references has been resisted without, it is hoped, making the statements too dogmatic. I have not sought to include detailed descriptions of all emergency procedures, feeling that hospital doctors should seek instruction by colleagues where necessary.

Tables and figures have been numbered by chapter and not serially. The words intravenous, intravenously and intramuscular appear so often in the text that they have been replaced by i v and i m. I am grateful to many doctors who have written advice and criticism. I will be glad to have correspondence about this edition. It will be carefully considered by Colin Ogilvie who I hope will become editor as well as remaining a contributor next time.

Although medicine is my main interest my wife has seen to it that I have continued with other pursuits and I have not neglected my bees entirely. Secretarial work has been managed personally at Salter's Corner with some professional help from Mrs Marion Packer. Messrs Churchill Livingstone have been very patient with my efforts to produce a perfect edition.

Salter's Corner, Hastings, May 1976.

CAllanBirch

From the Preface to the First Edition

A MEDICAL emergency is any condition or circumstance of a patient which calls for immediate action other than surgery. Just what conditions might be included in this definition is a matter of opinion and the doctor's list, consisting mostly of absolute emergencies, will be shorter than the patient's which includes the relative ones.

Our methods for dealing with urgent and non-urgent illnesses differ. In the latter it is not very important whether the diagnosis is made to-day or to-morrow and so there is time to consider every detail. In the urgent case, however, a diagnosis must be made at once. We must recognise what matters at the moment and there is rarely time to appeal to special diagnostic methods.

When events are moving fast, it is the physician who is deeply versed in the natural history of disease who is likely to be of the greatest service to the patient in peril of his life. In the words of Professor J. A. Ryle, 'Eyes without the microscope, ears without the stethoscope, wits without the help of chemistry and radiology, not that we should deny ourselves the proper use of these, can often carry us a long way.' In an emergency they may have to carry us the whole way.

Another important aspect of emergencies which it behoves us to remember is the anxiety of the patient and his relatives. When summoned we should go at once, preserving the equanimity which Osler taught us to cultivate, yet avoiding the bustle and bounce against which Trotter warned us. Our attitude should be one of alertness in diagnosis, safety in treatment and care in what we say.

With these principles in mind I statted some years ago to prepare statements on the treatment of the acute and urgent illnesses which came my way. I had found that clear and concise instructions on what to do in these emergencies were scattered amongst the sections on general therapeutics in medical text books.

When I reviewed my notes with a view to publication it was apparent that I could not hope to deal adequately with all aspects of the subject. I therefore sought the help of colleagues in the various fields of medicine. Our aim has been to provide information as accurate and explicit as possible for the practitioner and hospital physician faced with an acutely ill patient or a critical situation. As a mere list of treatments would be dull, some discussion has been included on diagnosis and the principles on which treatment is based. Details are given of important practical points such as where the rarer drugs may be obtained, and the telephone numbers which might be needed in an emergency. References to original work have been included only in a few special instances.

LONDON, 1948

Acknowledgement

THE illustration, 'Colours for Medical Gas Cylinders', which appears facing page 68, is reproduced from BS 1319: 1955 by permission of the British Standards Institution, 2 Park Street, London WIA 2BS.

Note on SI Units

TRADITIONAL and SI units are given in the text, since this edition appears when the change over to SI units is not completed everywhere. It is hoped that the period when both units are in use will be short, but to help the reader who may be uncomfortable with SI units and also to facilitate the reading of articles written before 1975 conversion factors are given in the table reproduced, slightly altered, by kind permission, from *Practical Paediatric Problems*, 4th edition, 1975, by Professor J. H. Hutchison, CBE, MD, London: Lloyd-Luke. Alternatively nomograms can be used.

The SI system (Système International d'Unités) was recommended in 1960 by the General Conference of Weights and Measures. It is based on seven fundamental units: metre, kilogram, second, ampère, kelvin, candela and mole. In it the new unit for chemical measurement is the mole (mol). Strictly this is the amount of a substance which contains as many atoms as 0.012 kg of carbon 12. In practice

$$a \text{ mole} = \frac{\text{Weight in grams}}{\text{Molecular weight (MW)}}$$

The unit of volume in SI units is the cubic metre but as this is so large the litre or cubic decimetre is used in clinical chemistry. The old term

'mg per 100 ml' (often erroneously stated as 'mg per cent') becomes mg/dl. For many measurements the amounts will be expressed in millimoles per litre (mmol/l). For convenience other fractions or multiples of the basic unit have been defined.

Factor	Name	Symbol
1012	tera-	Т
10 ⁹	giga-	G
106	mega-	G M
103	kilo	k
10 ²	hecto-	h
101	deca-	ђ da
10-1	deci-	d
10-2	centi-	c
10 -3	milli	m
10-6	micro	μ
10-9	nano	n
10-12	pico	
10-15	femto	p f
10-18	atto	a

Measurements of plasma electrolytes are already expressed in SI units, for example, plasma sodium 140 mmol/l, and these will not alter but because the molecular weight of glucose is 180 a blood glucose of 180 mg/100 ml becomes 10 mmol/l. For bilirubin it is assumed that it is unconjugated and has a MW of 585 but as, by convention, it is desirable to use units resulting in numerical values between 0.1 and 1.000 the micromol is used instead of the mmol to produce a normal range of about 1-20µmol/l.

Although there is a recommendation to express haemoglobin in SI units it will probably remain g/dl, with red cells as 10^{12} /l (instead of 10^{3} /mm³), conversion factor 10^{6} . PCV (haematocrit) is no longer given as a percentage but as a ratio of two measurements. Thus 40 per cent becomes 0.40 (con-

version factor 0.01).

For the present, column measurements (BP and CVP) will continue to be stated in mmHg and cm water. When conversion is required 1 mmHg equals

133 pascals and 1 cm water equals 98 pascals.

pH is not excluded by the SI system and since it is on a logarithmic scale it cannot be simply converted by a factor to hydrogen ion concentration in litres of solution. It may be retained until it is decided to adopt reporting H ion concentration in mmol/l.

The reporting of enzyme activity is not altered by the adoption of SI

units. The recommended convention at present is units/l.

Drugs are prescribed in mass units but when estimated in body fluids in the laboratory the result is generally expressed in SI units although the precise convention is not completely agreed.

Proteins and materials of uncertain molecular weight are expressed as mass concentrations per litre, i.e. g/l (not mg/100 ml). To convert mg/100 ml

to mmol/I we divide by the molecular weight and multiply by 10.

Some easily remembered approximate factors to convert SI units back to traditional units are:

urea, multiply by 6 calcium, multiply by 4 glucose, multiply by 18.

For other conversions the table should be consulted or a pocket converter such as the one issued by St Thomas' Hospital or used by Ciba Laboratories.

Conversion Factors for SI Units

	MW	FROM SI UNITS	To SI Units
Amino-acid			
nitrogen	14.01		
Plasma		$mmol/l \times 1.401 = mg/dl$	$mg/dl \times 0.714 = mmol/l$
Urine		$mmol/24 hr \times 14.01 = mg/24 hr$	$mg/24 hr \times 0.0714 = mmol/24 hr$
Ammonium	17.03		$\mu g/dl \times 0.587 = \mu mol/1$
Barbiturate	184.2	$\mu \text{mol/l} \times 0.0184 = \text{mg/dl}$	$mg/dl \times 54.29 = \mu mol/l$
Bilirubin	584.7	$\mu \text{mol/l} \times 0.0585 = \text{mg/dl}$	$mg/dl \times 17 \cdot 1 = \mu mol/l$
Calcium	40.08	171 - 1 000 - 111	111 0.070
Plasma		$mmol/1 \times 4.008 = mg/dl$	$mg/dl \times 0.250 = mmol/l$
Urine		$mmol/24 hr \times 40.08 = mg/24 hr$	$mg/24 hr \times 0.0250 = mmol/24 hr$
Catecholamines	102.2	1/2/1	/241-240,00546 1/241-
(Urine)	183.2	$\mu \text{mol}/24 \text{ hr} \times 183 = \mu \text{g}/24 \text{ hr}$	$\mu g/24 \text{ hr} \times 0.00546 = \mu \text{mol}/24 \text{ hr}$
Cholesterol	386.7	$mmol/l \times 38.7 = mg/dl$	$mg/dl \times 0.0259 = mmol/l$
Copper	63.54		
Plasma		μ mol/1×6.35= μ g/dl	$\mu g/dl \times 0.157 = \mu mol/l$
Urine Cortisol	362.5	μ mol/24 hr×63.5= μ g/24 hr	$\mu g/24 \text{ hr} \times 0.0157 = \mu \text{mol}/24 \text{ hr}$ $\mu gdl/ \times 27.6 = \text{nmol}/24 \text{ hr}$
Creatinine	113.1	$nmol/l \times 0.0362 = \mu g/dl$	$\mu g di / \times 27.0 = lillioi / 24 lil$
Plasma	112.1	μ mol/ $1 \times 0.0113 = mg/dl$	$mg/dl \times 88.4 = \mu mol/l$
Urine		$mmol/24 hr \times 0.113 = g/24 hr$	$g/24 \text{ hr} \times 8.84 = \text{mmol}/24 \text{ hr}$
Ethanol (Alcohol)	46.07		$mg/dl \times 0.217 = mmol/l$
Fat (Faecal) (as	7007	$\lim_{t\to 0} \frac{1}{t} = \frac{1}{t} \frac{1}{t}$	mg/dr×0217=mmor/1
stearic acid)	284.5	$mmol/24 hr \times 0.284 = g/24 hr$	$g/24 \text{ hr} \times 3.52 = \text{mmol}/24 \text{ hr}$
		$g/l \times 100 = mg/dl$	$mg/dl \times 0.01 = g/l$
Glucose	180.2	g/1×100—mg/di	mg/dixool—g/l
Blood or Plasm		$mmol/l \times 18.02 = mg/dl$	$mg/dl \times 0.0555 = mmol/l$
Urine	u	$mmol/1 \times 0.0180 = g/dl$	$g/dl \times 55.5 = mmol/1$
CSF		as for blood or plasma	as for blood or plasma
HMMA (or VMA	3	as for croop of prasma	po tot groot of promise
(Urine)	198.2	$\mu \text{mol}/24 \text{ hr} \times 0.198 = \text{mg}/24 \text{ hr}$	$mg/24 hr \times 5.05 = \mu mol/24 hr$
Hydroxyproline		,	, , , , , , , , , , , , , , , , , , ,
(Urine)	131-1	$mmo1/24 hr \times 131 \cdot 1 = mg/24 hr$	$mg/24 hr \times 0.00763 = mmol/24 hr$
Annual Street,		announcempt reserve and the strong a	

Conversion Factors for SI Units-contd.

-	MW	FROM SI UNITS	To SI Units
Iron and TIBC	_		
(Total Iron Bind			
ing Capacity)	55.85	$\mu \text{mol}/1 \times 5.59 = \mu \text{g/dl}$	$\mu \mathbf{g}/\mathbf{dl} \times 0.179 = \mu \text{mol/l}$
Lead	207.2		The state of the s
Blood		$\mu \text{mol}/1 \times 20.7 = \mu \text{g/dl}$	$\mu g/d1 \times 0.0483 = \mu mol/1$
Urine		μ mol/24 hr×207= μ g/24 hr	$\mu g/24 \text{ hr} \times 0.00483 = \mu \text{mol}/24 \text{ hr}$
Magnesium	24.31	See the see which is notice	
Plasma		$mmol/1 \times 2.43 = mg/dl$	$mg/dl \times 0.411 = mmol/l$
Urine		$mmol/24 hr \times 24.3 = mg/24 hr$	$mg/24 hr \times 0.0411 = mmol/24 hr$
Oestriol (Urine)	288.4	$\mu \text{mol}/24 \text{ hr} \times 0.288 = \text{mg}/24 \text{ hr}$	$mg/24 hr \times 3.47 = \mu mol/24 hr$
Phenylalanine	165.2	$\mu \text{mol/l} \times 0.0165 = \text{mg/dl}$	$mg/dl \times 60.5 = \mu mol/l$
Phosphate	30.97	10. 272	
Serum		$mmol/1 \times 3 \cdot 10 = mg/dl$	$mg/dl \times 0.323 = mmol/l$
Urine		$mmol/24 hr \times 0.0310 = g/24 hr$	$g/24 \text{ hr} \times 32.3 = \text{mmol}/24 \text{ hr}$
Pregnanediol		1/2/1	(241242
(Urine)	320.5	μ mol/24 hr×0·320=mg/24 hr	$mg/24 hr \times 3.12 = \mu mol/24 hr$
Pregnanetriol		1/2/11 2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2	1241 - 1207 - 11041
(Urine)	336.5	$\mu \text{mol} / 24 \text{ hr} \times 0.336 = \text{mg} / 24 \text{ hr}$	$mg/24 \text{ hr} \times 2.97 = \mu \text{mol}/24 \text{ hr}$
Protein Ur	icertain	$g/1 \times 0.1 = g/d1$	$g/dl \times 10 = g/l$
Serum		-11-101141	-1415/1011
I II Cuiting	icertain	$g/1 \times 0 \cdot 1 = g/d1$	$g/dl \times 10 = g/l$
	icertain	$g/1 \times 100 = mg/d1$	$mg/dl \times 0.01 = g/l$
Protein-bound			$\mu g/dl/78.8 = nmol/l$
Todine	126.9	$nmol/1 \times 0.0127 = ng/dl$ $mmol/1 \times 13.81 = mg/dl$	$mg/dl \times 0.0724 = mmol/l$
Salicylate	138-1	$\lim_{t\to\infty} 13.91 = \lim_{t\to\infty} 1$	mg/m × 0 0/24=mmor/1
17-Ketosteroids			
(Urine) (as de-			
hydroepiandro-			1241
sterone)	288.4	$\mu \text{mol}/24 \text{ hr} \times 0.288 = \text{mg}/24 \text{ hr}$	$mg/24 \text{ hr} \times 3.47 = \mu \text{mol}/24 \text{ hr}$
Thyroxine	776.9	$nmol/1 \times 0.0777 = \mu g/dl$	$\mu g/dl \times 12.87 = nmol/l$
Triiodothyronine	651.01	$nmol/1 \times 0.651 = ng/dl$	$ng/dl \times 1.54 = nmol/1$
Triglyceride (as			/ 11 0 0112 1/1
triolein)	885.4	$mmol/1 \times 88.5 = mg/dl$	$mg/dl \times 0.0113 = mmol/l$
Urate (uric acid)			1.0
Plasma	168-1	$mmol/l \times 16.81 = mg/dl$	$mg/dl \times 0.0595 = mmol/l$
Urea	60.06	$mmol/1 \times 6.01 = mg/dl$	$mg/dl \times 0.166 = mmol/l$
Po ₂ Pco ₂	_	$kPa \times 7.52 = mmHg$	mmHg×0·133=kPa

Contributors

THOMAS H. BEWLEY, M.A., M.D.(Dublin), F.R.C.P.(Ireland), Consultant Psychiatrist, Drug Dependence Treatment Units, St George's, St Thomas's and Tooting Bec Hospital Groups.

DRUG DEPENDENCE

C. ALLAN BIRCH, M.D.(L'pool), F.R.C.P.(Lond.), D.P.H., D.C.H. Honorary Consulting Physician, Chase Farm Hospital, Enfield, Middlesex.

ACUTE POISONING
THE HAZARDS OF MEDICAL PROCEDURES
ACUTE (NON-SURGICAL) ABDOMINAL CATASTROPHES
OTHER (NON-SURGICAL) ABDOMINAL EMERGENCIES
FITS, FAINTS AND UNCONSCIOUSNESS
BITES AND STINGS AND MISCELLANEOUS
EMERGENCIES
MEDICO-LEGAL AND OTHER NON-CLINICAL
EMERGENCIES
POST-OPERATIVE MEDICAL EMERGENCIES
(with Gillian C. Hanson)
SOME PRACTICAL PROCEDURES

J. W. CHEETHAM, O.B.E., M.D.(L'pool), M.R.C.S.(Eng.), L.R.C.P.(Lond.). General Practitioner, Widnes, Merseyside. THE EMERGENCY BAG AND CUPBOARD

LEWIS CITRON, M.B., B.S.(London), D.L.O., F.R.C.S.(Eng.).
Consultant Oto-laryngologist, Enfield District Hospital,
Enfield, Middlesex; late Scientific Assistant, Otological Research Unit, Medical Research Council, National Hospital,
Queen Square, London.

EMERGENCIES IN EAR, NOSE AND THROAT DISEASE

GEOFFREY DIXON, M.B., B.S.(London), Ph.D.(London), F.R.C.P.(Ed.), F.R.C.O.G.

Professor of Obstetrics and Gynaecology, University of Bristol.

MEDICAL EMERGENCIES IN OBSTETRICS AND GYNAECOLOGY

J. H. DOBREE, M.S.(Lond.), F.R.C.S.(Eng.), D.O.(Oxon.).

Surgeon to the Eye Department, St Bartholomew's Hospital, London, and to the North Middlesex Hospital, Edmonton, London.

OPHTHALMIC EMERGENCIES

DAVID FERRIMAN, D.M.(Oxon.), F.R.C.P.(Lond.).

Physician, Regional Endocrine Centre, North Middlesex and Prince of Wales' Hospitals, London.

MEDICAL EMERGENCIES IN OTHER ENDOCRINE DISORDERS

H. J. GOLDSMITH, M.D.(Lond.), M.D.(New York), F.R.C.P.

Consultant Physician, United Liverpool Hospitals; Nephrologist, Liverpool Regional Urological Centre, Sefton General Hospital, Liverpool.

MEDICAL EMERGENCIES IN RENAL DISEA'SE

J. F. GOODWIN, M.D.(Lond.), F.R.C.P., F.A.C.C.

Professor of Clinical Cardiology, Royal Postgraduate Medical School, Consultant Physician, Hammersmith Hospital, London.

CARDIOVASCULAR EMERGENCIES

GILLIAN C. HANSON, M.B., B.S.(Lond.), M.R.C.P.(Lond.)

Consultant Physician, Whipps Cross Hospital, Leytonstone, London.

RESUSCITATION
POST-OPERATIVE MEDICAL EMERGENCIES
(with C. Allan Birch)

J. M. HARRINGTON, M.Sc., M.B.(London), M.R.C.P.

Lecturer in Occupational Medicine, T.U.C. Centenary Institute of Occupational Health, London School of Hygiene and Tropical Medicine, Keppel Street (Gower Street), London.

EMERGENCIES IN OCCUPATIONAL MEDICINE (with R. S. F. Schilling)

Group Captain PETER HOWARD, O.B.E., Ph.D., M.B., B.S., (London), M.R.C.P., F.R.Ae Soc., R.A.F.

Consultant Adviser in Aviation Physiology, Royal Air Force, R.A.F. Institute of Aviation Medicine, Farnborough, Hants.

MEDICAL EMERGENCIES IN THE AIR

J. H. HUTCHISON, C.B.E., F.R.S.E., M.D., F.R.C.P.(Lond., Edin., Glasg.), F.A.C.P.(Hon.).

Samson Gemmell Professor of Child Health, The University of Glasgow; Visiting Physician, Royal Hospital for Sick Children, Glasgow; Consultant Paediatrician, Queen Mother's Hospital, Glasgow.

MEDICAL-EMERGENCIES IN INFANCY AND CHILDHOOD

R. E. IRVINE, M.A., M.D.(Cantab.), F.R.C.P.(Lond.). Consulting Physician, Geriatric Unit, Hastings.

GERIATRIC EMERGENCIES (with Theodore Strouthidis)

D. MacG. JACKSON, M.A., M.D.(Cantab.), F.R.C.S.(Eng.).
Surgeon in Charge, Medical Research Council, Burns Unit,
Birmingham Accident Hospital and Rehabilitation Centre,
Bath Row, Birmingham.

BURNS

W. J. JENKINS, M.D.(Wales), F.R.C.Path., Medical Director, North East Thames Blood Transfusion Service, Brentwood, Essex.

THE HAZARDS OF BLOOD TRANSFUSIONS

Sir FRANCIS AVERY JONES, C.B.E., M.D.(Lond.), M.D.(Melbourne), F.R.C.P.(Lond.).

Consulting Physician, Department of Gastroenterology, Central Middlesex Hospital, London, N.W.10; Consultant in Gastroenterology, St Mark's Hospital, London and to the Royal Navy.

HAEMATEMESIS AND MELAENA

LEON KAUFMAN, M.D.(Edin.), F.F.A.R.C.S.

Consultant Anaesthetist to University College Hospital and St Mark's Hospital, London.

EMERGENCIES DURING ANAESTHESIA

BERTRAM M. MANDELBROTE, B.Sc., M.A.(Oxon.), M.B., Ch.B.(Capetown), F.R.C.P.(Lond.), F.R.C.Psych., D.P.M. Physician Superintendent, Littlemore Hospital, Oxford; Consultant Psychiatrist, Oxfordshire Regional Health Authority (Teaching); Clinical Lecturer in Psychiatry, University of Oxford.

PSYCHIATRIC EMERGENCIES

xvi CONTRIBUTORS

JOHN E. MacIVER, M.D.(Cantab.), F.R.C.Path.

Honorary Lecturer, Department of Clinical Haematology, University of Manchester; Consultant Haematologist, United Manchester Hospitals.

EMERGENCIES IN BLOOD DISEASES

G. DONALD W. McKENDRICK, M.A., B.M.(Oxon.), F.R.C.P.

Physician, St Ann's Hospital, London and Rush Green Hospital, Essex; Lecturer in Infectious Diseases to The Middlesex Hospital, St Bartholomew's Hospital and the London School of Hygiene and Tropical Medicine.

EMERGENCIES IN INFECTIOUS DISEASES

COLIN OGILVIE, M.D.(L'pool), F.R.C.P.

Consultant Physician, The Royal Infirmary, The Regional Cardio-thoracic Surgical Centre and The Regional Cardiac Centre, Liverpool. Lecturer in Clinical Medicine, the University of Liverpool.

RESPIRATORY EMERGENCIES

Surgeon Captain P. J. PRESTON, O.B.E., F.R.C.P.(London), D.T.M.&H., R.N.

Professor of Naval Medicine, Royal Naval Hospital, Haslar, Gosport, Hants.

MEDICAL EMERGENCIES AT SEA

DAVID PYKE, M.D.(Cantab.), F.R.C.P.

Physician in Charge, Diabetic Department, King's College Hospital, London.

MEDICAL EMERGENCIES IN DIABETES

BRIAN RUSSELL, M.D.(Lond.), F.R.C.P.(Lond.), D.P.H.

Consulting Physician, The Skin Department, The London Hospital, London; Consulting Physician, St John's Hospital for Diseases of the Skin.

EMERGENCIES IN SKIN DISEASE

R. S. F. SCHILLING, C.B.E., M.D.(London), D.Sc., F.R.C.P., D.P.H., D.I.H

Professor of Occupational Health, University of London, Director of T.U.C. Centenary Institute of Occupational Health, London School of Hygiene and Tropical Medicine, Keppel Street (Gower Street), London.

EMERGENCIES IN OCCUPATIONAL MEDICINE (with J. M. Harrington)

CONTRIBUTORS xvii

D. R. SEATON, M.B.(Cantab.), F.R.C.P.(Lond.), D.T.M.

Consultant Physician for Tropical Diseases, Liverpool Royal Infirmary; Consultant Physician to the Ministry of Overseas Development; Clinical Lecturer, Liverpool School of Tropical Medicine.

EMERGENCIES IN TROPICAL MEDICINE

JOHN A SIMPSON, M.D.(Glasg.), F.R.C.P.(Lond.), F.R.C.P. (Edin.), F.R.C.P. (Glasg.), F.R.S.Ed.

Professor of Neurology, University of Glasgow; Physician-in-Charge, Department of Neurology, Institute of Neurological Sciences, Southern General Hospital, Glasgow, GS1 4TF.

Consultant in Neurology, Western Infirmary, Glasgow; Consultant in Neurology to the Army in Scotland.

NEUROLOGICAL EMERGENCIES

MARGARET D. SNELLING, M.B., B.S.(Lond.), F.R.C.P.(Lond.), F.R.C.S.(Eng.), F.R.C.R.

Deputy Director of the Meyerstein Institute of Radiology, The Middlesex Hospital, London.

EMERGENCIES RESULTING FROM NUCLEAR AND ALLIED RADIATION

MARTIN SMITH, M.A., M.B.(Cantab.), M.R.C.P.

Senior Medical Registrar,* The Liver Unit, King's College Hospital, London.

HEPATIC COMA AND PRECOMA (with Roger Williams)

THEODORE STROUTHIDIS, M.B.(Alexandria), L.M.S.S.A., M.R.C.P.(Lond.).

Consulting Physician (Geriatrics), Hastings Group Hospitals.

GERIATRIC EMERGENCIES (with R. E. Irvine)

ROGER WILLIAMS, M.D.(London), F.R.C.P.

Director of the Liver Unit and Consultant Physician, King's College Hospital, London.

HEPATIC COMA AND PRECOMA (with M. G. M. Smith)

* Now Consultant Physician, St Luke's Hospital, Guildford.

Contents

CHAPTER				F	AGE
1.	THE EMERGENCY BAG AND CUPBOARD	0.2	-	-	1
2.	RESUSCITATION			-	6
3.	ACUTE POISONING AND DRUG DEPEND	ENC	E	÷	24
4.	THE HAZARDS OF MEDICAL PROCEDU	RES	- 0	-	49
5.	ACUTE (NON-SURGICAL) ABDOMINAL C	ATAS	STRO -)- -	108
6.	OTHER (NON SURGICAL) ABDOMINAL E	MER -	GEN -	- -	132
7.	MEDICAL EMERGENCIES IN OBSTETR GYNAECOLOGY	ICS	ANI -		168
8.	RESPIRATORY EMERGENCIES	-	-	-	188
9.	EMERGENCIES IN EAR, NOSE AND THROA	T D IS	EASE	Ξ	212
10.	CARDIOVASCULAR EMERGENCIES -	•	-	-	227
11.	EMERGENCIES IN BLOOD DISEASES -	٠.		•	269
12.	FITS, FAINTS AND UNCONSCIOUSNESS	-:	•		287
13.	NEUROLOGICAL EMERGENCIES -	-	-	-	293
14.	PSYCHIATRIC EMERGENCIES	-	=	-	327
15.	MEDICAL EMERGENCIES IN DIABETES		-	-	337
16.	MEDICAL EMERGENCIES IN OTHER ENDISORDERS	- 1DOC	CRINI -	E	352
17.	MEDICAL EMERGENCIES IN RENAL DISE	EASE	-	-	372
18.	MEDICAL EMERGENCIES IN INFANCY AN HOOD	ND C	HILD -)- -	389
19.	EMERGENCIES IN INFECTIOUS DISEASES	-	-	-	427
20.	EMERGENCIES IN TROPICAL MEDICINE	-	•	•	447
21.	EMERGENCIES IN OCCUPATIONAL MEDIC	CINE	-	-	458
22.	MEDICAL EMERGENCIES AT SEA -		-	-	476
23.	MEDICAL EMERGENCIES IN THE AIR	-	-	-	497
24.	OPHTHALMIC EMERGENCIES	-	-	-	524
25.	EMERGENCIES IN SKIN DISEASES -		=	-	537
26.	EMERGENCIES DURING ANAESTHESIA	*	-	-	562
27.	EMERGENCIES RESULTING FROM	ION	ISINO	3	
	RADIATIONS	*	٠	•	58