


# The Circuitry of the Human Spinal Cord

Spinal and Corticospinal Mechanisms of Movement

Emmanuel Pierrot-Deseilligny  
and David Burke





# THE CIRCUITRY OF THE HUMAN SPINAL CORD

---


Spinal and Corticospinal  
Mechanisms of Movement

Emmanuel Pierrot-Deseilligny

Université Pierre et Marie Curie

David Burke

The University of Sydney



CAMBRIDGE  
UNIVERSITY PRESS



CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town,  
Singapore, São Paulo, Delhi, Mexico City

Cambridge University Press  
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

[www.cambridge.org](http://www.cambridge.org)

Information on this title: [www.cambridge.org/9780521192583](http://www.cambridge.org/9780521192583)

© Emmanuel Pierrot-Deseilligny and David Burke, 2012

This publication is in copyright. Subject to statutory exception  
and to the provisions of relevant collective licensing agreements,  
no reproduction of any part may take place without  
the written permission of Cambridge University Press.

First published 2012

Printed in the United Kingdom at the University Press, Cambridge

*A catalogue record for this publication is available from the British Library*

ISBN 978-0-521-19258-3 Hardback

Additional resources for this publication at  
[www.cambridge.org/9780521192583](http://www.cambridge.org/9780521192583)

Cambridge University Press has no responsibility for the persistence or  
accuracy of URLs for external or third-party Internet websites referred to in  
this publication, and does not guarantee that any content on such  
websites is, or will remain, accurate or appropriate.



# THE CIRCUITRY OF THE HUMAN SPINAL CORD: SPINAL AND CORTICOSPINAL MECHANISMS OF MOVEMENT

---

Studies of human movement have proliferated in recent years. This greatly expanded and thoroughly updated reference surveys the literature on the corticospinal control of spinal cord circuits in human subjects, showing how different circuits can be studied, their role in normal movement and how they malfunction in disease states. Chapters are highly illustrated and consistently organised, reviewing, for each pathway, the experimental background, methodology, organisation and control, role during motor tasks and changes in patients with central nervous system lesions. Each chapter concludes with a helpful résumé that can be used independently of the main text to provide practical guidance for clinical studies. The final four chapters bring together the changes in transmission in spinal and corticospinal pathways during movement and how they contribute to the desired movement. This book is essential reading for research workers and clinicians involved in the study, treatment and rehabilitation of movement disorders.

**Emmanuel Pierrot-Deseilligny** is Emeritus Professor of Clinical Neurophysiology and Rehabilitation at the Université Pierre et Marie Curie, Paris.

**David Burke** is the Bushell Professor of Neurology at Royal Prince Alfred Hospital and Associate Dean (Research), Sydney Medical School, The University of Sydney.



## Acknowledgements

---

This book is dedicated to the memory of Anders Lundberg, whose work and personal support have provided the inspiration behind most of the research described here.

Writing this book would not have been possible without the understanding, life-long support and benign tolerance that we have received throughout our careers from Evelyne and Katre, who have allowed us to pursue our interests even when the demands placed on them were unreasonable and who have, in recent year, put much on hold while we completed this work.

Geneviève Bard and Mary Sweet have provided us with invaluable assistance in collating references and getting the text into presentable order. We are grateful for the friendship, loyalty and meticulous attention to detail that has characterised their association with us over more than two decades.

The studies reported here represent the intellectual achievements of collaborators, colleagues and students. We are grateful to everyone whose work is reported here, and to our colleagues and collaborators and their publishers who have allowed us to reproduce figures from their original work.

Finally, we are indebted to L'Institut National de la Santé et de la Recherche Médicale (INSERM) and the National Health & Medical Research Council of Australia (NHMRC) for recognising the value of research into human motor control and its disorders.



## Preface

---

This book is the direct descendant of our book entitled *The Circuitry of the Human Spinal Cord: Its Role in Motor Control and Movement Disorders*, published in 2005 by Cambridge University Press. A revised and updated edition was needed because in 7 years new and more recent data have changed views about the role of the spinal cord in the control of limb movement. This revised edition also takes into account the development and rapid uptake of investigations using transcranial stimulation of the motor cortex. Thus, much more attention has been put on the corticospinal control of movement and transcortical pathways. Neural plasticity, whether underlying learning a new skill by healthy subjects or compensatory mechanisms for the neural changes associated with ageing or disease, has also been the subject of many recent investigations that deserve to be considered.

The book is dedicated to Anders Lundberg (1920–2009). Anders Lundberg is rightfully seen as the father of modern spinal cord neurophysiology, on how spinal circuitry is mobilised by descending commands and how feedback modifies the command at spinal cord level. Anders Lundberg was an outstanding leader, an intense and focused researcher, a tough critic, a good listener and inspiring mentor. He and his students provided much of the background data from animal experiments for the human studies which this book attempts to summarise. Above all, not only did he lead the world in the definition of interneuronal mechanisms in the spinal cord but he also developed hypotheses about how these mechanisms would be used in the intact organism. In later years, having defined the C3–C4 propriospinal system in the cat, he undertook behavioural experiments to confirm its role



in movement, and it remains the only carefully documented interneuronal system for which a functional purpose has been clearly identified. His enthusiasm and enormous intellect have provided an impetus for us to show how discoveries from animal experiments have benefited the human condition, despite the adaptations that are necessary to cater for the greater motor repertoire of human subjects.

In the preface to our previous book, we wrote: *Over recent years, reappraisal of the role of direct cortico-motoneuronal projections in higher primates including humans has led to the view that the control of movement resides in the motor cortical centres that drive spinal motoneurone pools to produce the supraspinally crafted movement. This view belies the complex interneuronal machinery that resides in the spinal cord. It is a thesis of this book that the final movement is only that part of the supraspinally derived programme that the spinal cord circuitry deems appropriate.* This statement remains, we believe, as true today as it was in 2005 and it is also a driving motivation behind this volume. As research interest shifts to the complexities of the cortical mechanisms in the control of movement, so too has the thrust of this new book shifted to encompass transcortical reflexes, motor cortex excitability and corticospinal mechanisms in greater detail. Nevertheless, it is timely to remind the reader that limb movements can be planned and their programs initiated by the brain but they cannot be performed without a spinal cord and they cannot be performed gracefully without the intricate feedback systems that reside within it.

As mentioned above, there has been an explosion of literature on motor control over the past 7 years, much of it devoted to cortical mechanisms preceding and associated with movement, and even some that do not have any direct influence on spinal circuitry. However, even in the latter instance, the state of the spinal cord is important when the procedures involved in testing the cortical circuitry depend on the modulation of a response that is transmitted through spinal mechanisms. In reviewing the literature for this book, we have become concerned that so simple a fact has been so often ignored in publications, even in prestigious journals.

However, the justification for a new book ultimately resides not in restating the obvious but in whether there is anything new to say, and accordingly it should be asked, *precisely what is new in this book?*

- To understand the influence of cortical mechanisms on the spinal motoneurone pools it is necessary to understand, first, how segmental mechanisms can modulate the command signal and, second, the limitations of techniques that can be used in human subjects to demonstrate appropriate changes. Accordingly, the structure of the initial chapters in this new book recapitulates that of the previous book – but each has been updated to cover new findings, new techniques and new appreciations of advantages and disadvantages.
- In a new chapter, the largest in this volume, we focus more fully on the techniques (and their limitations) used to study cortical and corticospinal mechanisms in the control of movement and on the results of such studies. It thereby provides an overview that integrates spinal and cortical mechanisms so that those who work at one end of the neuraxis can appreciate the importance of the other.
- A further major advance over the last decade has been on the plastic changes in connectivity that occur with development, senescence, motor learning, disease and recovery from it. An understanding of how the nervous system can adapt to changed circumstances is the key to understanding, on the one hand, acquired differences in motor skill and, on the other hand, the compensations, sometimes dysfunctional, that occur when the nervous system is damaged. Accordingly appropriate data are highlighted in chapters focussed on specific circuits, and there is a new chapter that specifically addresses the short- and long-standing adaptations of the function of spinal and corticospinal circuits to altered demands and pathology.

---

## Organisation of Individual Chapters

---

We have retained the same format as for the previous book, with consideration first of the different spinal pathways for which there are reliable and non-invasive



methods of investigation. Accordingly, after an extensive chapter on Methodology, we consider spinal circuitry in Chapters 2–10 with, for each circuit:

1. *A brief background from animal experiments.* Human investigations are indirect and it is crucial to know the essential characteristics of each pathway described in animal experiments with recordings from motoneurons and/or interneurons. Caution should always be taken in extrapolating from data obtained in 'reduced preparations' (anaesthetised, decerebrate or spinalised animals) to awake intact human subjects, but the validation of a technique for exploring a given pathway may require controls only possible in animal experiments, and the results in human subjects are more credible when there is a close analogy with animal experiments.
2. *A critical description of the available method(s)* that have been used to explore the relevant pathways selectively. For those who wish to know how methods and concepts have evolved over the years and why some interpretations were erroneous even if, at the time, influential, the methods are described in detail, with their limits and caveats, and the results obtained and their interpretation(s) are critically evaluated in each chapter. Because human studies are fraught with technical difficulties, much space has been allotted to methods and potential pitfalls.
3. *The organisation and descending control (in particular corticospinal) of these pathways in human subjects.* The basic organisation of each pathway may well be the same in humans and cats, but the strength of the projections of individual spinal pathways on different motoneuron pools and their descending control have been the subject of phylogenetic adaptations to different motor repertoires. For the human lower limb, more elaborate reflex assistance is required for bipedal stance and gait. That there has been this phylogenetic adaptation argues that spinal pathways have a functional role in human subjects and are not evolutionary relics.
4. *The changes in transmission in these pathways during various motor tasks.* How spinal reflex pathways are used in motor control cannot be deduced from experiments on 'reduced' animal preparations. It

requires experiments performed during natural movements, as can be done in humans. This has been one major contribution of human studies to the understanding of motor control physiology. Thus, even though many of the conclusions are speculative, this book gives a large place to the probable functional implications of the described changes in transmission in spinal pathways during movement.

5. *Changes in transmission in these pathways in patients with various lesions of the CNS.* This has provided new insights about the pathophysiology of the movement disorder in these patients.

## Overall Organisation of the Book

We have again adopted much the same organisation as previously.

*Methodology.* The general methodologies which are used for investigating pathways are considered in a first chapter with the advantages and disadvantages of each technique. There is a risk that starting with a technical chapter would dissuade the non-specialist reader from delving further into the book. However, this initial chapter is useful to understand the rationale, advantages and limitations of the different techniques used to investigate different pathways, and we consider it important for those who have no experience with a particular technique but wish to use it in human subjects. Nevertheless it is not essential for the comprehension of subsequent chapters.

*Résumés.* For those who want to get to the gist of the matter reasonably quickly each chapter terminates with a résumé of its salient points. The résumés can be used on their own without reference to the detailed text. They give a practical 'recipe' on the choice of the appropriate technique and its proper use in routine clinical studies, together with data on the possible functional role of the particular pathway in motor control and in the pathophysiology of movement disorders.

*Overviews.* The final four chapters summarise and synthesise the changes in transmission in spinal and corticospinal pathways during movement, and how these changes contribute to motor control, and spinal



mechanisms underlying spasticity and motor impairment in patients with Parkinson's disease and dystonia. The physiological and pathophysiological roles of spinal and corticospinal pathways are presented using a different approach to that in the previous chapters. With respect to the previous book, these overviews have been greatly developed.

A long chapter (Chapter 11) is focussed on purposeful movements and involves:

- (i) an overview of the contribution made by the different spinal pathways in various kinds of movement,
- (ii) an attempt to unravel the relationships between volitional control, afferent feedback (in particular through transcortical reflexes), and possible efference copy,

- (iii) a description of the changes in motor cortex excitability and short interval intracortical inhibition (SICI) during the different phases of various movement, and
- (iv) the role of spinal and supraspinal factors in muscle fatigue.

Chapter 12 considers the contribution of spinal and transcortical pathways in unperturbed and perturbed stance and gait.

Plastic changes in spinal and corticospinal circuits are considered in Chapter 13.

In a brief summary, Chapter 14 collates data in preceding chapters on spinal mechanisms underlying spasticity and the motor impairment in patients with Parkinson's disease and dystonia.



# Contents

---

|  |                 |
|--|-----------------|
| Acknowledgements   | <i>page</i> xvi |
| Preface  | xvii            |
| List of abbreviations                                      | xxi             |
| <b>1 General Methodology</b>                               | <b>1</b>        |
| H Reflex and Tendon Jerk                                   | 1               |
| Basic Methodology (H reflex)                               | 4               |
| H and M Recruitment Curve                                  | 7               |
| Tendon Jerk  | 8               |
| Random Alternation of Control and Conditioned Reflexes     | 8               |
| Time Resolution of the Method                              | 8               |
| Recovery Cycle of the H Reflex                             | 9               |
| Threshold Tracking of the H Reflex                         | 11              |
| Mechanisms Acting on the Afferent Volley                   | 11              |
| Alterations in the Excitability of Ia Afferents            | 11              |
| Presynaptic Inhibition of Ia Terminals                     | 11              |
| Homosynaptic Depression                                    | 12              |
| Curtailed of the Compound EPSP by a Disynaptic Ib IPSP     | 12              |
| ‘Pool Problems’  | 15              |
| Non-linearity in the Input-Output Relation                 | 15              |
| Changes in the Recruitment Gain of the Motoneurone Pool    | 16              |
| Plateau Potentials and Amplification of Synaptic Input     | 17              |
| Quantitative Data  | 20              |
| Clinical Value   | 21              |
| The F wave   | 21              |
| Modulation of the On-Going EMG Activity                    | 24              |
| Underlying Principles and Methodology                      | 24              |
| Discrepant Changes in the On-Going EMG and in the H Reflex | 26              |
| Advantages, Limitations and Conclusions                    | 27              |
| Investigations on Single Motor Units                       | 28              |



|  |    |   |     |
|--|----|---|-----|
| Post-stimulus Time Histograms (PSTHs)  | 28 | Organisation and Pattern of Connections               | 76  |
| Underlying Principles  | 28 | Homonymous Monosynaptic Ia                            |     |
| Basic Methodology  | 30 | Excitation  | 76  |
| Timing of the Changes in Firing Probability  | 31 | Heteronymous Ia Connections in the Lower Limb         | 77  |
| Size and Significance of the Peaks and Troughs in the PSTH                                   | 32 | Heteronymous Ia Connections in the Upper Limb         | 78  |
| Critique: Limitations, Advantages and Conclusions  | 33 | Equivocal Data Obtained with Conditioning Tendon Taps | 80  |
| Post-stimulus Time Frequencygrams (PSFs)   | 34 | Motor Tasks and Physiological Implications            | 80  |
| Unitary H Reflex   | 35 | Short-Latency Ia Spinal Stretch Reflex                | 80  |
| Stimulation of the Motor Cortex  | 36 | Heteronymous Connections in the Lower Limb            | 82  |
| Caveats in Interpreting Studies Using Transcranial Stimulation                               | 38 | Heteronymous Connections in the Upper Limb            | 84  |
| Transcranial Stimulation by Single Pulses  | 39 | Studies in Patients and Clinical Implications         | 84  |
| Paired-Pulse Stimulation of the Motor Cortex   | 44 | Homosynaptic Depression (HD)                          | 85  |
| Short-Interval Intracortical Inhibition (SICI)   | 44 | Background from Animal Experiments                    | 85  |
| Long-Interval Intracortical Inhibition (LICI)  | 45 | Methodology   | 85  |
| Cortical Silent Period   | 45 | Organisation and Physiological Implications           | 87  |
| Short-Interval Intracortical Facilitation (SICF)   | 45 | Strength of HD at Different Synapses                  | 87  |
| Long-Interval Intracortical Facilitation (LICF)  | 46 | HD during Voluntary Contraction                       | 88  |
| Interhemispheric Interactions  | 46 | Use-Dependent Plasticity                              | 89  |
| Combined Peripheral and Cortical Stimulation   | 46 | Functional Significance                               | 89  |
| Prolonged Stimulation of the Motor Cortex (rTMS, TBS, tDCS)                                  | 47 | HD in Patients  | 90  |
| Spatial Facilitation   | 48 | Spasticity  | 90  |
| Underlying Principles  | 48 | Parkinson's Disease                                   | 90  |
| Spatial Facilitation in the PSTH   | 48 | Transcortical Ia Excitation                           | 90  |
| Spatial Facilitation of Monosynaptic Reflexes  | 50 | History of Transcortical LLSRs in Humans              | 91  |
| Coherence Analyses and Motor Control   | 51 | Denouement  | 93  |
| Résumé   | 52 | Patients with Mirror Movements                        | 93  |
| References   | 59 | Motor Cortex Stimulation                              | 93  |
| <b>2 Monosynaptic Ia Excitation, Homosynaptic Depression and Transcortical Ia Excitation</b> | 65 | Transcortical LLSRs in the Upper Limb                 | 94  |
| Monosynaptic Ia Excitation of Motoneurons  | 65 | LLSRs in Distal and Proximal Muscles                  | 94  |
| Background from Animal Experiments   | 65 | Overlap with Voluntary M3 Response                    | 94  |
| Methodology  | 67 | Group II Medium-Latency Responses                     | 95  |
| Homonymous Monosynaptic Ia Excitation  | 67 | Sensory Pathway of M2 Responses                       | 95  |
| Heteronymous Monosynaptic Ia Excitation  | 69 | Functional Significance                               | 96  |
| Range of Electrical Thresholds and CV of Ia Afferents  | 74 | Transcortical LLSRs in the Lower Limb                 | 96  |
|  |    | Evidence for Transcortical LLSRs                      | 96  |
|  |    | Functional Significance                               | 98  |
|  |    | Résumé  | 99  |
|  |    | References  | 103 |



|  |     |
|--|-----|
| <b>3 Fusimotor Mechanisms, Muscle Spindles and Their Role in the Control of Movement</b> | 110 |
| Background   | 110 |
| Methodology  | 114 |
| Comparisons of Tendon Jerk and H Reflex  | 114 |
| Nerve Blocks   | 115 |
| Microneurography   | 115 |
| Exploiting the Thixotropic Properties of Intrafusal Fibres                               | 117 |
| Critique of the Tests to Study Fusimotor Drive   | 117 |
| Organisation and Pattern of Connections  | 118 |
| Background Drive to Relaxed Muscles  | 118 |
| Discharge Rates  | 118 |
| Effect of Muscle Vibration on Human Spindles   | 119 |
| Reflex Activation of Fusimotor Neurones  | 121 |
| Supraspinal Activation of Fusimotor Neurones   | 123 |
| Motor Tasks and Physiological Implications   | 123 |
| Remote Muscle Contraction  | 123 |
| Motor Preparation and Imagery  | 124 |
| Deliberate Voluntary Effort  | 125 |
| Isometric (Restrained) Contractions  | 125 |
| Concentric and Eccentric Contractions  | 127 |
| Activation of $\gamma$ and $\beta$ Motoneurones  | 127 |
| Natural Unrestrained Movements   | 127 |
| Possible Role of the Fusimotor System during Movement                                    | 128 |
| Studies in Patients and Clinical Implications  | 129 |
| Spasticity   | 129 |
| Parkinson's Disease  | 130 |
| Résumé   | 130 |
| References   | 133 |
| <b>4 Recurrent Inhibition</b>  | 138 |
| Background from Animal Experiments   | 138 |
| Methodology  | 140 |
| Arguable Techniques  | 140 |
| The Paired H Reflex Technique  | 141 |
| Underlying Principles  | 141 |
| Conditioning Reflex and H' Test Reflex   | 142 |
| Evidence for Recurrent Inhibition  | 142 |
| Validation   | 146 |

|  |     |
|--|-----|
| Critique: Limitations, Cautions, Conclusion                    | 146 |
| Heteronymous Recurrent Inhibition                              | 147 |
| Underlying Principles  | 147 |
| Orthodromic (Reflex) Discharge                                 | 148 |
| Antidromic Motor Volley  | 148 |
| Evidence for Recurrent Inhibition                              | 148 |
| Critique: Limitations, Conclusions                             | 152 |
| Organisation and Pattern of Connections                        | 152 |
| Homonymous Recurrent Inhibition                                | 152 |
| Heteronymous Recurrent Inhibition in the Lower Limb            | 153 |
| Heteronymous Recurrent Inhibition in the Upper Limb            | 154 |
| Projections to Ia Inhibitory Interneurones                     | 155 |
| Cortical Control   | 157 |
| Peripheral Control   | 157 |
| Motor Tasks and Physiological Implications                     | 158 |
| Voluntary Contractions of the Test Muscle                      | 158 |
| Methodology  | 158 |
| Various GS Voluntary Contractions                              | 158 |
| Mechanisms Underlying the Changes in H'                        | 160 |
| Heteronymous Recurrent Inhibition                              | 161 |
| Conclusions and Functional Implications                        | 162 |
| Contraction of the Antagonistic Muscle                         | 163 |
| Co-contraction of Antagonistic Muscles                         | 163 |
| Stance   | 165 |
| Homonymous Recurrent Inhibition                                | 165 |
| Heteronymous Recurrent Inhibition                              | 165 |
| Heteronymous Recurrent Inhibition during Gait                  | 167 |
| Studies in Patients and Clinical Implications                  | 169 |
| Spasticity: Recurrent Inhibition at Rest                       | 169 |
| Stroke and Spinal Cord Injury                                  | 169 |
| Progressive Spastic Paraparesis                                | 169 |
| Spasticity: Changes in Recurrent Inhibition during Motor Tasks | 170 |
| Patients with Other Movement Disorders                         | 170 |
| Résumé   | 170 |
| References   | 174 |
| <b>5 Reciprocal Ia Inhibition</b>                              | 178 |
| Background from Animal Experiments                             | 178 |
| Methodology  | 180 |



|   |     |  |     |
|---|-----|--|-----|
| Methods to Investigate Reciprocal Ia Inhibition at Hinge Joints                     | 180 | Stroke   | 205 |
| Inhibition of the Monosynaptic Reflex   | 180 | Spinal Cord Lesions  | 205 |
| Modulation of the On-going EMG  | 181 | Underlying Mechanisms  | 206 |
| PSTHs for Single Units  | 181 | Cerebral Palsy   | 206 |
| Evidence for Reciprocal Ia Inhibition   | 181 | Hyperekplexia  | 206 |
| Evidence for Ia-Induced Inhibition  | 181 | Parkinson's Disease  | 206 |
| Evidence for Disynaptic Transmission  | 184 | Résumé   | 206 |
| Recurrent Inhibition of the Relevant Interneurons                                   | 185 | References   | 210 |
| Critique of the Tests to Study Reciprocal Ia Inhibition                             | 185 | <b>6 Ib Pathways</b>   | 214 |
| Organisation and Pattern of Connections   | 187 | Background from Animal Experiments                                     | 214 |
| Pattern and Strength of Reciprocal Ia Inhibition at Rest at Hinge Joints            | 187 | Methodology  | 217 |
| Other Inputs to Ia Interneurons   | 188 | Methods to Investigate Ib Inhibition                                   | 217 |
| Cutaneous Facilitation of Reciprocal Ia Inhibition                                  | 188 | Inhibition of the H Reflex at Rest                                     | 218 |
| Corticospinal Facilitation of Reciprocal Ia Inhibition                              | 190 | Inhibition in the PSTHs for Single Units                               | 218 |
| Vestibulospinal Facilitation of Reciprocal Ia Inhibition                            | 190 | Evidence for Ib Inhibition   | 218 |
| Absence of 'True' Reciprocal Ia Inhibition at Wrist Level                           | 190 | Evidence for a Ib Conditioning Input                                   | 218 |
| Inhibition at Wrist Level Does Not Fulfil the Criteria for Reciprocal Ia Inhibition | 190 | Evidence for Disynaptic Transmission                                   | 221 |
| Convergence of Group I Afferents from Several Different Muscles                     | 192 | Ib vs. Reciprocal Ia Inhibition  | 223 |
| Homosynaptic Depression   | 193 | Short Duration   | 223 |
| Motor Tasks and Physiological Implications  | 193 | Oligosynaptic Group I Excitation                                       | 224 |
| Voluntary Contraction of the Antagonist   | 194 | Critique of the Tests to Reveal Ib Effects                             | 224 |
| Soleus H Reflex Depression  | 194 | Organisation and Pattern of Connections                                | 225 |
| Reciprocal Ia Inhibition during Voluntary Ankle Dorsiflexion                        | 194 | Pattern and Strength of Ib Inhibition                                  | 225 |
| Mechanisms Underlying Changes in Reciprocal Ia Inhibition                           | 197 | Homonymous Ib Inhibition   | 225 |
| Functional Implications   | 198 | Heteronymous Ib Inhibition   | 225 |
| Use-Dependent Plasticity  | 198 | Oligosynaptic Group I Excitation                                       | 226 |
| Voluntary Activation of the Agonist Muscle  | 199 | Convergence with Ia Afferents  | 227 |
| Reciprocal Ia Inhibition during Co-contraction of Antagonistic Muscles              | 200 | Effects of Low-Threshold Cutaneous Afferents                           | 227 |
| Postural Activity   | 202 | Cutaneous Suppression  | 227 |
| Gait  | 204 | Cutaneous Facilitation   | 229 |
| Studies in Patients and Clinical Implications                                       | 204 | Facilitation of Ib Inhibition by Joint Afferents                       | 230 |
| Spasticity  | 205 | Effects from Nociceptive Afferents                                     | 230 |
|   |     | Descending Effects   | 232 |
|   |     | Convergent Inputs  | 232 |
|   |     | Motor Tasks and Physiological Implications                             | 234 |
|   |     | Voluntary Contraction of the Agonist                                   | 234 |
|   |     | Evidence for Suppression of Ib Inhibition                              | 234 |
|   |     | Possible Mechanisms  | 234 |
|   |     | Possible Functional Role of Ib Inhibition                              | 237 |
|   |     | Facilitation by Other Afferent Discharges                              | 237 |
|   |     | Ib Inhibition to Motoneurons not Involved in the Voluntary Contraction | 238 |



|   |     |   |     |
|---|-----|---|-----|
| Inactive Synergists                           | 238 | Central Pathway of Group II Excitation        | 262 |
| Voluntary Contraction of Antagonists          | 238 | Estimates of the Central Delay                | 262 |
| Changes in Ib Inhibition during Walking       | 238 | Rostral Location of the Relevant              |     |
| Studies in Patients and Clinical Implications | 241 | Interneurons                                  | 263 |
| Ib Inhibition                                 | 241 | Distribution of Group II Excitation           | 264 |
| Spasticity                                    | 241 | Stretch-Induced Responses in Ipsilateral      |     |
| Hyperekplexia                                 | 241 | and Contralateral Muscles                     |     |
| Parkinson's Disease                           | 241 | (Lower Limb)                                  | 264 |
| Restless Leg Syndrome, Supranuclear Palsy     | 241 | Heteronymous Group II Excitation              |     |
| Mechanisms Underlying the Decreased Ib        |     | (Lower Limb)                                  | 264 |
| Inhibition                                    | 241 | Group II Excitation in the Upper Limb         | 264 |
| Ib Excitation in Spastic Patients             | 242 | Convergence with Other Peripheral             |     |
| Résumé  | 242 | Afferents                                     | 265 |
| References                                    | 245 | Group I Afferents                             | 265 |
|   |     | Absence of Evidence for Cutaneous             |     |
|   |     | Projections                                   | 266 |
| <b>7 Group II Pathways</b>                    | 249 | Peripheral Inhibitory Input to Interneurons   | 266 |
| Background from Animal Experiments            | 249 | Absence of Group II Inhibition of             |     |
| Methodology                                   | 252 | Motoneurons                                   | 266 |
| Underlying Principles                         | 252 | Corticospinal Control of Group II Excitation  | 267 |
| Stretch-Induced Homonymous Group II           |     | Corticospinal Facilitation of Group II        |     |
| Excitation                                    | 252 | Excitation                                    | 267 |
| Responses in Standing Subjects                | 252 | Corticospinal Control of Inhibitory           |     |
| Responses in Subjects Reclining Supine        | 254 | Interneurons                                  | 267 |
| Electrically Induced Heteronymous Group II    |     | Motor Tasks and Physiological Implications    | 270 |
| Excitation                                    | 254 | Voluntary Contractions                        | 270 |
| Late High-Threshold H Reflex Facilitation     | 254 | Postural Tasks                                | 271 |
| PSTHs of Single Units                         | 254 | Homonymous Group II Excitation                | 271 |
| Modulation of the On-going EMG                | 254 | Heteronymous Group II Excitation in           |     |
| Evidence for Muscle Group II Excitation       | 257 | Postural Tasks                                | 273 |
| Late Excitation is not Due to Motor or        |     | Monoaminergic Control System?                 | 273 |
| Fusimotor Axon Stimulation                    | 257 | Functional Implications                       | 274 |
| Evidence for Slowly Conducting Afferents      | 257 | Gait  | 274 |
| Differential Effects of Vibration             | 257 | Contribution to Soleus Activation             | 274 |
| Pharmacological Validation                    | 260 | Contribution to Quadriceps Activation         | 276 |
| Origin of Group II Afferents                  | 260 | Group II-Mediated Responses to                |     |
| Critique of the Tests Used to Reveal          |     | External Perturbations                        | 276 |
| Group II Actions                              | 260 | Studies in Patients and Clinical Implications | 279 |
| Contamination by Group I Effects              | 260 | Peripheral Neuropathies                       | 279 |
| Contamination by Transcortical                |     | Spasticity                                    | 279 |
| Long-Latency Responses                        | 261 | Increased Propriospinally Mediated            |     |
| Other Limitations                             | 261 | Group I-Group II Excitation                   | 279 |
| Organisation and Pattern of Connections       | 261 | Possible Underlying Mechanisms                | 280 |
| Peripheral Pathway                            | 261 | Is Increased Group II Excitation              |     |
| Conduction Velocity of Group II Afferents     | 261 | Sufficient to Cause Spasticity?               | 282 |
| Group II-Ia Ratio                             | 262 |   |     |



|   |     |   |     |
|---|-----|---|-----|
| Parkinson's Disease   | 282 | Use-Dependent Plasticity  | 313 |
| Dystonia  | 284 | Ia Terminals on Motoneurones of Inactive Synergists                               | 313 |
| Résumé  | 284 | Evidence for Increased Presynaptic Inhibition                                     | 313 |
| References  | 288 | Origin and Functional Implications  | 314 |
| <b>8 Presynaptic Inhibition of Ia Terminals</b>                     | 292 | Ia terminals to Motoneurones of Antagonists                                       | 314 |
| Background from Animal Experiments                                  | 292 | Selective Contraction of the Antagonist   | 314 |
| Methodology   | 295 | Co-contraction of Antagonists   | 314 |
| H Reflex vs. MEP  | 295 | Functional Implications   | 316 |
| Assessing the Excitability of PAD Interneurones                     | 297 | Contraction of Remote Muscles   | 316 |
| Flawed Technique: Prolonged Vibration of the Homonymous Tendon      | 297 | Ia Terminals on Upper Limb Motoneurones   | 317 |
| Short Vibration of a Heteronymous Tendon                            | 298 | Active Standing   | 317 |
| Electrically Induced 'D1' and 'D2' Inhibitions                      | 298 | Walking   | 319 |
| Critique  | 299 | Running   | 320 |
| Assessing Monosynaptic Ia Facilitation of the H Reflex              | 300 | Bicycling   | 321 |
| Experimental Paradigm   | 300 | Studies in Patients and Clinical Implications                                     | 321 |
| Validation  | 300 | Changes in Tests Assessing Presynaptic Inhibition with Ageing                     | 321 |
| Critique  | 302 | Spasticity  | 322 |
| Techniques Using Single Motor Units                                 | 302 | Over-interpretation of Decreased Homonymous Vibratory Inhibition                  | 322 |
| Opposite Changes in Ia Facilitation and Heteronymous Inhibition     | 302 | Patients with Spinal Cord Lesions   | 322 |
| Organisation and Pattern of Connections                             | 302 | Stroke Patients   | 322 |
| Projections to Different Motoneurone Types                          | 302 | Changes during Voluntary Movement   | 323 |
| Organisation of PAD INs in Subsets                                  | 303 | Parkinson's Disease   | 323 |
| Peripheral Projections to PAD INs                                   | 304 | Dystonia  | 324 |
| Excitatory Effects  | 304 | Résumé  | 324 |
| Depression from Tactile Cutaneous Afferents                         | 304 | References  | 329 |
| Corticospinal Projections   | 304 | <b>9 Cutaneomuscular, Withdrawal and Flexor Reflex Afferent ('FRA') Responses</b> | 334 |
| Vestibulospinal Projections   | 307 | Background from Animal Experiments  | 334 |
| Tonic Level of Presynaptic Inhibition of Ia Terminals               | 307 | Cutaneous Responses through 'Private' Pathways                                    | 335 |
| Sensitivity of Stretch-Induced Ia Volleys to Presynaptic Inhibition | 307 | FRA Pathways  | 337 |
| Motor Tasks and Physiological Implications                          | 308 | Methodology   | 339 |
| Ia Terminals on Voluntarily Activated Lower Limb Motoneurones       | 308 | Underlying Principles   | 339 |
| Evidence for Decreased Presynaptic Inhibition                       | 308 | Stimulation   | 340 |
| Changes during Various Contractions                                 | 310 | Electrical Stimuli  | 340 |
| Origin and Functional Implications                                  | 312 | Mechanical Stimuli  | 340 |
|   |     | Assessing the Effects of Cutaneous Stimuli  | 341 |
|   |     | Responses Recorded at Rest  | 341 |
|   |     | Modulation of Motoneurone Excitability  | 343 |



|  |     |   |     |
|--|-----|---|-----|
| Critique of the Tests to Study Cutaneous Effects                 | 343 | Central Pathway for Long-Latency Effects                          | 368 |
| Withdrawal Reflexes  | 344 | Pattern of the Facilitation of                                    |     |
| Afferent Pathway of Withdrawal Reflexes                          | 344 | Monosynaptic Reflexes   | 368 |
| Parallel between Pain Sensation and the RIII Reflex              | 344 | Latencies of the Responses  | 369 |
| Afferent Volleys Involved in the RIII Reflex and Pain            | 346 | Observations in Patients  | 369 |
| Central Pathway of Early Withdrawal Responses                    | 347 | Maturation  | 369 |
| Central Delay  | 347 | Which Supraspinal Pathway in Lower Limbs?                         | 369 |
| Conclusion   | 349 | Which Supraspinal Pathway in Upper Limbs?                         | 371 |
| Functional Organisation of Early Withdrawal Reflexes             | 349 | Projections to Different Types of Motoneurons                     | 372 |
| Trunk Skin Reflexes  | 349 | Functional Role of Cutaneomuscular Responses                      | 374 |
| Plantar Responses  | 351 | Cutaneomuscular Responses in the Upper Limb                       | 374 |
| Other Withdrawal Responses in the Lower Limb                     | 352 | Cutaneomuscular Responses in the Lower Limb                       | 376 |
| Withdrawal Responses in the Upper Limb                           | 353 | Interlimb Cutaneomuscular Responses                               | 377 |
| Late Withdrawal Responses  | 353 | Gait  | 377 |
| Late Withdrawal Responses in Patients with Complete SCI          | 355 | Changes in Patients and Clinical Implications                     | 379 |
| Late Responses in Normal Subjects                                | 357 | Complete Spinal Transection                                       | 380 |
| Interactions between Different Inputs                            | 358 | Upper Motoneurone Lesions Other Than Complete SCI                 | 380 |
| Painful Homonymous Cutaneous Volleys                             | 358 | Abolition of Normal Cutaneous Reflexes                            | 380 |
| Effects of Other Peripheral Inputs                               | 359 | Babinski Response   | 381 |
| Descending Effects   | 359 | Withdrawal Reflexes in the Lower Limb                             | 381 |
| Changes during Motor Tasks                                       | 361 | Flexor Spasms   | 381 |
| Voluntary Contraction  | 361 | Withdrawal Reflexes in the Upper Limb                             | 382 |
| Postural Tasks   | 362 | Cutaneomuscular Responses   | 382 |
| Gait   | 362 | Grasp Reflex  | 382 |
| Cutaneomuscular Reflexes Evoked by Non-noxious Stimuli           | 362 | Parkinson's Disease   | 382 |
| The Different Responses  | 362 | Restless Leg Syndrome   | 382 |
| RII Reflex at Rest   | 362 | Cerebellar Patients   | 383 |
| Cutaneomuscular Reflexes during Voluntary Contraction            | 363 | Peripheral Neuropathies   | 383 |
| Modulation of the Monosynaptic Reflex                            | 363 | Diagnostic Uses   | 383 |
| Afferent Pathway   | 365 | Résumé  | 383 |
| Central Pathway of Early Responses                               | 365 | References  | 389 |
| Spinal Origin of the Early Effects?                              | 365 |   |     |
| Oligo- or Poly-synaptic Spinal Pathways?                         | 367 |   |     |
| 'Private' Pathway or Changes in Transmission in Another Pathway? | 367 |   |     |
| Presynaptic Inhibition of Ia Terminals                           | 368 |   |     |
|  |     | <b>10 Propriospinal Transmission of Descending Motor Commands</b> | 395 |
|  |     | Background from Animal Experiments                                | 395 |
|  |     | The C3–C4 Propriospinal System in the Cat                         | 395 |



|  |     |  |     |
|--|-----|--|-----|
| The C3–C4 Propriospinal System in the Monkey                     | 397 | Evidence for Disfacilitation                             | 414 |
| Methodology  | 398 | Site of Disfacilitation                                  | 416 |
| Propriospinally Mediated Peripheral Excitation                   | 398 | Effect on Various Motor Nuclei                           | 416 |
| Cutaneous Suppression of Descending Excitation                   | 400 | Quantitative Aspects of the Cutaneous Suppression        | 416 |
| Rostral Location of the Relevant Interneurons                    | 400 | Changes during Muscle Fatigue                            | 417 |
| Organisation and Pattern of Connections                          | 401 | Propriospinal Excitation during Simple Tasks             | 418 |
| Excitatory Inputs to Propriospinal Neurons                       | 401 | Reflex Facilitation at the Onset of Contraction          | 418 |
| Peripheral Excitatory Input                                      | 401 | Descending Facilitation of Propriospinal Neurons         | 418 |
| Corticospinal Excitation of Propriospinal Neurons                | 402 | Factors Limiting the Increase in Reflex Facilitation     | 418 |
| Feedback Inhibition of Propriospinal Neurons                     | 405 | Further Insights on the Organisation of the System       | 419 |
| Peripheral Inhibition of Propriospinal Neurons                   | 405 | Handedness-Related Asymmetry                             | 419 |
| Corticospinal Excitation of Feedback Inhibitory Interneurons     | 407 | Task-Dependent Changes                                   | 420 |
| Possible Existence of Inhibitory Propriospinal Interneurons      | 408 | Grip   | 420 |
| Interaction between Excitatory and Inhibitory Inputs             | 408 | Reach-to-Grasp Movements                                 | 420 |
| Propriospinal Neurons and Inhibitory Interneurons                | 408 | Grip–Lift Task   | 422 |
| Can Transmission via Segmental Interneurons Explain the Results? | 408 | Functional Implications                                  | 422 |
| Cervical Activity Visualised with BOLD fMRI                      | 410 | Integration of Group I and Descending Inputs             | 422 |
| Explanation for the Conflicting Conclusions                      | 410 | Cutaneous Suppression of the Descending Command          | 423 |
| Natural vs. Artificial Activation of Corticospinal Projections   | 411 | In Which Movements Is the Propriospinal System Involved? | 425 |
| Organisation of the Cervical Propriospinal System                | 411 | Studies in Patients and Clinical Implications            | 425 |
| Organisation in Subsets  | 411 | Lesion at the Junction C6–C7 Spinal Level                | 425 |
| Convergence and Divergence                                       | 411 | Stroke Patients  | 427 |
| Projections to Different Types of Motoneurons                    | 412 | Cutaneous Suppression of the On-Going EMG                | 427 |
| Motor Tasks and Physiological Implications                       | 412 | Correlation with Recovery from Hemiplegia                | 429 |
| Transmission of a Part of the Descending Command                 | 414 | Parkinson's Disease                                      | 430 |
| Underlying Principles  | 414 | Dystonia   | 431 |
|  |     | The Lumbar Propriospinal System                          | 431 |
|  |     | Background from Animal Experiments                       | 431 |
|  |     | Methodology  | 431 |
|  |     | Rostral Location of the Relevant Interneurons            | 432 |
|  |     | Organisation and Pattern of Connections                  | 432 |
|  |     | Peripheral Excitatory Input                              | 432 |
|  |     | Peripheral Inhibitory Inputs                             | 433 |