

PERRY'S CHEMICAL ENGINEERS' HANDBOOK

佩里化学工程师手册

SEVENTH EDITION

(第七版)

Robert H. Perry
Don W. Green



McGraw-Hill



科学出版社

佩里化学工程师手册

(第七版)

PERRY'S CHEMICAL ENGINEERS' HANDBOOK

SEVENTH EDITION

(影印版·下册)

Robert H. Perry

Don W. Green

江苏工业学院图书馆
藏书章



科学出版社



McGraw-Hill Companies, Inc.

2001

ISBN: 7-03-008789-5/TQ·36

图字: 01-2000-2403

Robert H. Perry, Don W. Green: Perry's Chemical Engineers' Handbook,
Seventh Edition

Copyright © 1997 by The McGraw-Hill Companies, Inc.

Authorized Reprinting by Science Press.

All rights reserved. For sale in the People's Republic of China only.

ISBN: 0-07-115982-7

本书英文影印版由科学出版社和美国麦格劳-希尔国际公司合作出版。
未经出版者书面许可,不得以任何方式复制或抄袭本书的任何部分。版权
所有,翻版必究。

科学出版社 出版

北京东黄城根北街16号
邮政编码:100717

新蕾印刷厂 印刷

科学出版社发行 各地新华书店经销

*

2001年2月第 一 版 开本: 850×1168 1/16

2001年2月第一次印刷 印张: 165

印数: 1—3 000 字数: 5 820 000

定价: 390.00 元 (上、下册)

(如有印装质量问题,我社负责调换〈新欣〉)

Index

abietic acid, 2-28
 abrasion index, 20-12
 absorptance, 5-25 to 5-27
 definition, 5-25
 variation with temperature of radiation source, 5-26
 accelerating rate calorimeter (ARC), 26-50
 acceleration:
 centrifugal, 18-106
 coriolis, 18-107
 accounting, 9-39 to 9-54
 accountancy, types of, 9-41
 balance sheets, 9-41
 books, closing of, 9-39
 budgets, 9-54
 capital:
 concepts, 9-40
 conventions, 9-40
 cost of, 9-47 to 9-48
 cost control, 9-54
 double-entry, 9-39
 working, 9-52 to 9-54
 company data, comparative, 9-45
 equities, purchase and sale of, 9-44
 financial ratios, 9-42 to 9-43
 financing debt, 9-44 to 9-45
 financing of assets:
 by debt, 9-43
 by equity, 9-43 to 9-44
 income statements, 9-41
 inventory evaluation and control, 9-49 to 9-51
 management and cost, 9-48
 overall company ratios, application of, 9-45 to 9-46
 principles of, 9-39
 retained earnings, 9-44
 acenaphthene, 2-28
 acentric factor, 4-16
 acetal, 2-28, 2-61
 acetaldehyde, 2-28, 2-52, 2-61
 acetaldehyde ammonia, 2-28
 acetamide, 2-28, 2-53, 2-61
 acetanilide, 2-28, 2-61
 acetic acid, 2-28, 2-52, 2-61, 2-110, 2-175, 2-184, 2-204
 acetic anhydride, 2-28, 2-52
 acetic nitrile, 2-28, 2-53
 acetone, 2-28, 2-52, 2-61, 2-175, 2-206
 acetonyl urea, 2-28
 acetophenone benzoyl hydride, 2-28
 acetphenetidine, 2-28
 acetoluidide, 2-28
 acetyl chloride, 2-28
 acetylene, 2-28, 2-50, 2-61, 2-125, 2-206
 acetylene dichloride, 2-28
 acetyl phenylenediamine, 2-28
 acid egg, 10-35
 aconitic acid, 2-28
 acridine, 2-28, 2-61
 acrolein ethylene aldehyde, 2-28
 acrylic acid, 2-28, 2-61
 acrylic nitrile, 2-28
 activity coefficient, 4-25
 actuators, 8-66 to 8-67
 diaphragm actuator, 8-66
 electric, 8-67
 hydraulic, 8-67
 motion conversion, 8-67
 pneumatic, 8-66 to 8-67
 Adams-Bashforth method, 3-55
 adaptive meshes, 3-60

1.4 INDEX

- adiabatic, 10-5
 - flow, 10-5
- adipic acid, 2-28, 2-61
- adipic amide, 2-28
- adipic nitrile, 2-28
- adrenaline, 2-28
- adsorbents:
 - density:
 - bulk, 16-11
 - particle, 16-11
 - skeletal, 16-11
 - wet, 16-11
 - See also* sorbents
- adsorption:
 - adiabatic, 16-32 to 16-34
 - batch processes, 16-25 to 16-29
 - biochemical separation, 22-75
 - countercurrent, 16-60 to 16-64
 - crosscurrent, 16-61 to 16-62
 - cycles, 16-48 to 16-52, 16-54 to 16-56
 - pressure swing adsorption (PSA), 16-49 to 16-51
 - purge/concentration swing adsorption, 16-51 to 16-52
 - temperature swing adsorption (TSA), 16-48 to 16-49
 - design concepts, 16-5 to 16-7
 - energy balance, 16-17
 - equilibrium, 16-5
 - multiple components, 16-15
 - separation factor, 16-14 to 16-16
 - equipment, 16-56
 - controls, 16-59
 - regeneration, 16-58 to 16-59
 - vessels, 16-56 to 16-58
 - fixed beds. *See* fixed beds
 - heat transfer in, 16-18
 - isotherms. *See* isotherms
 - mass transfer in. *See* mass transfer
 - material balance, 16-17
 - moving beds, simulated, 16-56, 16-63 to 16-64
 - physical properties of, 16-9
 - process selection, 16-56
 - rate factor, 16-17
 - selection of, 16-5 to 16-6
- adsorptive-bubble separation, 22-30 to 22-36
 - adsorption, 22-32 to 22-33
 - bubble fractionation, 22-35 to 22-36
 - classification, 22-30 to 22-32
 - column operation, 22-34
 - enriching, 22-33
 - foam-column theory, 22-33 to 22-34
 - foam considerations, 22-34 to 22-35
 - limiting equations, 22-34
 - simple mode, 22-33
 - stripping, 22-33
- advanced control system:
 - adaptive control, 8-20
 - cascade control, 8-18 to 8-19
 - decoupling, 8-23 to 8-24
 - feedback, 8-17
 - feed forward, 8-16 to 8-18
 - advanced control system (*Cont.*):
 - fuzzy logic control, 8-21
 - override control, 8-19 to 8-20
 - relative gain array method (RGA), 8-24
 - smith predictor, 8-19 to 8-20
 - statistical process control, 8-21
- aerosol deposition:
 - mechanism, 17-25
 - parameter, 17-25
- affinity laws, 10-25
- agglomeration, 19-33, 20-56
 - agitation, 20-56
 - circuit, 20-57
 - compression, 20-56
 - density, 20-59
 - extent of, 20-57
 - granulation, 20-57
 - kinetics, 20-57
 - porosity, 20-59
 - rate process, 20-61 to 20-73
 - breakage, 20-68
 - growth and consolidation, 20-64
 - powder compaction, 20-69
 - wetting, 20-61
 - size, 20-59
 - strength of, 20-60
- agitated vessels, jackets of, 18-23
- agitation, 11-27
 - bed agitation intensity, 20-64
 - high agitation intensity, 20-64
 - low agitation intensity, 20-64
- agitation equipment, 18-12 to 18-13
 - selection of, 18-12
- air, 2-53, 2-125, 2-133, 2-140, 2-200, 2-207 to 2-214, 2-221
- air conditioning, 11-74 to 11-76
 - application of, 11-74
 - definition of, 11-74
 - equipment for, 11-74
- air-cooled:
 - heat exchanger, 11-47 to 11-52
 - air-flow control, 11-50
 - air recirculation, 11-50
 - costs of, table, 11-51
 - evaporative cooling, 11-50
 - fan drivers, 11-49
 - fans, 11-49
 - finned-tube construction, 11-49
 - forced-draft, 11-48
 - humidification chambers, 11-50
 - trim coolers, 11-50
 - tube-bundle, 11-48
 - tubing, 11-48
 - overhead condenser, 11-51
 - steam condenser, 11-51
- air filter:
 - classification, 17-51
 - high-efficiency particulate air (HEPA), 17-50 to 17-51
 - theory, 17-48 to 17-50
 - types, 17-50
- air lift, 10-35

- air pollutants, effects of, 25-24 to 25-29
- air-quality legislation and regulations, 25-5 to 25-9
- alanine, 2-28
- aldol acetaldol, 2-28
- algae, 24-4
- algebra, 3-12 to 3-15
 - binomial theorem, 3-13
 - factor theorem, 3-14
 - fundamental theorem, 3-14
 - permutations, 3-14
 - probability, 3-14
 - remainder theorem, 3-14
- algebra, elementary, 3-12 to 3-15
 - binomial theorem, 3-13
 - determinants, 3-15
 - operations, 3-12 to 3-13
 - permutations, combinations, and probability, 3-14
 - progressions, 3-13 to 3-14
 - theory of equations, 3-14 to 3-15
- algebraic inequalities:
 - arithmetic-geometric inequality, 3-9
 - Carleman's inequality, 3-9
 - Cauchy-Schwarz inequality, 3-9
 - Hölder's inequality, 3-9
 - Lagrange's inequality, 3-9
 - Minkowski's inequality, 3-9
- Alizarin, 2-28
- allyl alcohol, 2-28, 2-61
- allyl bromide, 2-28
- allyl chloride, 2-28, 2-61
- allyl thiocyanate, 2-28
- allyl thiourea, 2-28
- alum:
 - ammonium:
 - chrome, 2-8
 - iron, 2-8
 - potassium, 2-8
 - potassium chrome, 2-8
 - sodium, 2-8
- aluminum acetate, 2-7
- aluminum and alloys as construction material, 28-36
 - properties of, 28-43
- aluminum bromide, 2-7
- aluminum carbide, 2-7
- aluminum chloride, 2-7, 2-57, 2-121, 2-151, 2-161, 2-187, 2-201
- aluminum ethoxide, 2-28
- aluminum fluoride, 2-7, 2-57, 2-161, 2-187, 2-201
- aluminum hydroxide, 2-7
- aluminum nitrate, 2-7
- aluminum nitride, 2-7
- aluminum oxide, 2-7, 2-57, 2-151, 2-161, 2-187
- aluminum phosphate, 2-7
- aluminum potassium silicate, 2-8
- aluminum potassium tartrate, 2-8
- aluminum sodium fluoride, 2-8
- aluminum sodium silicate, 2-8
- aluminum sulfate, 2-8
- American National Standards Institute (ANSI), 28-28
- American Society for Testing and Materials (ASTM), 13-26, 13-86, 28-28
- American Society of Mechanical Engineers (ASME), 28-28
- amino-anthraquinone, 2-28
- amino azobenzene, 2-28
- amino benzoic acid, 2-28
- aminodiphenylamine, 2-29
- amino-G-acid, 2-29
- amino-J-acid, 2-29
- amino monopotassium salt, 2-29
- amino monosodium salt, 2-29
- aminonaphthol sulfonic, 2-29
- aminophenol, 2-29
- aminotoluene sulfonic acid, 2-29
- ammonia, 2-8, 2-53, 2-57, 2-85 to 2-88, 2-99, 2-125, 2-184, 2-214 to 2-216
- ammonium acetate, 2-8
- ammonium auricyanide, 2-8
- ammonium bicarbonate, 2-8
- ammonium bromide, 2-8, 2-57, 2-121, 2-201
- ammonium carbonate, 2-8, 2-57
- ammonium chloride, 2-8, 2-57, 2-99, 2-120, 2-201
- ammonium chloroplatinate, 2-8
- ammonium chloroplatinite, 2-8
- ammonium chlorostannate, 2-8
- ammonium chromate, 2-8
- ammonium cyanide, 2-8, 2-57
- ammonium dichromate, 2-8
- ammonium hydrosulfide, 2-8, 2-57
- ammonium hydroxide, 2-8
- ammonium ferrocyanide, 2-8
- ammonium fluoride, 2-8
- ammonium formate, 2-8
- ammonium molybdate, 2-8
- ammonium nitrate, 2-8
- ammonium nitrite, 2-8
- ammonium osmochloride, 2-8
- ammonium oxalate, 2-8
- ammonium perchlorate, 2-8
- ammonium persulfate, 2-8
- ammonium phosphate, 2-8 to 2-9
- ammonium phosphomolybdate, 2-9
- ammonium silicofluoride, 2-9
- ammonium sulfamate, 2-9
- ammonium sulfate, 2-9
- ammonium sulfide, 2-9
- ammonium sulfite, 2-9
- ammonium tartrate, 2-9
- ammonium thiocyanate, 2-9
- ammonium vanadate, *meta*-, 2-9
- amyl acetate, 2-29, 2-61
- amyl alcohol, 2-29, 2-61
- amyl amine, 2-29
- amyl aniline, 2-29
- amyl benzoate, 2-29
- amyl bromide, 2-29
- amyl chloride, 2-29
- amyl formate, 2-29
- amyl *i*-butyrate, 2-29
- amyl *i*-cyanide, 2-29
- amyl iodide, 2-29

1.6 INDEX

- amyl isobutyl carbinol, 2-29
- amyl *i*-valerate, 2-29
- amyl mercaptan, 2-29
- amyl methyl propyl carbinol, 2-29
- amyl *n*-butyrate, 2-29
- amyl phenol, 2-29
- amyl propionate, 2-29
- amyl salicylate, 2-29
- amylene, 2-30
- analytic geometry, 3-16 to 3-20
 - plane analytic geometry, 3-16 to 3-18
 - asymptotes, 3-16
 - conic sections, 3-17
 - coordinates, 3-16
 - curves, 3-16 to 3-17
 - line, 3-16
 - parametric equations, 3-18
 - polar equations, 3-18
 - solid analytic geometry, 3-18 to 3-20
 - coordinate systems, 3-18 to 3-19
 - lines and planes, 3-19
 - space curves, 3-19
 - surfaces, 3-19 to 3-20
- analyzers:
 - chemical-composition, 8-50 to 8-51
 - chromatography, 8-51
 - infrared analyzers, 8-51
 - paramagnetism, 8-51
 - sampling system, 8-52 to 8-53
 - ultraviolet and visible radiation, 8-51
- anemometers:
 - current meter, 10-10
 - heated-thermocouple, 10-10
 - hot-film, 10-10
 - hot-wire, 10-10
 - laser-Doppler, 10-11
 - thermistor, 10-10
 - turbine, 10-10
 - vane, 10-10
- anethole, 2-30
- angle of kinematic friction, 21-28
- angle of repose, 21-27
- anhydroformaldaniline, 2-30
- aniline, 2-30, 2-52, 2-61, 2-175, 2-184
- aniline hydrochloride, 2-30
- aniline nitrate, 2-30
- aniline sulfate, 2-30
- anisalacetone, 2-30
- anisic acid, 2-30
- anisic aldehyde, 2-30
- anisidine, 2-30
- anisole, 2-30
- annual cash income, 9-5 to 9-6
- annual expense, 9-6
- annual tax, 9-6
- annulus Reynolds number, 10-17
- anthracene, 2-30
- anthranil, 2-30
- anthranilic acid, 2-30
- anthrapurpurin, 2-30
- anthraquinone, 2-30
- anthraquinone disulfonate, 2-30
- anthraquinone sulfonate, 2-30
- anthranfin, 2-30
- antimony, 2-9, 2-57, 2-151, 2-161, 2-187
 - antimony chloride, *tri*-, 2-9, 2-57, 2-151, 2-161, 2-187
 - antimony oxide, *tri*-, 2-9, 2-57, 2-151, 2-161, 2-187
 - antimony sulfide, *penta*-, 2-9
 - antimony sulfide, *tri*-, 2-9
 - antimony telluride, 2-9
- antimonyl potassium tartrate, 2-9
- antimonyl sulfate, 2-9
- antipyrene, 2-30
- Antoine equation, 4-15
 - constants, 13-21
- aperture, 19-18
- apiole, 2-30
- arabinose, 2-30
- arachidic acid, 2-30
- argon, 2-9, 2-20, 2-53, 2-57, 2-133 to 2-134, 2-140, 2-161, 2-217
- arithmetic-geometric, 3-9
- arithmetic progression, 3-9, 3-13, 3-32
- arsanilic acid, 2-30
- arsenic:
 - black, 2-9, 2-57, 2-151, 2-161, 2-187
 - crystalline, 2-9
- arsenic acid, 2-9
- arsenic pentoxide, 2-9
- arsenic sulfide, *di*-, 2-9
- arsenic sulfide, *penta*-, 2-9
- arsenious chloride, 2-9
- arsenious hydride, 2-9
- arsenious oxide, 2-9
- asbestos:
 - flexible metal hose, 10-96
 - pressure, 10-97
- ASOG method, 4-26
- asparagine, 2-30
- asphalt as construction material, 28-49
- aspirin, 2-30
- ASME Code, 10-144 to 10-152
- atmospheric tanks, 10-138
 - definition of, 10-138
 - elevated, 10-138
 - open, 10-138
 - posttensioned concrete, 10-138
 - pressure, 10-138
- atomizers, 27-34 to 27-35
- atropic acid, 2-30
- auramine, 2-30
- auric chloride, 2-9
- auric cyanide, 2-9
- aurine, coralline, 2-30
- aurous chloride, 2-9
- aurous cyanide, 2-9
- axial dispersion in adsorption, 16-20 to 16-21, 16-24, 16-34 to 16-37
 - coefficient, 16-17, 16-20 to 16-22
- azeotropes, 13-54 to 13-56
- azeotropes, multicomponent, 13-10
- azeotropic distillation, 13-68 to 13-75, 13-78. *See also* distillation

azoanisole, 2-30
azobenzene, 2-30, 2-61, 2-175
azoxybenzene, 2-30

bacteria, 24-4

baffles:

cut, 11-42
impingement, 11-43
longitudinal, 11-43
rod, 11-42
segmental, 11-42
spacer, 11-43
spacing, 11-42

ball-mill:

liners, 20-32
oscillation, 20-32
planetary, 20-39
surge, 20-32

barbituric acid, 2-30

barium, 2-57, 2-151, 2-161, 2-187

barium acetate, 2-9

barium bromide, 2-7 to 2-10

barium carbonate, 2-10

barium chlorate, 2-10

barium chloride, 2-10

barium hydroxide, 2-10

barium nitrate, 2-10

barium oxalate, 2-10

barium oxide, 2-10

barium peroxide, 2-10

barium phosphate, 2-10

barium silicofluoride, 2-10

barium sulfate, 2-10

barium sulfide, 2-10

Barker's method, 4-27

barometer, mercury, 10-12

Basset force, 6-52

batch:

centrifuges, 18-117
crystallation, 18-49
distillation, 13-96 to 13-103. *See also* distillation
filtration, 18-86 to 18-88
heating and cooling of vessels, 11-18
mixers, 18-25 to 18-29
operations, 11-18 to 11-20
percolators, 18-55
processes:
cyclical batch, 8-38
flexible batch, 8-38
multigrade, 8-38
semibatch, 8-38
trays and dryers, 12-42 to 12-44
weighing, 21-32

beach, 18-114

bearings:

thrust, 10-66
thrust-bearing power loss, 10-67
types of, 10-65
bed-expansion ratio, 11-28
circumferential grooved, 10-65

bearings, types of (*Cont.*):

cylindrical bore, 10-65
lemon bore, 10-65
offset halves, 10-65
plain journal, 10-65
pressure dam, 10-65
three-lobe, 10-65
tilt-pad bearings, 10-65

beds:

flooded fixed bed, 23-36
fluidized, 23-38, 23-54
moving, 23-38
multiple fixed, 23-36
single fixed, 23-36
solid, 6-34, 6-38
suspended catalyst, 23-54
thin, 23-38
trickle, 23-53

Benedict-Webb-Rubin Equation of State, 4-21,
13-17

benzal acetone, 2-30

benzaldehyde, 2-30, 2-61

benzamide, 2-30

benzanilide, 2-30

benzene, 2-30, 2-51, 2-61, 2-175, 2-221

benzene sulfonic acid, 2-30

benzene sulfonic acid, 2-30

benzene sulfonic amide, 2-30

benzene sulfonic chloride, 2-30

benzidine, 2-30

benzidine disulfonic acid, 2-30

benzil, 2-30, 2-61

benzoic acid, 2-30, 2-52, 2-61, 2-175, 2-204

benzoic anhydride, 2-30, 2-61

benzoic nitrile, 2-30, 2-53, 2-61

benzoin, 2-31, 2-61

benzophenone, 2-31, 2-61

benzotrichloride, 2-31, 2-61

benzoylbenzoic acid, 2-31

benzoylchloride, 2-31, 2-61

benzoylperoxide, 2-31

benzylacetate, 2-31, 2-61

benzyl alcohol, 2-31, 2-61

benzyl amine, 2-31, 2-62

benzyl aniline, 2-31

benzyl benzoate, 2-31

benzyl butyrate, 2-31

benzyl chloride, 2-31

benzyl ether, 2-31

benzyl formate, 2-31

benzyl propionate, 2-31

berberonic acid, 2-31

beryllium, 2-10

Bessel's method, 3-37

binary interaction parameters, 13-20

binary solution:

behavior for liquid solutions, 4-12
equation, 4-7

binomial probability distribution, 3-71

Bernoulli process, 3-71

binomial series, 3-32

binomial theorem, 3-13

1.8 INDEX

- bin opening, 21-29
- biochemical engineering, 24-3 to 24-22
 - biological reactors, 24-7 to 24-15
 - fermenters, 24-7 to 24-10
 - oxygen transfer to, 24-10 to 24-11
 - scale-up of, 24-11 to 24-13
 - sparger systems in, 24-11
 - cell cultures, 24-6 to 24-7, 24-14 to 24-15, 24-18 to 24-19
 - primary growth, 24-6 to 24-7
 - secondary metabolic requirements, 24-7
 - enzyme engineering, 24-21 to 24-22
 - immobilizing enzymes, 24-21 to 24-22
 - reaction kinetics, 24-21
 - reactors, 24-22
- process modeling, 24-16 to 24-21
 - cell cultures, 24-18 to 24-19
 - computer aids, 24-18
 - continuous culture, 24-17
 - controls, 24-20 to 24-21
 - mathematical analysis, 24-17 to 24-18
 - mixed cultures, 24-19 to 24-20
 - recycle, 24-19
- product recovery, 24-15 to 24-16
- rundown, definition of, 24-3
- sterilization, 24-13 to 24-14
 - batch, 24-14
 - continuous, 24-14
 - by filtration, 24-13
 - of media, 24-13 to 24-14
- See also biological concepts
- biological concepts, 24-4 to 24-6
 - algae, 24-4
 - autotrophs and heterotrophs, definitions of, 24-4
 - bacteria, 24-4
 - cells, 24-4
 - fungi, 24-4
 - genetic engineering, 24-6
 - mutations, 24-6
 - viruses, 24-4
- biochemical separation processes, 22-69 to 22-79
 - final purification, 22-75 to 22-78
 - chromatography, 22-75 to 22-78
 - drying, 22-78
 - lyophilization (freeze drying), 22-78
 - general, 22-69 to 22-71
 - initial product harvest, 22-71 to 22-73
 - centrifugation, 22-71 to 22-72
 - filtration, 22-72
 - initial purification, 22-73 to 22-75
 - adsorption, 22-75
 - extraction, 22-74 to 22-75
 - precipitation, 22-73 to 22-74
- biochemistry, 24-4 to 24-6
 - energy, 24-5
 - enzymes, 24-5, 24-21 to 24-22
 - photosynthesis, 24-5 to 24-6
 - proteins, 24-4 to 24-5
- See also biological concepts
- bismuth, 2-10, 2-57, 2-151, 2-162
- bismuth carbonate, *sub-*, 2-10
- bismuth chloride, 2-10, 2-57, 2-151
- bismuth nitrate, 2-10
- bismuth oxide, 2-10
- bismuth oxychloride, 2-10
- biuret, 2-31
- blending:
 - of chemical reactions, 18-14
 - of high-viscosity systems, 18-13
 - of solid dispersion, 18-16
 - of solid-liquid, 18-15
 - of solid-liquid mass transfer, 18-16
 - of speed for just suspension, 18-15
- blinding, 18-76
- blowcase, 10-35
- blowdown drum, 26-31
 - sizing and design, 26-35 to 26-36
- blowers, 10-45 to 10-46
 - backward-curved blade, 10-46
 - centrifugal, 10-45
 - forward-curved blade, 10-46
- boilers, 27-40 to 27-47
- boiling liquids, 5-22 to 5-23
 - coefficients, 5-22 to 5-23
 - expanding vapor explosions (BLEVEs), 26-59 to 26-60
 - mechanisms, 5-22
- Boltzmann-type T, 4-23
- bonding index, 20-72
- bonnet, 11-40
- book value, 9-8
- boric acid, 2-10
- borneol, 2-31
- bornyl acetate, 2-31
- boron, 2-10
- boron carbide, 2-10
- boron oxide, 2-10
- boundary layer, 6-40 to 6-41
- brass:
 - as a construction material, 28-37
 - properties of, 28-44
- brazing, 10-126
- breakage:
 - controlling, 20-70
 - fracture measurements, 20-69
 - fracture properties, 20-68
 - mechanisms of, 20-69
- breakeven:
 - charts, 9-7
 - production rate, 9-7
- breakthrough curves in adsorption, 16-30 to 16-38
 - in chromatography. See elution, curves
 - constant pattern, 16-32 to 16-36
 - J function, 16-36 to 16-37
- brick construction, 28-39, 28-43
- briquettes, 20-57
- brittle fracture index (BFI), 20-72
- bromic acid, 2-10
- bromine, 2-10, 2-53
- bromine hydrate, 2-10
- bromoaniline, 2-31
- bromobenzene, 2-31, 2-53, 2-62
- bromocamphor, 2-31
- bromodiphenyl, 2-31, 2-62

- bromoform, 2-31, 2-62
- bromonaphthalene, 2-31
- bromophenol, 2-31
- bromostyrene, 2-31
- bromotoluene, 2-31, 2-62
- bronzes as construction material, 28-37
 - properties of, 28-44
- Brownian motion, 6-57
- bubble point, 13-25
- Buckingham pi method, 3-89
- bulk densities, 21-6
- burners:
 - gas, 27-37 to 27-39
 - oil, 27-35 to 27-36
- butadiene, 2-31, 2-50, 2-62
- butadienyl acetylene, 2-31
- butane, 2-31, 2-50, 2-62, 2-222 to 2-223
- butene, 2-50, 2-62
- butyl acetate, 2-31, 2-52
- butyl alcohol, 2-31, 2-51, 2-62
- butyl amine, 2-31, 2-62
- butyl aniline, 2-31
- butyl arsonic acid, 2-31
- butyl benzoate, 2-31, 2-62
- butyl bromide, 2-31, 2-62
- butyl butyrate, 2-31, 2-62
- butyl caproate, 2-31
- butyl carbamate, 2-31
- butyl cellosolve, 2-31
- butyl chloride, 2-32, 2-62
- butyl dimethylbenzene, 2-32
- butylene, 2-32
- butyl formate, 2-32, 2-63
- butyl furoate, 2-32
- butyl iodide, 2-32, 2-63
- butyl *iso*-thiocyanate, 2-32
- butyl lactate, 2-32
- butyl mercaptan, 2-32, 2-53
- butyl methacrylate, 2-32
- butyl *p*-aminophenol, 2-31
- butyl phenol, 2-32, 2-63
- butyl propionate, 2-32
- butyl stearate, 2-32
- butyl valerate, 2-32
- butyraldehyde, 2-32
- butyric acid, 2-32, 2-52, 2-63
- butyric amide, 2-32
- butyric anhydride, 2-32
- butyric anilide, 2-32

- cadmium, 2-10, 2-57, 2-151, 2-162, 2-188
- cadmium acetate, 2-10
- cadmium carbonate, 2-10
- cadmium chloride, 2-10, 2-11, 2-57, 2-120, 2-151, 2-188, 2-201
- cadmium cyanide, 2-11
- cadmium hydroxide, 2-11
- cadmium nitrate, 2-11
- cadmium oxide, 2-11, 2-57, 2-151, 2-162, 2-188
- cadmium sulfate, 2-11
- cadmium sulfide, 2-11
- caffeic acid, 2-32
- caffeine, 2-32
- calciners, indirect heat, 12-62 to 12-64
- calcium, 2-11, 2-57, 2-100, 2-151, 2-162, 2-188
- calcium acetate, 2-11
- calcium aluminate, 2-11
- calcium aluminum silicate, 2-11
- calcium arsenate, 2-11
- calcium bromide, 2-11
- calcium carbonate, 2-11
- calcium chloride, 2-11
- calcium citrate, 2-11
- calcium cyanamide, 2-11
- calcium ferrocyanide, 2-11
- calcium fluoride, 2-11
- calcium formate, 2-11
- calcium hydride, 2-11
- calcium hydroxide, 2-11
- calcium hypochlorite, 2-11
- calcium hypophosphate, 2-11
- calcium lactate, 2-11
- calcium magnesium silicate, 2-11
- calcium nitrate, 2-11
- calcium nitride, 2-11
- calcium nitrite, 2-11
- calcium oxalate, 2-11
- calcium oxide, 2-11
- calcium peroxide, 2-11
- calcium phosphate, 2-11
- calcium phosphide, 2-11
- calcium silicate, 2-11
- calcium sulfate, 2-11 to 2-12
- calcium sulfhydrate, 2-12
- calcium sulfide, 2-12
- calcium sulfite, 2-12
- calcium tartrate, 2-12
- calcium thiocyanate, 2-12
- calcium thiosulfate, 2-12
- calcium tungstate, 2-12
- calculus, 3-23 to 3-30
 - differential calculus, 3-23 to 3-26
 - derivative, 3-23 to 3-25
 - indeterminant forms, 3-25
 - partial derivative, 3-25 to 3-26
 - integral calculus, 3-27 to 3-30
 - definite, 3-29 to 3-30
 - indefinite, 3-27 to 3-29
 - thermodynamics and multivariable calculus, 3-26 to 3-27
- camphene, 2-32, 2-63, 2-175
- camphor, 2-32
- camphoric acid, 2-32
- cantharidine, 2-32
- capacity:
 - terminology of, 10-22
- capillary state, 20-60
- capillary theory, 12-33
- capital cost, 9-7
- capping, 20-72
- capric acid, 2-32, 2-63, 2-175
- caproic acid, 2-32, 2-63

I.10 INDEX

- caprylic acid, 2-32
- carbazole, 2-32, 2-63
- carbitol, 2-32
- carbon, 2-12, 2-57, 2-151, 2-162, 2-188
 - as construction material, 28-49 to 28-50
 - properties of, 28-61
- carbon dioxide, 2-12, 2-54, 2-63, 2-122, 2-125,
2-134, 2-141, 2-162, 2-188, 2-224 to 2-225
 - absorption coefficients, 23-41
 - correlation of K_{Ca} , 23-41
 - self-diffusion, 5-61, 5-64
 - as supercritical fluid in separations, 22-14 to 22-18
- carbon disulfide, 2-12, 2-32, 2-54, 2-63
- carbon monoxide, 2-12, 2-32, 2-54, 2-63, 2-122,
2-125, 2-141, 2-162, 2-188, 2-225 to 2-226
 - as a pollutant, 27-28
- carbon oxychloride, 2-12
- carbon oxysulfide, 2-12, 2-57
- carbon suboxide, 2-12, 2-32
- carbon tetrabromide, 2-32
- carbon tetrachloride, 2-32
- carbon tetrafluoride, 2-32
- carbon thionyl chloride, 2-12
- carbonyl sulfide, 2-32
- carminic acid, 2-32
- carvacrylamine, 2-33
- carvone, 2-33
- caryacrol, 2-32, 2-63
- cash flow, 9-13 to 9-33
 - curves of, 9-14 to 9-15
 - discounted, 9-13
- casting:
 - circular, 10-24
 - volute, 10-24
- cast iron, 28-29
 - austenitic, 28-6
 - ductile, 28-29
 - gray, 28-6, 28-29
 - high-silicon, 28-29
 - low-alloy, 28-6
 - malleable, 28-29
 - nickel-alloy, 28-29
 - properties, 28-38
 - white, 28-29
- catalysis:
 - homogeneous, 23-26, 23-32
 - phase-transfer, 23-26
 - by solid, 23-26
- catalysts:
 - activity, 23-31
 - deactivation, 23-30
 - diffusivity, 23-29
 - effectiveness, 23-30
 - heterogenized, 23-26
 - immobilized, 23-26
 - membrane reactors, 23-32
 - multiple fixed beds, 23-36
 - poisoning, 23-32
 - polymer bound, 23-26
 - pore, 23-29 to 23-31
 - selection, 23-26
- catalysts (*Cont.*):
 - single fixed beds, 23-36
 - types, 23-28
 - uniform deactivation, 23-31
- cavitation, 6-44 to 6-45, 8-75 to 8-76, 10-23, 28-5
- cellosolve, 2-33
- cellosolve acetate, 2-33
- cells, 24-4
- cellulose, 2-33
- cement and concrete as construction materials,
28-43
- centrifugal force:
 - terminology of, 10-22
- centrifugal pumps, 10-24 to 10-29
 - action of, 10-24
 - canned-motor, 10-29
 - casings, 10-24
 - characteristic curve of, 10-24
 - characteristics of, 10-24
 - close-coupled, 10-29
 - double-suction single-stage, 10-28
 - multistage, 10-29
 - diffuser-type, 10-29
 - dry-pit, 10-29
 - volute, 10-29
 - wet-pit, 10-29
 - performance curve of, 10-26
 - process pumps, 10-28
 - horizontal, 10-28
 - vertical, 10-28
 - sealing in, 10-28
 - mechanical seals, 10-28
 - packing, 10-28
 - shaft seals, 10-28
 - specific speeds of, 10-25, 10-27
 - sump, 10-29
 - system curves of, 10-25
 - vertical process, 10-29
- centrifugal separators:
 - dust collection, 17-32
- centrifugation:
 - biochemical separation, 22-71 to 22-72
- centrifuges, 18-106 to 18-125
 - cost of, 18-125
 - filtering, 18-117 to 18-123
 - base-bearing centrifuges, 18-117
 - batch-automatic basket centrifuges, 18-118
 - batch centrifuges, 18-117
 - continuous-filtering centrifuges, 18-119
 - link-suspended basket centrifuges, 18-117
 - open-bottom basket centrifuges, 18-117
 - solid-bottom basket centrifuges, 18-117
 - top-suspended centrifuges, 18-118
 - variable-speed basket centrifuges, 18-117
 - principles of, 18-106 to 18-110
 - sedimenting, 18-110
 - decanter centrifuges, 18-113
 - disk centrifuges, 18-113
 - knife-discharge centrifugal clarifiers, 18-112
 - laboratory test, 18-110
 - multichamber centrifuges, 18-112
 - screenbowl centrifuges, 18-115

centrifuges, sedimenting (*Cont.*):

- transient centrifugation theory, 18-111
- tubular-bowl centrifuges, 18-112
- selection of, 18-123
- theory of centrifugal filtration, 18-121
- centroid, 3-67
- ceric hydroxide, 2-12
- ceric hydroxynitrate, 2-12
- ceric oxide, 2-12
- ceric sulfate, 2-12
- cerium, 2-12
- cetyl acetate, 2-33
- cetyl alcohol, 2-33
- channel, 11-40
- Chebyshev's method, 3-38
- Chemical Exposure Index (CEI), 26-8, 26-11
- chemical potential:
 - pure ideal gases, 4-33
- chemical-reaction equilibrium constant, 4-32
- chiller, definition of, 11-35
- chi-square distribution, 3-75
- chloral, 2-33, 2-63
- chloral hydrate, 2-33, 2-63, 2-175
- chlordanil, 2-33, 2-63
- chloretone, 2-33
- chloric acid, 2-12
- chlorine, 2-12, 2-53, 2-58, 2-122, 2-126, 2-162, 2-229 to 2-230
- chlornine hydrate, 2-12
- chloroacetanilide, 2-33
- chloroacetic acid, 2-33, 2-63, 2-175
- chloroacetone, 2-33
- chloroacetophenone, 2-33
- chloroacetyl chloride, 2-33
- chloroaniline, 2-33, 2-63
- chloroanthraquinone, 2-33
- chlorobenzaldehyde, 2-33
- chlorobenzene, 2-33, 2-53, 2-63
- chlorobenzoic acid, 2-33
- chlorobuta-1,2-diene, 2-33
- chlorobuta-1,3-diene, 2-33
- chlorodimethylhydantoin, 2-33
- chlorodiphenyl, 2-33, 2-64
- chloroform, 2-33, 2-64, 2-231
- chlorohydroquinone, 2-33
- chloronaphthalene, 2-33, 2-64
- chloronitrobenzene, 2-33
- chloronitrotoluene, 2-33
- chlorophenol, 2-33, 2-64
- chlorophyll, 2-33
- chloropicrin, 2-33, 2-64
- chloroplatinic acid, 2-12
- chloropropane, 2-53
- chloropropionic acid, 2-33
- chlorostannic acid, 2-12
- chlorosulfonic acid, 2-12, 2-58
- chlorotoluene, 2-33, 2-64
- cholesterol, 2-33
- choking, 6-22 to 6-23, 6-29 to 6-30
- chromatography, 16-38 to 16-47
 - biochemical separation, 22-75 to 22-78
 - chromatograms, 16-40

chromatography (*Cont.*):

- displacement development, 16-39, 16-44 to 16-47
- elution. *See* elution
- frontal analysis, 16-39
- Gaussian curves, 16-40 to 16-42
- ion-exchange, 16-44
- productivity, definition of, 16-47
- resolution, 16-41
- retention factor, 16-40
- reversed-phase, 16-44
- chromic acetate, 2-12
- chromic chloride, 2-12
- chromic fluoride, 2-12
- chromic hydroxide, 2-12
- chromic nitrate, 2-12
- chromic oxide, 2-12
- chromic sulfate, 2-12
- chromic sulfide, 2-13
- chromium, 2-12, 2-58, 2-162
- chromium trioxide, 2-13
- chromous chloride, 2-13
- chromous hydroxide, 2-13
- chromous oxide, 2-13
- chromous sulfate, 2-13
- chromous sulfide, 2-13
- chromyl chloride, 2-13
- chrysene, 2-33
- chrysoidine, 2-33
- chrysophanic acid, 2-33
- cineole, eucalyptole, 2-33
- cinnamic acid, 2-33, 2-64
- cinnamic aldehyde, 2-33
- cinnamyl alcohol, 2-33, 2-64
- cinnamyl cinnamate, 2-33
- citraconic acid, 2-33
- citral, 2-33, 2-64
- citric acid, 2-33
- citronellal, 2-33
- citronellol, 2-33, 2-64
- Clapeyron equation, 4-15
- clarifiers:
 - cartridge, 18-102
 - micronic, 18-102
 - circular, 18-65
 - clarifier-thickener, 18-66
 - design criteria, table, 18-72
 - industrial waste secondary, 18-66
 - rectangular, 18-65
 - selection of, 18-73
 - solids-contact, 18-66
 - tilted-plate, 18-66
- classification, wet, 19-23 to 19-30
- classifiers, 19-8, 19-24 to 19-30
 - air, 20-39
 - bowl, 19-28
 - bowl desilter, 19-28
 - cone, 19-24
 - countercurrent, 19-29
 - O siphon sizer, 19-29
 - drag, 19-28
 - dry, 20-39
 - hydraulic, 19-29

I.12 INDEX

classifiers (*Cont.*):

- hydrocyclone, 19-24
- hydroseparator, 19-28
- jet sizer, 19-29
- nonmechanical, 19-24
- rake, 20-40
- rake and spiral, 19-28
- rotor blades of, 20-39
- screw, 20-40
- solid-bowl centrifuge, 19-28
- vari-mesh, 20-39
- wet, 20-40

Clean Air Act of 1970, 25-5

Clean Air Act of 1990, 25-8

Clean Water Act of 1977, 25-10

closure models, 6-46

cloth:

- silk bolting, 19-22
- woven-wire, 19-22

coal:

- coal-ash, 27-5
- coke, 27-6 to 27-7
- composition, 27-5
- classification, 27-4
- derived fuels, 27-11
- derived gases, 27-14 to 27-15
- gasification, 27-13 to 27-18
- heating value, 27-5
- liquefaction, 27-18
 - direct, 27-18 to 27-20
 - economics, 27-24
 - indirect, 27-21 to 27-24
- physical properties, 27-6

coalescence kernel, 20-86

- for granulation, table, 20-87

coating flows, 6-42

coatings, properties of:

- in atmospheric service, 28-55
- for concrete surfaces, 28-56
- in immersion service, 28-54

cobalt, 2-13

cobalt carbonyl, 2-13

cobalt sulfide, *di*-, 2-13

cobaltic chloride, 2-13, 2-58

cobaltic hydroxide, 2-13

cobaltic oxide, 2-13

cobaltic sulfate, 2-13

cobaltic sulfide, 2-13

cobalto-cobaltic oxide, 2-13

cobaltous acetate, 2-13

cobaltous chloride, 2-13

cobaltous nitrate, 2-13

cobaltous oxide, 2-13

cobaltous sulfate, 2-13

cobaltous sulfide, 2-13

coefficient:

- discharge, 6-22
- orifice, 6-21
- thermal-expansion, 10-118

cogeneration, 27-51

coils:

- bayonet heaters, 11-22

external coils, 11-22

fin-tube, 11-21

helical, 11-20

panel, 11-21

pipe tank, 11-20

plate, 11-21

Teflon immersion, 11-21

Colburn *j* factor, 5-13 to 5-14, 5-16 to 5-18

in an annulus, 5-17 to 5-18

combustion, 27-25

excess air, 27-25

fluidized-bed, 27-32

gaseous fuels, 27-37 to 27-39

liquid fuels, 27-34 to 27-36

solid fuels, 27-29 to 27-34

theoretical oxygen, 27-25

combustion chamber, 5-40 to 5-42

bayonet-tube, 11-57

in furnace, 5-41

thermal performance, 5-41

common units, 1-4 to 1-12

compact heat exchangers, 11-52 to 11-58

atmospheric section, 11-57

brazed-plate-fin, 11-56

cascade coolers, 11-57

ceramic, 11-58

gasketed-plate, 11-52

graphite, 11-57

nonmetallic, 11-57

plate-and-frame, 11-52

plate-fin tubular, 11-56

PVDF, 11-57

spiral-plate, 11-55

spiral tube, 11-56

Teflon, 11-58

welded- and brazed-plate, 11-55

compartment through circulation equipment,

12-44 to 12-46

complex chemical-reaction equilibria, 4-33

complex functions:

conformal mapping, 3-35

exponential, 3-33

harmonic, 3-34

hyperbolic, 3-33

inverse hyperbolic, 3-34

inverse trigonometric, 3-34

logarithms, 3-33

polynomials, 3-33

trigonometric, 3-33

complex variables, 3-33 to 3-35

algebra, 3-33

complex functions (analytic), 3-34 to 3-35

elementary complex functions, 3-33 to 3-34

powers and roots, 3-33

special operations, 3-33

trigonometric representation, 3-33

compressibilities, 2-140 to 2-150

of powder, 20-71

compressibility factor, 4-8

partial compressibility factor, 4-18

residual properties, 4-8

formulations, 4-14

- compression:
 - adiabatic, 10-37
 - calculations, 10-37
 - head, 10-37
 - equipment selection, 10-45
 - of gases, 10-37 to 10-45
 - isothermal, 10-37
 - polytropic, 10-37
 - theory of, 10-37
 - work, 10-38
- compressors:
 - axial flow, 10-49
 - aspect ratio, 10-49
 - individual blade stall, 10-49
 - pressure ratio, 10-49
 - rotating stall, 10-49
 - stall flutter, 10-49
 - casing material, 10-48
 - categories of, 10-47
 - centrifugal, 10-47
 - pressure ratio, 10-47
 - configuration, 10-48
 - selection of, 10-48
 - continuous-flow, 10-47
 - high-pressure compressors, 10-54
 - metallic diaphragm, 10-55
 - nonlubricated cylinders, 10-53
 - open inlet-valve unloaders, 10-53
 - piston-rod packing, 10-55
 - three-step control, 10-53
 - valve losses, 10-52
 - impeller fabrication, 10-49
 - techniques, 10-49
 - operating range:
 - choke, 10-48
 - stonewall, 10-48
 - surge, 10-47
 - positive displacement, 10-50
 - reciprocating:
 - clearance unloaders, 10-53
 - closed suction unloaders, 10-53
 - control devices, 10-52
 - five-step control, 10-53
 - rotary, 10-50
 - characteristic curve, 10-50
 - figures, 10-51
 - liquid-piston type, 10-51
 - screw-type, 10-50
 - sliding-vane type, 10-51
 - straight-lobe type, 10-50
 - selection of, 10-45
 - speed of rotation of, 10-45
- computational fluid dynamics, 6-47 to 6-48
- computer process control, 8-4
- condensation, 5-70 to 5-72
 - coefficients, 5-20 to 5-22
 - Dukler theory, 5-20 to 5-21
 - vapor shear control, 5-21
 - mechanisms, 5-20
- condenser:
 - barometric, 11-117
 - definition of, 11-35
- condenser (Cont.):
 - jet, 11-117
 - multicomponent, 11-12 to 11-13
 - overhead, 11-51
 - refrigeration, 11-83
 - single component, 11-11 to 11-12
 - surface, 11-116
 - thermal design of, 11-11 to 11-13
 - horizontal in-shell condenser, 11-11
 - horizontal in-tube condensers, 11-12
 - mean temperature difference, 11-11
 - pressure drop, 11-11
 - vertical in-shell condensers, 11-12
 - vertical in-tube condensers, 11-12
- condensing coefficient, 11-11
- conduction, 5-8 to 5-11
 - conduction equation, three-dimensional, 5-8 to 5-9
 - conductivity, thermal, 5-9
 - Fourier's law, 5-8
 - steady-state, 5-9 to 5-10
 - bodies in parallel, 5-10
 - bodies in series, 5-9 to 5-10
 - one-dimensional, 5-9
 - two-dimensional, 5-10
 - unsteady state, 5-10 to 5-11
 - one-dimensional, 5-10 to 5-11
 - phase change, 5-11
 - two-dimensional, 5-11
- conductivity, thermal, 5-9
- coniine, 2-33
- consolidation:
 - contact mechanics, 20-64
 - controlling, 20-68
 - deformability, 20-64
 - granule, 20-64
 - high-agitation intensity growth, 20-66
 - low-agitation intensity growth, 20-65
 - tensile strength, 20-64
- constant-composition systems, 4-5
- constants:
 - gas law, 1-18
 - physical, 1-22
- constrained derivatives, 3-66
- continuity method (homotopy), 3-51
- continuous compound interest, 9-10 to 9-12
 - factors, 9-11
- continuous stirred tank reactor, 23-17 to 23-19, 23-23
- continuous surfaces, 6-40 to 6-41
- continuous tunnels, 12-47 to 12-51
- contraction strains, 10-103
- contribution charts, 9-7
- contribution efficiency, 9-37
- control:
 - feedback, 8-4, 8-17
 - feed forward, 8-4, 8-16 to 8-18
 - multivariable control problems, 8-22
 - strategies for solution, 8-22 to 8-23
 - on/off, 8-12
 - proportional, 8-12
 - proportional-plus-integral (PI), 8-12
 - proportional-plus-integral-plus-derivative (PID), 8-12

I.14 INDEX

- controller, 8-61 to 8-63
 - distributed control systems, 8-61
 - electronic controllers, 8-61
 - fieldbus controller, 8-60, 8-62
 - multiloop controllers, 8-61
 - pairing, 8-24
 - performance criteria, 8-13
 - personal computer controllers, 8-62
 - pneumatic controller, 8-62 to 8-63
 - programmable logic controllers, 8-60, 8-61 to 8-62
 - reliability and application, 8-62
 - single-loop controls, 8-59 to 8-60, 8-62
 - tuning, 8-13 to 8-14
 - method, 8-15
 - control valves, 8-64 to 8-79
 - ball valves, 8-65
 - booster relays, 8-71
 - butterfly valves, 8-64 to 8-65
 - contour-plug globe valves, 8-64
 - digital field communications, 8-72 to 8-73
 - fire, explosion protection, 8-72
 - flow characteristics, 8-76 to 8-77
 - globe and angle valve, 8-64
 - liquid pressure recovery, 8-74
 - manual, 8-67
 - materials and pressure ratings, 8-73
 - plug valves, 8-65, 8-66
 - positioners, 8-69 to 8-71
 - air spring rate, 8-71
 - applications, 8-71
 - frequency response curves, 8-70
 - pneumatic, 8-69
 - stiffness, 8-69 to 8-71
 - seals, bearings, packing system, 8-76
 - sizing, 8-73 to 8-74
 - solenoid valves, 8-71
 - special application valves, 8-65 to 8-66
 - stem-position transmitters, 8-72
 - trip valves, 8-72
 - valve application technology, 8-73
 - valve-control devices, 8-67 to 8-68
 - vena contracta, 8-73
 - convection, 5-12 to 5-19
 - forced, 5-14 to 5-19
 - dimensional equations, 5-17
 - laminar flow, 5-15 to 5-16
 - transition region, 5-16
 - turbulent flow, 5-16 to 5-17
 - heat transfer coefficient, 5-12 to 5-13
 - energy equation, 5-12
 - film coefficients, 5-13
 - individual coefficient, 5-12
 - overall coefficient, 5-12
 - liquid metals, 5-19
 - natural, 5-13
 - dimensional equations, simplified, 5-13
 - enclosed spaces, 5-13
 - Nusselt equation, 5-13
 - radiation, simultaneous loss, 5-13
 - nonnewtonian fluids, 5-19
 - convergent nozzles, 6-25
 - conversion factors, 1-4 to 1-14
 - common, 1-15 to 1-18
 - common to S.I., 1-4 to 1-12
 - examples of, 1-23
 - metric, 1-13 to 1-14
 - U.S. customary to S.I., 1-4 to 1-12
 - water volume, 22-48
 - conveyors:
 - auxiliary equipment:
 - brake, 21-5
 - cleaners, 21-5
 - torque-limiting devices, 21-5
 - belt conveyors:
 - belt selection, 21-8
 - belt width and speed, 21-9
 - design, 21-8
 - idlers and return rolls, 21-9
 - loading and discharge points, 21-10
 - operating conditions, 21-9
 - power, 21-9
 - pulleys, 21-8
 - tonnage requirement, 21-8
 - bucket elevators:
 - continuous-bucket, 21-13
 - horsepower, 21-14
 - skip hoists, 21-14
 - spaced-bucket centrifugal-discharge, 21-10
 - spaced-bucket positive-discharge, 21-10
 - supercapacity continuous-bucket, 21-14
 - V-bucket elevator-conveyors, 21-14
 - continuous-flow conveyors:
 - apron-conveyors, 21-18
 - capacities, 21-19
 - closed-belt conveyor, 21-18
 - control of:
 - process-control computers, 21-5
 - programmable controllers, 21-5
 - conveyor drives:
 - adjustable-speed drives, 21-5
 - fixed-speed drives, 21-5
 - conveyor motors:
 - silicon-controlled rectifier, 21-5
 - squirrel-cage motor, 21-5
 - feed selection, 21-4
 - flight-conveyors, 21-18
 - pneumatic conveyors, 21-19
 - blow tank, 21-21
 - capacity, 21-20
 - fluidizing systems, 21-20
 - optimum system, 21-20
 - pressure system, 21-20
 - pressure-vacuum systems, 21-20
 - vacuum systems, 21-20
- screw conveyors:
 - discharge arrangements, 21-7
 - feed arrangements, 21-7
 - gates, 21-8
 - hanger bearings, 21-7
 - hollow screws and pipes, 21-7
 - jacketed casings, 21-7
 - power calculations, 21-7
 - short-pitch screws, 21-7