# Biogeochemical Dynamics at Major River-Coastal Interfaces Linkages with Global Change

Edited by Thomas S. Bianchi Mead A. Allison Wei-Jun Cai

## BIOGEOCHEMICAL DYNAMICS AT MAJOR RIVER-COASTAL INTERFACES

Linkages with Global Change

Edited by

THOMAS S. BIANCHI


Texas A&M University

MEAD A. ALLISON

University of Texas, Austin

WEI-JUN CAI

University of Delaware





#### CAMBRIDGE UNIVERSITY PRESS

32 Avenue of the Americas, New York, NY 10013-2473, USA

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning, and research at the highest international levels of excellence.

www.cambridge.org
Information on this title: www.cambridge.org/9781107022577

© Cambridge University Press 2014

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2014

Printed in the United States of America

A catalog record for this publication is available from the British Library.

Library of Congress Cataloging in Publication Data

Biogeochemical dynamics at major river-coastal interfaces: linkages with global change / [edited by] Thomas S. Bianchi, Texas A&M University, Mead A. Allison, University of Texas, Austin, Wei-Jun Cai, University of Georgia.

pages cm

Includes index.

ISBN 978-1-107-02257-7 (hardback)

1. Biogeochemical cycles. 2. Estuarine ecology. I. Bianchi, Thomas S. II. Allison, Mead A. (Mead

Ashton) III. Cai, Wei-Jun, 1960-

QH344.B525 2014

577'.14-dc23 2013013368

ISBN 978-1-107-02257-7 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party Internet Web sites referred to in this publication and does not guarantee that any content on such Web sites is, or will remain, accurate or appropriate.

#### BIOGEOCHEMICAL DYNAMICS AT MAJOR RIVER-COASTAL INTERFACES

#### Linkages with Global Change

This volume provides a state-of-the-art summary of biogeochemical dynamics at major river-coastal interfaces for advanced students and researchers. River systems play an important role (via the carbon cycle) in the natural self-regulation of Earth's surface conditions by serving as a major sink for anthropogenic CO<sub>2</sub>. Approximately 90 percent of global carbon burial occurs in ocean margins, with the majority of this thought to be buried in large delta-front estuaries (LDEs). This book provides information on how humans have altered carbon cycling, sediment dynamics, CO<sub>2</sub> budgets, wetland dynamics, and nutrients and trace element cycling at the land-margin interface. Many of the globally important LDEs are discussed across a range of latitudes, elevations, and climates in the drainage basin, coastal oceanographic setting, and nature and degree of human alteration. It is this breadth of examination that provides the reader with a comprehensive understanding of the overarching controls on major river biogeochemistry.

Thomas S. Bianchi is a Professor in the Department of Geological Sciences at the University of Florida, Gainesville, where he holds the Jon and Beverly Thompson Endowed Chair of Geological Sciences. His general areas of expertise are organic geochemistry, biogeochemical dynamics of aquatic food chains, carbon cycling in estuarine and coastal ecosystems, and biochemical markers of colloidal and particulate organic carbon. He has published more than 130 articles in refereed journals and 4 books, including *Biogeochemistry of Gulf Mexico Estuaries* (1999, lead co-editor with Pennock and Twilley), *Biogeochemistry of Estuaries* (2007), *Hypoxia in the Northern Gulf of Mexico* (2010, co-author with Dale et al.), and *Chemical Biomarkers in Aquatic Ecosystems* (2011, lead co-author with Canuel). In 2012, he was elected as a Fellow of the American Association for Advancement of Science.

Mead A. Allison is the Director of Physical Processes and Sediment Systems at The Water Institute of the Gulf in Baton Rouge, Louisiana, and a Professor of Earth and Environmental Sciences at Tulane University, New Orleans, Louisiana. His general areas of expertise are sedimentology of the continental margin, particle-reactive radioisotopes, seafloor mapping, geomorphic impact of cyclonic storms, and the impact of human alteration of coastal environments. He has worked in riverine, coastal, estuarine, and shelf systems around the world, with particular emphasis on the continental margins of the Mississippi-Atchafalaya, Amazon, and Ganges-Brahmaputra rivers. He has published more than 80 articles in refereed journals and is the primary author (with DeGaetano and Pasachoff) of the high-school-level textbook *Earth Sciences* (2008).

Wei-Jun Cai is a Professor in the School of Marine Science and Policy at the University of Delaware, Newark. Prior to this position, he was a Professor at the University of Georgia. He studies air-sea CO<sub>2</sub> exchange, carbon cycling, and ocean acidification in coastal waters and marine sediments and develops sensors for carbon cycle research. He has worked in coastal systems around the world, including the U.S. southeastern rivers and shelf, the Mississippi River plume and northern Gulf of Mexico shelf system, the South and East China Seas, and the Arctic Ocean. He has published more than 80 articles in refereed journals. Cai is currently Associate Editor for the journal *Marine Chemistry*. He has served on many national committees and is currently a member of the U.S. Carbon Cycle Science Steering Group.



此为试读,需要完整PDF请访问: www.ertongbook.com

#### List of Contributors

- M. A. Allison The Water Institute of the Gulf and Tulane University
- D. M. Alongi Australian Institute of Marine Science
- N. Bi College of Marine Geosciences, Ocean University of China
- T. S. Bianchi Department of Geological Sciences, University of Florida
- G. Billen CNRS/UPMC, UMR7619 Sisyphe
- N. Blair Civil and Environmental Engineering and Earth and Planetary Sciences, Northwestern University
- D. Bombar Ocean Sciences Department, University of California Santa Cruz
- A. Borges University of Liège, Chemical Oceanography Unit, Institut de Physique
- S. Bouillon Department of Analytical and Environmental Chemistry, Vrije Universiteit Brussel
- W. P. Broussard III Institute for Coastal Ecology and Engineering, University of Louisiana Lafayette
- W.-J. Cai The University of Delaware/School of Marine Science and Policy
- J. Callens CNRS/UPMC, UMR7619 Sisyphe
- S. Chakraborty School for Marine Science and Technology, University of Massachusetts, Dartmouth
- C. T. Arthur Chen National Sun Yat-sen (Zhongshan) University, Marine Geology and Chemistry
- N. Chen Department of Natural Sciences, University of Maryland Eastern Shore
- **D. R. Corbett** Department of Geological Sciences, Institute of Coastal Science and Policy, East Carolina University
- M. Dai State Key Laboratory of Marine Environmental Science, Xiamen University
- J. W. Day, Jr. Department of Oceanography and Coastal Sciences, Louisiana State University
- J. W. Dippner Leibniz Institute for Baltic Sea Research Warnemünde

- S. Duan Earth System Science Interdisciplinary Center, University of Maryland
- C. Duarte UWA Oceans Institute, The University of Western Australia (M470)
- T. I. Eglinton Geological Institute, Department of Earth Sciences, ETH Zurich
- G. Erkens Deltares, Utrecht, The Netherlands
- C. France-Lanord CRPG UPR 2300 CNRS/INSU, Université de Lorraine
- J. Gaillardet Institut de Physique du Globe de Paris, Sorbonne Paris Cité, Université Paris Diderot
- V. Galy Woods Hole Oceanographic Institution
- **J. Gan** Department of Mathematics and Division of Environment, Hong Kong University of Science and Technology
- J. Garnier CNRS/UPMC, UMR7619 Sisyphe
- M. Goñi College of Oceanic and Atmospheric Sciences, Oregon State University
- S. L. Goodbred, Jr. Vanderbitt University, Nashville, TN
- **K.** Gundersen Department of Marine Science, University of Southern Mississippi, Stennis Space Center
- L. Guo School of Freshwater Sciences, University of Wisconsin
- **D. Nhu Hai** Institute of Marine Geology and Geophysics, Vietnam Academy of Science and Technology
- A. Han State Key Laboratory of Marine Environmental Science, Xiamen University
- **P. J. Harrison** Atmosphere, Marine and Coastal Environment Program, Hong Kong University of Science and Technology
- C. Hein Woods Hole Oceanographic Institution
- P. J. Hernes Department of Land, Air and Water Resources, University of California
- **R. D. Hetland** Department of Oceanography, Texas A&M University
- R. M. Holmes Woods Hole Research Center
- **T. J. Hsu** Center for Applied Coastal Research, Civil and Environmental Engineering, University of Delaware
- G. Hunsinger Department of Geology and Geophysics, Yale University
- A. Kolker Louisiana Universities Marine Consortium (LUMCON)
- S. A. Kuehl Virginia Institute of Marine Science, Greta Point, VA

- **H. S. Kung** Atmosphere, Marine and Coastal Environment Program, Hong Kong University of Science and Technology
- Z. Lai School of Marine Sciences, Sun Yat-sen (Zhongshan) University
- N. Ngoc Lam Institute of Marine Geology and Geophysics, Vietnam Academy of Science and Technology
- E. L. Leithold Department of Marine, Earth, and Atmospheric Sciences, North Carolina State University
- P. Liu Department of Marine, Earth, and Atmospheric Sciences, North Carolina State University
- S. E. Lohrenz School for Marine Science and Technology, University of Massachusetts, Dartmouth
- N. Loick-Wilde School of Biology, Georgia Institute of Technology
- R. Macdonald Institute of Ocean Sciences
- B. A. McKee Department of Marine Sciences, University of North Carolina
- E. Meselhe Department of Civil Engineering, University of Louisiana Lafayette
- H. Middelkoop Department of Physical Geography, Utrecht University
- S. Mitra Geological Sciences, East Carolina University
- W. Moufaddal National Institute of Oceanography and Fisheries (NIOF), Egypt
- M. C. Murrell US EPA Gulf Ecology Division
- **C. A. Nittrouer** School of Oceanography, Department of Earth and Space Sciences, and Quaternary Research Center, University of Washington
- A. S. Ogston School of Oceanography, University of Washington
- P. Passy CNRS/UPMC, UMR7619 Sisyphe
- M. van der Perk Department of Physical Geography, Utrecht University
- A. Ramanathan School of Environmental Science, Jawaharlal Nehru University
- P. A. Raymond Yale School of Forestry and Environmental Studies
- A. I. Robertson School of Plant Biology, The University of Western Australia
- B. E. Rosenheim Department of Earth and Environmental Sciences, Tulane University
- G. P. Shaffer Department of Biological Sciences, Southeastern Louisiana University
- A. M. Shiller Department of Marine Science, University of Southern Mississippi, Stennis Space Center

- M. Silvestre CNRS/UPMC, UMR7619 Sisyphe
- R. G. M. Spencer Woods Hole Research Center
- R. G. Striegl US Geological Survey
- A. Stubbins Skidaway Institute of Oceanography, University of Georgia
- S. E. Tank Department of Geography, York University
- V. Thieu CNRS/UPMC, UMR7619 Sisyphe
- **J. M. Visser** Institute for Coastal Ecology and Engineering, School of Geosciences, University of Louisiana Lafayette
- M. Voss Leibniz Institute for Baltic Sea Research
- **J. P. Walsh** Department of Geological Sciences, Institute of Coastal Science and Policy, East Carolina University
- H. Wang College of Marine Geosciences, Ocean University of China
- W. R. Woerner Department of Geosciences, Stony Brook University
- Y. Wu State Key Laboratory of Estuarine and Coastal Research, East China Normal University
- **J. Xu** Atmosphere, Marine and Coastal Environment Program, Hong Kong University of Science and Technology
- Z. Yang College of Marine Geosciences, Ocean University of China
- K. Yin School of Marine Sciences, Sun Yat-sen (Zhongshan) University
- Z. Yin State Key Laboratory of Marine Environmental Science, Xiamen University
- G. L. Zhang College of Chemistry and Chemical Engineering, Ocean University of China
- J. Zhang State Key Laboratory of Estuarine and Coastal Research, East China Normal University
- Z. Y. Zhu State Key Laboratory of Estuarine and Coastal Research, East China Normal University
- A. R. Zimmerman Department of Geological Sciences, University of Florida

#### Preface

Approximately 87% of Earth's land surface is connected to the ocean by rivers. Over the past 60 years, increases in the human population have had severe, globally significant effects on large-river systems through enhanced fertilizer usage, damming, deforestation, and many other land-use changes. Many countries in the world are experiencing potable and agricultural water shortages, particularly in Asia, which contains 30% ( $13,500\times10^9$  m<sup>3</sup> yr<sup>-1</sup>) of the world's ( $42,700\times10^9$  m<sup>3</sup> yr<sup>-1</sup>) renewable water resources. The world's 25 largest rivers drain approximately half of the continental surface and transport approximately 50% of the freshwater and 40% of the particulate materials entering the ocean. Moreover, it has been estimated that 80% of the total organic carbon preserved in marine sediments occurs in "terrigenous-deltaic" or large delta-front estuaries (LDEs).

Organic carbon (OC) burial in marine sediments is only second to silicate weathering and subsequent carbonate precipitation as sink of atmospheric CO2, and much of this occurs in deltaic regions of the world. Thus rivers play a vital role, delivering a large flux of OC from the continents to the oceans. Recent work has also documented global decreases in water and/or sediment discharge to the coastal ocean in numerous LDEs such as the Mississippi, Nile, Indus, Changjiang, and Huanghe systems. Although humans have increased riverine sediment transport within the continents through soil erosion by an estimated 2.3±0.6 Pg yr<sup>-1</sup>, the actual amount reaching the ocean has decreased by  $1.4\pm0.3$  Pg yr<sup>-1</sup>, mainly as a result of dams and reservoirs. These reductions play an important role in deltaic coastal retreat, where a large fraction of the human population lives, and which, due to their low elevation, are highly susceptible to rising sea levels. Consequently, there has been increased interest in understanding how the flux of materials from rivers to the ocean have been altered, including global community programs such as the International Geosphere Biosphere Programme (IGBP) and its major project, Land Ocean Interaction in the Coastal Zone (LOICZ). A number of investigations have demonstrated relationships between fisheries' yields and the high nutrient loads and freshwater inputs associated with LDEs. For example, a great fraction of the harvested secondary production in the Gulf of Mexico "fertile crescent" is derived from estuarine ecosystems, including areas on the shallow shelf influenced by the Mississippi-Atchafalaya river plumes, as has been found for other fisheries linked with plumes from rivers such as the Nile, Mekong, and the Changjiang, just to mention a few.

The coastal ocean is a dynamic region where the rivers, estuaries, ocean, land, and atmosphere interact. Although relatively small in area, this region, having 30% of the total net oceanic productivity, supports as much as 90% of the global fish catch. In particular, LDEs have historically played an important role in the advance of human civilizations (via trade, transportation, and food resources). This relationship between humans and rivers began some 5,000 years ago with the demands of

xiv Preface

hydraulic power in Mesopotamia, as well as in the Nile, Huanghe, and Indus valleys. It has been estimated that approximately 61% of the world population lives along the coastal boundary. By 2025, an estimated 75% of the world's population is expected to live in the coastal zone, with many of the remaining 25% living near major rivers. One of the most challenging issues concerning large river fluxes is to better understand the presumably major changes that they have undergone over the Anthropocene as a result of land-use changes (agriculture and urbanization) and river basin and delta alterations, and the resultant impact of these changes on the land-ocean material transfer term, both quantitatively and qualitatively.

Our main objectives in this book are to provide the reader with a comprehensive overview of what is known about the biogeochemical processes of the major LDEs around the world - the natural and anthropogenic factors that control and regulate them, in the western and eastern hemispheres. Thus we have divided this book into the following four sections: Section I. Introduction; Section II. Water and Sediment Dynamics from Source to Sink; Section III. Eastern Hemisphere Systems; and Section IV. Western Hemisphere Systems. In Section I we provide the reader with an overview of how we define these regions, why they are important to the global carbon cycle, and how climate change may be impacting these systems as they are changing rapidly in the Anthropocene. In Section II, the chapters primarily address the physical processes that determine how fluvial inputs of water, sediment, carbon, and nutrients are modified by tidal modulations, ocean wave incursion, winddriven currents, estuarine circulation, and passage through wetlands and shallow water bodies and are then distributed along and across the upper continental margin. These chapters address how these processes control the fate of nutrients, sediments, and plume waters, including hydrodynamic sorting processes that control the fate of particulate and dissolved organic carbon sources (e.g., terrestrial, marine, and black). Section III, which focuses on LDEs in the Eastern Hemisphere, provides a comprehensive view of the biogeochemical dynamics of major rivers that drain the Himalayas, such as the Changjiang, Huanghe, Pearl, Ganges-Bramaputra, and Mekong, and empty in a range of coastal settings from tropical to temperate. These systems are being rapidly urbanized, owing to the highest rates of population growth in the world, and also are experiencing the most rapid rates of dam building; these factors are discussed in the context of comparing natural versus anthropogenic factors and how these processes are likely to be modulated by climate change. Finally, Section IV, focused on LDEs in the Western Hemisphere, is the largest section of the book, because there they have been the focus of considerably more biogeochemical research. Once again, the chapters provide the reader with an excellent overview of what is known about the biogeochemical dynamics of LDEs such as the Nile, Mississippi-Atchafalaya, Yukon, Congo, Reine, Seine, and many Arctic systems. We believe this is the most comprehensive presentation to date of how large-river systems are being altered globally due to human and climate change and also provides important information on the role of these systems in understanding the global carbon cycle.

Our special thanks go to the authors of each chapter, who supported our overall goal of providing the most comprehensive view of the biogeochemical cycling of the large-river LDEs across the globe. We would also like to thank the editors we worked with at Cambridge University Press, Amanda O'Connor, and Adrian Pereira at Aptara Inc., for their invaluable guidance through this effort.

#### Contents

	List of Contributors Preface	<i>page</i> ix xiii
SECTIO	ON I. INTRODUCTION	
1	An introduction to the biogeochemistry of river-coastal systems T. S. Bianchi, M. A. Allison, and WJ. Cai	3
SECTIO	ON II. WATER AND SEDIMENT DYNAMICS FROM SOURCE TO SINK	
2	Water and sediment dynamics through the wetlands and coastal water bodies of large river deltaic plains  M. A. Allison, A. Kolker, and E. Meselhe	21
3	Freshwater and sediment dispersal in large river plumes R. D. Hetland and T. J. Hsu	55
4	Shelf and slope sedimentation associated with large deltaic systems J. P. Walsh, D. R. Corbett, A. S. Ogston, C. A. Nittrouer, S. A. Kuehl, M. A. Allison, and S. L. Goodbred, Jr.	86
5	Changjiang (Yangtze) and Huanghe (Yellow) Rivers: historical reconstruction of land-use change and sediment load to the sea H. Wang, Z. Yang, and N. Bi	118
6	Flux and fate of the Yellow (Huanghe) River-derived materials to the sea: impacts of climate change and human activities  P. Liu and H. Wang	138
7	Carbon dioxide dynamics and fluxes in coastal waters influenced by river plumes  WJ. Cai, C. T. Arthur Chen, and A. Borges	155
8	Impacts of watershed processes on exported riverine organic carbon	174

vi Contents

9	Black carbon in coastal and large river systems S. Mitra, A. R. Zimmerman, G. Hunsinger, and W. R. Woerner	200
SECTIO	ON III. EASTERN HEMISPHERE SYSTEMS	
10	Carbon biogeochemistry in the continuum of the Changjiang (Yangtze) River watersheds across the East China Sea  J. Zhang, Y. Wu, G. L. Zhang, and Z. Y. Zhu	237
11	Dynamics of phytoplankton blooms and nutrient limitation in the Pearl River (Zhujiang) estuarine coastal waters  K. Yin, J. Xu, Z. Lai, and P. J. Harrison	274
12	The Mekong River and its influence on the nutrient chemistry and matter cycling in the Vietnamese coastal zone  M. Voss, D. Bombar, J. W. Dippner, D. Nhu Hai, N. Ngoc Lam, and N. Loick-Wilde	296
13	Physical dynamics and biogeochemistry of the Pearl River plume M. Dai, J. Gan, A. Han, H. S. Kung, and Z. Yin	321
14	The evolution of carbon signatures carried by the Ganges-Brahmaputra river system: a source-to-sink perspective  V. Galy, C. Hein, C. France-Lanord, and T. I. Eglinton	353
15	Carbon and nutrient fluxes across tropical river-coastal boundaries  D. M. Alongi, S. Bouillon, C. Duarte, A. Ramanathan, and A. I. Robertson	373
SECTIO	ON IV. WESTERN HEMISPHERE SYSTEMS	
16	Sediment, organic carbon, nutrients, and trace elements: sources, transport, and biogeochemical cycles in the lowermost Mississippi River  S. Duan, M. A. Allison, T. S. Bianchi, B. A. McKee, A. M. Shiller, L. Guo, and B. E. Rosenheim	397
17	Climate change effects on the ecology of the Mississippi River Delta J. M. Visser, W. P. Broussard III, G. P. Shaffer, and J. W. Day, Jr.	421
18	Nutrient and carbon dynamics in a large river-dominated coastal ecosystem: the Mississippi-Atchafalaya River system S. E. Lohrenz, WJ. Cai, S. Chakraborty, K. Gundersen, and M. C. Murrell	448
19	Sedimentary carbon dynamics of the Atchafalaya and Mississippi River Delta system and associated margin  T. S. Bianchi, M. Goñi, M. A. Allison, N. Chen, and B. A. McKee	473
20	Composition and fluxes of carbon and nutrient species from the Yukon River basin in a changing environment  L. Guo, R. G. Striegl, and R. Macdonald	503
21	Fluxes, processing, and fate of riverine organic and inorganic carbon in the Arctic Ocean  P. J. Hernes, R. M. Holmes, P. A. Raymond, R. G. M. Spencer, and S. E. Tank	530

Contents	
	V11

22	Geochemistry of the Congo River, estuary, and plume R. G. M. Spencer, A. Stubbins, and J. Gaillardet	554
23	The Nile delta in the anthropocene: drivers of coastal change and impacts on land-ocean material transfer  W. Moufaddal	584
24	Fate of nutrients in the aquatic continuum of the Seine River and its estuary: modeling the impacts of human activity changes in the watershed  J. Garnier, P. Passy, V. Thieu, J. Callens, M. Silvestre, and G. Billen	606
25	Anthropogenic changes in sediment and nutrient retention in the Rhine delta H. Middelkoop, M. van der Perk, and G. Erkens	629
	Index	651

#### **Section I**

Introduction

#### 1

### An introduction to the biogeochemistry of river-coastal systems

T. S. Bianchi, M. A. Allison, and W.-J. Cai

#### 1. Introduction

The coastal zone is a dynamic region where the rivers, estuaries, ocean, land, and the atmosphere interact (Walsh 1988; Wollast 1998; Liu et al. 2009; Cai 2011; Canuel et al. 2012). Although the coastal zone, as defined by the recent Land-Ocean Interactions in the Coastal Zone (LOICZ) project, comprises less than 20% of the Earth's surface, it contains greater than 40% of the human population, borders 75% of the megacities in the world, and yields 90% of the global fisheries (Crossland et al. 2005). Rivers provide connectivity between terrestrial and ocean environments, the two largest global sinks for atmospheric CO<sub>2</sub>; however, this connectivity often is greatly modified in the coastal zone. The world's 25 largest rivers drain nearly half of the Earth's land surface and account for approximately 40% of the fluvial sediments and 50% of the freshwater entering the ocean (Milliman and Meade 1983; Meade 1996; Vorosmarty and Peterson 2000). However, studies of small and medium-sized rivers form the basis of most of our knowledge about how rivers function (Milliman and Farnsworth 2011).

A relatively comprehensive understanding about the flux, characteristics, and processing of carbon exists for smaller rivers, relative to the world's largest rivers, which are often in remote areas that are logistically challenging to study. In most cases, large rivers have been examined in an "expedition" mode. Our knowledge of carbon in these rivers is based on only a few field studies or relies on data collected at the last hydrological station of a river above the reach of tides, which is often hundreds of kilometers upstream from the ocean interface. Nevertheless, comparisons that have been made between small "flashy" rivers (e.g., Eel River [United States]) and larger systems such as the Amazon have shown the relative importance of storage and transit time on the composition of particulate organic carbon (POC) delivered to the continental margin (Blair et al. 2004). For example, in the Eel River system, there is "mass wasting" in the watershed, which delivers bedrock and vascular vegetation (as indicated by the  $\delta^{13}$ C-depleted values) from soils – with minimal transformation during transport to the coast (Blair et al. 2003). Conversely, the Amazon, which has a much larger watershed, with extensive storage and processing time of organic carbon (OC) in lowland soils, allows for enough time for the OC signature to be altered before being deposited and buried on the continental margin. In the present, riverine delivery of organic matter (OM) to continental margins is the dominant means by which terrigenous production is preserved, influencing global biogeochemical cycles and the ocean's ability to sequester atmospheric CO2. The main premise of this introductory chapter is that