

ORTHOGONAL POLARIZATION in LASERS

Physical Phenomena and
Engineering Applications

激光器的正交偏振

物理效应和工程应用

Shulian Zhang / [德] Wolfgang Holzapfel


清华大学出版社



ORTHOGONAL POLARIZATION in LASERS

Physical Phenomena and
Engineering Applications

Shulian Zhang / [德] Wolfgang Holzapfel



清华大学出版社
北 京

内 容 简 介

这是一本全面介绍激光器正交偏振的专著,有4个部分共18章。第1部分包括3章,介绍激光器的基本知识,包括激光器的基本物理效应,可以产生正交偏振光的激光器类型,激光和正交偏振光束的黑盒子理论。第2部分包括3章,介绍各种正交偏振激光器,包括塞曼双频激光器、两频和四频环形激光器、双折射双频激光器等,以及各向异性激光腔的矩阵理论。第3部分包含3章,讨论激光器内的正交偏振光的形成和物理行为,腔调谐(长度改变)揭示的物理现象,正交偏振光回馈大量物理效应,正交偏振激光器的半经典理论。第4部分包括9章,介绍激光正交偏振效应的新应用,例如高分辨率位移传感,光学元件相位延迟的精密测量,精密、大动态范围的力和压力测量,角度测量及同时测量磁场和转角的四频环形激光器。

这本专著提供了系统的知识,适合科学家、工程师、教授以及大学本科生和研究生参考。

For sale and distribution in the People's Republic of China exclusively (except Taiwan, Hong Kong SAR and Macao SAR).

仅限于中华人民共和国境内(不包括中国香港、澳门特别行政区和中国台湾地区)销售发行。

本书封面贴有清华大学出版社防伪标签,无标签者不得销售。

版权所有,侵权必究。侵权举报电话:010-62782989 13701121933

图书在版编目(CIP)数据

激光器的正交偏振:物理效应和工程应用=Orthogonal polarization in lasers: physical phenomena and engineering applications: 英文/张书练,(德)霍尔察普费尔(Holzapfel, W.)著.

—北京:清华大学出版社,2014

ISBN 978-7-302-34951-8

I. ①激… II. ①张… ②霍… III. ①激光器—正交—偏振 IV. ①TN248

中国版本图书馆CIP数据核字(2014)第000285号

责任编辑:张秋玲

封面设计:傅瑞学

责任校对:王淑云

责任印制:沈 露

出版发行:清华大学出版社

网 址: <http://www.tup.com.cn>, <http://www.wqbook.com>

地 址:北京清华大学学研大厦A座 邮 编:100084

社总机:010-62770175

邮 购:010-62786544

投稿与读者服务:010-62776969, c-service@tup.tsinghua.edu.cn

质量反馈:010-62772015, zhiliang@tup.tsinghua.edu.cn

印 装 者:三河市春园印刷有限公司

经 销:全国新华书店

开 本:170mm×245mm 印 张:28.75

版 次:2014年2月第1版

印 次:2014年2月第1次印刷

印 数:1~1000

定 价:168.00元

产品编号:058591-01

Foreword

by Zhou Bingkun

With good grace I have followed the request to contribute a foreword for this monograph written by a Chinese–German author team. One author of this monograph, namely Shulian Zhang, has worked first as a young university lecturer with me since 1970. I know his academic career well and I am familiar with the content in this monograph. I am therefore glad to write a foreword for this book.

Professor Zhang had discussed with me his basic idea of orthogonal polarization in the early beginning of his research. His initial aim was to break through the bottleneck of Zeeman dual-frequency lasers, which outputted a less than 3 MHz frequency difference. The Zeeman dual-frequency laser has been applied as a unique light source of interferometers for several decades, which has pushed manufacturing industry greatly, including IC equipment, machine tools, automobiles, etc. The upper limit of the frequency difference less than 3 MHz comes from the physical principle of Zeeman lasers and limits the measurement speed of interferometers to 1 m/s, which limits the production efficiency of IC equipment and machine tools. How can the frequency difference in a laser be enlarged? The idea to put a quartz crystal into the standing-wave laser cavity to gain a frequency difference larger than 40 MHz had succeeded in Zhang's laboratory. That is the birefringence dual-frequency laser. In this laser the quartz crystal plate is used as the element of splitting one mode frequency into two frequencies and tuning their frequency difference. This was the beginning when Professor Zhang started to study systematically the laser frequency splitting and orthogonal polarization in lasers at Tsinghua University.

Zhang's research in the following years yielded not only development of novel birefringence Zeeman lasers with zero to hundreds of MHz frequency splitting but his team has also discovered dozens of laser phenomena and invented several kinds of instruments, which are reported in many peer-reviewed papers. At the same time a number of researchers worldwide have turned to the investigation of orthogonal polarization in lasers, broadened the laser academic space, and built a new researching domain. Meanwhile, this domain has become a new part of laser fundamentals.

Professor W. Holzapfel, the distinguished co-author of this book, is well known in the scientific community for his significant contributions in measurement science and applied optics. His research team at Kassel University, Germany, have also studied systematically orthogonal polarization phenomena in He–Ne lasers and Nd:YAG lasers since the middle of the 1980s. Research was focused on precise force to frequency conversion by photoelastic lasers. The team demonstrated first of all the enormous force measurement capability of

photoelastic Nd:YAG lasers. Furthermore, the team verified very precise force measurements by photoelastic laser crystals in the time/frequency domain. Holzapfel demonstrated successfully that orthogonally polarized lasers perform extreme broadband vibration detection over many decades.

Besides healthy scientific competition the same interest joins the Chinese and German team together to cooperate successfully for a long time since 1995. Chinese and German scientists share research ideas, results, and together have also written this book. The contents of this book are from a large number of articles and patents published by researchers in France, Germany, USA, UK, Japan, Switzerland, etc., many from S. Zhang and W. Holzapfel. I think some of the reported inventions and findings would be typical samples in laser technology, and bring extensive influence on laser education to students. The monograph has much fresh content, deep theory, and experiments. The laser is often used only as the light source in many traditional laser applications, but here, in this book, the laser itself becomes the sensor, which can be used in the measurement of many physical quantities, such as optical phase retardation inside optical elements, force and pressure, displacement, vibration, angle and magnetic field, etc.

I believe the publication of this book will bring more attention to laser polarization and orthogonally polarized laser. Its theoretical analysis and experimental phenomena can deepen the understanding of general laser theory and accelerate applications of orthogonal polarization, especially in precision measurement. The book will benefit undergraduate students and graduate students significantly and help scientists and engineers to solve their problems. The publication of this monograph is an important and pleasing event for both fields of laser technology and precision measurement.

Zhou Bingkun
Professor of Tsinghua University
Academician of Chinese Academy of Sciences
President of the Optical Society of China
Beijing, July 2012

Foreword

by Konrad Herrmann

This monograph is to my knowledge the first English book covering the topic “orthogonal laser polarization”. It deals with specific physical phenomena that may appear in lasers, like

- Laser frequency splitting due to intracavity polarization effects induced by birefringence and optical activity in lasers
- Intensity versus polarization phenomena appearing during cavity tuning of anisotropic lasers
- Optical feedback and laser self-mixing effects due to coupling of orthogonally polarized lasers with cavities.

The observable polarization-dependent phenomena in lasers are really abundant and can appear in different technologies, for instance in Nd:YAG microchip lasers and semiconductor and He–Ne lasers. It is well known for practicing optical engineers that any nonbirefringent material can lose its optical isotropy and can have birefringence, which is often observed in optical components like lenses, prisms, optical fibers, and laser rods, as well as in reflective films and antireflective films on cavity mirrors or windows. This is due to unwanted stresses induced by the component housing and also by residual stresses caused by the fabrication process, for instance due to heat treating. Usually, polarization-dependent phenomena in optical systems and components are mostly evaluated as parasitic and should be eliminated as far as possible.

Contrary to these mainstream evaluations the authors of the book demonstrate that there is a surprising high potential in engineering and application of orthogonally polarized lasers. This conclusion is based on ample experimental data, which they gained with different test equipments and arrangements. The experimental results are explained by application of the Jones matrix theory and Lamb’s theory. There is no doubt that polarization-dependent phenomena in lasers can be utilized for very precise, high-resolution measurement and sensing.

A large number of application examples are introduced in the monograph, including optical phase retardation measurement of optical elements, pressure and force sensing, and furthermore measurement of displacement, vibration, angle, and magnetic field, etc. The polarization-dependent laser sensors have some unique advantages due to new principles. For example, laser internal measurements of wave plate phase retardation has vanishing systematic errors, and can be performed with the highest accuracy. The laser force transducer allows combined measurements of static and high frequency dynamic forces up to high frequencies by a single microchip Nd:YAG laser. The measured forces cover the range from well below 10^{-7} N up to

more than 10 N, that is at least nine decades of the input force. The microchip Nd:YAG laser feedback interferometer is a fully noncontact interferometer and can measure the displacement of machinery parts and liquid surfaces with 1 nm resolution.

In the context of this book the authors have collected the worldwide achievements of scientists and engineers in past decades. Also by this accumulation of knowledge, which is outside the current main streams of optical measurements, this book has proven its academic worth.

The book will stimulate scientists and engineers in research and development. To the researcher it provides a state of the art to manifold polarization effects in lasers and offers new ways in high precision measurement. Practicing engineers get valuable hints for the design and application of novel laser-based sensing instruments and optical components. The book takes a certain center position between a handbook and textbook, and can therefore also be of benefit to upper level undergraduate and postgraduate students, significantly in advanced courses dealing with optics, lasers, and measurement.

May this book find a wide acceptance between researchers, practitioners, and students of laser measurements!

Dr. Konrad Herrmann
Physikalisch-Technische Bundesanstalt (PTB)
Braunschweig, FRG
July 2012

Preface

This book deals with polarization phenomena in lasers and in particular with lasers emitting radiation in two linear polarizations states, both exactly orthogonally oriented to each other. Although lasers with these special features have been commercially available for some years (for instance internal mirrored He–Ne laser tubes, diode pumped Nd:YAG micro lasers), and numerous scientific papers report related experiments and applications, there is no summarizing book presentation in the scientific literature at present. Laser users in engineering and science are also commonly not aware of the potential advantages of orthogonally polarized lasers. In this book we will try to explain how these uncommon lasers can generate orthogonal polarizations, what their special features and advantages are, and how practicing scientists and engineers can successfully use orthogonally polarized lasers in design and applications. The state of research in this promising technique is discussed in detail. Although not written in the form of a college textbook due to its comprehensive treatment of the subject, the monograph will be useful to students. It might be used successfully in university/college courses on advanced laser technology, measurement, and optical sensing technologies and can serve as a reference book in thesis generation and research.

Contrary to orthogonally polarized lasers, the common lasers emit radiation in uncontrollable polarization states or are single linearly polarized due to utilizing special polarization elements. In many laser applications in which the power of the beam has magnitudes of primary interest polarization control must not be performed.

On the other hand, managing/controlling the polarization state of light sources has long been the tradition in optical science and engineering, for instance in polarimetry and ellipsometry. Polarization control must be performed in excess in modern optical communication systems as well as in other high-speed data transmission systems because these are generally polarization-sensitive systems and it is vital to control polarization of the applied laser diodes to obtain low bit-error rates. To get a light beam in a defined polarization state, discrete optical elements or integrated structures, polarizers, rotators, wave plates (retarders), Brewster plates, and apertures are applied. In this state of the art of laser polarization control the total beam intensity is mostly the favored magnitude of primary interest. However, scientists and engineers often need today more advanced techniques, which must allow very precise control of oscillating laser modes, that is of their individual polarization state and frequency, as well as control of the total number and power of oscillating modes. These advanced techniques are basic for applications of orthogonally polarized phenomena in lasers and we will discuss them in detail in this book.

We point out firstly that orthogonally polarized phenomena in lasers result from optical anisotropy effects in materials including optical activity and birefringence. Optical activity is

inherent in several materials, such as quartz crystals, and are also used in Faraday cells. Some other crystalline materials often stressed in classic textbooks, such as calcite, quartz crystals, KD*P, and KTP, are known to have natural birefringence. Moreover, any applied material called not birefringent (i.e. optical isotropic materials) can have birefringence, such as observed in optical components like lenses, prisms, optical fibers, and laser rods made, for instance, of neodymium-doped yttrium–aluminum–garnet crystals (Nd:YAG) and neodymium-doped glasses (Nd:Glas). The same is true even for carefully manufactured laser reflective films and antireflective films on cavity mirrors or windows. This “induced” birefringence may be caused by remaining internal stresses resulting from the fabrication process or by outer mechanical stress sources. For instance, induced birefringence can very easily be introduced in lasers as long as your fingers gently pinch the laser mirrors. Hence you change the polarization state of the laser as well as inducing laser frequency splitting, which means that each mode frequency is split into two orthogonally polarized frequencies and the frequency difference changes by the force of your fingers applied to the mirror. We will explain in detail these effects in later chapters.

We will further make clear in this book that these orthogonally polarized phenomena in lasers should not be classified hastily as unwanted laser disturbances and parasitic phenomena but, based on these polarization effects very useful and precise measurements of unknown “laser input magnitudes” (measurands) can be carried out. Via specific converter effects (optical feedback, photoelasticity in the laser cavity, etc.) and an appropriate input device the measurand generates typical responses in the laser output beam. The dominant response effect is again the above-mentioned frequency splitting of excited modes, which is often accompanied by polarization state changes. These output responses can be easily detected by state-of-the-art electronics if the laser frequency and mode polarization are under control. Due to their unique intrinsic properties orthogonally polarized lasers can often be applied as virtually compensated measurement instruments, which yield high resolution and digitally pleasant frequency outputs. In some cases, by orthogonally polarized effects in lasers the measurand (for instance force, acceleration) can be detected directly as a vector magnitude, which means that its magnitude and its planar pointing direction are measured simultaneously. These features open up new ways in measurement.

Hence, worldwide, some systematic experiments, mathematical modeling, and testing of potential applications dealing with laser polarization and induced splitting of polarized modes have been carried out in the last few years. Scientists from China, France, Germany, the United States, Britain, Japan, Switzerland and other countries have published numerous papers and patents. We, the authors, hope that our monograph reflects much of the global activities in this field but we feel that we cannot be sure that there will be total completeness in our approach. We apologize therefore to any of our colleges whose publications may not be adequately cited and represented in this monograph. Furthermore, we are also aware that there may remain some bugs and imperfections in our presentation although we have tried constantly to avoid these. Hence, we are always open for any hints and critical comments from our readers.

Both authors of this book have performed long time cooperation in research and lecturing since 1995. This cooperation took place not only due to several guest professorships and research visits of Shulian Zhang to the University of Kassel and of Wolfgang Holzapfel to Tsinghua University, Beijing, but also due to permanent exchange of members, ideas, and experiences between both research teams over the past years. At first Shulian Zhang got the idea and yielded a first draft of a basic monograph dealing with orthogonal polarization effects in lasers. Later Wolfgang Holzapfel followed his friendly invitation to write this book

together. By this close cooperation both authors would like to express their mutual valuation. Furthermore, both authors would like to give their respect here to the many coworkers and students who have contributed directly and indirectly to the book.

S. Zhang thanks professors, graduates, and undergraduate students in his own team at the Key State Lab of Precision Measurement Technology and Instruments at Tsinghua University for their great efforts. The team continuously studied orthogonal polarization effects in lasers over many years; that is when older students graduated and moved ahead, younger ones joined the team and continued the research. All team members did their best in cooperation, in acquiring basic material for the book manuscript, and last but not least in translation from Chinese to English. The professors who participated in these permanent studies are: Guofan Jin, Yan Li, Yanmei Han, Kelan Li, Jihua Guo, and Minxian Wu. The postdoctoral or doctoral or master's degree students are (in sequence of graduation date): Junjiang Zhang, Dating Zhou, Xiangdong Hu, Sun Yang, Yanmei Han, Yuye Jin, Mingxing Jiao, Yi Zhang, Jia Li, Wenkai He, Zhibing Deng, Yan Xiao, Juncheng Xu, Yingchun Ding, Ming Ren, Jie Fu, Lu Li, Hui Guo, Fang Xie, Chunming Huang, Jinghua Liu, Aihua Zhang, Wenhua Du, Xiaobin Zong, Xinjian Yang, Yingchao Cui, Ligang Fei, Gang Liu, Zhiguang Xu, Ming Liu, Mingming Wang, Xiaoyan Liu, Xinjun Wan, Yong Xu, Xiang Cheng, Li Zhang, Jinyun Ding, Yidong Tan, Lufei Zhou, Duo Li, Wei Mao, Weixin Liu, Liu Cui, Haohao Li, Yanxiong Niu, Matthias Dilger, Chaohui Hu, Zhou Ren, Cheng Ren, Yinan Zhang, Zhengqi Zhao, Chunxin Xu, Peng Zhang, Shoushen Zhu, Zhaoli Zeng, Song Zhang, Weiping Wang, Shijie Zhao, Jiang Li, Haisha Niu, Yongqin Zhang, Shaohui Zhang, Ling Xu, Hao Chen, and Xiaoli Li. Yuye Jin also wrote the first draft of Chapter 2, checked formulas of the first draft, and did translation work.

The following Chinese organizations have supported more than 30 projects during these studies and are gratefully acknowledged: the National Natural Science Foundation of China, the Ministry of Education, the Ministry of Science and Technology, the Beijing Natural Science Foundation, the Cao Guangbiao Foundation, the Beijing Education Committee, and Tsinghua University.

W. Holzapfel would like to thank, for excellent cooperation and for convincing scientific contributions to the research topic, his following team members: Dr.-Ing. Uwe Riss, Dr.-Ing. Walter Settgast, Dr.-Ing. habil. Ulrich Neuschaefer-Rube, Dr.-Ing. Stephan Neuschaefer-Rube, Dr.-Ing. Chun Ye, Dr.-Ing. Manfred Kobusch, Dr.-Ing. Lijian Hou, and Dr.-Ing. Nejat Mahdavi, and furthermore for valuable assistance: Dr.-Ing. Werner Baetz, Dr.-Ing. Jan Braasch, and Dr.-Ing. Michael Hoelscher. Also the team members Dipl.-Phys. Martin Finneman, Dipl.-Phys. Wolfgang Luxem, Dipl. Phys. U. Ruedinger, Ing. grad. Horst Paul, and Dipl.-Ing. Martin Suske yielded valuable contributions to the research topic.

He also thanks for financial support the German Federal Ministry of Research and Education (former Research and Technology) and The German Research Community (Deutsche Forschungsgemeinschaft DFG), as well as the following companies: Bodenseewerk Geratetechnik (Ueberlingen), Sartorius (Goettingen), and Honeywell (Maintal).

We also thank Professor Zhou Bingkun and Dr. Konrad Herrmann, academician members, who have written forewords for this monograph as well as Professor Gerd Jaeger, Technical University Ilmenau, FRG. Throughout our study they have often provided support to the research teams.

Shulian Zhang
Wolfgang Holzapfel

Introduction

Light beam polarization is a basic characteristic of laser radiation. This book deals with lasers emitting simultaneously two linear polarization states, both exactly orthogonally oriented to each other and consequently split in beam frequency. Although lasers with this special feature are commercially available since years and numerous scientific papers report related experiments and applications, there is no summarizing book at present. The specific advantages of orthogonally polarized lasers are not commonly aware for potential users in engineering and science.

In this monograph we explain how lasers can generate orthogonal polarizations, what their special features and advantages are and how scientists and engineers can successfully use orthogonal polarization and frequency splitting in lasers. There are 4 parts incorporating 18 chapters overall. Part I includes 3 chapters, which introduce fundamentals of lasers and beam polarizations including basic physical effects inside lasers, lasers applicable for polarization controlled beam generation, and laser polarization black box theory. Part II comprises 3 chapters, which introduce special orthogonal polarized lasers: Zeeman dual-frequency lasers, multi-frequency ring lasers, birefringence dual-frequency lasers, and matrix theory of anisotropic laser cavities. Part III contains 3 chapters discussing physical behavior of orthogonal polarization in lasers, physical phenomena revealed by cavity tuning, optical feedback effects and semi-classical theory in orthogonally polarized lasers. Part IV including 9 chapters is dealing with novel applications of orthogonal polarization in lasers, for instance high resolution displacement sensing, precise force and pressure measurements with broad dynamic range, vehicle rotational sensing and combined magnetometer/rate-gyro sensing by four-frequency ring lasers and last but not least precise measurement of phase retardation and other optical anisotropies in optical samples and systems.

This monograph offers systematic material for scientists and engineers, as well as professors, universities graduate and undergraduate students.

Contents

Foreword	xiii
<i>by Zhou Bingkun</i>	
Foreword	xv
<i>by Konrad Herrmann</i>	
Preface	xvii
Introduction	xxi

Part One FUNDAMENTALS OF LASERS AND BEAM POLARIZATIONS

1	Rigorous Introduction to Lasers and Beam Polarizations	3
1.1	The Basic Amplifier/Cavity Configuration	3
1.2	Optical Waves of a Laser	4
1.3	Cavity Closed-Loop and Laser Threshold	8
1.3.1	<i>The System Acts as a Closed-Loop Amplifier</i>	11
1.3.2	<i>The Closed-Loop System Acts as a Steady State Oscillator</i>	13
1.4	Survey of Techniques for Generating and Converting Laser Polarization States	16
1.4.1	<i>Survey of Light Polarization States</i>	17
1.4.2	<i>Polarization Conversion by Anisotropic Components</i>	18
1.4.3	<i>Laser Polarization States at a Glance</i>	20
1.4.4	<i>Anisotropic Elements Modulated by Electric/Magnetic Fields or Tactile Forces</i>	23
1.4.5	<i>Outlook</i>	24
	References	24
2	Basic Physical Effects Inside Lasers	25
2.1	Interaction between Light and Particles	25
2.1.1	<i>Spontaneous Emission</i>	26
2.1.2	<i>Stimulated Transitions</i>	27
2.1.3	<i>Relationships among Einstein Coefficients</i>	28
2.1.4	<i>Intensities by Spontaneous Emission and Induced Emission</i>	28
2.1.5	<i>Boltzmann Distribution Law</i>	29
2.1.6	<i>Population Inversion and Light Amplification</i>	29

2.2	Line Shape Function and the Line Broadening Mechanism	30
2.2.1	<i>Line Form Function and Luminescence Line Bandwidth</i>	31
2.2.2	<i>Probability of Spontaneous and Induced Transitions</i>	31
2.2.3	<i>Mechanisms of Line Broadening</i>	32
2.3	Gain Coefficient of Light in an Active Medium	38
2.3.1	<i>Amplification Factor, Gain, and Gain Coefficient</i>	38
2.3.2	<i>Some Remarks on the Gain Coefficient</i>	40
2.4	Saturation of Gain in the Laser Active Medium	40
2.4.1	<i>Saturation in a Homogeneously Broadened Medium</i>	41
2.4.2	<i>Saturation in an Inhomogeneously Broadened Medium</i>	43
2.4.3	<i>Saturation in an Integrative Broadened Medium</i>	43
2.5	Threshold Condition, Gain for Stationary Operation, and Lasing Bandwidth	44
2.5.1	<i>Losses of a Laser and the Threshold Condition</i>	44
2.5.2	<i>Stationary Gain of a Laser in Continuous Operation</i>	46
2.6	Optical Cavities and Laser Modes	46
2.6.1	<i>Optical Cavity and Its Stability Condition</i>	46
2.6.2	<i>Longitudinal Modes of a Laser</i>	47
2.6.3	<i>Laser Frequency Shift</i>	48
2.6.4	<i>Laser Transverse Modes</i>	49
2.6.5	<i>Self-Consistent Condition of Laser Oscillation</i>	50
2.7	Laser Mode Competition	50
2.7.1	<i>Mode Competition in a Laser with a Homogeneously Broadened Medium</i>	51
2.7.2	<i>Mode Competition in an Integratively Broadened Medium</i>	52
2.8	Mode Push/Pull and Locking Effects	54
2.8.1	<i>Frequency Pulling and Pushing Effects</i>	54
2.8.2	<i>Mode Locking</i>	55
2.9	Power Tuning Properties of Lasers	55
2.9.1	<i>Experimental Study of the Power Tuning Properties in Single-Mode Lasers</i>	55
2.9.2	<i>Power Tuning Curve of a Laser with a Homogeneously Broadened Medium</i>	57
2.9.3	<i>Tuning Properties of a Laser with an Integratively Broadened Medium</i>	57
	References	59
3	Specific Laser Technologies Applicable for Orthogonally Polarized Beam Generation	61
3.1	Background	61
3.2	He–Ne lasers	62
3.2.1	<i>He–Ne Laser Configurations</i>	62
3.2.2	<i>Gas Discharge Excitation Mechanism (0.6328 μm)</i>	64
3.2.3	<i>Light Generation Process</i>	66
3.2.4	<i>Factors Influencing Output Power of Laser Radiation</i>	66
3.2.5	<i>Polarization and Radiation Properties of He–Ne Lasers</i>	67

3.3	Carbon Dioxide (CO ₂) Laser and Its Polarization State	68
3.4	Optically Pumped Nd:YAG Lasers (1.06 μm)	69
3.4.1	<i>Optical Properties of Nd:YAG Crystals and Excitation Mechanism for Laser Radiation</i>	69
3.4.2	<i>Pumping of the Nd:YAG Laser by a Laser Diode</i>	71
3.4.3	<i>Polarization and Features of Diode Pumped Nd:YAG Lasers</i>	72
3.5	Semiconductor Lasers	72
3.5.1	<i>Structures of Semiconductor Lasers</i>	73
3.5.2	<i>Polarization States of Semiconductor Lasers</i>	74
3.5.3	<i>Features of Semiconductor Lasers</i>	75
3.6	Fiber Lasers	76
3.6.1	<i>Basic Structure and Typical Laser Parameters</i>	76
3.6.2	<i>Fiber Polarizations States</i>	76
3.6.3	<i>Advantages and Applications of Fiber Lasers</i>	77
3.7	Conclusions on Relevant Orthogonally Polarized Laser Technologies	78
	References	80

Part Two GENERATION OF ORTHOGONAL LASER POLARIZATIONS

4	Zeeman Dual-Frequency Lasers and Multifrequency Ring Lasers – Orthogonally Polarized Lasers in Tradition	83
4.1	Introduction	83
4.2	Zeeman Dual-Frequency Lasers	84
4.2.1	<i>Zeeman Effect</i>	84
4.2.2	<i>Longitudinal and Transversal Zeeman Dual-Frequency Lasers</i>	85
4.3	Multifrequency Ring Laser	88
4.3.1	<i>Two-Frequency Ring Lasers</i>	88
4.3.2	<i>Four-Frequency Ring Lasers</i>	91
4.3.3	<i>Further Ring Laser Designs</i>	96
	References	96
5	Matrix Theory of Anisotropic Laser Cavities – A Further Approach to Orthogonally Polarized Dual-Frequency Lasers	99
5.1	Background	99
5.2	Polarization-Dependent Properties of Optical Materials	100
5.3	Introduction to the Jones Formalism	101
5.4	Mathematical Description of Polarized Light by the Jones Vectors	102
5.5	Transfer Matrixes of Retarders, Rotators, and Polarizers	103
5.6	Serial Connections of Anisotropic Elements and the Jones Theorem	105
5.7	Connection of Different Retardations within the Same Anisotropic Element	107
5.8	Calculation of Eigenpolarizations and Eigenfrequencies of Passive Anisotropic Cavities	107
5.9	Conclusions	111
	References	111

6	Orthogonal Polarization and Frequency Splitting in Birefringent Laser Cavities	113
6.1	Laser Frequency Splitting Due to Intracavity Birefringence	113
6.2	Laser Frequency Splitting Caused by Intracavity Quartz Crystals	117
6.2.1	<i>Optical Activity and Birefringence of Quartz Crystals</i>	118
6.2.2	<i>Laser Frequency Splitting Due to the Quartz Crystal in the Resonator</i>	120
6.3	Laser Frequency Splitting Caused by Intracavity Electro-optic Crystals	125
6.3.1	<i>Electro-optic Effect of Crystals and Induced Birefringence</i>	125
6.3.2	<i>Laser Frequency Split Caused by Internal Electro-optic Crystals</i>	127
6.4	Induced Stress Birefringence and Laser Frequency Splitting	129
6.4.1	<i>Induced Stress Birefringence in Photoelastic Materials</i>	129
6.4.2	<i>Laser Frequency Splitting Caused by Intracavity Stress Elements</i>	131
6.5	Frequency Splitting in Semiconductor Lasers	133
6.5.1	<i>Frequency Splitting in a Semiconductor Laser Caused by a Two-Branched Half-External Cavity Structure</i>	133
6.5.2	<i>Frequency Splitting in a Semiconductor Laser by a Wave Plate in a Single-Cavity Structure</i>	134
6.5.3	<i>Some Conclusions</i>	136
6.6	Frequency Splitting in Fiber Lasers	136
6.7	Observation and Readout of Frequency Splitting	137
6.7.1	<i>Observation of Laser Frequency Splitting by Scanning Interferometers</i>	138
6.7.2	<i>Observation and Measurements of Laser Frequency Splitting by Spectrum Analyzers</i>	141
6.7.3	<i>Observing the Beat Signal in the Time Range by Oscilloscopes</i>	142
6.7.4	<i>Measurement of Beat Frequency by a Digital Frequency Meter</i>	142
6.8	Final Remark on Methods Used to Obtain Small and Also Larger Frequency Differences	143
	References	143
7	Design of Orthogonally Polarized Lasers	145
7.1	Background	145
7.2	Quartz Birefringence He–Ne Laser	147
7.3	Stress-Induced Birefringence He–Ne Laser	150
7.4	Equidistant Frequency Split Ultrashort He–Ne Laser	153
7.5	Zeeman Birefringence Dual-Frequency He–Ne Laser	154
7.6	He–Ne Laser with Two Intracavity Birefringence Elements	158
7.7	Orthogonally Polarized Lasers with a Superposition Layer Birefringence Film	161
7.8	Laser Diode Pumped Birefringent Nd:YAG Laser with Tunable Frequency Difference	163
7.8.1	<i>Background</i>	163
7.8.2	<i>Modular and Monolithic Nd:YAG Lasers</i>	164

7.9	Orthogonally Polarized Lasers with Electrically Controllable Frequency Differences	169
	References	170

Part Three NONLINEAR BEHAVIOR OF ORTHOGONALLY POLARIZED LASERS

8	Competition and Flipping Phenomena in Orthogonally Polarized Lasers	175
8.1	Intensity Tuning, Mode Competition, and Frequency Difference Tuning in Dual-Frequency Lasers	176
8.1.1	<i>Mode Competition and Intensity Tuning Properties of Birefringent Lasers</i>	176
8.1.2	<i>Frequency Difference Tuning in a Birefringent Dual-Frequency Laser</i>	183
8.2	Properties of Intensity Tuning and Frequency Difference Tuning in Birefringent Zeeman Lasers	184
8.2.1	<i>Experimental Arrangement</i>	185
8.2.2	<i>Basic Shapes of the Tuning Curves of the Intensity and Frequency Difference</i>	186
8.2.3	<i>Influence of Magnetic Field Magnitude on the Intensity Tuning Curve</i>	187
8.2.4	<i>Influence of the Frequency Difference on the Properties of Intensity Tuning Curves</i>	190
8.2.5	<i>Effect of the Angle between the Directions of the Magnetic Field and the External Force</i>	191
8.3	Polarization Properties Caused by Optical Activity of an Intracavity Quartz Crystal	191
8.3.1	<i>Extracavity Measurement of Optical Activity of Quartz Crystals</i>	191
8.3.2	<i>Polarization Rotation of a Laser Beam Due to Optical Activity of an Intracavity Quartz Crystal</i>	192
8.3.3	<i>Self-Consistent Theory of Polarization Rotation Due to Optical Activity</i>	194
8.4	Effect of Optical Activity in the Frequency Difference	198
8.5	Polarization Flipping and Optical Hysteresis in Birefringent Lasers	201
8.5.1	<i>Rotation Mechanism</i>	203
8.5.2	<i>Inhibition Mechanism</i>	206
8.5.3	<i>Hybrid Hysteresis Loop</i>	208
	References	209
9	Optical Feedback Effects in Orthogonally Polarized Lasers	211
9.1	General Concept of Laser Feedback	212
9.1.1	<i>Basic Experimental Arrangement</i>	212
9.1.2	<i>Past/Actual Studies of Optical Feedback Effects</i>	214
9.1.3	<i>Optical Feedback Modeling of Orthogonally Polarized Lasers</i>	215

9.2	Optical Feedback for Birefringent He–Ne Lasers	216
9.2.1	<i>Experimental System</i>	217
9.2.2	<i>Feedback Fringes at Different Feedback Levels of a Birefringent He–Ne Laser</i>	219
9.2.3	<i>Phase Difference of the o-Beam and the e-Beam in Weak Optical Feedback for Birefringent He–Ne Lasers</i>	225
9.2.4	<i>Optical Feedback for Lasers with Two Longitudinal Modes</i>	230
9.3	Optical Feedback of Birefringence Zeeman Lasers	235
9.3.1	<i>Generic Cosine Feedback Fringes in Birefringence Zeeman Lasers</i>	235
9.3.2	<i>Competitive Feedback Fringes in Birefringence Zeeman Lasers</i>	238
9.4	Optical Feedback with an Orthogonally Polarized External Cavity	241
9.4.1	<i>Experimental Configuration</i>	242
9.4.2	<i>Optical Feedback with an Orthogonally Polarized External Cavity</i>	242
9.5	Narrow Feedback Fringes of Birefringent Dual-Frequency Lasers	248
9.5.1	<i>General about the Round-Trip Selection External Cavity</i>	248
9.5.2	<i>Optical Feedback of a Two-Folded External Cavity</i>	250
9.5.3	<i>Nanometer Fringes and Polarization Flipping</i>	253
9.6	Optical Feedback of a Microchip Nd:YAG Laser with Birefringence	256
9.6.1	<i>Optical Feedback of an Orthogonal Polarized Microchip Nd:YAG Laser</i>	256
9.6.2	<i>Optical Feedback of the Microchip Nd:YAG Laser with a Birefringent External Cavity</i>	263
9.7	Conclusions on the Feedback in Orthogonally Polarized Lasers	266
	References	269
10	Semi-classical Theory of Orthogonally Polarized Lasers	273
10.1	Modeling of Orthogonally Polarized Lasers	273
10.1.1	<i>Selection of the Theoretical Model</i>	273
10.1.2	<i>The Self-Consistency Equation</i>	275
10.1.3	<i>Medium Polarization Coefficients of Lasers</i>	277
10.1.4	<i>Modification of Medium Polarization Coefficients</i>	283
10.1.5	<i>Steady State Solution of Self-Consistency Equations</i>	284
10.1.6	<i>Analysis of Birefringent Zeeman Lasers</i>	285
10.2	Theoretical Analysis of Orthogonally Polarized Lasers	288
10.2.1	<i>Cavity Tuning Analysis of He–Ne Lasers Containing Single/Dual Ne Isotopes</i>	288
10.2.2	<i>Analysis of Mode Locking and Mode Suppression</i>	293
10.2.3	<i>Analysis of Zeeman Birefringence Lasers</i>	295
10.2.4	<i>Applicability Discussion of the Vectorial Extension Model of Lamb's Semi-classical Theory</i>	297
10.2.5	<i>Conclusions</i>	298
10.3	Analysis of Optical Feedback Phenomena in Birefringent Lasers	299
10.3.1	<i>Feedback Fringes in Moderate Optical Feedback</i>	299
10.3.2	<i>Theory Model for Different Feedback Levels in Birefringent Lasers</i>	303
10.3.3	<i>Conclusion and Discussion</i>	305
	References	307