


QUANTUM FIELD THEORY FOR MATHEMATICIANS

R. TICCIATI



ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS

*Quantum Field Theory
for Mathematicians*

R. TICCIATI

Maharishi University of Management



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521632652

© R. Ticciati 1999

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 1999
This digitally printed version (with corrections) 2008

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data
Ticciati, Robin.

Quantum field theory for mathematicians / Robin Ticciati.
p. cm. – (Encyclopedia of mathematics and its applications; v. 72)

Includes bibliographical references.

ISBN 0 521 63265 X (hc.)

1. Quantum field theory. I. Title. II. Series.

QC174.45.T53 1999

530.14'3–dc21 98-39473 CIP

ISBN 978-0-521-63265-2 hardback

ISBN 978-0-521-06025-7 paperback

ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS

EDITED BY G.-C. ROTA

Editorial Board

R. S. Doran, M. Ismail, T.-Y. Lam, E. Lutwak, R. Spigler

Volume 72

ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS

- 4 W. Miller, Jr. *Symmetry and separation of variables*
- 6 H. Minc *Permanents*
- 11 W. B. Jones and W. J. Thron *Continued fractions*
- 12 N. F. G. Martin and J. W. England *Mathematical theory of entropy*
- 18 H. O. Fattorini *The Cauchy problem*
- 19 G. Lorentz, K. Jetter, and S. D. Riemenschneider *Birkhoff interpolation*
- 21 W. T. Tutte *Graph theory*
- 22 J. R. Bastida *Field extensions and Galois theory*
- 23 J. R. Cannon *The one-dimensional heat equation*
- 25 A. Salomaa *Computation and automata*
- 26 N. White (ed.) *Theory of matroids*
- 27 N. H. Bingham, C. M. Goldie, and J. L. Teugels *Regular variation*
- 28 P. P. Petrushev and V. A. Popov *Rational approximation of real functions*
- 29 N. White (ed.) *Combinatorial geometrics*
- 30 M. Pohst and H. Zassenhaus *Algorithmic algebraic number theory*
- 31 J. Aczel and J. Dhombres *Functional equations containing several variables*
- 32 M. Kuczma, B. Chozewski, and R. Ger *Iterative functional equations*
- 33 R. V. Ambartzumian *Factorization calculus and geometric probability*
- 34 G. Gripenberg, S.-O. Londen, and O. Staffans *Volterra integral and functional equations*
- 35 G. Gasper and M. Rahman *Basic hypergeometric series*
- 36 E. Torgersen *Comparison of statistical experiments*
- 37 A. Neumaier *Interval methods for systems of equations*
- 38 N. Korneichuk *Exact constants in approximation theory*
- 39 R. A. Brualdi and H. J. Ryser *Combinatorial matrix theory*
- 40 N. White (ed.) *Matroid applications*
- 41 S. Sakai *Operator algebras in dynamical systems*
- 42 W. Hodges *Model theory*
- 43 H. Stahl and V. Totik *General orthogonal polynomials*
- 44 R. Schneider *Convex bodies*
- 45 G. Da Prato and J. Zabczyk *Stochastic equations in infinite dimensions*
- 46 A. Björner, M. Las Vergnas, B. Sturmfels, N. White, and G. Ziegler *Oriented matroids*
- 47 E. A. Edgar and L. Sucheston *Stopping times and directed processes*
- 48 C. Sims *Computation with finitely presented groups*
- 49 T. Palmer *Banach algebras and the general theory of *-algebras*
- 50 F. Borceux *Handbook of categorical algebra I*
- 51 F. Borceux *Handbook of categorical algebra II*
- 52 F. Borceux *Handbook of categorical algebra III*
- 54 A. Katok and B. Hassleblatt *Introduction to the modern theory of dynamical systems*
- 55 V. N. Sachkov *Combinatorial methods in discrete mathematics*
- 56 V. N. Sachkov *Probabilistic methods in discrete mathematics*
- 57 P. M. Cohn *Skew Fields*
- 58 Richard J. Gardner *Geometric tomography*
- 59 George A. Baker, Jr. and Peter Graves-Morris *Padé approximants*
- 60 Jan Krajčevič *Bounded arithmetic, propositional logic, and complex theory*
- 61 H. Gromer *Geometric applications of Fourier series and spherical harmonics*
- 62 H. O. Fattorini *Infinite dimensional optimization and control theory*
- 63 A. C. Thompson *Minkowski geometry*
- 64 R. B. Bapat and T. E. S. Raghavan *Nonnegative matrices and applications*
- 65 K. Engel *Sperner theory*
- 66 D. Cvetkovic, P. Rowlinson and S. Simic *Eigenspaces of graphs*
- 67 F. Bergeron, G. Labelle and P. Leroux *Combinatorial species and tree-like structures*
- 68 R. Goodman and N. Wallach *Representations of the classical groups*
- 70 A. Pietsch and J. Wenzel *Orthonormal systems and Banach space geometry*
- 72 R. Ticciati *Quantum-field theory for mathematicians*

Preface

After completing my dissertation in differential geometry, I returned to Maharishi University of Management to join the faculty there. The greatest need for my services was in the physics department, and the chairman, the well-known John Hagelin, pointed the finger of authority and said ‘quantum field theory!’ The class was to start in a few weeks. I laughed, but John was serious.

Fortunately, I had audited Sidney Coleman’s outstanding Harvard lectures and had taken very good notes. Equally fortunate, I had Robert Brandenburger’s official solutions to all the homework sets. I rolled up my sleeves and waded in.

As we battled through the material, the beautiful architecture of Coleman’s course became apparent. It introduced the primary concepts – canonical quantization, renormalization, spin, functional integral quantization – one at a time and made each one practical before advancing to the next abstraction. It started with simple models and provided motivation for each elaboration.

The students, however, pinned me to the board with questions about every step in the logic. Could I produce some mathematics to fill the gap? Was there a physical principle which would justify the proposed step? The standard references failed to meet the need, and for the most part I was stumped. It was a couple of years later, when the next group of graduate students was ripening, that I found time to think out some answers. The result was a draft of the first nine chapters of this book.

Student feedback was most helpful for refining this draft, and as I began to take on the teaching of more advanced material and continued to work with successive classes, the notes developed into a pretty good book.

As this history indicates, this book is unique. The common approach in other texts is generally either that of a model builder who aims at efficient presentation of what works, or that of an applied mathematician who is trying to find a foundation for the techniques of the practicing field theorist. The model builder tends to treat technical mountains as molehills and conserves energy by omitting the details of every derivation. The applied mathematician gets absorbed in the technical mountains and does not get close to presenting anything practical. My work is half way between these two. If I may be permitted a Fullerman sentence, my text aims to provide the usual practical knowledge of QFT in comfortable stages naturally structured by the systematic introduction of fundamental principles, pleasantly enriched with overviews, summaries, and delightful mathematical details.

It has been a pleasure to work with Coleman’s notes, with the many students who took my classes, and with Blue Sky Research’s implementation of \TeX . I would particularly like to thank Kurt Kleinschnitz for excellent suggestions, Sunil Rawal for help with the closing chapters, Geoff Golner for explaining Wilson’s exact renormalization group, John Hagelin for pushing me off the deep end, and Maharishi University of Management for the financial support that made this work possible.

This book is a great satisfaction to me, and I would like to thank Cambridge University Press for making it possible to share this satisfaction with others. I hope it will be a useful reference for physics students with questions in this area and an intelligible introduction for mathematicians who are trying to find out what the physicists are up to.

Robin Ticciati
Maharishi University of Management

Introduction

This text provides a mathematical account of the principles and applied techniques of quantum field theory. It starts with the need to combine special relativity and quantum mechanics, and culminates in a basic understanding of the Standard Model of electroweak and strong interactions. The exposition is enriched with as much mathematical detail as is useful for developing a practical knowledge of quantum field theory. All the details can be brought out in a three semester course, and the main ideas can comfortably occupy two semesters. The prerequisites for this presentation are (1) familiarity with the Hilbert-space formalism of quantum mechanics, (2) assimilation of the basic principles of special relativity, and (3) a goodly measure of mathematical maturity.

The book is divided into five parts. These cover (1) canonical quantization of scalar fields, (2) Weyl, Dirac, and vector fields, (3) functional integral quantization, (4) the Standard Model of the electroweak and strong interactions, and (5) renormalization. Each of the five parts introduces one primary new principle and, having developed that principle to a goodly degree of practicality, naturally motivates its own extension in the next part.

Part 1, Chapters 1–5, presents the principles that transform quantum mechanics and special relativity into canonical perturbative quantum field theory. Its goal is to arrive at cross sections with minimal technical machinery. Part 2, Chapters 6–9, provides fields for realistic models like QED. It covers representation theory of the Lorentz group and extends the principles of Part 1 to Weyl spinors, Dirac spinors, and massive vector fields. At the end of Part 2, three weaknesses of perturbative canonical quantization are apparent, namely, its application to unstable particles, derivative interactions, and gauge theories. This motivates Part 3, Chapters 10–13, in which Haag–Ruelle scattering theory, renormalization, and functional integral quantization are developed. Using this new formalism, Part 4, Chapters 14–17, presents the structure of the Standard Model, introduces hadrons, and provides tree-level applications of the Standard Model. Finally, having taken tree-level theory about as far as is useful, Part 5 goes more deeply into regularization, renormalization, renormalizability, and the renormalization group.

The principles, examples, and techniques presented in this text are, for the most part, quite standard. However, the detailed treatment of the representation theory of the Lorentz group and $SU(3)$ in Chapters 6 and 14 respectively is unusual and helps to make this text self-sufficient. The use in Chapter 7 of Weyl spinor fields as an aid to deriving Feynman rules for Fermi fields is also unusual. The two-component spinor notation built up in that chapter is more commonly used in superfield theory.

Internal references are written without parentheses in the form ‘12.3.6’ rather than ‘(12.3.6)’. To save the reader from looking up references unnecessarily, references are qualified by descriptive phrases rather than by an unhelpful noun. For example, we write ‘the winding-number formula 13.7.11’ rather than ‘Theorem 13.7.11’.

Contents

Preface	xiii
Introduction	xv
1. Relativistic Quantum Mechanics	1
1.0 Introduction	1
1.1 One-Particle State Space – Mathematics	2
1.2 One-Particle State Space – Physics	4
1.3 The Action of Translations on States	5
1.4 The Action of the Lorentz Group on States	6
1.5 Representing the Poincaré Group	8
1.6 The Position Operator	9
1.7 Summary	12
2. Fock Space, the Scalar Field, and Canonical Quantization	13
2.0 Introduction	13
2.1 Bosonic Fock Space	13
2.2 Harmonic Oscillator Review	15
2.3 Application to Fock Space	16
2.4 The Free Scalar Field	17
2.5 Canonical Quantization of Classical Mechanics	22
2.6 Canonical Quantization of Classical Fields	25
2.7 The Structure of the Vacuum State	30
2.8 Summary	35
3. Symmetries and Conservation Laws	36
3.0 Introduction	36
3.1 Four Levels of Symmetry in an Example	37
3.2 Symmetry and Conserved Quantities in Classical Mechanics	40
3.3 Symmetry and Conserved Quantities in Quantum Mechanics	43
3.4 Symmetry and Conservation Laws in Classical Field Theory	45
3.5 Application: Complex Quantum Fields	48
3.6 Groups of Matrices and their Lie Algebras	54
3.7 Internal Symmetries in Quantum Field Theory	57
3.8 The Actions and Algebra of Conserved Quantities	60
3.9 Translation Symmetry	64
3.10 Lorentz Symmetry	65
3.11 Application: Quantum Numbers	67
3.12 Charge Conjugation	70
3.13 Parity	72
3.14 Time Reversal	74
3.15 Summary	78

4. From Dyson's Formula to Feynman Rules	79
4.0 Introduction	79
4.1 The Interaction Picture and Dyson's Formula	80
4.2 The Wick Expansion of the Scattering Matrix	85
4.3 Wick Diagrams	87
4.4 The Combinatorics of Wick Diagrams	91
4.5 Reduction to Connected Wick Diagrams	93
4.6 First Example: A Time-Dependent Classical Source	95
4.7 Second Example: A Time-Independent Classical Source	97
4.8 Comparison with Classical Field Theory	101
4.9 Feynman Diagrams and Feynman Rules	103
4.10 Third Example: Tree-Level Scattering	108
4.11 Lorentz Invariance and Elimination of Variables	111
4.12 Crossing and Mandelstam Parameters	114
4.13 Preliminary Points on Renormalization	116
4.14 Summary	120
5. Differential Transition Probabilities and Predictions	121
5.0 Introduction	121
5.1 Differential Transition Probabilities	121
5.2 The Invariant Density for Two-Particle Final States	124
5.3 The Invariant Density for Three-Particle Final States	126
5.4 Decays	128
5.5 Cross Sections	129
5.6 The Optical Theorem	132
5.7 Summary	135
6. Representations of the Lorentz Group	136
6.0 Introduction	136
6.1 From Lie Group to Lie Algebra Representations	137
6.2 Definitions for Representation Theory	141
6.3 Detailed Structure of $su(2)$ and $so(1,3)$	147
6.4 $su(2)$ in Particular	150
6.5 The Tensor Product	154
6.6 Weights and Tensor Products	155
6.7 The Representations of $so(1,3)$	159
6.8 Tensor Products of $so(1,3)$ Representations	161
6.9 Complex Conjugation, Parity, and Restriction to Rotations	161
6.10 Vectors, Tensors, and Symmetry	163
6.11 Summary	165
7. Two-Component Spinor Fields	166
7.0 Introduction	166

7.1	The Lorentz Group Action on Spinors	167
7.2	The Lorentz Group and $SL(2, \mathbb{C})$	168
7.3	Invariant Terms from Spinors and Vectors	170
7.4	Fermionic Calculus	171
7.5	Classical Massless Weyl Spinors	173
7.6	Free Massless Weyl Quantum Fields	177
7.7	Conserved Current and Quantity	180
7.8	Helicity	181
7.9	Angular Momentum of a Free Spinor	183
7.10	Contractions for Massless Weyl Spinors	186
7.11	Defining an Example	188
7.12	– First Application	189
7.13	– Second Application	192
7.14	– Third Application	194
7.15	– Conclusion of Example	196
7.16	Two-Component Spinor Notation	198
7.17	Massive Weyl Spinors	200
7.18	– Equations of Motion, and Dirac Algebra	204
7.19	Summary	206
8.	Four-Component Spinor Fields	207
8.0	Introduction	207
8.1	Representations of the Dirac Algebra	207
8.2	Basic Features of Dirac Algebra	210
8.3	Polarization Spinors in the Standard Representation	212
8.4	Canonical Quantization of Dirac Spinors	215
8.5	Feynman Rules for Dirac Spinors	217
8.6	Dirac Algebra	222
8.7	Fierz Transformations	224
8.8	Dirac Spinor Scattering Example	227
8.9	Charge Conjugation	230
8.10	Parity	233
8.11	Time Reversal	236
8.12	The Action of Discrete Symmetries on Bilinear Terms	239
8.13	Combinations of C , P , and T	241
8.14	Summary	244
9.	Vector Fields and Gauge Invariance	246
9.0	Introduction	246
9.1	The Lagrangian Density and Plane Wave Solutions	247
9.2	Quantization of the Massive Vector Field	250
9.3	Feynman Rules for the Massive Vector Field	253
9.4	The Massless Limit of the Massive Theory	257

9.5	Compton Scattering	259
9.6	The Gauge Principle	262
9.7	Gauge Invariance and Minimal Coupling	265
9.8	Mass Term and Current Conservation	266
9.9	Discrete Symmetries	267
9.10	Summary	268
10.	Reformulating Scattering Theory	269
10.0	Introduction	269
10.1	Generating Functionals and Green Functions	270
10.2	The Generating Functional in Perturbation Theory	272
10.3	Green Functions and Feynman Diagrams	274
10.4	In and Out States	277
10.5	The LSZ Reduction Formula for Scattering Amplitudes	281
10.6	Change in Notation	285
10.7	Computation with Bare Fields and Parameters	286
10.8	Computing with Renormalized Fields and Parameters	287
10.9	1PI Green Functions and Counterterm Renormalization	291
10.10	Example: Field and Mass Renormalization Conditions	295
10.11	Example: Coupling Renormalization Condition	299
10.12	Extending the Formalism to Dirac Fields	301
10.13	Dirac Renormalization Conditions	306
10.14	Extending the Formalism to Vector Fields	309
10.15	Lehmann–Källén Spectral Representation	313
10.16	Extending the Formalism to Unstable Particles	317
10.17	Modeling Unstable Particles	319
10.18	Propagation of Unstable Particles	324
10.19	Summary	326
11.	Functional Integral Quantization	328
11.0	Introduction	328
11.1	Deriving the Functional Integral from Quantum Mechanics	329
11.2	An Example: the Free Particle	332
11.3	Details of Functional Integration: Operator Ordering	335
11.4	– Wick Rotation of Time	338
11.5	– Evaluating Gaussians	339
11.6	Fourier Transform of Inner Products and Operators	343
11.7	Functional Integral Quantization: Lagrangian Form	346
11.8	– Perturbation Expansion	351
11.9	– Hamiltonian Form	356
11.10	Extension to the Free Massive Vector Field	359
11.11	Fermionic Functional Differentiation	361
11.12	Functional Derivative Quantization for Fermions	367

11.13	Summary	370
12.	Quantization of Gauge Theories	372
12.0	Introduction	372
12.1	Massive Spinor QED	372
12.2	Massive Scalar QED	375
12.3	Outline of Faddeev–Popov Quantization of Gauge Theories	376
12.4	QED in Covariant Gauge	381
12.5	The Geometry of Gauge Field Theories	384
12.6	Classical Minimally-Coupled Gauge Theories	390
12.7	Quantization of Non-Abelian Gauge Theories	393
12.8	Global and Local Spontaneous Symmetry Breaking	398
12.9	Goldstone’s Theorem and the Higgs Mechanism	401
12.10	Quantization after Spontaneous Symmetry Breaking	404
12.11	Faddeev–Popov Quantization Revisited	407
12.12	Summary	410
13.	Anomalies and Vacua in Gauge Theories	412
13.0	Introduction	412
13.1	Preservation of Conservation Laws in Bosonic Theories	412
13.2	Breakdown of Conservation Laws in Fermionic Theories	415
13.3	Wick Rotation and Fermionic Functional Calculus	417
13.4	The Abelian Anomaly	419
13.5	Functional Jacobians	422
13.6	Local Anomaly Theorems	425
13.7	Basic Topology for the Discussion of Global Anomalies	428
13.8	The Topology of the Gauge Group	432
13.9	The Topology of the Space of Gauge Potentials	433
13.10	The Global Anomaly for Quantum Gauge Theories	435
13.11	Summary	437
14.	$SU(3)$ Representation Theory	438
14.0	Introduction	438
14.1	$SU(3)$ Representations of Small Degree	439
14.2	Interpretation of $SU(3)$ as Flavor	443
14.3	Interpretation of $SU(3)$ as Color	444
14.4	$SU(3)$ Weight Diagrams	445
14.5	Tensor Representations	447
14.6	Splitting Tensor Products	449
14.7	Young Diagrams	451
14.8	Summary	453
15.	The Structure of the Standard Model	454
15.0	Introduction	454

15.1	The Electroweak Lagrangian	455
15.2	– Symmetry Breaking	457
15.3	– Identifying the Photon	458
15.4	– Covariant Derivative	458
15.5	– Particle Masses	459
15.6	– The Couplings of the Vector Bosons to Leptons	460
15.7	– Effective Four-Fermi Interactions	461
15.8	– Three Families of Leptons	464
15.9	The QCD Lagrangian	465
15.10	– Diagonalizing the Quark Mass Matrices	468
15.11	The Standard Model: Consistency	471
15.12	– Lepton and Baryon Number Violation	473
15.13	– Global Anomalies	475
15.14	Strong Interactions: Approximate Symmetries	475
15.15	– The Strong CP Problem	477
15.16	Summary	478
16.	Hadrons, Flavor Symmetry, and Nucleon-Pion Interactions .	480
16.0	Introduction	480
16.1	Hadrons	481
16.2	Flavor Symmetry: Action on Octets	485
16.3	– Baryon Octet Magnetic Moments	488
16.4	Constituent Quarks and Hadron Magnetic Moments	490
16.5	Flavor Symmetry – Gell-Mann–Okubo Mass Formula	492
16.6	– Isosinglet Mixing	494
16.7	– Electromagnetic Mass Splitting	495
16.8	– Leptonic Decays	496
16.9	Nucleon-Pion Theory	497
16.10	Nucleon-Pion Scattering	499
16.11	The σ Model	501
16.12	– Abelian Anomaly	503
16.13	Summary	505
17.	Tree-Level Applications of the Standard Model	507
17.0	Introduction	507
17.1	Leptonic Interactions	508
17.2	Lepto-quark Operators	508
17.3	– The Parton Model	509
17.4	– The Parton Model and Mode Counting	514
17.5	– Quark Annihilation	516
17.6	– Quark Decay	520
17.7	Baryons: Form Factors for Current Matrix Elements	523
17.8	– β Decays	525

17.9	– Flavor Symmetry in Octet β Decays	527
17.10	– The Goldberger–Treiman Relation	530
17.11	Summary	531
18.	Regularization and Renormalization	532
18.0	Introduction	532
18.1	Feynman Integral Technique for Loop Diagrams	533
18.2	Feynman Integrals in Euclidean Space	535
18.3	The General Character of Regularization	538
18.4	The General Character of Renormalization	540
18.5	Regularization	541
18.6	Dimensional Regularization Defined	543
18.7	Dimensional Regularization Applied	545
18.8	The Γ Function	548
18.9	Dirac Algebra in D Dimensions	549
18.10	Regularization of Composite Operators	552
18.11	Renormalization of Composite Operators	554
18.12	The Abelian Anomaly Revisited	558
18.13	Summary	563
19.	Renormalization of QED: Three Primitive Divergences	564
19.0	Introduction	564
19.1	The Counterterm Lagrangian Density	565
19.2	Renormalization Conditions	567
19.3	Charge Renormalization	568
19.4	The Photon Self-Energy Function	573
19.5	Gauge and Photon Propagator Renormalization Conditions	576
19.6	Electron Self-Energy Function	578
19.7	Electron Propagator Renormalization Conditions	579
19.8	The Vertex Correction	582
19.9	The Infrared Divergence	587
19.10	Lamb Shift and Anomalous Magnetic Moments	590
19.11	Renormalization by Minimal Subtraction	593
19.12	Summary	594
20.	Renormalization and Preservation of Symmetries	596
20.0	Introduction	596
20.1	Superficial Degree of Divergence	597
20.2	The Forest Formula	600
20.3	Renormalization and Global Symmetry	605
20.4	The Ward–Takahashi Identity	606
20.5	Effective Classical Action	610
20.6	Perturbative Ward–Takahashi Identities	612

20.7	– Gauge Invariance of QED	615
20.8	Slavnov–Taylor Identity	617
20.9	– Renormalization and Gauge Invariance	623
20.10	Summary	630
21.	The Renormalization Group Equations	631
21.0	Introduction	631
21.1	The Renormalization Group	632
21.2	Scale Invariance, Scale Covariance, and RGEs	633
21.3	The Constancy of the Bare Lagrangian	635
21.4	Minimal Subtraction and the Renormalization Group	640
21.5	RGE Example – Scalar Theory	644
21.6	– Solving the RGEs	649
21.7	– The Leading-Logarithm Approximation	651
21.8	Further Examples – QED	652
21.9	– RGEs in Yang–Mills Theories	655
21.10	– Qualitative Features of RGEs	659
21.11	– RGEs for Green Functions	660
21.12	The Path to Unified Field Theories	662
21.13	Renormalizability Reconsidered	665
21.14	Summary	671
	Appendix	672
A.1	Constants of Particle Physics	672
A.2	Dirac Algebra	674
A.3	Miscellaneous Conventions and Definitions	675
A.4	Free Fields	676
A.5	Functional Integral Quantization	678
A.6	Lagrangians	680
A.7	The Standard Model Lagrangian	680
A.8	Feynman Rules	682
A.9	Feynman Integral Technique for Loop Diagrams	683
A.10	Dimensional Regularization	684
A.11	Amplitudes, Decay Widths, and Cross Sections	686
	References	687
	Index	689

Chapter 1

Relativistic Quantum Mechanics

Uniting the operator and state-space formalism of quantum mechanics with special relativity through a unitary representation of the Poincaré group.

Introduction

Chapters 1 to 5 constitute the first part of this book. They develop the theory of the scalar field from its roots in special relativity and quantum mechanics to its fruits in cross sections and decay rates. The technique of quantization developed here will be applied in the second part – Chapters 6 to 9 – to spinor and vector fields.

Taking quantum mechanics, with its formalism of state space, Hamiltonian, and observables, together with relativity, with its emphasis on invariance under Lorentz transformations, as the two major pillars or principles in our understanding of particle physics, the purpose of this chapter is to introduce a framework in which both principles coexist.

Section 1.1 clarifies the concept of a state space, putting physical states, position eigenstates, and momentum eigenstates into proper relationship. Section 1.2 takes the first step towards a relativistic quantum theory by promoting the energy and momentum observables into a Lorentz vector. Section 1.3 uses this vector to construct a unitary representation of translations on state space, Section 1.4 uses an independent construction to build a unitary representation of the Lorentz group, and Section 1.5 shows that these two representations determine a unitary representation of the Poincaré group. At this point, the principle of special relativity is effectively built into the formalism of quantum mechanics. Only the position operator has yet to be introduced. Section 1.6 shows that, if we adjoin eigenstates of the position operator to our state space, then there is a probability for signals to travel faster than light.

Although this probability is too small to be ruled out by experiments to date, we decide to uphold relativistic causality and drop the position operator from the theory. To model localization of events, we localize measurement using fields of observables.

For simplicity of notation, we shall choose units such that the speed of light c and the reduced Planck constant \hbar are both unity:

$$c = 1 \quad \text{and} \quad \hbar = 1. \quad (1.0.1)$$

This choice of units reduces the three units time, length, and mass, to a single unit which we will generally call mass:

$$T = L = M^{-1}. \quad (1.0.2)$$

When it is necessary to compare with experiment, it will be easy to insert the factors of c and \hbar which convert the units of a prediction into the units of the data. Indeed, if our result has units M^a and the physical units for the result should be $M^b L^c T^d$,

2 Relativistic Quantum Mechanics

then consistency requires $a = b - c - d$ and the conversion is accomplished by the equation

$$(\text{Answer in units } M^b L^c T^d) = (\text{Answer in units } M^a) \times \hbar^{b-a} \times c^{a-b-d}. \quad (1.0.3)$$

Throughout this text, we shall take the metric on Minkowski space to be

$$g^{\mu\nu} = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{pmatrix}, \quad (1.0.4)$$

and we use the dummy suffix conventions

$$\begin{aligned} a^\mu &= g^{\mu\nu} a_\nu, \\ a \cdot b &= a^\mu b_\mu = \sum_{\mu=0}^3 a^\mu b_\mu = g^{\mu\nu} a_\mu b_\nu, \\ a^{2k} &= (a \cdot a)^k. \end{aligned} \quad (1.0.5)$$

1.1 One-Particle State Space – Mathematics

We want our one-particle state space to include states with definite energy and momentum. In fact we want more. We want a basis for state space in which the energy and momentum operators are simultaneously diagonal. To fulfill this desire, an excursion into mathematics is necessary. However, a little explanation will be sufficient for practical purposes. In this section, we present the little explanation and indicate the relevant mathematics in two remarks.

The function space used to model quantum-mechanical states is a Hilbert space H of square-integrable functions on physical space. The functions in H can be written either as functions of position \bar{x} or as functions of momentum \bar{p} . The position-space representation is related to the momentum-space representation by the Fourier transform \mathcal{F} :

$$\mathcal{F}(f)(\bar{p}) \stackrel{\text{def}}{=} \int dx e^{i\bar{x} \cdot \bar{p}} f(\bar{x}). \quad (1.1.1)$$

Despite the change of independent variables from \bar{x} to \bar{p} , the function $\mathcal{F}(f)$ is in H , and \mathcal{F} maps H to itself.

Remark 1.1.2. Actually, if f is square-integrable, then the function $e^{i\bar{x} \cdot \bar{p}} f(\bar{x})$ is certainly square-integrable but it may not be integrable. To define the Fourier transform on H , it is necessary to define it first on some good subspace of H (such as the space of smooth functions with compact support) and then to use the fact that the Fourier transform is an isometry (up to a scale factor) on this subspace to extend the Fourier transform to an isometry of H itself.

The position operators X_r and momentum operators P_r are represented respectively by multiplication by coordinate functions x_r and the partial derivative operators $-i\partial_r$. The Fourier transform converts multiplication by x_r on functions of \bar{x} into the differential operator $-i\partial_r$ on functions of \bar{p} :

$$\mathcal{F}(x_r f)(\bar{p}) = -i\partial_r \mathcal{F}(f)(\bar{p}). \quad (1.1.3)$$