

英文原版

INSALL · SCOTT

膝关节外科学

SURGERY
of the **KNEE**

Third Edition

Volume 2



人民卫生出版社



HEALTH SCIENCE ASIA,
ELSEVIER SCIENCE

Surgery *of the* Knee

Volume 2

Third Edition

John N. Insall, MD

Clinical Professor of Orthopaedic Surgery
Albert Einstein College of Medicine
Bronx, New York
Director, Insall Scott Kelly Institute for
Orthopaedics and Sports Medicine
Beth Israel Medical Center
New York, New York

W. Norman Scott, MD

Chairman, Department of Orthopaedic Surgery
Beth Israel Medical Center
New York, New York
Clinical Professor of Orthopaedic Surgery
Albert Einstein College of Medicine
Bronx, New York
Director, Insall Scott Kelly Institute for
Orthopaedics and Sports Medicine
Beth Israel Medical Center
New York, New York

Illustrator: Christopher Wikoff, CMI



人民卫生出版社

Health Science Asia, Elsevier Science

人民卫生出版社

Health Science Asia, Elsevier Science

SURGERY OF THE KNEE

Original English Language Edition

Copyright © 2001, 1993, 1984 by Churchill Livingstone

All rights reserved.

Authorized English Reprints

Copyrights © 2001 by Health Science Asia, Elsevier Science.

图书在版编目(CIP)数据

膝关节外科学(上、下册)/(美)英赛尔著. 影印本. —北京:
人民卫生出版社, 2002

ISBN 7-117-04971-5

I. 膝… II. 英… III. 膝关节—关节疾病—矫形外科
手术学—英文 IV. R687.4

中国版本图书馆 CIP 数据核字 (2002) 第 031217 号

图字: 01-2002-1962

膝关节外科学(英文版)

(上、下册)

原 著: John N. Insall 等

出版发行: 人民卫生出版社(中继线 67616688)

地 址: (100078)北京市丰台区方庄芳群园 3 区 3 号楼

网 址: [http://www. pmph. com](http://www.pmph.com)

E - mail: [pmph @ pmph. com](mailto:pmph@pmph.com)

印 刷: 北京人卫印刷厂

经 销: 新华书店

开 本: 880×1230 1/16 印张: 135

字 数: 6482 千字

版 次: 2002 年 8 月第 1 版 2002 年 8 月第 1 版第 1 次印刷

标准书号: ISBN 7-117-04971-5/R·4972

定价(上、下册): 880.00 元

著作权所有, 请勿擅自用本书制作各类出版物, 违者必究

(凡属质量问题请与本社发行部联系退换)

SECTION VI

Miscellaneous Conditions and Treatments

Note: Page numbers in *italics* refer to illustrations; page numbers followed by t refer to tables.

- Abrasion, cortical, in chondromalacia, 1025-1026
- Abrasion arthroplasty, in osteoarthritis, 382-388, 382-388
- in osteochondritis dissecans, 414-415
- Ace Fischer fixation device, 1919, 1917
- Acetaminophen, for osteoarthritis, 569
- Achilles tendon allograft, in lateral collateral ligament reconstruction, 870
- in patellar tendon rupture repair, 1084, 1084, 1870, 1871-1872, 1872
- Acquired immunodeficiency syndrome. See *AIDS (acquired immunodeficiency syndrome)*.
- Activities of Daily Living, Cincinnati Knee Rating System for, 595-596, 598
- Activity level, choice of osteotomy vs. arthroplasty related to, 1469
- restriction of, in lateral patellar compression syndrome, 961
- Acufex knee laxity tester, compared with KT-1000 arthrometer, 604
- Acupuncture, for osteoarthritis, 569
- Adductor magnus muscle, anatomy of, 61, 64
- Adhesions, after femoral fracture fixation, 1250
- after tibial eminence (spine) fractures, 1424
- after total knee arthroplasty, manipulation of, 1815
- Adhesive wear, of total knee prosthesis, 307-308
- three-body, 308
- two-body, 308
- β -Adrenergic blocker(s), for complex regional pain syndromes, 1173
- Adrenocorticosteroid(s), for inflammatory arthritis, 1096-1097
- Advance PS prosthesis, 1665t, 1667, 1669
- Aerobic conditioning, for osteoarthritis, 566-567
- Afferent (sensory) pathway, definition of, 175
- in neuromuscular control, 177, 178
- AGC prosthesis, 1657, 1657
- Age factors, cartilage healing related to, 329-331
- chondromalacic changes related to, 1017-1019
- in allograft donors, for anterior cruciate ligament reconstruction, 714
- in arthrodesis, 1915-1916
- in arthroscopic meniscectomy results, 513
- in cadence and stride length, 240
- in calcium pyrophosphate dihydrate crystal deposition disease, 1118-1119
- in knee kinematics, 239-240
- in opioid use, in elderly patients, 1204
- in posterior stabilized prosthesis use, 1684
- in proprioception, 184
- in tibial osteotomy, 1448, 1469
- in tibial plateau fractures, 1285
- in total knee replacement, 303, 305, 305t
- Aggrecan, in extracellular matrix, 316
- AIDS (acquired immunodeficiency syndrome). See also *HIV infection*.
- AIDS-defining diagnoses in, 1153, 1154t
- clinical manifestations of, 1153
- Airway(s), cuffed oropharyngeal, in ambulatory knee surgery, 1197
- laryngeal mask, in ambulatory knee surgery, 1197
- Alfentanil, in ambulatory knee surgery, 1196, 1196t
- Alignment, after tibial plateau fracture, 1286-1287, 1286
- angular, during growth and development, 1327, 1329
- arthroscopic meniscectomy results and, 511-512, 512
- deformities of. See *Angular deformity; Valgus deformity; Varus deformity*.
- examination of, 161, 161-162
- in arthroplasty. See *Arthroplasty, total knee, alignment in*.
- in arthroscopic débridement, 391
- of femur, 1239-1240
- osteotomy planning related to, 1450, 1450t
- patellar, examination of, 161, 163-164
- radiography of, 99, 101, 101
- patellofemoral. See *Patellofemoral joint, malalignment of*.
- radiography of, 99, 101, 101-102
- rotational, gonarthrosis due to, 1469
- valgus. See *Valgus alignment*.
- varus. See *Varus alignment*.
- Alignment guides, for total knee arthroplasty, 1577, 1577
- femoral guides in, 1580-1584, 1581-1585
- tibial guides in, 1578-1580, 1579-1581
- All-inside repair technique. See *Meniscus(i), repair of, arthroscopic*.
- Allograft(s), Achilles tendon, in lateral collateral ligament reconstruction, 870
- in patellar tendon rupture repair, 1084, 1084
- bone. See *Bone graft(s), allografts in*.
- HIV/AIDS transmission via, 1158
- in anterior cruciate ligament reconstruction, 714
- in anterior cruciate ligament reconstruction, 711-715
- aged donors for, 714
- clinical results of, 712-713
- in Japan, 712
- in United States and Europe, 712-713
- in vivo graft evaluation in, 713, 713
- current practice in, 713-714, 714
- donor screening for, 714
- donor selection for, 713
- experimental studies of, 711-712
- with secondary sterilization, 711-712
- without secondary sterilization, 711
- future directions in, 714-715, 715
- graft selection, procurement, and storage for, 713-714
- healing of, 462, 463
- indications for, 713
- postoperative rehabilitation in, 714
- revision surgery in, 815, 815t, 838
- Allograft(s) (*Continued*)
- surgical technique for, 714, 714
- with and without bone plugs, 711
- with secondary sterilization, 711-712, 715, 715
- without secondary sterilization, 711
- in knee dislocation repair, 900
- in meniscal transplantation. See *Meniscus(i), allograft transplantation involving*.
- in revision of anterior cruciate ligament reconstruction, failure rate of, 826
- of chondrocytes, for osteonecrosis, 428, 450
- osteochondral, 344
- Alveolar soft part sarcoma, 1129-1130
- Ambulatory surgery, advantages of, 1192, 1192t
- anesthesia for, discharge criteria for, 1197
- general anesthesia in, 1194-1197
- intra-articular anesthetics in, 1194
- ketorolac tromethamine in, 1193-1194
- postoperative course in, 1197
- premedication for, 1193
- techniques for, 1193, 1193t
- contraindications to, 1192
- preoperative screening for, 1193
- American Academy of Orthopaedic Surgeons, Musculoskeletal Outcomes Data Evaluation and Management System of, 1514
- statement on prophylactic knee braces of, 805
- American Academy of Pediatrics, 805
- American Joint Committee on Cancer Staging System, 2023-2024, 2023t
- American Orthopedic Society for Sports Medicine, statement on prophylactic knee braces of, 805
- Study Group Knee Score of, 630, 632-633
- American Society of Anesthesiologists Physical Status Classification, 1192, 1192t
- Amputation, for salvage of infected prosthesis, 1888, 1893
- for sarcoma, conversion of arthroplasty to, after tibial component failure, 2014
- functional considerations in, 2007
- limb salvage vs., 2007-2009, 2024-2025, 2024
- decision-making in, 2010
- of fibula, 2019
- Analgesia, 1202-1211
- addiction fears related to, 1202
- postoperative, epidural, 1203, 1208-1209
- for anterior cruciate ligament repair, 1207
- for arthroscopy and meniscectomy, 1204-1207, 1204t, 1206
- for total knee replacement, 1207-1209
- injections in, 1203
- nerve blocks in, 1203
- oral medications in, 1203-1204, 1209-1211, 1210t-1211t
- patient assessment for, 1202-1203
- patient-controlled, 1203, 1208
- patient-specific care in, 1203

- Analgesia (Continued)**
 special considerations in, 1204
 treatment imperative in, 1202
 treatment modalities in, 1203–1204, 1203t
- Analgesic(s), for osteoarthritis, 569–571**
 gait effects of, 247
 NSAIDs vs., 569–570
 nonopioid. *See also Aspirin and salicylates; Nonsteroidal anti-inflammatory drugs (NSAIDs).*
 acetaminophen as, 569
 COX inhibitors as, 571, 1096, 1099
 for postoperative pain management, 1209, 1208t, 1210t
 opioid. *See Opioid agent(s).*
- Anatomy of knee, 13–70. *See also Growth and development.***
 aberrations in, 77–92
 arterial, 85–86, 86
 cysts as, 88–90
 ligamental, 79
 meniscal, 79–83
 muscular, 83–85
 neural, 86, 88
 plicae as, 90–92, 90
 skeletal, 77–79
 anterior aspect in, 48, 50, 48–51
 blood supply in, 64, 69–70, 69–70
 bursae in, 37, 39, 40
 capsule in, 34, 37
 comparative, 3, 4–5
 cruciate ligaments in, 39–40, 41–43
 anterior, 40, 44, 43–46
 posterior, 44, 46–48, 47
 femoral architecture in, 16, 17–20, 19, 1239–1240
 hyaline/articular cartilage in, 22, 21–26
 lateral aspect in, layers in, 56, 59–61, 57–60
 medial aspect in, layers in, 50, 51–56, 55–56
 meniscus in, 22, 27–36, 28, 31–32, 473–476, 473–476
 MRI study of. *See Femorotibial joint, MRI study of shapes and movements of.*
 nerves in, 61, 63–64, 65–68
 patellar architecture in, 13, 15–16, 16
 posterior aspect in, 61, 62–64
 synovial cavity in, 37, 37–40
 tibial architecture in, 19–20, 21
- Anderson Knee Stabler (brace), 800, 802t**
- Anemia, hemolytic, in factor replacement therapy, 1140**
 preoperative, 1751
 wound healing affected by, 1226
- Anesthesia, deep vein thrombosis prevention in, epidural vs. general anesthesia in, 1199**
 regional anesthesia in, 1182–1183, 1183t
 spinal vs. epidural anesthesia in, 1200
 general, in ambulatory surgery, 1194–1197
 antiemetics in, 1195
 inducing agents in, 1195
 inhalational agents in, 1195–1196, 1196t
 intravenous agents in, 1196, 1196t
 laryngeal mask airway and cuffed oropharyngeal airway in, 1197
 maintenance of anesthesia in, 1195–1197
 muscle relaxants in, 1196–1197, 1197t
 preparation for, 1195
- Anesthesia (Continued)**
 selection of anesthesia in, 1195
 in ambulatory surgery, discharge criteria for, 1197
 general anesthesia in, 1194–1197
 intra-articular anesthetics in, 1194
 ketorolac tromethamine in, 1193–1194
 postoperative course in, 1197
 premedication for, 1193
 techniques for, 1193, 1193t
 in anterior cruciate ligament reconstruction, complications of, 1179
 general anesthetic agents in, 1178–1179
 general vs. regional anesthesia in, 1178–1180
 guidelines for preoperative fasting in, 1179, 1180t
 with semitendinosus tendon, 695–696
 in knee dislocation surgery, 899–900
 in total knee arthroplasty, 1180–1182
 blood component therapy guidelines in, 1180–1181
 in high-risk patients, 1181–1182
 preoperative assessment in, 1180
 preoperative autologous blood donation for, 1180, 1181t
 inhalational, in ambulatory knee surgery, 1195–1196, 1196t
 in anterior cruciate ligament reconstruction, 1178
 Internet resources on, 1189–1190
 intravenous, in ambulatory knee surgery, 1196, 1196t
 local, amide group of, 1186
 ester group of, 1185–1186
 in anterior cruciate ligament reconstruction, 1178–1179, 1179t
 inadvertent intravascular injection of, 1186
 intra-articular injection of, 1194
 maximum dose of, 1193, 1193t
 mechanisms of action of, 1184–1186, 1185t
 toxicity of, 1186
 monitoring of, capnography in, 1177
 invasive techniques in, 1177
 pulse oximetry in, 1177
 standards for, 1176–1177
 temperature in, 1177
 practice standards in, 1176–1177
 basic, for preanesthesia care, 1176
 for monitoring, 1176–1177
 regional (epidural), agents in, 1184–1186, 1185t
 anticoagulants and, 1187, 1189
 complications of, 1186–1189
 contraindications to, 1189
 deep vein thrombosis decreased by, 1182–1183, 1183t, 1199–1201, 1759
 hemodynamic stability in, 1183–1184
 in total knee arthroplasty, 1182–1186
 low-molecular-weight heparin with, contraindications to, 1200, 1209
 hematoma associated with, 1187, 1189, 1209, 1803
 physiology of, 1184, 1184–1185
- Aneurysmal bone cyst, 1978–1979, 1979**
- Angiography, of tibial plateau fracture, 1269**
- Angiomatosis, bacillary, in HIV/AIDS, 1163**
- Angular deformity. *See also Valgus deformity; Varus deformity.***
 after femoral physal fractures, 1370, 1403–1404
 after tibial physal fractures, 1372, 1407
 correction of, in PCL retaining vs. PCL
- Angular deformity (Continued)**
 substituting arthroplasty, 1528, 1530–1531
 differential diagnosis of, 1386, 1386t
 post-traumatic, 1386–1387
 tibia vara. *See Blount's disease.*
- Ankylosis, total knee arthroplasty in, 1814**
- Antacid(s), with aspirin and salicylates, 1098**
 with nonsteroidal anti-inflammatory drugs, 1099
- Anterior aspect of knee, 48, 48–51, 50**
- Anterior cruciate ligament. *See Cruciate ligament(s), anterior.***
- Anterior surgical approach(es). *See Incision(s).***
- Antibiotic(s), for infected prosthesis, suppressive therapy in, 1893**
 with aspiration, 1881–1882
 with irrigation and débridement, 1882–1883, 1893
 for prophylaxis, in dental procedures, 1878–1879, 1879t
 in total knee arthroplasty, indications for, 1878, 1878t
 recommended agents in, 1877–1878, 1878t
 in cement spacers. *See Cement spacers.*
 in open femoral fractures, 1248–1249
 resistance to, 1877, 1897
- Anticoagulant(s). *See also Heparin, low-molecular-weight; Warfarin (Coumadin).***
 discontinuation of, before total knee arthroplasty, 1750
 in venous thrombosis prophylaxis, after revision arthroplasty, 1933, 1947, 1973
 bleeding associated with, 1230
 comparison of agents in, 1759, 1760t, 1761, 1802–1804
 mechanical compression devices vs., 1769, 1803–1804
 with regional anesthesia, guidelines for use of, 1189
- Antidepressant agent(s), tricyclic, for complex regional pain syndromes, 1173**
- Antiemetic(s), with general anesthesia, 1195, 1195t**
- Antifibrinolytic agent(s), 1753**
- Antimalarial agents, for osteoarthritis, 1100**
 for rheumatoid arthritis, 1100
- Antiretroviral agent(s), adverse effects of, 1159**
 management of, 1159
- Antirheumatic drugs, disease-modifying (DMARDs), for inflammatory arthritis, 1096**
 for rheumatoid arthritis, 1100–1101
 interpreting clinical trials of, 1097
- Apley test, 163, 167, 488, 491**
- Apprehension test, in recurrent patellar dislocation, 991**
 reverse, in patellofemoral disorders, 1050
- Approaches to knee, surgical. *See Incision(s).***
- Arava (leflunomide), for rheumatoid arthritis, 1101**
- Arcuate ligament, anatomy of, 60**
- Arcuate ligament complex, 586**
- Artery(ies). *See also Vascular injury(ies).***
 abnormalities of, 85–86
- Arthralgia, in HIV/AIDS, 1163–1164**
- Arthritis, degenerative. *See Osteoarthritis.***
 gene therapy in, 1217–1218
 HIV-associated, 1164
 inflammatory, 1089–1101

- Arthritis (Continued)**
- as contraindication to unicompartmental arthroplasty, 1623
 - differential diagnosis of, 1089–1090, 1091
 - in HIV/AIDS, 1163–1164
 - medical treatment of, 1096–1099
 - adjustment of drug dose in, 1097
 - adrenocorticosteroids in, 1096–1097
 - aspirin and salicylate in, 1097–1098
 - COX-2-specific inhibitors in, 1099
 - disease-modifying antirheumatic drugs in, 1096
 - individualization of drug dosage in, 1097
 - interpreting clinical trials of, 1097
 - nonsteroidal anti-inflammatory drugs in, 1096, 1097t, 1099
 - radiography of, 143, 148
 - radionuclide imaging of, 115
 - synovianalysis in, 1090–1096, 1108, 1108t
 - treatment of specific forms of chronic synovitis in, 1099–1101
 - Lyme, in children, 1390
 - osteoarthritis. *See Osteoarthritis.*
 - patellofemoral, after distal realignment, for recurrent patellar dislocation, 1001, 1003, 1004
 - chondromalacia vs., 1020
 - etiology of, 1023–1024
 - macroscopic observations of, 1020–1021, 1020
 - psoriatic, in HIV/AIDS, 1164
 - radiography of, 143, 145, 147–148
 - rheumatoid. *See Rheumatoid arthritis.*
 - scoring systems for. *See Rating system(s), for total knee arthroplasty.*
 - septic, differential diagnosis of, 1089, 1091
 - from hemophilic arthropathy, 1141
 - in children, 1390
 - in HIV/AIDS, 1162–1163
 - radionuclide imaging of, 115, 118
 - synovianalysis in, 1108, 1108t
 - synovianalysis in, 1108, 1108t. *See also Synovianalysis.*
- Arthrocare instrumentation, in arthroscopic meniscectomy, 500, 500**
- Arthrodesis, 1915–1923**
- after tumor resection, 2015, 2016, 2017
 - complications of, 1921, 1922
 - external fixation for, 1917–1919
 - advantages and disadvantages of, 1917–1918
 - limitations of, 1887
 - surgical procedure for, 1918–1919, 1916–1918
 - for hemarthrosis, 1149
 - for salvage, of infected prosthesis, 1886–1887
 - in tibiofibular dislocations, 909
 - indications for, in failed total knee arthroplasty, 1916–1917
 - in patients without previous arthroplasty, 1915–1916
 - internal fixation for, advantages and disadvantages of, 1886–1887
 - with plate and screws, 1921, 1921
 - intramedullary rod fixation in, 1919–1921
 - advantages of, 1887
 - surgical technique in, 1919–1921, 1919–1920
 - total knee arthroplasty after, 1814–1815, 1922, 1923
- Arthrofibrosis, after anterior cruciate ligament reconstruction, 676–677**
- after tibial eminence (spine) fractures, 1424
- Arthrography, 121–122**
- double-contrast, 121
 - indications for, 122
 - of meniscal disorders, 490, 493
 - of meniscal tears, 28, 31, 121–122, 122
 - of patellofemoral joint, 948
 - with MRI, indications for, 125, 126
- Arthropathy, Charcot, nerve damage in, 184–185**
- posterior stabilized prosthesis in, 1683
 - in hemochromatosis, 1112
 - in hemophilia. *See also Hemarthrosis.*
 - pathophysiology of, 1136–1137, 1136
 - radiographic classification of, 1137–1138, 1138t
 - Arnold and Hilgartner's, 1138, 1138t
 - Greene's, 1138
 - Pettersen's, 1137, 1138
 - subacute and chronic, nonsurgical management of, 1141–1142, 1142–1143
 - prophylaxis of, 1142
 - neuropathic, radiography of, 143, 145, 148
 - pyrophosphate, 108
- Arthroplasty, abrasion, in osteoarthritis, 382–388, 382–388**
- in osteochondritis dissecans, 414–415
 - of subchondral bone, 342, 343
- patellofemoral, for articular degeneration, 1066**
- in chondromalacia, 1034–1035
- resection, for salvage, of infected prosthesis, 1887–1888, 1893, 1924, 1923**
- total knee. *See also Prosthesis(es).***
- adhesions after, manipulation of, 1815
 - after tibial osteotomy, 1490, 1492, 1493–1494
 - after tumor resection, 2013–2014, 2013, 2015–2016
 - alignment in, dynamic, 1553
 - intraoperative problems in, 1616
 - mediolateral positioning of components in, 1584, 1587
 - radiography of, 154, 156, 156
 - rotational positioning of components in, 1584, 1586
 - of femoral component, 1556–1558, 1557–1561, 1727–1728, 1728, 1850, 1850, 1964
 - static, 1553, 1554
- alignment methods in, alignment guides**
- for, 1577, 1577
 - anatomic, 1578, 1578
 - classic (preferred), 1578, 1578
 - femoral guides in, 1580–1584, 1581–1585
 - tibial guides in, 1578–1580, 1579–1581
- anatomy relevant to, 1553**
- anesthesia for, 1180–1182. *See also Anesthesia.***
- in high-risk patients, 1181–1182
 - regional, 1182–1186
- anterior cruciate ligament and, 1565–1566**
- biomechanics of knee in, 223–230, 224–228
 - blood loss in, excessive, 1616–1617
 - sources of, 1806
 - from postoperative drainage, 1805
 - prevention of, 1806
- Arthroplasty (Continued)**
- bone-cement interface in, and loosening of components, 1819–1820
 - in tibial plateau fixation, 230, 230
 - bone defect management in, 1607–1614, 1787–1799
 - assessment of bone loss in, 1787–1788, 1788
 - bone grafting in, allograft bone in, 1790–1794, 1793–1794
 - autogenous bone in, 1790
 - compared with other augments, 1540
 - for tibial bone defects, 1608–1611, 1608–1610
 - in revision arthroplasty, 1853–1855, 1856, 1859–1860
 - cement filling in, 1608, 1607, 1788–1790, 1789
 - classification of defects in, 1852–1853, 1855–1856
 - common bone defects in, 1787, 1787–1788
 - in revision arthroplasty, 1852–1855, 1853–1856, 1938, 1939, 1954t
 - intraoperative problems in, 1614–1617, 1615–1616
 - lateral translation in, 1608
 - lower tibial resection in, 1607–1608, 1606
 - metal wedge augmentation in, 1540, 1542, 1611–1612, 1611–1613, 1795–1798, 1795–1797
 - in revision arthroplasty, 1860
 - preferred method of, 1612–1614
 - for distal femoral defects, 1614
 - for tibial defects, 1612–1614
 - principles of, 1607, 1787
 - stems in, 1798–1799, 1798–1799.
 - See also Prosthesis(es), stems of.*
 - cement fixation in, 1569–1571, 1820
 - cement spacers in. *See Cement spacers.*
 - cementless designs in, 1705–1715
 - after tumor resection, 2014, 2015
 - biomechanics of, 1705–1707
 - cemented fixation vs., 1569
 - debris migration in, 1707–1710, 1709
 - design-related failure of, 1707–1711
 - femoral component design in, 1710–1711, 1711
 - goals of, 1705
 - in revision of total knee arthroplasty, 1712–1715
 - in unicompartmental arthroplasty, 1627
 - instrumentation for, 1711–1712
 - intra-articular pressure in, 1710
 - load transfer characteristics of, 1705
 - mechanical fixation of, 1706
 - micromotion in, 1706–1707
 - osteolysis in, 1707–1708, 1708, 1710
 - patellar design in, 1710
 - polyethylene locking mechanism in, 1709–1710, 1709
 - results of, 1712
 - stem use in, 1707, 1711–1712
 - tibial component design in, 1707–1709, 1708–1709
 - types of prostheses in, 1532–1533, 1534–1535
- complications of, 1801–1838**
- general, 1801
 - local, 1805–1806
 - mechanical, 1810–1814

Arthroplasty (*Continued*)

- systemic, 1801–1805
- component breakage in, 1830–1831
- component wear in, adhesive wear in, 307–308
- of femoral component, 1831
- of patellar component, 1831–1832
- of polyethylene components, causes of, 1537–1538, 1831–1832
- in mobile-bearing (meniscal) prosthesis, 1534, 1722–1723, 1722, 1832
- in PCL retaining vs. PCL substituting arthroplasty, 1531, 1532
- of tibial component, 1832, 1831–1834
- testing of and simulators for, 309–310, 310–311
- types of wear and deformation in, 307–309, 308
- conversion of arthrodesis to, 1922, 1923
- cutting blocks/guides in, 1576–1577, 1576–1577
- femoral, for meniscal-bearing prosthesis, 1728, 1728
- for NexGen Legacy prosthesis, 1671–1672, 1672
- patellar, 1584, 1587
- tibial, in revision arthroplasty, 1971, 1971
- with NexGen Legacy prosthesis, 1671–1672, 1672
- deep vein thrombosis after. *See Thrombosis, venous.*
- exchange arthroplasty in, for infected prosthesis. *See Infection(s), of total knee arthroplasty.*
- extension gap in, classic technique for, 1560–1562, 1564–1565
- rebuilding, in revision arthroplasty, 1850–1852, 1930, 1930, 1953–1954, 1965, 1971
- extensor mechanism injuries in, 1833–1834
- failure of, causes of, 1958, 1959t
- revision of. *See Arthroplasty, total knee, revision of.*
- fat embolism syndrome in, 1805
- femoral component in, distal femoral positioning, in revision of aseptic failed arthroplasty, 1850, 1851
- in cementless prostheses, 1710–1711, 1711
- in total condylar prosthesis, 1527
- in unicompartmental arthroplasty, 1625–1626
- load transfer characteristics of, 1706
- loosening of, 1821, 1822
- position of, patellar instability due to, 1835, 1835
- reconstruction of, in revision arthroplasty, 1847, 1850, 1849–1851, 1963–1964, 1970–1971, 1972, 1972
- removal of, in revision arthroplasty, 1846–1847, 1926–1927, 1927, 1951, 1954–1955, 1969–1970
- rotational alignment of, 1556–1558, 1557–1561
- for meniscal-bearing prosthesis, 1727–1728, 1728
- in revision arthroplasty, 1850, 1850, 1963–1964
- sizing of, in revision arthroplasty,

Arthroplasty (*Continued*)

- 1847, 1849, 1964
- wear of, 1831
- femoral condylar lift-off after, fluoroscopy of, 1700–1701, 1700–1702, 1702–1703
- femoral fractures after. *See Femur, fractures of, after total knee arthroplasty.*
- femoral rollback in, 1568
- absence of, on fluoroscopy, 1698–1699
- fitting of trial components in, 1586–1587
- flexion gap in, classic technique in, 1558, 1560, 1561–1564
- rebuilding, in revision arthroplasty, 1850, 1852–1853, 1930, 1930, 1953–1954, 1965, 1971
- for arthrosis, after tibial plateau fracture, 1286
- for hemarthrosis, 1145–1149, 1147–1149
- for osteonecrosis, 429, 454, 453
- fractures of. *See Fracture(s), periprosthetic.*
- gap technique in, 1555–1562, 1556–1557
- anterior cortex as reference point in, 1558
- disadvantages of, 1561–1562
- distal femoral osteotomy in, 1560–1561, 1564–1565
- extension gap (classic) technique in, 1560–1562, 1564–1565
- flexion gap (classic) technique in, 1558, 1560, 1561–1564
- for meniscal-bearing prosthesis, 1729–1730
- integration with measured resection technique, 1567–1569
- intraoperative problems in, 1615–1616, 1616
- measured resection technique vs., 1566–1567
- modified (preferred) technique of, 1568–1569
- posterior femoral condyles as reference point in, 1558, 1559, 1561
- proximal tibial osteotomy in, 1555, 1557
- rotational alignment of femur in, 1556–1558, 1557–1561
- spacer blocks in, 1560, 1561, 1562
- tensor devices in, 1560, 1561, 1563–1564
- hematoma in, 1806
- in osteoarthritis, 249–252, 250t, 251
- in rheumatoid arthritis, remission of synovitis after, 1444–1445
- infection of. *See Infection(s), of total knee arthroplasty.*
- instability after, 1810–1814
- asymmetric, 1810–1812, 1811–1813
- extension, 1810
- flexion, 1812–1814, 1813–1814
- genu recurvatum in, 1814
- symmetric, 1810, 1810
- with posterior cruciate ligament excision, 1529
- instability management in, 1588–1607
- for asymmetric valgus instability, 1596–1600, 1599–1602
- for asymmetric varus instability, 1591–1596, 1593, 1596–1599

Arthroplasty (*Continued*)

- for extension contractures, 1602–1603, 1604
- for flexion contractures, 1600–1602, 1602–1603
- for genu recurvatum, 1607, 1606
- medial and lateral proximal advancement in, 1604–1607
- Healy's method of, 1606
- Krackow's method of, 1604, 1606, 1605
- principles of, 1588, 1590–1591, 1592–1595
- intraoperative fractures in. *See Fracture(s), periprosthetic.*
- intraoperative problems in, 1614–1617
- alignment, fit, and motion of final components in, 1616–1617
- excessive bleeding in, 1616–1617
- femoral cuts in, 1614–1615, 1615
- flexion gap size in, 1615–1616, 1616
- patellar tracking in, 1616
- loosening of components in, 1816–1821, 1816–1822
- femoral component in, 1821, 1822
- in early designs, 1521–1523, 1525
- in PCL retaining vs. PCL substituting arthroplasty, 1529, 1531–1532, 1533
- malalignment and malposition in, 1818, 1818
- mechanical vs. septic, radiography of, 151–152, 152–153
- micromotion in, 1818–1820
- patellar component in, 1746–1747, 1821
- radiography of, 147–148, 151
- for mechanical vs. septic loosening, 151–152, 152–153
- radiolucency related to, 1521–1523, 1525, 1816, 1816, 1818, 1819
- roentgenstereophotogrammetric analysis of, 1819, 1820
- tibial component in, 1523, 1525, 1816–1817, 1817–1818
- with posterior cruciate ligament excision, 1529
- with posterior cruciate ligament retention, 1531–1532
- measured (classic) resection technique in, 1562–1566
- anterior cruciate ligament in, 1565–1566
- gap technique vs., 1566–1567
- integration with measured resection technique, 1567–1569
- posterior cruciate ligament in, 1562–1564, 1566–1568
- milling frames for, 1576, 1576
- mobile-bearing (meniscal) prosthesis in. *See Mobile-bearing (meniscal) prosthesis.*
- motion complications in, 1814–1816, 1816
- nerve palsy/neurological complications in, 1808–1809
- objectives of, 1553–1555, 1554–1555
- operative environment in, infection related to, 1876–1877, 1876t, 1891
- osteolysis in, 1821–1824, 1823
- causes of, 1707–1708, 1709, 1710, 1821–1823
- incidence of, 1823

Arthroplasty (*Continued*)

- porous-coating of prosthesis in, 1707-1709, 1709, 1823
- treatment of, 1823-1824
- osteotomy vs., 1447, 1447, 1449, 1469
- patellar complications of, 1834-1837
 - soft-tissue impingement in, 1836-1837, 1837
- subluxation and dislocation in, 1834-1836, 1835
- patellar component in, 1542-1547
 - cone type of, 294, 295
 - configuration of, 1542-1543, 1546
 - design of, in cementless prostheses, 1710
 - dome type of, 292-293, 294, 1542-1543, 1546
- failure of, after patellar resurfacing procedure, 1747
 - metal-backed design in, 1747
- Gaussian type of, 294, 295
- height of patella and, 295, 296
- in revision arthroplasty, 1855-1856, 1856, 1931, 1971-1972, 1957
- in total condylar prosthesis, 1527
- loosening of, 1821
 - after patellar resurfacing procedure, 1746-1747
- low-contact stress design, 1543
- metal-backed, 1543-1544, 1546, 1747
- problems with, 1544
- removal of, in revision arthroplasty, 1847, 1927-1928
- types of, 292, 294-296, 295
- wear of, 1831-1832
- patellar cuts and cutting guides in, 1584-1586, 1587-1590
- patellar fractures after. *See Patella, fractures of, after total knee arthroplasty.*
- patellar resurfacing in, 1739-1748
 - clinical decision-making in, 1742, 1742t, 1743
 - component failure after, 1747
 - component loosening after, 1746-1747
 - controversies in, 1544-1547
 - historical background of, 1739, 1740-1741
 - in chondromalacia, 1034-1035, 1066
 - in meniscal-bearing prosthesis, 1730-1732, 1732
 - indications for, 1542, 1545, 1585
 - omission of, 1544, 1546-1547, 1547, 1585-1586
 - patellar clunk syndrome after, 1747
 - patellar fracture after, 1746
 - patellofemoral stability and, 1745-1746
 - prospective randomized clinical trials of, 1741-1742, 1742
 - retrospective studies of, 1739, 1741
 - surgical technique in, 1742-1743, 1744
 - technique of, 1586, 1589
 - tendon rupture after, 1747-1748
 - vascular considerations in, 1743, 1745, 1745
 - with meniscal-bearing prosthesis, 1730-1732, 1732
- patellar tracking in, 1587-1588, 1591-1592, 1616
- patellectomy in, 1547
- polyethylene component in, complica-

Arthroplasty (*Continued*)

- tions of, radiography of, 154, 155
- in cementless prostheses, debris migration related to, 1709-1710, 1709
- ultrahigh-molecular weight, stresses on, 227, 227-228
- wear of, causes of, 1537-1538, 1831-1832
 - in mobile-bearing (meniscal) prosthesis, 1534, 1722-1723, 1722, 1832
 - in PCL retaining vs. PCL substituting arthroplasty, 1531, 1532
 - testing of and simulators for, 309-310, 310-311
 - types of wear and deformation in, 307-309, 308
- posterior cruciate ligament excision in, anatomic functions of cruciates and, 1528, 1528
- arguments for and against, 1528-1529
 - for deformity correction, 1528
 - for wear reduction, 1529
 - gait analysis in, 1530, 1530
 - instability due to, 1529
 - proprioception and, 1530
 - prosthetic loosening due to, 1529
 - range of motion in, 1529-1530
 - range of motion worsened by, 1529
 - stability in, 1531, 1531-1532
 - surgical technique simplified by, 1528-1529
- posterior cruciate ligament retention in, advantages of, 1562-1563, 1566
- AGC prosthesis in, 1657, 1657
- "booking" in, 1564, 1567
- Cloutier prosthesis in, 1644, 1646, 1647t
- controversies in, 1629
- deformity correction in, 1530-1531
- Duocondylar TKA in, 1633, 1635, 1635, 1636t
- Duopatellar TKA in, 1635, 1637, 1638t
- fixed-bearing condylar replacements in, 291
- gait analysis in, 1530, 1530
- gap technique in, 1555
- Genesis TKA in, 1657, 1657
- Geometric TKA in, 1631, 1631, 1633, 1634t
- in measured (classic) resection technique, 1562-1564, 1566-1568
- Kinematic total knee in, 1639, 1641-1642, 1641, 1643t
- kinematics of, 1529, 1529
- loosening in, 1531-1532
- meniscal-bearing prosthesis in, 1651, 1653, 1653, 1654t
- Miller-Galante prosthesis in, 1646, 1648, 1648, 1649t
- Polycentric knee in, 1629-1631, 1630, 1632t
- polyethylene wear in, 1531, 1532
- porous-coated anatomic knee in, 1648, 1650-1651, 1650, 1652t
- Press-Fit Condylar prosthesis in, 1653, 1655, 1655, 1656t, 1657
- proprioception and, 186, 1530
- range of motion in, 1529-1530
- requirements for, 1563
- results of, 1629-1658
- stability in, 1531, 1531-1532

Arthroplasty (*Continued*)

- survivorship analysis in, 1658, 1657
- total condylar knee in, 1637, 1639, 1639, 1640t
- Townley prosthesis in, 1642, 1644, 1642, 1644, 1645t
- posterior cruciate ligament substitution in, 1660-1693
- Advance PS prosthesis in, 1665t, 1667, 1669
- advantages of, 1668-1669
- clinical function comparison of, 1686-1690
- cruciate condylar prosthesis in, 1688-1689
- Kinematic-I Condylar prosthesis in, 1687-1688
- posterior cruciate-retaining prosthesis in, 1687-1689
- Total Condylar prosthesis in, 1686-1687, 1687t-1688t, 1688
- comparison of devices in, 1664-1668, 1665t
- complication(s) of, 1690-1692
- dislocations in, 1690-1691, 1690-1692
- intercondylar fractures in, 1691-1692
- patellar clunk syndrome in, 1692
- Duracon PS prosthesis in, 1664, 1664, 1665t, 1666
- gap technique in, 1555
- Genesis II design in, 1665t, 1666-1667, 1666
- Insall-Burstein Posterior Stabilized prosthesis in, clinical results of, 1677-1685
- experience of other institutions in, 1682-1683
- in specific conditions, 1683-1685
- initial reports of, 1677, 1678t-1679t
- intermediate follow-up reports on, 1677, 1679
- long-term follow-up reports on, 1679-1682, 1680-1682, 1681t
- rationale for, 1661-1662, 1661-1662
- Insall-Burstein II Posterior Stabilized prosthesis in, 1662-1663, 1662-1663
- Kinematic Stabilizer prosthesis in, 1685
- Maxim Knee prosthesis in, 1665t, 1667, 1668
- NexGen Legacy prosthesis in, design of, 1663-1664, 1663
- surgical technique for, 1669-1677, 1670-1677
- nomenclature in, 1660
- OPTETRAK prosthesis, 1665t, 1667-1668, 1669
- PFC Sigma prosthesis in, 1665t, 1666, 1666
- Press-Fit Condylar prosthesis in, 1685-1686, 1686
- rationale for and evolution of, 1660-1664
- survivorship analysis comparison in, 1689-1690, 1690
- total condylar prosthesis in, 1660-1661
- postoperative analgesia for, 1207-1209
- postoperative care of, 1617

Arthroplasty (*Continued*)

- preoperative planning for, 1571–1572, 1571–1573
- proprioception after, 185–186
- prosthesis for. *See Prosthesis(es)*.
- revision of, cementless prosthesis in, 1712–1715
 - bone grafting procedure in, 1713
 - clinical results of, 1713, 1714
 - morselized allografting in, 1713–1715, 1714–1715
 - operative procedure in, 1713, 1713
 - rationale for, 1713–1715, 1714–1715
- for aseptic failure, 1845–1861
 - bone defect management in, 1852–1855, 1853–1856
 - CCK prosthesis with uncemented stem in, 1860
 - cementing in, 1857, 1857–1858
 - component removal in, 1846–1847, 1847–1849
 - custom components in, 1861, 1860–1861
 - débridement in, 1846
 - extension space in, 1850–1852
 - femoral component reconstruction in, 1847, 1850, 1849–1851
 - final preparation in, 1856–1857, 1857
 - flexion space in, 1850, 1852–1853
 - indications for, 1845
 - metal augments in, 1860
 - patellar management in, 1855–1856, 1856
 - postoperative care of, 1858
 - preoperative assessment for, 1845, 1846
 - results of, 1858–1861, 1859
 - skin incision and surgical approach in, 1845–1846
- for infected arthroplasty. *See Infection(s), of total knee arthroplasty.*
- for loosened prosthesis, 1967–1974
 - postoperative care in, 1973–1974, 1973
 - preoperative assessment in, 1967–1968, 1968
 - surgical technique in, 1968–1973, 1969–1973
- in periprosthetic femoral fractures, 1260–1261
- in supracondylar fractures, type III, with failed arthroscopy, 1319–1321, 1320–1321
- preferred method(s) in, 1925–1974
 - bone defect management in, 1938, 1939, 1954t
 - bone resection sequence in, 1937–1938, 1938, 1954, 1956
 - cementing in, 1957, 1966
 - component removal in, 1926–1928, 1927, 1936, 1936–1937, 1951–1952, 1954–1955, 1960, 1962
 - femoral component rotation in, 1963–1964
 - fixation in, 1932, 1940
 - flexion and extension gap determination in, 1930, 1930, 1953–1954, 1965
 - for loosened prosthesis, 1967–1974
 - joint line establishment in, 1938, 1964–1965
 - postoperative care of, 1957

Arthroplasty (*Continued*)

- preoperative assessment for, 1925, 1925, 1934, 1949–1951, 1958–1959, 1959–1960, 1959t
- preoperative conference for, 1951, 1923, 1954t
- prosthesis selection in, 1931, 1931, 1939–1940, 1951, 1965–1966
- proximal tibial platform reconstruction in, 1962–1963
- radiography in, 1934, 1942, 1943, 1949–1950, 1950, 1967–1968, 1968
- rehabilitation after, 1933, 1940, 1966
- revision instruments in, 1928–1930, 1928–1929
- skin incision and surgical approach in, 1925–1926, 1926, 1934–1936, 1935–1936, 1950–1951, 1950, 1952–1953, 1959–1960, 1960
- stability assessment in, 1930–1931, 1930–1931, 1936–1937, 1937t, 1965
- summary of steps in, 1966, 1966t
- thromboembolic prophylaxis after, 1933, 1940
- wound closure in, 1932–1933, 1932, 1940, 1966
- rotational positioning of components in, 1584, 1586
- scoring systems for, 1507–1514
 - comparison of outcome measures in, 1513
 - Hospital for Special Surgery Knee Score in, 1507–1510, 1508
 - Knee Society Score in, 1510–1512, 1511
 - outcome software suppliers for, 1514
 - uses of, 1513–1514
 - Western Ontario and MacMaster Osteoarthritis Index Score in, 1512–1513
- skin necrosis after, 1807, 1807
- stability of, assessment of, for meniscal-bearing prosthesis, 1730, 1732
 - in revision arthroplasty, 1930–1931, 1930–1931, 1936–1937, 1937t, 1965
 - biomechanics of varus-valgus stability in, 224, 224
- stems in. *See Prosthesis(es), stems of.*
- surgical exposure for, 1572–1576
 - closure of, 1576
 - in revision arthroplasty, 1932–1933, 1932, 1940, 1966
 - difficult exposures in, 1573–1576
 - in revision arthroplasty, 1925–1926, 1926, 1934–1936, 1935–1936, 1950–1951, 1950, 1952–1953, 1959–1960, 1960
 - medial parapatellar approach in, 1572–1573, 1574
 - quadriceps turndown technique in, 1573
 - rectus "snip" in, 1574, 1574
 - routine, 1572–1573
 - subperiosteal peel in, 1575–1576, 1575
 - tibial tubercle osteotomy in, 1574–1575, 1575
- thromboembolism after. *See Pulmonary embolism; Thrombosis, venous.*

Arthroplasty (*Continued*)

- tibial component in, biomechanics of, 225, 227, 226–228
 - design and fixation of, 1538–1539, 1538–1540
 - in cementless prostheses, 1707–1709, 1708–1709
 - in total condylar prosthesis, 1527
 - in unicompartamental arthroplasty, 1626, 1626
 - load transfer characteristics of, 1705
 - loosening of, as indication of prosthetic failure, 1523, 1525
 - mechanism of, 1816–1817, 1817–1818
 - malrotation of, patellar instability due to, 1835–1836, 1836
 - metal backing in, 1833, 1834
 - porous coating of, debris migration related to, 1707–1709, 1709
 - reconstruction of, in revision arthroplasty, 1962–1963, 1970–1971, 1972, 1973
 - removal of, in revision arthroplasty, 1847, 1927, 1951–1952, 1954–1955, 1970
 - wear of, 1832, 1831–1834
 - under metal tray, 1832
 - tibial fractures related to, intraoperative, 1313–1314, 1314, 1824
 - postoperative, 1321–1323, 1322, 1827, 1829, 1830
 - transfusion in, 1750–1754. *See also Transfusion.*
 - intraoperative hemostasis and, 1752–1753
 - postoperative red blood salvage for, 1753–1754
 - preoperative planning and evaluation for, 1750–1752, 1751–1752
 - unexplained pain in, 1837–1838
 - vascular complications in, 1807–1808, 1807
 - wear of. *See Arthroplasty, total knee, component wear in.*
 - wound drainage and delayed wound healing in, 1805–1806, 1806
 - unicompartamental, 1621–1627
 - advantages of, 1621
 - cementless, 1627
 - contraindications to, 1621–1623, 1623
 - femoral component of, placement of, 1625–1626
 - size of, 1626
 - for osteonecrosis, 429, 430, 454
 - implant design in, 1623–1624, 1623–1624
 - patient selection for, 1621–1623, 1622–1623
 - postoperative rehabilitation of, 1626–1627
 - removal of osteophytes in, 1625, 1625
 - surgical technique in, 1624
 - survivorship studies of, 1621
 - tibial component of, 1626, 1626
- Arthroscopy, débridement via. *See Débridement, arthroscopic.*
- in anterior cruciate ligament reconstruction, in chronic injuries, 723–724, 724
 - with allografts, 714, 714
 - with bone–patellar tendon–bone autograft, 669
 - with semitendinosus/gracilis tendon graft, 684–689, 684–688

- Arthroscopy (*Continued*)
 with semitendinosus tendon graft, 700, 701
 in autologous chondrocyte transplantation, 351, 353
 in children, 1357
 in débridement and microfracture (pick) procedure, 362, 363-364
 in juvenile osteochondritis dissecans, 400-401, 402-403
 in lateral retinacular release, for lateral patellar compression syndrome, 965-968, 965-968
 in meniscal disorders, 490
 in meniscal repair. *See Meniscus(i), repair of, arthroscopic.*
 in meniscectomy. *See Meniscectomy, arthroscopic.*
 in mosaicplasty, of articular cartilage, 359, 359-360, 392, 392
 in osteoarthritis. *See Osteoarthritis, arthroscopic treatment of.*
 in osteochondritis dissecans, 22, 23, 26, 412-415, 413
 in paste graft articular cartilage repair, 375-376, 376-378
 in patellofemoral malalignment, 1052, 1052
 in posterior cruciate ligament reconstruction, 857-861
 in reflex sympathetic dystrophy, adverse effects of, 980
 in synovectomy, for hemarthrosis, 1144
 in tibial fracture fixation, of intercondylar eminence, 1412, 1413
 of tibial plateau, 1278, 1280
 for assessment of reduction, 1276-1277
 instrumentation for, in meniscectomy, 496-500
 in zone-specific meniscal repair, 522-523, 523
 of articular cartilage, 22, 23
 of patellofemoral joint, 952-954
 of regenerated meniscal cartilage, 541, 541
 of synovial plica, medial patellar, 91, 91
 sectioning of plicae in, 984
 portals for, anterior, in meniscectomy, 495-496, 497
 anterolateral, 208, 208
 anteromedial, 207-208, 208
 in anterior cruciate ligament reconstruction, 659
 lateral auxiliary, 208, 208
 medial auxiliary, 208, 208
 midpatellar, medial and lateral, 208, 208, 210
 posterior, in meniscectomy, 496, 497-498
 posterolateral, 210, 208
 posteromedial, 210, 208
 standard, in meniscectomy, 495, 496
 superior lateral, 207, 208
 superior medial, 207, 208
 transpatellar, 210, 208
 post-procedure analgesia for, 1204-1207, 1204t, 1206
 Arthrosis, after conservative treatment, of posterior cruciate ligament rupture, 851, 852, 854
 after patellar fracture, 1307
 after tibial plateau fracture, 1286
 patellofemoral, due to excessive lateral pressure syndrome, 1024
 Arthrotomy, medial parapatellar, geniculate arteries divided by, 1743
 in revision arthroplasty, 1935
 technique of, 190, 192-193, 193-194
 parapatellar, in knee dislocation repair, 900, 901
 trivector-retaining, 193
 Articular cartilage. *See Cartilage, articular.*
 Articular nerve, lateral, 64
 posterior, 63
 Articularis genu muscle, 37
 Aspiration, of infected prosthesis, combined with antibiotics, 1881-1882
 diagnostic, 1881
 of knee joint, for hemophilic arthropathy, 1140-1141
 Aspiration biopsy, of soft tissue tumors, 2021
 Aspirin and salicylates, 1097-1098
 clinical use of, 1098
 discontinuation of, before total knee arthroplasty, 1750
 for osteoarthritis, 569
 for thromboembolism prophylaxis, 1759, 1803
 compared with other agents, 1803-1804
 mechanical compression and warfarin vs., 1769
 interactions with other drugs, 1098
 side effects and toxicity of, 1098
 Attenborough hinged prosthesis, 301
 Augments and wedges, for adding modularity to prostheses, 1539, 1541
 for bone defects, metal wedge augmentation in, 1795-1798
 advantages of, 1540, 1542, 1795, 1795
 cement and screw fixation with, 1612
 clinical results of, 1795-1797, 1795-1797
 for customized prostheses, 1611-1612, 1611-1613
 in revision arthroplasty, 1970
 indications for, 1795
 limitations of, 1795
 surgical technique in, 1797-1798
 Avascular necrosis, in HIV/AIDS, 1164
 Avulsion fracture(s), anterior cruciate ligament injuries in, magnetic resonance imaging of, 131, 132
 of tibial insertion of posterior cruciate ligament, fixation of, 885-886
 natural history of operative management of, 880-881, 880
 of tibial tubercle, in total knee arthroplasty, 1833-1834, 1834
 of tibial tuberosity, traumatic, during epiphyseodesis, 1333
 Awl(s), in débridement and microfracture (pick technique), 362, 363, 364
 Axial artery, persistence of, 85, 86
 Axis, anatomic, measurement of, 161, 161
 of distal femur, 1239-1240
 radiography of, 96, 99
 epicondylar, 19, 20
 in femoral component alignment, for meniscal-bearing prosthesis, 1727-1728, 1728
 in total knee arthroplasty, 1557-1558, 1560
 mechanical, measurement of, 161, 162
 for osteotomy, 1450-1451, 1450
 radiography of, 99
 Azathioprine (Imuran), for rheumatoid arthritis, 1101
 Azulfidine (sulfasalazine), for rheumatoid arthritis, 1101
 Bacteria, glycocalyx formed by, on prosthetic surfaces, 1891-1892
 in total knee arthroplasty infection, 1877, 1878t, 1892
 Baker's cyst. *See Cyst(s), popliteal (Baker's).*
 Balance, in ACL-deficient knee, 183
 testing of, 180-181, 182
 Biceps femoris muscle(s), anatomy of, in lateral aspect of knee, 59
 in posterior aspect of knee, 61, 63
 anomalous attachments of, 83
 Biomechanics of knee, 215-230
 equilibrium in, in flexion-extension, 215-216
 flexion-extension motion and moments in, 215-218, 216-217, 238-240, 239
 functional load in, 215, 217-218, 223
 ground contact forces in, 216, 216, 233, 233-237
 in high tibial osteotomy, 1465-1469, 1466-1468
 in osteoarthritis, 246-247
 in patellofemoral dysplasia, in children, 1358
 in rehabilitation, 764-767, 766t
 in tibial tubercle elevation, 1027, 1028, 1029
 in total knee replacement, 223-230, 224-228
 contact area and stress in, 227, 226-227
 dimension W in, 221, 224
 in condylar-style prostheses, 223-225, 225-226, 227, 287-291
 tibial component in, 225, 227, 226-228
 tibial plateau load distribution and, 227-230, 228-230, 229t
 ultrahigh-molecular weight polyethylene stress in, 227, 227-228
 varus-valgus stability in, 224, 224
 with sacrifice of cruciate ligaments, 224, 224
 instant center of relative motion in, 216, 216-217
 meniscal biomechanics in, 476-480
 moment in, adduction, analysis of, 1473-1474
 during gait, 1467-1469, 1468
 contribution of ligaments in, 221-223, 221
 in gait cycle, 232-238, 233-238
 properties of, 588
 MRI study of. *See Femorotibial joint, MRI study of shapes and movements of.*
 normal joint function in, 215-223
 of antibiotic-loaded bone cement, 1896
 of patella and extensor mechanism, 1291-1292, 1293
 patellofemoral mechanics in, 223, 222, 918-922, 920-921
 physeal, 1398, 1399
 varus-valgus motion and moments in, 218-221, 218-220
 Biomet Total Joint Replacement Outcome data forms, 1514
 Biopsy, of bone tumors, excisional, 2004
 of fibular lesions, 2004, 2004
 requirements for, 1997
 technique of, 2003-2005, 2004, 2004t
 of infected total knee arthroplasty, 1881

Biopsy (*Continued*)

- of soft tissue tumors, 2020–2021
 - needle aspiration in, 2021
 - Blackburne-Peel A/B ratio, in patella height measurement, 931–932, 931
 - limitations of, 933
 - Blade plate fixation, in femoral fractures, periprosthetic, 1251–1254, 1254–1255
 - in tibial osteotomy, 1458
 - swan-neck, in closing wedge proximal tibial valgus osteotomy, 1474–1475, 1476
 - Blauth hinged prosthesis, 301
 - Bledsoe custom medial thruster brace, 871, 874
 - Bleeding. *See also* *Clot(s)*.
 - excessive, in total knee arthroplasty, 1616–1617
 - sources of, 1806
 - from deep venous thrombosis prophylaxis, 1230
 - from postoperative drainage, 1805
 - prevention of, 1806
 - MRI characterization of, 124
 - requirement for, in paste graft articular cartilage repair, 376, 376
 - Blood, in synovial fluid, 1094
 - postoperative salvage of, 1753
 - Blood supply, anatomy of, 64, 69–70, 69–70
 - postoperative decrease of, as risk factor for patellar fracture, 1308
 - to cruciate ligaments, 458–459, 458–459
 - to femur, 1239
 - to meniscus, 475–476, 476
 - to patella, 1291, 1292–1293
 - patellar resurfacing and, 1743, 1745, 1745
 - to skin, protecting, during incision, 190, 191
 - to soft tissue of knee, 1225, 1226
- Blood transfusion. *See* *Transfusion*.
- Blood vessel injury(ies). *See* *Vascular injury(ies)*.
- Blount's disease, 1348–1351, 1387–1388
 - conservative treatment of, 1349
 - etiology and pathology of, 1348
 - familial, 1387
 - in adolescents, 1348, 1351
 - infantile, 1387, 1387t
 - Langenskiöld's classification of, 1348, 1349, 1387, 1388
 - late onset, 1387–1388, 1387t
 - metaphyseal-diaphyseal angle in prognosis of, 1348–1349, 1349
 - surgical treatment of, 1350–1351, 1350–1351
- Blumensaat's line, in patellofemoral joint radiography, 930, 1295
- Bohler's test, 163, 167, 488, 491
- Bone(s), bruise of, osteonecrosis vs., 443
 - radionuclide imaging of, 113, 113
 - cancellous, mechanical properties of, 302–303, 304
 - cysts in, aneurysmal, 1978–1979, 1979
 - from intra-articular pressure, in cementless prostheses, 1710
 - ganglion, 1980
 - unicameral, 1977–1978, 1978
 - defects of, in total knee arthroplasty. *See* *Arthroplasty, total knee, bone defect management in*.
 - density loss in, in HIV/AIDS, 1165
 - destruction of, in rheumatoid arthritis, 1431
 - eburnated, as contraindication to unicompartmental arthroplasty, 1622

Bone(s) (*Continued*)

- graft of. *See* *Bone graft(s)*.
 - infarction of, malignancy due to, 1995
 - long-term status of, after total knee replacement, 303
 - loss of, in arthritis, of hip, 1431
 - varus instability due to, 1432–1434, 1437
 - mineral density of, before and after osteotomy, 1466
 - osteolysis of. *See* *Osteolysis*.
 - physiology of, 13, 14–15
 - radiography of, 99–104, 100
 - anatomic variants in, 101, 104, 102–104
 - radiolucency of, after total knee replacement, 303
 - near loosened arthroplasty components, 1521–1523, 1525, 1816, 1816, 1818, 1819
 - radionuclide scanning of, 112–117, 1120120
 - subchondral, abrasion arthroplasty of, 342, 343
 - cartilage bonding with, in full-thickness defects, 333–334
 - drilling of, bone formation after, 332
 - in cartilage repair, 329, 330–331, 342
 - in chondromalacia, 1025–1026
 - in osteochondritis dissecans, 412–413, 413
 - in Pridie procedure, 382–383, 382
 - microfracture of. *See also* *Debridement and microfracture (pick technique)*.
 - arthroscopic, 389
 - multiple, 342, 343
 - spongialization of, 342–343
 - total knee replacement and, 302–303, 304
 - trauma to, imaging of, 139–140, 141
 - tumors of. *See* *Bone tumor(s)*.
- Bone graft(s), allografts in, combined with prosthesis, after tumor resection, 2013, 2013
- for bone defects, after tumor resection, 2017, 2018, 2019
 - in revision arthroplasty, morselized allograft in, 1713–1715, 1714–1715
 - of infected arthroplasty, 1945–1946
 - results of, 1859–1860
 - technique of, 1853–1855, 1856
 - in total knee arthroplasty, 1790–1794
 - clinical results of, 1792
 - complications of, 1791–1792
 - for tibial defects, 1608–1611, 1608–1610
 - indications for, 1790
 - limitations of, 1791
 - morselized allograft in, 1792
 - surgical technique in, 1792–1794, 1793–1794
- autogenous, for bone defects, in total knee arthroplasty, 1790, 1791
 - for tibial defects, 1608–1611, 1608–1610
 - in femoral fracture fixation, 1247
- HIV/AIDS transmission via, 1158
- in osteochondritis dissecans, 412
- in tibial plateau fracture fixation, 1278
- Bone marrow, edema of, radionuclide imaging of, 115
- MRI characterization of, 124, 125

Bone marrow (*Continued*)

- radionuclide imaging of, 121
- Bone scanning. *See* *Radionuclide imaging*.
- Bone tumor(s), 1977–1995, 1997–2019
 - benign, 1985–1987
 - treatment of, 2005–2007
 - biopsy of, requirements for, 1997
 - technique of, 2003–2005, 2004, 2004t
 - chemotherapy of, 2007, 2009–2010, 2025
 - chondroblastoma as, in children, 1389
 - pathophysiology of, 1985, 1985–1986
 - chondromyxoid fibroma as, 1986, 1999
 - chondrosarcoma as, dedifferentiated, 1991
 - incidence of, 1999
 - mesenchymal, 1991–1992
 - pathophysiology of, 1991–1992, 1991
 - clinical features of, 1997–2000, 1998–2002
 - common locations of, 1977, 1977t
 - cysts as. *See* *Cyst(s), of bone*.
 - desmoplastic fibroma as, 1982, 1982
 - developmental, hamartomatous, and tumor-like, 1388–1389, 1388t, 1977–1985, 1998, 1998
 - diagnostic imaging of, 2000–2003, 2003t
 - enchondroma as, pathophysiology of, 1985–1986, 1986
 - radionuclide imaging of, 117, 120
 - Ewing's sarcoma as, chemotherapy of, 2009–2010
 - occurrence of, 1999
 - pathophysiology of, 1992–1993, 1993
 - fibrous cortical defect vs., 1389, 1998
 - fibrous dysplasia, 1980–1981, 1981
 - fibrous metaphyseal defect vs., 1980, 1980
 - giant cell tumor as, classification of, 1977
 - location of, 2005, 2006
 - of tendon. *See* *Synovitis, pigmented villonodular*.
 - pathophysiology of, 1987–1988, 1988, 1999
 - staging of, Enneking system of, 1977
 - treatment of, 2005–2007, 2006–2008
- imaging of, 145, 149–150
- incidence of, 1977
- Langerhans' cell granulomatosis as, 1985, 1984
- lymphoma as, management of, 1999–2000
 - pathophysiology of, 1993–1994
- malignant, 1988–1995
 - adjuvant chemotherapy for, 2009–2010
 - staging of, 2003
 - prognosis correlated with, 2003
 - surgical treatment of, 2010–2012
 - arthrodesis in, 2015, 2016, 2017
 - bone allografts/autografts in, 2017, 2018, 2019
 - decision-making in, 2010, 2011
 - en bloc excision of knee in, 2010, 2012
 - endoprosthesis in, 2013–2014, 2013, 2015–2016
 - fibular resection in, 2019
 - reconstruction in, 2012–2019
 - treatment of, 2007–2009
- malignant fibrous histiocytoma and fibrosarcoma as, 1992, 1992, 1999
- medical history in, 1997
- metastatic, primary sources of, 1994
 - radionuclide imaging of, 115, 117, 120
 - sites of, 1995
 - treatment of, 2019, 2020
- multiple myeloma as, 1994, 2000
- nonossifying fibroma as, 1389
- osteoblastoma as, 1987

- Bone tumor(s) (*Continued*)
- osteochondroma (exostosis) as, clinical manifestations of, 1389
 - management of, 1998–1999, 1999
 - pathophysiology of, 1982, 1983–1984
 - osteofibrous dysplasia as, 1981, 1981
 - osteoid osteoma as, in children, 1389
 - pathophysiology of, 1982–1984, 1984
 - radionuclide imaging of, 117
 - osteoma as, 1986–1987
 - osteosarcoma (osteogenic sarcoma) as, clinical manifestations of, 1389
 - incidence of, 1977, 1999, 2001
 - pathophysiology of, 1988–1991, 1989, 1999, 2001
 - treatment of, 2007–2009
 - variants of, 1990–1991, 1990, 1999, 2002
 - periosteal (juxtacortical) chondroma as, 1986
 - physical examination in, 1998
 - radionuclide imaging of, 115, 117, 120
 - secondary malignancies in, 1995
 - staging of, Enneking and Campanacci systems in, 1977, 2003
 - for malignant tumors, 2003
 - surgical margins in, 2005
 - surgical margins of, 2005
- Bowleg deformity, 1346–1347, 1347. See also *Varus deformity*.
- Brace(s), after débridement and microfracture (pick) technique, 365
- for anterior cruciate ligament injury, in children, 1417–1418
 - for athletic injuries, 800–811
 - for tibial plateau fracture, 1271
 - functional, 806–809, 808t
 - CTi brace as, 807–808
 - custom Defiance orthosis as, 807
 - for ACL-deficient or reconstructed knees, 806, 806
 - for PCL insufficiency, 806, 808
 - Lenox Hill ACL orthosis as, 807, 807
 - metabolic costs of, 809–810
 - patient compliance with, 810
 - studies of effectiveness of, 807–819
- in anterior cruciate ligament injuries, effectiveness of, 246
- in anterior cruciate ligament rehabilitation, 791–792
- in osteoarthritis, 567
- Palumbo, for lateral patellar compression syndrome, in children, 1360
- patellofemoral, 809–810
- prophylactic, 800–805
- lateral hinge type of, 800, 801, 802
 - single-axis, dual-axis, and polycentric hinge types of, 800, 801
 - studies of, in football players, 800–805, 802t, 803t
- proprioception affected by, 187
- rehabilitative, after knee dislocation repair, 904, 904
- after posterior cruciate ligament reconstruction, 866
 - after posterolateral complex reconstruction, 871, 874
 - studies of, 805–806
- testing of, with laxity testing devices, 624–625
- valgus-stressing, for osteoarthritis, 248
- Brachytherapy, of soft-tissue sarcoma, 2025
- Bragard's sign, in meniscal tears, 488, 491
- Breaststroke's knee, 1364
- Bruser's lateral approach, 194, 196
- Bungee jumping effect, in semitendinosus/gracilis tendon graft, 761
- tunnel enlargement related to, 774–775, 775
- Bupivacaine (Marcaine), cardiac toxicity of, 1186
- combined with ketorolac, after arthroscopy, 1205
 - combined with morphine, and prednisolone, after arthroscopy, 1205
 - in anterior cruciate ligament reconstruction, 1178–1179
 - intra-articular injection of, 1205, 1207
 - in anterior cruciate ligament reconstruction, 1178–1179
 - with semitendinosus tendon, 695
 - in femoral nerve block, after total knee replacement, 1208
 - in partial knee denervation for neuroma, 1780, 1781
 - intra-articular, after anterior cruciate ligament repair, 1207
- Bursa(e), anatomy of, 37, 39, 40
- calcification of, radiography of, 104–108, 109
 - infrapatellar, anatomy of, 37
 - pes anserinus, anatomy of, 37
 - formation of, 61, 63
 - popliteal, communication with posterior synovial cavity, 37, 40
 - cysts of. See *Cyst(s)*, *popliteal (Baker's)*.
 - prepatellar, anatomy of, 37, 40
- Bursitis, infrapatellar, 108, 109
- peripatellar, 977, 977
- pes anserinus, osteonecrosis vs., 426, 443
- prepatellar, 108, 109
- Burstein-Lane prosthesis, 2013
- Buttress plate, condylar, in femoral fracture fixation, 1245, 1256–1257, 1258
- in tibial osteotomy fixation, 1458
 - in tibial plateau fracture fixation, 1274, 1278, 1280, 1281
- CA-5000 Drill-Guide Isometer, 741
- Cadence, in gait cycle, 240
- Calcification(s), causes of, 104
- radiography of, 104, 108, 106–110
- Calcitonin, for complex regional pain syndromes, 1174
- Calcium, in bone, 13
- Calcium channel blocker(s), for complex regional pain syndromes, 1173
- Calcium pyrophosphate deposition disease (CPPD), after tibial osteotomy, 1460
- associated with chondrocalcinosis, 108
 - disorders associated with, 1118, 1118t
 - meniscal, 28, 32
 - radiography of, 108, 110
 - synovitis related to, 1118–1119, 1119
- Candida albicans* infections, in HIV/AIDS, 1163
- Cane, for osteoarthritis, 567
- Cannula(s), in zone-specific meniscal repair, 522–523, 523
- malleable, in inside-out meniscal repair technique, 529–530, 530–531
 - of polylactic acid, for meniscal repair, 535, 536
- Capillary wedge pressure, pulmonary (PCWP), in anesthesia monitoring, 1177
- Capnography, in anesthesia monitoring, 1177
- Capsular ligament, deep medial, stabilizing function of, 585
- posterolateral, components of, 586
 - tests of, 173, 172–173
 - posteromedial, tests of, 172, 173
- Capsule of knee joint, anatomy of, 34, 37
- in lateral aspect of knee, 59, 60
 - in posterior aspect of knee, 55, 54
 - contracture of, after femoral fracture fixation, 1250
 - definition of, 1103
 - innervation of, 63, 1777
 - proprioceptive function of, 64
 - relationship with ligamentous structures, 585–587
- Capsulotomy, posterior, for flexion contracture correction, 1600, 1602, 1603
- Carafate, with aspirin and salicylates, 1098
- with nonsteroidal anti-inflammatory drugs, 1099
- Cardiac arrest, from regional anesthesia, 1188–1189, 1188t
- Cardiac toxicity, of bupivacaine, 1186
- Cardiovascular disease, anesthetic considerations in, 1181–1182
- Cartilage, articular, 315–322. See also *Chondrocyte(s)*.
- abnormalities of, arthroscopy of, 953–954, 954
 - MRI classification of, 950–951
 - biochemical and biomechanical alterations of, in osteoarthritis, 321, 322
 - biology and biomechanics of, 315–322
 - calcified, healing capacity of, 334
 - cells of, 315–316, 317–318
 - chondroprotective agents for, 572–575
 - composition of, 22
 - corticosteroid effects on, 572
 - damage/injury of, by lysozymal enzymes, in rheumatoid arthritis, 1430–1431
 - clinical treatment of, 337
 - from arthroscopic instrumentation, 494, 495
 - gene therapy for, 1218
 - in degenerative disorders, 22, 23–26
 - in hemophilic arthropathy, 1137
 - International Cartilage Repair Society classification of, 724
 - joint reactions to, 336–337
 - Outerbridge classification of, 391, 508
 - shouldered vs. unshouldered defects in, 347, 347
 - types of, 327–328
- degenerative changes of. See also *Osteoarthritis*.
- with normal patellofemoral alignment, surgical management of, 1068, 1069
 - with patellar subluxation and tilt, management of, 1068
- degenerative chondromalacia of, 22, 22
- extracellular matrix molecules of, 316–317
- full-thickness defects of, chronic, stages of progression of, 361
- functional role of, 319–322
- healing of, 327–337
- additional cell sources for, 331–332
 - bone plate reestablishment for, 332
 - durability of repair in, 336
 - fibrocartilage in, 341, 342, 1430
 - filling of defect for, 332
 - hyaline-like cartilage in, after débridement or abrasion, 387–388

Cartilage (*Continued*)

- in full-thickness injuries, 329, 330–331
- in partial-thickness injuries, 328–329
- integration of repair in, 332–334
- joint reactions to, 336–337
- matrix morphology and composition in, 334–335
- maturation stage and, 329–331
- mesenchymal stem cells in, 342
- problems in, 327, 341, 381–382
- requirements for, 331–336, 341, 1430
- restitution of biomechanical function and, 336
- surface quality in, 335
- variable quality of, 336
- iron accumulation in, 1111
- loss of, in hip arthritis, 1431
- obesity as predictor of, 247
- matrix of, biochemical characteristics of, 382
- compartmentalization in, 318–319
- composition of, 315–317
- mechanical properties of, 319–320
- creep and stress relaxation tests of, 319–320, 320
- NSAID effects on, 570–571
- osteoochondritis dissecans. *See Osteochondritis dissecans.*
- partial-thickness injuries to, lacerations in, 328, 328
- repair of, 328–329, 329
- repair of, alternative treatments in, 341–344
- anteriorization of tibial tubercle in, 1065
- arthroscopic débridement in, 342, 1065
- arthroscopic lavage in, 342
- autologous chondrocyte transplantation in, 344–356
- Cartilage Registry Report of, 351, 353, 354
- future indications for, 354
- future technique of, 355
- historical background of, 344–346
- in joints other than knee joint, 354
- indications for, 346, 345–346
- postoperative care in, 348, 350
- randomized controlled studies of, 354–355
- results of, 350–355
- surgical procedure in, 347–348, 349
- cell-induced chondrogenesis in, perichondrial grafting in, 343–344
- periosteal grafting in, 343
- débridement and microfracture (pick technique) in, 361–371
- compared with other treatment modalities, 369–371
- database of patient information for, 366
- in anterior cruciate ligament reconstruction, 724
- indications and contraindications for, 361–362
- multiple microfracturing in, 342, 343
- outcomes measures for, 365–369
- preoperative diagnosis in, 361–362, 362t
- rehabilitation after, 364–365
- results of, 366–369, 366t, 367–370, 368t

Cartilage (*Continued*)

- surgical technique in, 362–364, 363–364
- for partial-thickness injuries, 328–329, 329
- in osteoarthritis, 1444
- mosaicplasty repair in, 357–360
- in osteoarthritis, 392, 392
- in osteochondritis dissecans, 414, 415
- indications and contraindications for, 357
- results of, 358–360, 359
- surgical technique in, 357–358, 358–359
- osteochondral grafting in, allografts in, 344
- autografts in, 344, 344
- paste graft repair in, 375–379
- clinical results of, 377, 378, 379
- collagen typing after, 379
- histopathologic evaluation after, 379, 379
- in osteoarthritis, 392–393
- patient evaluation for, 375
- rehabilitation after, 376–377, 378t
- surgical technique of, 375–376, 376–377
- patellar osteotomy in, 1066
- patellectomy in, 1065–1066
- patellofemoral arthroplasty in, 1066
- theory of, 1065
- structure and organization of, 317–319
- structure-function relationships in, 320, 321, 322
- subchondral bone and. *See Bone(s), subchondral.*
- thickness of, 315, 316
- tidemark of, 22
- zonal organization of, 317–318
- calcified cartilage zone in, 318
- radial zone in, 318
- superficial zone in, 317, 319
- transitional zone in, 317–318
- Cast(s), cylinder, for patellar fractures, 1295–1296
- extension-desubluxation, for knee flexion contracture, in hemophilic arthroplasty, 1142, 1143
- for congenital dislocation and subluxation, 1339
- for congenital knee dislocation, 1384
- for physeal fractures, of distal femur, 1401–1402
- for tibial intercondylar eminence fractures, 1411
- for tibial physeal fractures, 1405
- for tibial plateau fracture, 1270–1271
- for tibial spine fractures, in children, 1378, 1421–1422
- for tibial tubercle apophyseal fracture, 1408
- Quengel's, for knee flexion contracture, in hemophilic arthroplasty, 1142
- Cast brace, with staple fixation, in tibial osteotomy, 1459
- Caton (Lyon school) method, of patellar height measurement, 932, 932, 934
- Cauda equina syndrome, from regional anesthesia, 1187, 1187t–1188t
- Causalalgia. *See Complex regional pain syndrome (CRPS).*
- Cave's medial approach, 196, 198
- Cefazolin, prophylactic, in total knee arthroplasty, 1877, 1877t

Cefuroxime, prophylactic, in total knee arthroplasty, 1877t

Cell Saver, for red blood salvage, 1753

Cellulitis, radionuclide imaging of, 117

Cement filling, of bone defect, in total knee arthroplasty, 1788–1790

- advantages and disadvantages of, 1608, 1607

- clinical results of, 1789

- indications for, 1788

- limitations of, 1788

- screw reinforcement of, 1789

- surgical technique in, 1789–1790

Cement fixation, antibiotic powder in, in revision arthroplasty, 1857. *See also Cement spacers, antibiotics in.*

- blood loss decreased by, 1752–1753

- in femoral fractures, 1247

- in revision arthroplasty, 1857, 1857–

- 1858, 1947, 1957, 1966, 1972

- in total knee arthroplasty, 1569–1571

- penetration level of, 1820

- technique of, 1569–1571, 1570

- uncemented fixation vs., 1569

- removal of, in revision of aseptic failed arthroplasty, 1846, 1847

Cement spacers, 1891–1910

- antibiotics in, 1895–1897

- biomechanics of, 1896

- clinical studies of, 1896–1897

- contraindicated antibiotics in, 1896

- controversies in, 1896

- early forms of, 1884

- elution properties of, 1895–1896

- in two-stage exchange arthroplasty, 1894–1895

- negative effects of, 1885

- resistance to, 1897

- in two-stage exchange arthroplasty, antibiotics in, 1894–1895

- articulated spacers in, 1899–1900,

- 1898, 1900, 1944, 1945

- evolution of, 1897, 1899

- periprosthetic environment and, 1891–1892

PROSTALAC system in, 1900–1909

- advantages of, 1909

- clinical results of, 1903–1907

- design and evolution of, 1900–1901, 1902

- extensor lag in, 1907–1908

- for infected prostheses, 1884–1885

- HSS knee score in, 1908

- knee stability in, 1907–1908

- pain relief in, 1907

- patellar instability in, 1907–1908

- range of motion in, 1907

- recurrent infection after, 1909

- summary of complications in, 1908–1909

- surgical technique in, 1901–1903, 1902–1906

Cementless arthroplasty. *See Arthroplasty, total knee, cementless designs in.*

Centers for Disease Control and Prevention guidelines for prevention of HIV infection, 1157

Cephalosporin(s), prophylactic, in total knee arthroplasty, 1877, 1877t

Charcot arthropathy, nerve damage in, 184–185

- posterior stabilized prosthesis in, 1683

- radiography of, 143, 145, 148

Charnley compression clamp, 1919, 1916

Chemotherapy, combination, 2010

- for sarcomas, 2009–2010

- for soft-tissue sarcoma, 2025

Chemotherapy (*Continued*)

- poor response to, surgical therapy and, 2007, 2009–2010
- preoperative, 2009–2010
- surgery vs., 2010
- Children, acute knee trauma in, 1366–1372
- angular deformities in, 1386–1388, 1386t
- anterior cruciate ligament injuries in, 1415–1421
- acute, 1415–1421
- clinical examination in, 1416–1417
- imaging of, 1417
- natural history of, 1416
- treatment of, 1417–1421
 - nonoperative, 1417–1418
 - operative, 1418–1421
- Blount's disease in, 1348–1351, 1387–1388
- congenital disorders of. *See Congenital disorder(s)*.
- contractures in, extension, 1385–1386
- flexion, 1384–1385
- growth and development of knee in. *See Growth and development.*
- growth plate injuries in, imaging of, 139–140, 141
- infections in, 1390
- joint hypermobility in, 1356, 1357t
- knee evaluation in, 1356–1357
 - arthroscopy in, 1357
 - history and physical examination in, 1356–1357, 1356t–1357t
- knee growth and development in, 1327–1335
- knee pain in, differential diagnosis of, 1356, 1356t
- ligament injuries in, 1376, 1378–1383
- meniscal injuries in, 1374–1376
- osteochondritis dissecans in. *See Osteochondritis dissecans, juvenile.*
- overuse injuries in, 1362–1366
- patellar dislocation in, chronic, 1014–1017, 1015–1017
- patellar dorsal defect in, 104, 104
- patellofemoral dysplasia in, 1357–1362
- physal fractures in. *See Physal fracture(s)*.
- popliteal cysts of, 89, 1389
- rheumatoid arthritis in, 1390–1391, 1391t
- tibial spine fractures in, evaluation and treatment of, 1378–1379, 1378–1379, 1421–1424
- pathophysiology of, 1331–1332, 1409–1412
- tumor(s) in, chondroblastoma as, 1389, 1985, 1985–1986
- Ewing's sarcoma as, chemotherapy of, 2009–2010
- occurrence of, 1999
- pathophysiology of, 1992–1993, 1993
- fibrous cortical defect vs., 1389, 1998
- fibrous dysplasia as, 1980–1981, 1981
- fibrous metaphyseal defect vs., 1980, 1980, 1998
- incidence of, 1998
- lymphoma as, 1999–2000
- nonossifying fibroma as, 1389
- osteochondroma (exostosis) as, clinical manifestations of, 1389
- management of, 1998–1999, 1999
- pathophysiology of, 1982, 1983–1984
- osteoid osteoma as, pathophysiology of, 1982–1984, 1984
- radionuclide imaging of, 117

Children (*Continued*)

- signs and symptoms of, 1389
- osteosarcoma as. *See Osteosarcoma.*
- physical examination of, 1998, 1998
- soft-tissue sarcomas as, 2023
- surgical treatment of, decision-making for, 2010
- prostheses in, expandable, 2010, 2011
- types of, 1388, 1388t
- Chondroblastoma, in children, 1389
- pathophysiology of, 1985, 1985–1986
- Chondrocalcinosis. *See Calcium pyrophosphate deposition disease (CPPD).*
- Chondrocyte(s). *See also Cartilage, articular.*
- allografts of. *See also Mosaicplasty.*
 - for osteonecrosis, secondary vs. spontaneous, 450
 - spontaneous, 428
- anatomy and physiology of, 21, 22, 315–316, 317–318
- autologous transplantation of, 344–356
- arthroscopic evaluation before, 346–347, 347–348
- Cartilage Registry Report in, 351, 353, 354
- complications of, 351, 353
- excision and débridement of injury in, 348
- future indications for, 354
- future techniques in, 355
- harvesting of periosteal flap in, 348, 349
- historic background of, 344–346
- in joints other than knee joint, 354
- in osteoarthritis, 392, 392
- indications for, 346, 345–346
- postoperative care in, 348, 350
- randomized controlled studies of, 354–355
- results of, 350–355
 - arthroscopic assessment and biopsies in, 351, 353
 - from Atlanta Knee and Shoulder Clinic, 354, 355
 - from Brigham and Women's Hospital, Boston, 353–354, 355
 - in femoral condyle injuries, 350, 350
 - with ACL reconstruction, 350–351, 350
 - in osteochondritis dissecans, 351, 351–352
 - in Sweden, 350–351
 - indentation tests in, 351, 353
 - long-term durability in, 351, 354
 - surgical procedure in, 347–348, 349
 - suturing of periosteal flap in, 348, 349
- destruction of, by iron, 1111
- fractures of, in patellar dislocation, 986, 986, 990
- healing of. *See Cartilage, articular, healing of.*
- nutrition of, motion and weightbearing effects in, 790
- precultivated, in cartilage healing, 332
- Chondrogenesis, perichondrial grafting for, 343–344
- periosteal grafting for, 343
- Chondroid metaplasia, of meniscus, 22, 27
- Chondroitin sulfate, for osteoarthritis, 575, 1100
- Chondroma, periosteal (juxtacortical), 1986
- Chondromalacia, 1017–1036. *See also Arthritis, patellofemoral.*
 - age-related changes in, 1017–1019

Chondromalacia (*Continued*)

- basal degeneration in, 1019
- cortical abrasion in, 1025–1026
- CT-artrography of, 138, 138
- double-contrast, 121, 121
- definition of, 954
- elevation of tibial tubercle in, 1026–1033
- biomechanics of, 1027, 1028, 1029
- clinical results of, 1030–1033, 1032t
- Fulkerson technique in, 1030
- Maquet technique in, 1029–1030, 1029–1031
- osteotomy in, 1030, 1032
- radiography in, 1027, 1028, 1029
- etiology of, 1022–1023
- grades of, 22, 22
- histology and electron microscopy of, 1021–1022
 - in closed chondromalacia, 1021
 - in open chondromalacia, 1021–1022
- idiopathic, definition of, 954
- in children, 1359–1360
- in patellofemoral malalignment, 1019–1036
- lateral retinacular release in, 1026
- macroscopic observations of, 1020
- magnetic resonance imaging of, 22, 24, 138, 138
- Outerbridge classification of, 1017
- patellar resurfacing in, 1034–1035
- patellar shaving in, 1024–1025
- patellectomy for, clinical results of, 1036
- technique of, 1035–1036
- patellofemoral arthritis vs., 1020
- spondylization in, 1025–1026
- stages of, 1359
- subchondral bone drilling in, 1025
- surface degeneration in age-dependent, 1018
- surgical treatment of, 1024–1036
- Chondromalacia fabellae, 1365
- Chondromatosis, management of, 2021–2022, 2022
- primary (osteochondromatosis), 1122–1125, 1125
- secondary, 1122, 1124
- Chondromyxoid fibroma, 1986, 1999
- Chondrosarcoma, as secondary malignancy, 1995
- dedifferentiated, 1991
- incidence of, 1999
- mesenchymal, 1991–1992
- pathophysiology of, 1991–1992, 1991
- synovial, 1126
- Christmas disease. *See Hemophilia B.*
- Cincinnati Knee Ligament Rating Scale, compared with other rating systems, 648–649, 648t
- example of, 595–596, 598
- for spores activity rating, 641–642, 642–643
- Cincinnati Sportsmedicine and Orthopaedic Center rehabilitation protocol, for lateral and posterolateral ligament reconstruction, 871, 873t
- for posterior cruciate ligament reconstruction, 866, 867t
- Clancy and Graf inside-out meniscal repair, 529
- Clear cell sarcoma, synovial, 1129
- Clindamycin, prophylactic, in total knee arthroplasty, 1877t
- Clinical examination. *See Physical examination.*
- Clonidine, for complex regional pain syndromes, 1173

- Clot(s), fibrin, in Henning meniscal repair, 526, 527, 529, 530
 in meniscal injury, 467
 in avascular zone, 469
 in zone-specific meniscal repair, 523
 marrow-rich superclot, in débridement and microfracture (pick) technique, 364
- Cloutier prosthesis, 1644, 1646, 1647t
- Coagulation disorder(s). See also *Anticoagulant(s)*; *Thrombosis, venous*.
 guidelines for blood component therapy in, 1181
 preoperative evaluation of, 1750
- Codeine, starting dose and intervals for, 1210, 1210t
- Colchicine, for osteoarthritis, 1100
- Cold stress testing, in reflex sympathetic dystrophy, 980
- Cold therapy. See *Cryotherapy*.
- Collagen, as bone component, 13
 extrinsic fibers of, 13
 growth of, motion and stress effects in, 790
 in ligament healing, 459
 in meniscal structure, 22, 474–475, 475, 545–546
 in scaffolding, for meniscal regeneration, 539–544, 539
 clinical studies of, 540–542
 design criteria for, 539–540
 future directions in, 543–544
 preclinical studies of, 540
 results of, 542–543
 surgical technique in, 540–542, 540–543
 intrinsic fibers of, 13
 type I and type II, after paste graft articular cartilage repair, 379
 in cartilage healing, 334–335
 in extracellular matrix, 316
 in ligament structure, 457
- Collateral ligament(s), assessment of, in NexGen Legacy prosthesis technique, 1675–1676, 1675
 blood supply to, 459
 elongation of, varus instability due to, in arthritis, 1433–1434, 1435–1436
 functional anatomy of, 651, 652
 growth and development of, 1335
 in varus-valgus motion, 220–221, 220–221
 injuries of, 651–655
 effusion in, 653–654
 examination and diagnosis of, 653, 654
 in tibial plateau fractures, 1277
 mechanisms of, 651, 653
 treatment of, 653–655
 for combined ACL/MCL injuries, 654–655
 nonoperative, 653–654
 lateral, anatomy of, 60
 injuries of, combined with ACL injuries, treatment of, 655
 in children, 71
 in dislocation of knee, 895
 combined with other ligament injuries, treatment of, 902–904, 902–904
 isolated, treatment of, 654
 laxity of, osteotomy and, 1470–1471
 magnetic resonance imaging of, 45, 60, 136–137
 reconstruction of, primary autogenous, 870–871, 872
- Collateral ligament(s) (*Continued*)
 proximal advancement in, 868–870, 869–870
 Krackow's method of, 1604, 1605, 1606
 with allogeneic tissue, 870, 870–871
 laxity of, after tibial intercondylar eminence fractures, 1412
 medial, deep, anatomy of, 55, 55
 attachment to medial meniscus, 31, 33
 functional anatomy of, 651, 652
 injuries of, asymmetric instability due to, 1811, 1812
 combined with other ligament injuries, anterior cruciate ligament injuries, 654–655
 posterior cruciate ligament injuries, 885
 in children, 71
 in dislocation of knee, 895
 combined with other ligament injuries, treatment of, 900–902, 901
 laxity of, representing complete failure of, 651
 magnetic resonance imaging of, 136, 136
 Pellegrini-Stieda disease of, 104, 106
 proximal advancement of, Krackow's method of, 1604, 1605, 1606
 release of, for asymmetric varus instability, 1591–1596, 1596–1599
 superficial, anatomy of, 50, 52, 651, 652
 functions of, 56
 stabilizing function of, 71–73, 72–73, 585
 tears of, magnetic resonance imaging of, 31, 33, 136, 136
 tightening of, 1604
 reattachment of, in bone grafting procedure, in total knee arthroplasty, 1794, 1794
 tibial, stabilizing function of, 585
- Compartment syndrome, after Hauser procedure, for recurrent patellar dislocation, 1011
 for tibial tuberosity transfer, 1058–1059, 1058
 after high tibial osteotomy, 1489
 after tibial osteotomy, 1459
 after tibial plateau fracture, 1268
- Complex regional pain syndrome (CRPS), 977–983, 1169–1174
 after total knee arthroplasty, 1815
 anesthetic techniques in, 1172–1174
 arthroscopy in, 980
 as new name for reflex sympathetic dystrophy, 1169–1170
 clinical features of, 979
 desensitization for allodynia in, 1174
 diagnosis of, 979–981
 diagnostic criteria for, 1169, 1170, 1170t
 epidemiology of, 1170–1171
 etiology of, 978–979, 979
 evolutionary stages of, 978
 implantable spinal devices for, 1174
 knee injections for, 1173
 multidisciplinary treatment of, 1172
 pathophysiology of, 1171–1172, 1171t
 physical therapy for, 981, 1174
 radiography in, 979–980, 980
 radionuclide imaging in, 115, 119
 risk factors for, 1172
 steroid therapy for, 982
 surgical sympathectomy for, 1174
- Complex regional pain syndrome (CRPS) (*Continued*)
 sympathetic blockade of, diagnostic, 980–981
 therapeutic, 981–982, 1172–1173
 sympathetic nervous system and, 1172
 sympathetically maintained pain in, 1170
 symptoms of, 977–978, 978
 terminology for, 977
 thermography in, 980
 transcutaneous electrical nerve stimulation for, 981
- Compliance index determination. See *KT-1000 artbrometer/artbrometry*.
- Compression syndrome, lateral patellar. See *Patellar compression syndrome, lateral*.
- Compression test, patellar, 925–926, 925–926
- Compressive strength, of trabecular bone, 302–303, 304
- Computed tomography (CT), of bone tumors, 2003
 of lateral patellar compression syndrome, 959
 of patellar dislocation, recurrent, 992
 of patellar tracking, 99, 101, 102
 of patellofemoral joint, 944–948, 945–951, 947t, 1050
 of synovial lipomatosis, 1121, 1122
 of synovial sarcoma, 1130–1131
 of tibial physal fractures, 1405, 1406
 of tibial plateau fracture, 1269, 1270
 single photon emission (SPECT), 110
- Condylar prosthesis(es). See *Prosthesis(es)*.
- Condyle(s), femoral. See *Femur, condyles of*.
 tibial. See *Tibia, plateau of*.
- Conformity, in total condylar prosthesis, definition of, 288, 289
- Congenital disorder(s), 1337–1352
 anterior cruciate ligament absence as, 79, 1340
 bipartite patella as, 1344–1345, 1345
 Blount's disease as, 1348–1351, 1349–1351, 1387–1388
 discoid meniscus as, 1345–1346, 1346
 dislocation and subluxation as, 1337–1340, 1338, 1383–1384, 1384
 focal fibrocartilaginous dysplasia as, 1351–1352, 1352
 genu varum and genu valgum as, 1346–1348, 1347
 nail-patella syndrome as, 1343–1344
 patellar dislocation as, 1340–1343, 1341–1343
 popliteal cysts as, 1346
- Congruence angle, patellofemoral, calculation of, 99
 computed tomography of, 945, 945, 946–948, 947t, 1050
 magnetic resonance imaging of, 948–949
- Constrained Condylar Knee, design of, 1519, 1522, 1536, 1536
 in revision arthroplasty, 1860
- Constrained prostheses, after tumor resection, 2013
 evolution and design of, 1518–1519, 1520–1522, 1536–1537
 in revision arthroplasty, 1939–1940, 1946–1947
 risk of infection and, 1877
- Constraint, in posterior-stabilized condylar prosthesis, 292, 294
 in total condylar prosthesis, definition of, 287–288

- Constraint (*Continued*)
 replication of, 289–291, 290
- Contact area(s), compressive forces on, 1292
 femorotibial, 216–217, 216–217
 in flexion and extension, 216–217, 216–217
 in total knee replacement, biomechanics of, 227, 226–227
 patellofemoral, location and extent of, 920–922, 921
 motion of, 1292
 trochlear contact area in, 13, 16, 16
- Contact force. See *Ground contact force(s); Joint contact force*.
- Continuous passive motion (CPM), active muscle control vs., 768
 after anterior cruciate ligament reconstruction, 710, 709, 790
 after débridement and microfracture (pick technique), 364–365
 in cartilage healing, 333, 335
 in venous thrombosis prophylaxis, 1769, 1769t
 would healing affected by, 1230, 1805–1806
- Contracture(s), capsular, after femoral fracture fixation, 1250
 extension, in children, 1385–1386
 surgical correction of, 1602–1603, 1604
 flexion, after total knee arthroplasty, 1815–1816
 after tumor resection, prevention of, 2014
 in children, 1384–1385
 in hemiplegic arthropathy, 1141, 1142
 treatment of, 1141–1142, 1143
 pathophysiology of, 1600, 1602–1603
 surgical correction of, 1600, 1602, 1603
 in hip arthritis, 1431
 in osteoarthritis and rheumatoid arthritis, external rotation of tibia maintained by, 1438
 fixed flexion due to, 1436, 1442
 fixed valgus deformity due to, 1435–1436, 1440, 1436, 1441
 fixed varus deformity due to, 1435–1436, 1440
 of quadriceps muscle, after femoral fracture fixation, 1250
 chronic patellar dislocation associated with, 1014–1015
- Contrast agent(s), for magnetic resonance imaging, 125, 126
- Coonse and Adams' patellar turn-down approach, 203, 206
- Core decompression, for osteonecrosis, secondary vs. spontaneous, 453, 451–453
 spontaneous, of femoral condyles, 427–428, 427
 of tibial plateau, 434, 435
 Michelle trephine instrumentation for, 454, 453
- Coronary artery disease, anesthetic considerations in, 1181–1182
- Coronary ligament, attachment of, to medial meniscus, 31, 33
 of lateral aspect of knee, 60
- Cortical defect, fibrous, 1389, 1998
- Corticosteroid(s), for complex regional pain syndromes, 1173
 for inflammatory arthritis, 1096–1097
 for reflex sympathetic dystrophy, 982
 injectable, cartilage effects of, 572
 complications of, 572
- Corticosteroid(s) (*Continued*)
 for osteoarthritis, 571–572, 1099
 intra-articular, after arthroscopy, 1205
 prednisone, for subacute hemophilic arthropathy, 1141
 wound healing affected by, 1227
- CPM. See *Continuous passive motion (CPM)*.
- Creep relaxation test, of articular cartilage, 319–320, 320
- Crepitation, palpation of, 162
- Cross Pin fixation device, in anterior cruciate ligament reconstruction, 750
- Cruciate condylar prosthesis, compared with other designs, 1688–1689
- Cruciate ligament(s), anatomy of, 39–40, 41–43
 anterior, abnormalities of, 79
 absence of, congenital, 79, 1340
 in total knee arthroplasty, 1565–1566
 anatomy of, 40, 42–46, 44
 collagen matrix of, 39, 41
 development of, 7, 8, 10, 12
 functions of, 586, 586
 injury(ies) of, arthrography of, 121, 122
 bone contusions associated with, 133, 134
 chronic, combined, 717
 isolated, 717
 combined with other ligament injury(ies), lateral collateral ligament injury as, 655
 medial collateral ligament injury as, 654–655
 posterior cruciate ligament injury as, 885
 conservative treatment of, 668
 in children, 1380
 gait effects of, 242–246, 242t
 gene therapy for, 1218
 hemarthrosis in, in children, 1380
 in avulsion fractures, magnetic resonance imaging of, 131, 132
 in children, 1378–1382, 1415–1421
 clinical examination in, 1416–1417
 imaging of, 1417
 natural history of, 1416
 treatment of, 1417–1421
 in dislocation of knee, 894
 combined with other ligament injuries, treatment of, 900–903, 901–904
 in tibial plateau fractures, 1277
 in women, 667
 intercondylar notch impingement associated with tears in, 19
 magnetic resonance imaging of, 131–133, 133
 meniscal tears associated with, 486
 midsubstance tears in, in children, 1379–1382, 1381
 natural history of, in children, 1380
 neurologic effects of, balance and postural sway in, 183
 electromyographic patterns in, 183, 183
 hamstring stiffness in, 184
 proprioception and kinesthesia in, 183
 reflex latency in, 183–184
 partial tears in, magnetic resonance imaging of, 44, 45
 predisposing factors for tears in, 667
 radionuclide imaging of, 113
 surgical management of, in children, 1380–1382, 1381
- Cruciate ligament(s) (*Continued*)
 tibial spine fracture in, 1378–1379, 1378–1379
 insufficiency of, fluoroscopy of, 1697–1699, 1698–1699
 functional braces for, 806–810, 806–808
 laxity of, after tibial intercondylar eminence fractures, 1412
 testing of. See *KT-1000 arthrometer/arthrometry, in normal and ACL-deficient knees*.
- magnetic resonance imaging of, normal anatomy in, 40, 45, 131–134, 132–134
 preservation of, with fixed-bearing condylar replacements, 291
 reconstruction of, allografts in, 711–715
 clinical results of, 712–713, 713
 current practice in, 713–714, 714
 experimental studies in, 711–712
 future directions in, 714–715, 715
 healing of, 462, 463
 anesthesia in, 1178–1180
 autografts for, physiology of, 461–462, 461–462
 autologous chondrocyte transplantation combined with, 350–351, 350
 bone–patellar tendon–bone autograft in. See *Patellar tendon*.
 chondromalacia related to, 1023
 common technical errors in, 813, 814t, 824
 complications of, 689–690
 examination of, under anesthesia, 827
 failure of, etiology of, 813–814, 814t, 824–825
 for chronic injuries, 717–780
 arthroscopy in, 723–724, 724
 comparative studies of results of, 770–772
 femoral fixation in, 744–754, 747, 749–754
 femoral tunnel and isometry in, 738–744, 739, 743–747
 Florence experience with, 776–780
 graft fixation in, 718–719
 history of techniques in, 721–723
 graft properties and selection in, 717–720, 719t, 720
 harvest and preparation of graft in, 724–726, 724–726
 history of hamstring tendon in, 720–723
 noncomparative studies of results of, 775–776
 notchplasty in, 735–738, 738
 preconditioning of graft in, 726–729, 727–728
 rehabilitation after, 761–770
 results of, 770–779
 surgical technique in, 720–761
 tensioning of graft in, 754–757, 756–760
 tibial fixation in, 758–761, 760–762
 tibial tunnel preparation in, 729–735, 730, 732–736
 tunnel enlargement after, 772–775, 772, 774–775
 grafts for. See also specific tendon, e.g., *Patellar tendon*.