
Get Full Access and More at

ELSEVIER

ExpertConsult.com




3rd Edition

PHYSICAL DIAGNOSIS OF PAIN

AN ATLAS OF SIGNS AND SYMPTOMS

STEVEN D. WALDMAN, MD, JD



Chairman and Professor
Department of Medical Humanities and Bioethics
Clinical Professor of Anesthesiology
University of Missouri–Kansas City School of Medicine
Kansas City, Missouri

ELSEVIER

3251 Riverport Lane St. Louis, Missouri 63043

PHYSICAL DIAGNOSIS OF PAIN: AN ATLAS OF SIGNS AND SYMPTOMS, Third Edition

ISBN: 978-0-323-37748-5

Copyright © 2016 by Elsevier Inc. All rights reserved.

Previous editions copyrighted 2010 and 2006.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the publisher. Details on how to seek permission, further information about the Publisher's permissions policies, and our arrangements with organizations such as the Copyright Clearance Center and the Copyright Licensing Agency can be found at our website: www.elsevier.com/permissions.

This book and the individual contributions contained in it are protected under copyright by the Publisher (other than as may be noted herein).

Notices

Knowledge and best practice in this field are constantly changing. As new research and experience broaden our understanding, changes in research methods, professional practices, or medical treatment may become necessary.

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds, or experiments described herein. In using such information or methods they should be mindful of their own safety and the safety of others, including parties for whom they have a professional responsibility.

With respect to any drug or pharmaceutical products identified, readers are advised to check the most current information provided (i) on procedures featured or (ii) by the manufacturer of each product to be administered, to verify the recommended dose or formula, the method and duration of administration, and contraindications. It is the responsibility of practitioners, relying on their own experience and knowledge of their patients, to make diagnoses, to determine dosages and the best treatment for each individual patient, and to take all appropriate safety precautions.

To the fullest extent of the law, neither the Publisher nor the authors, contributors, or editors assume any liability for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.

Library of Congress Cataloging-in-Publication Data

Waldman, Steven D., author.

Physical diagnosis of pain: an atlas of signs and symptoms / Steven D. Waldman.—Third edition.

p.; cm.

Includes index.

ISBN 978-0-323-37748-5 (hardcover)

. Title.

[DNLM: 1. Musculoskeletal Diseases—diagnosis—Atlases. 2. Pain—diagnosis—Atlases. 3. Physical Examination—methods—Atlases. WE 17]

RC925.7

616.7'07540223-dc23

2015032343

Publishing Manager: Michael Houston Content Development Manager: Margaret Nelson Publishing Services Manager: Catherine Jackson Senior Project Manager: Clay S. Broeker Design Direction: Amy Buxton





Working together to grow libraries in developing countries

Every Long Journey Begins with a First Step Confucius

This book is dedicated to my children—
David Mayo, Corey, Jennifer, and Reid—
all of whom are sick of hearing me invoke the above quote ...
but have nevertheless steadfastly followed its timeless wisdom
in their daily lives!

Preface



"I knew it was too good to be true ... some things never change!" (From Kaplan EL, Mhoon D, Kaplan SP, Angelos P. Radiation-induced thyroid cancer: The Chicago experience. Surgery 146:979, 2009.)

While it's true that I hadn't quite finished medical school when Wilhelm Roentgen took an x-ray of his wife's hand, there is no doubt in my mind that this simple act forever changed the way medicine would be practiced. (Rumor has it he was actually trying to find a way to make her wedding

ring disappear rather than diagnosis anything, as he was in love with his much younger and sexier x-ray tech!) Be that as it may, from that point on, physicians have constantly been looking for a way to make the diagnosis without actually examining the patient. X-ray gave way to fluoroscopy, which gave way to computerized tomography, which gave way to ultrasound, which gave way to magnetic resonance imaging, which has recently given way to PET scanning. Each modality's initial promise of an easier way to make the diagnosis always seemed to fall short of the mark. Yet hope springs eternal in the human breast, and many hope that rather than medical imaging, it will be the human genome that finally releases the medical profession from actually having to examine the patient!

In our perennial search for a less up close and personal way to come up with what's wrong with the patient, we must constantly be reminded that "some things never change" ... and one of those things is the amazing clinical utility of the properly taken history and properly performed physical examination. Yes, we actually have to touch the patient. Yes, we actually have to exert some effort. However, can you think of anything that has a higher yield for the patient and physician alike? I certainly can't.

In reviewing the Prefaces for the first and second editions of this text, I was struck by the spot-on accuracy of the musing of the great baseball player Yogi Berra when he said, "It's like déjà vu all over again!" Put another way, when all else fails ... EXAMINE THE PATIENT!

Steven D. Waldman Summer 2015

Contents

Sect	ion 1: The Cervical Spine		25	Shoulder Instability Syndromes	47
1	Functional Anatomy of the Bony		26	The Anterior Drawer Test	52
	Cervical Spine	2	27	The Shift and Load Test for Shoulder Instability	53
2	Functional Anatomy of the Cervical Intervertebral Disc	5	28	The Apprehension Test for Anterior Shoulder Instability	54
3	Nomenclature of the Diseased Cervical Disc	7	29	The Jobe Relocation Test for Anterior Shoulder Instability	55
4	Painful Conditions Emanating from the Cervical Spine	13	30	The Andrews Anterior Apprehension Test for Anterior Shoulder Instability	57
5	Visual Inspection of the Cervical Spine	14	31	The Posterior Drawer Test for Posterior	37
6	Palpation of the Cervical Spine	15	31	Shoulder Instability	58
7	Physical Examination of the Cervical Spine Range of Motion	17	32	The Jerk Test for Posterior Shoulder Instability	59
8	The Cervical Dermatomes	19	33	The Posterior Clunk Test for Posterior	
9	The C5 Neurologic Level	20		Shoulder Instability	60
10	The C6 Neurologic Level	23	34	The Sulcus Sign Test for Inferior	
11	The C7 Neurologic Level	25		Glenohumeral Instability	61
12	The C8 Neurologic Level	27	35	The Crank Test for Injury of the Labrum	-
13	The Spurling Test for Cervical			of the Glenohumeral Joint	62
	Radiculopathy Secondary to Herniated Disc or Cervical Spondylosis	29	36	An Overview of Shoulder Impingement Syndromes	64
14	The Axial Loading Test for Cervical Discogenic Disease	30	37	The Neer Test for Shoulder Impingement Syndromes	68
15	The Hoffmann Test for Cervical Myelopathy	31	38	The Hawkins Test for Shoulder Impingement Syndromes	69
16	The Sharp Purser Test for Atlantoaxial Joint Instability	32	39	The Gerber Subcoracoid Impingement Test	70
Sect	tion 2: The Shoulder		40	The Zaslav Rotation Resistance Test for Shoulder Impingement	71
			41	Bicipital Tendinitis	72
	Functional Anatomy of the Shoulder Joint	36	42	The Speed Test for Bicipital Tendinitis	75
18	Visual Inspection of the Shoulder	39	43	The Yergason Test for Bicipital	
19	Palpation of the Shoulder	40		Tendinitis	76
20	External Rotation of the Shoulder	41	44	The Snap Test for Subluxing Biceps	
21	Internal Rotation of the Shoulder	42		Tendon Syndrome	77
22	Crossed-Arm Adduction of the Shoulder	43	45	The Gerber Lift-Off Test for Rupture of the Subscapularis Muscle	79
23	Abduction of the Shoulder	44	46	The Gerber Belly Press Test for	
24	Painful Conditions of the Shoulder	45		Subscapularis Weakness	80

47	The Internal Rotation Lag Sign for Rupture of the Subscapularis Tendon	81	74	The Varus Stress Flexion Test for Lateral Ligamentous Incompetence	129
48	The Snapping Scapula Test	82	75	The Lateral Pivot-Shift Test for	
49	The Ludington Test for Ruptured Long			Posterolateral Insufficiency	130
	Tendon of the Biceps	84	76	The Froment Paper Sign for Ulnar	
50	The Squeeze Test for Distal Rupture of	0.5		Nerve Entrapment at the Elbow	131
	the Biceps Tendon	86	77	The Jeanne Sign for Ulnar Nerve	132
51	Clinical Correlates: Diseases of the Rotator Cuff	87	78	Entrapment at the Elbow	132
52	The Drop Arm Test for Complete	07	70	The Wartenberg Sign for Ulnar Nerve Entrapment at the Elbow	133
32	Rotator Cuff Tear	93	79	The Little Finger Adduction Test for	
53	The External Rotation Lag Sign for			Ulnar Nerve Entrapment at the Elbow	134
	Rupture of the Supraspinatus or		80	The Valgus Extension Overload Test for	
	Infraspinatus Tendon	94		Olecranon Impingement	135
54	The Dawbarn Sign for Supraspinatus	0.5	81	The Compression Test for Lateral	
	Tendinitis	95		Antebrachial Cutaneous Nerve Entrapment Syndrome	136
55	The Empty Can Test for Supraspinatus Tendinitis	97	82	The Snap Sign for Snapping Triceps	130
56	The Jobe Supraspinatus Test	100	02	Syndrome	138
57	The Midarc Abduction Test for	100	83	The Creaking Tendon Sign for Triceps	
,	Infraspinatus Tendinitis	101		Tendinitis	139
58	The External Rotation Stress Test for		84	The Ballottement Test for Olecranon	
	Impairment of the Infraspinatus and			Bursitis	140
	Teres Minor Muscles	103	85	The Tennis Elbow Test	142
59	The Drop Arm Test for Subdeltoid Bursitis	104	86	The Maudsley Test for Lateral Epicondylitis	144
60	The Adduction Release Test for	104	87	The Chair Lift Test for Lateral	144
•	Subcoracoid Bursitis	105	07	Epicondylitis	145
61	The Adduction Stress Test for		88	The Golfer's Elbow Test	146
	Acromioclavicular Joint Dysfunction	107	89	The Polk Test to Differentiate Lateral	
62	The Chin Adduction Test for			and Medial Epicondylitis	147
	Acromioclavicular Joint Dysfunction	110	90	The Brachialis Jump Test for	
63	The Paxino Test for Acromioclavicular Joint Dysfunction	111		Climber's Elbow	149
64	The Sergeant's Chevron Test for	111			
04	Axillary Nerve Deficits	112	Sect	ion 4: The Forearm	
65	The Adson Maneuver for Thoracic		91	The Compression Test for Radial	
	Outlet Syndrome	113		Tunnel Syndrome	152
66	The Costoclavicular Test for Thoracic		92	The Forced Pronation Test for	154
	Outlet Syndrome	115	02	Pronator Syndrome The Pinch Test for Anterior	154
67	The Hyperabduction Test for Thoracic Outlet Syndrome	116	93	Interosseous Syndrome	155
	ounce symmomic	110	94	The Creaking Tendon Test for	
Sect	ion 3: The Elbow			Intersection Syndrome	156
68	Functional Anatomy of the Elbow Joint	118			
69	Visual Inspection of the Elbow	122	Sect	tion 5: The Wrist and Hand	
70	Palpation of the Elbow	124	95	Functional Anatomy of the Wrist	158
71	Flexion and Extension of the Elbow	126	96	Visual Inspection of the Wrist	
72	Supination and Pronation of the Elbow	127		and Hand	160
73	The Valgus Stress Flexion Test for		97	Palpation of the Wrist and Hand	161
	Medial Ligamentous Incompetence	128	98	Extension of the Wrist and Hand	162

99	Flexion of the Wrist and Hand	163	127	The Ice Water Test for Glomus Tumor of	
100	Adduction of the Wrist and Hand	164		the Finger	199
101	Abduction of the Wrist and Hand	165	Section 6: The Chest Wall, Thorax,		
102	Painful Conditions of the Wrist and Hand	166		Thoracic Spine	
103	The Wristwatch Test for Cheiralgia Paresthetica	167	128	The Winged Scapula Sign for Entrapment of the Long Thoracic	
104	The Finkelstein Test for de Quervain Tenosynovitis	169	129	Nerve of Bell The Suprascapular Notch Sign for	202
105	The Allen Test for Patency of the Radial and Ulnar Arteries at the Wrist	171		Suprascapular Nerve Entrapment Syndrome	203
106	The Watson Stress Test for Arthritis of the Carpometacarpal Joint of the Thumb	173	130	The Shoulder Retraction Test for Costosternal Syndrome	205
107	The Ulnar Click Test for Ulnar Impaction Syndrome	174	131	The Swollen Costosternal Joint Sign for Tietze Syndrome	206
108	Carpal Tunnel Syndrome	175	132	The Shrug Test for Sternoclavicular	
109	The Tinel Sign for Carpal Tunnel			Joint Dysfunction	207
110	Syndrome The Phalen Test for Carpal Tunnel	178	133	The Hooking Maneuver Test for Slipping Rib Syndrome	209
	Syndrome	179	134	The Flexion Test for Acute Thoracic	
111	The Opponens Weakness Test for Carpal Tunnel Syndrome	180		Vertebral Compression Fracture	210
112	The Opponens Pinch Test for Carpal Tunnel Syndrome	181		ion 7: The Lumbar Spine	
113	The Two-Point Discrimination Test for Carpal Tunnel Syndrome	182	135	Functional Anatomy of the Lumbar Spine	214
114	The Dowart Hotdog Sign for Carpal		136	An Overview of the Nomenclature of the Diseased Lumbar Disc	216
115	Tunnel Syndrome The Spread Sign for Ulnar Tunnel	183	137	An Overview of Painful Conditions	
115	Syndrome	184	120	Emanating from the Lumbar Spine	221
116	Flexion/Extension Test for Ganglion		138	Visual Inspection of the Lumbar Spine	222
	Cysts of the Wrist	186	139 140	Palpation of the Lumbar Spine Range of Motion of the Lumbar Spine	223
117	The Hunchback Carpal Sign for Carpal Boss	187	141	The Schober Test for Lumbar	
118	The Tuck Sign for Extensor		142	Spine Flexion The Kemp Test for Lumbar Facet	226
	Tenosynovitis of the Wrist	189	142	Joint Pain	227
119	The Palmar Band Sign for Dupuytren Contracture	190	143	The Lumbar Dermatomes	228
120	The Allen Test for Patency of the	150	144	The L4 Neurologic Level	230
120	Digital Arteries of the Fingers	191	145	The L5 Neurologic Level	232
121	The Catching Tendon Sign for Trigger		146	The S1 Neurologic Level	233
122	Finger Syndrome The Sausage Finger Sign for Psoriatic	192	147	The Lasegue Straight Leg Raising Test for Lumbar Root Irritation	235
	Arthritis	194	148	The Sitting Straight Leg Raising Test	
123	The Swan Neck Deformity Sign	195		for Lumbar Root Irritation	236
124	The Boutonnière Deformity Sign	196	149	The Naffziger Jugular Compression Test for an Equivocal Lasegue Straight Leg	
125	The Heberden Node Sign for Osteoarthritis of the Distal			Raising Test	237
	Interphalangeal Joints	197	150	The Flip Test for Lumbar Nerve Root	
126	The Bouchard Node Sign for			Irritation	238
	Osteoarthritis of the Proximal Interphalangeal Joints	198	151	The Buckling Knee Test for Lumbar Nerve Root Irritation	239

152	The Spurling Test for Lumbar Nerve		180	External Rotation of the Hip	278
	Root Irritation	240	181	Painful Conditions of the Hip	279
153	The Bragard Test for Lumbar Nerve Root Irritation	241	182	The Thomas Test for Flexion Deformity of the Hip	280
154	The Ely Test for Lumbar Nerve Root Irritation	242	183	The Trendelenburg Test for Weak Hip Abductors	281
155	The Fajersztajn Test for Lumbar Nerve Root Irritation	243	184	The Hopalong Cassidy Sign for Antalgic Gait	283
156	The Stoop Test for Spinal Stenosis	244	185	The Patrick/FABER Test for Hip	
157	The Babinski Sign for Diseases of	245		Pathology	285
158	the Corticospinal System The Chaddock Sign for Diseases of	245	186	The Waldman Knee Squeeze Test for Adductor Tendinitis	286
	the Corticospinal System	246	187	The Resisted Hip Extension Test for	
159	The Oppenheim Sign for Diseases of			Ischial Bursitis	288
160	the Corticospinal System The Gordon Reflex for Diseases of	247	188	The Resisted Hip Abduction Test for Gluteal Bursitis	289
100	the Corticospinal System	248	189	The Resisted Hip Adduction Test for	209
			109	Iliopsoas Bursitis	290
Sect	ion 8: The Abdominal Wall and Pel The Sit-Up Sign for Anterior Cutaneous	VİS	190	The Piriformis Test for Piriformis Syndrome	291
	Nerve Entrapment Syndrome	250	191	The Resisted Abduction Release Test for Trochanteric Bursitis Pain	292
162	The Waddling Gait Sign for Osteitis Pubis Syndrome	252	192	The Fulcrum Test for Stress Fractures of the Femoral Shaft	294
163	The Yeoman Test for Sacroiliac Joint Pain	254	193	The Ober Test for Iliotibial Band	271
164	The Van Durson Standing Flexion Test for Sacroiliac Joint Pain	255	193	Contracture	296
165	The Piedallu Seated Flexion Test for Sacroiliac Joint Pain	256	194	The Snap Sign for Snapping Hip Syndrome	297
166	The Stork Test for Sacroiliac Joint Dysfunction	257	Sect	ion 10: The Knee	
167	The Gaenslen Test for Sacroiliac Joint		195	Functional Anatomy of the Knee	300
	Dysfunction	258	196	Visual Inspection of the Knee	303
168	The Numb Medial Thigh Sign for		197	Palpation of the Knee	304
	Obturator Nerve Entrapment	260	198	Flexion of the Knee	305
	Syndrome	260	199	Extension of the Knee	306
169	The Novice Skier Sign for Ilioinguinal Nerve Entrapment Syndrome	262	200	Rotation of the Knee	307
170	The Femoral Stretch Test	264	201	An Overview of Painful Conditions of	10/10/10/1
171	The Burning Lateral Thigh Sign for			the Knee	308
	Meralgia Paresthetica	265	202	The Bulge Sign for Small Joint Effusions	309
Sect	ion 9: The Hip		203	The Ballottement Test for Large Joint Effusions	310
172	Functional Anatomy of the Hip	268	204	The Valgus Stress Test for Medial	
173	Visual Inspection of the Hip Joint	271		Collateral Ligament Integrity	312
174	Palpation of the Hip	272	205	The Varus Stress Test for Lateral	212
175	Flexion of the Hip	273	20-	Collateral Ligament Integrity	313
176	Extension of the Hip	274	206	The Anterior Drawer Test for Anterior Cruciate Ligament Integrity	314
177	Abduction of the Hip	275	207	The Flexion-Rotation Anterior Drawer	214
178	Adduction of the Hip	276	207	Test for Anterior Cruciate Ligament	
179	Internal Rotation of the Hip	277		Instability	315

208	The Lachman Test for Anterior Cruciate Ligament Integrity	316	Sect	tion 11: The Ankle and Foot	
209	The Posterior Drawer Test for Posterior Cruciate Ligament Integrity	317	229	Functional Anatomy of the Ankle and Foot	346
210	The Hughston External Rotation– Recurvatum Test for Posterior Cruciate		230	Visual Inspection of the Ankle and Foot	348
	Ligament Instability	318	231	Palpation of the Ankle and Foot	350
211	The Quadriceps Active Test for		232	The Wave Test for Ankle Joint Effusion	352
	Posterior Cruciate Ligament Integrity	319	233	The Anterior Drawer Test for Anterior	
212	The Pivot Shift Test for Anterolateral			Talofibular Ligament Insufficiency	353
2100	Rotary Instability	320	234	The Inversion Test for Anterior	2
213	The Reverse Pivot Shift Test of Jakob	221		Talofibular Ligament Insufficiency	355
214	for Posterolateral Instability The Tibial External Rotation Test for	321	235	The Eversion Test for Deltoid Ligament Insufficiency	357
214	Injury to the Posterolateral Corner	322	236	The Squeeze Test for Syndesmosis	337
215	The Perkins Test for Patellofemoral	322	230	Ankle Strain	360
	Pain Syndrome	323	237	The External Rotation Test for	
216	The Patellar Grind Test for			Syndesmosis Ankle Strain	361
	Patellofemoral Pain Syndrome	324	238	The Tinel Sign for Anterior Tarsal	
217	The Fairbanks Apprehension Test for			Tunnel Syndrome	362
	Lateral Patellar Subluxation	325	239	The Tinel Sign for Posterior Tarsal	
218	The Patellar Tilt Test for Lateral	226		Tunnel Syndrome	364
	Retinacular Dysfunction	326	240	The Creak Sign for Achilles Tendinitis	367
219	The McMurray Test for Torn Meniscus	327	241	The Toe Raise Test for Achilles Tendon	240
220	The Apley Grinding Test for Meniscal Tear	328		Rupture	369
221	The Squat Test for Meniscal Tear	329	242	The Thompson Squeeze Test for Achilles Tendon Rupture	371
222	-	330	243	The Matles Test for Achilles Tendon	3/1
223	The Thessaly Test for Meniscal Tear The Twist Test for Semimembranosus	330	243	Rupture	372
223	Insertion Syndrome	332	244	The Calcaneal Jump Sign for Plantar	
224	The Knee Extension Test for Quadriceps	552		Fasciitis	373
	Expansion Syndrome	334	245	The Windlass Test for Plantar	
225	Bursitis of the Knee	336		Fasciitis	375
226	The Creaking Tendon Sign for		246	The Mulder Sign for Morton Neuroma	376
	Hamstring Tendinitis	340			270
227	The Nobel Compression Test for			Index	378
	Iliotibial Band Syndrome	341			
228	The Bump Sign for Baker Cyst of				
	the Knee	342			

Video Contents

Chapter 9	The C5 Neurologic Level	Chapter 81	The Compression Test for Lateral
Chapter 10	The C6 Neurologic Level		Antebrachial Cutaneous Nerve
Chapter 11	The C7 Neurologic Level		Entrapment Syndrome
Chapter 12	The C8 Neurologic Level	Chapter 82	The Snap Sign for Snapping Triceps
Chapter 13	The Spurling Test for Cervical		Syndrome
	Radiculopathy Secondary to Herniated	Chapter 85	The Tennis Elbow Test
	Disc or Cervical Spondylosis	Chapter 91	The Compression Test for Radial Tunnel
Chapter 26	The Anterior Drawer Test		Syndrome
Chapter 31	The Posterior Drawer Test for Posterior	Chapter 92	The Forced Pronation Test for Pronator
	Shoulder Instability		Syndrome
Chapter 37	The Neer Test for Shoulder Impingement Syndromes	Chapter 104	The Finkelstein Test for de Quervain Tenosynovitis
Chapter 42	The Speed Test for Bicipital Tendinitis	Chapter 109	The Tinel Sign for Carpal Tunnel Syndrome
Chapter 43	The Yergason Test for Bicipital Tendinitis	Chapter 110	The Phalen Test for Carpal Tunnel Syndrome
Chapter 45	The Gerber Lift-Off Test for Rupture of	Chapter 111	The Opponens Weakness Test for Carpal
	the Subscapularis Muscle		Tunnel Syndrome
Chapter 46	The Gerber Belly Press Test for	Chapter 112	The Opponens Pinch Test for Carpal
	Subscapularis Weakness		Tunnel Syndrome
Chapter 47	The Internal Rotation Lag Sign for Rupture	Chapter 115	The Spread Sign for Ulnar Tunnel
	of the Subscapularis Tendon		Syndrome
Chapter 52	The Drop Arm Test for Complete Rotator Cuff Tear	Chapter 121	The Catching Tendon Sign for Trigger
Chapter 53	The External Rotation Lag Sign for	Chapter 132	Finger Syndrome The Shrug Test for Sternoclavicular
Chapter 33	Rupture of the Supraspinatus or	Chapter 132	Joint Dysfunction
	Infraspinatus Tendons	Chapter 144	The L4 Neurologic Level
Chapter 56	The Jobe Supraspinatus Test	Chapter 144 Chapter 145	The L5 Neurologic Level
Chapter 56 Chapter 58	The External Rotation Stress Test for	Chapter 145	The S1 Neurologic Level
Chapter 36	Impairment of the Infraspinatus and Teres	Chapter 152	The Spurling Test for Lumbar Nerve
	Minor Muscles	Chapter 132	Root Irritation
Chapter 60	The Adduction Release Test for	Chapter 154	The Ely Test for Lumbar Nerve
	Subcoracoid Bursitis		Root Irritation
Chapter 62	The Chin Adduction Test for	Chapter 170	The Femoral Stretch Test
•	Acromioclavicular Joint Dysfunction	Chapter 185	The Patrick/FABER Test for Hip Pathology
Chapter 65	The Adson Maneuver for Thoracic	Chapter 187	The Resisted Hip Extension Test for
	Outlet Syndrome	,	Ischial Bursitis
Chapter 67	The Hyperabduction Test for Thoracic	Chapter 188	The Resisted Hip Abduction Test for
	Outlet Syndrome		Gluteal Bursitis
Chapter 78	The Wartenberg Sign for Ulnar Nerve	Chapter 189	The Resisted Hip Adduction Test for
-	Entrapment at the Elbow		Iliopsoas Bursitis
Chapter 79	The Little Finger Adduction Test for Ulnar	Chapter 203	The Ballottement Test for Large Joint
	Nerve Entrapment at the Elbow		Effusions

SECTION 1

The Cervical Spine


Functional Anatomy of the Bony Cervical Spine

THE VERTEBRAE OF THE CERVICAL SPINE


To fully understand the functional anatomy of the cervical spine and the role its unique characteristics play in the evolution of the myriad painful conditions that have the cervical spine as their nidus, one must first recognize that unlike the thoracic and lumbar spine, whose functional units are quite similar, the cervical spine must be thought of as being composed of two distinct and dissimilar functional units. The first type of functional unit consists of the atlanto-occipital unit and the atlantoaxial units (Figs. 1-1 and 1-2). While these units help to provide structural static support for the head, they are uniquely adapted to their

primary function of facilitating focused movement of the head to allow the optimal functioning of the eyes, ears, nose, and throat. The uppermost two functional units are susceptible to trauma and the inflammatory arthritides as well as to the degenerative changes that occur as a result of the aging process.


The second type of functional unit that makes up the cervical spine is very similar to the functional units of the thoracic and lumbar spine and serves primarily as a structural support for the head and secondarily functions to aid in the positioning of the sense organs located in the head (Fig. 1-3, A-C). Disruption of this second type of functional unit, which comprises the lower five cervical vertebrae and



• Figure 1-1 Atlanto-occipital unit.



• Figure 1-2 Atlantoaxial unit.



• Figure 1-3 Functional units of the cervical spine in normal (A), flexed (B), and extended (C) positions.

their corresponding intervertebral discs, is responsible for the majority of painful conditions encountered in clinical practice (see Chapter 15).

THE MOBILITY OF THE CERVICAL SPINE

The cervical spine has the greatest range of motion of the entire spinal column and allows movement in all planes. Its greatest movement occurs from the atlanto-occipital joint to the third cervical vertebra. Movement of the cervical spine occurs as a synchronized effort of the entire cervical spine and its associated musculature, with the upper two cervical segments providing the greatest contribution to rotation, flexion, extension, and lateral bending. During flexion of the cervical spine, the spinal canal is lengthened, the intervertebral foramina become larger, and the anterior portion of the intervertebral disc becomes compressed (Fig. 1-3, B). During extension of the cervical spine, the spinal canal becomes shortened, the intervertebral foramina become smaller, and the posterior portion of the anterior disc becomes compressed (Fig. 1-3, C). With lateral bending or rotation, the contralateral intervertebral foramina become larger, while the ipsilateral intervertebral foramina become smaller. In health, none of these changes in size results in functional disability or pain; however, in disease, these movements may result in nerve impingement with its attendant pain and functional disability.

THE CERVICAL VERTEBRAL CANAL

The bony cervical vertebral canal serves as a protective conduit for the spinal cord and as an exit point of the cervical nerve roots. Owing to the bulging of the cervical neuromeres as well as the other fibers that must traverse the cervical vertebral canal to reach the lower portions of the body, the cervical spinal cord occupies a significantly greater proportion of the space available in the spinal canal relative to the space occupied by the thoracic and lumbar spinal cord. This decreased space results in less shock-absorbing effect of the spinal fluid during trauma and also results in compression of the cervical spinal cord with attendant myelopathy when bone or intervertebral disc compromises the spinal canal (Fig. 1-4). Such encroachment of the cervical cord by degenerative changes or disc herniation can occur over a period of time, and the resultant loss of neurologic function due to myelopathy can be subtle; as a result, a delay in diagnosis is not uncommon.




• Figure 1-4 Cervical spondylosis. Sagittal T1-weighted spin echo (A) and sagittal T2-weighted fast spin echo (B) magnetic resonance images of the cervical spine demonstrate disc degeneration at essentially every cervical level, in addition to loss of disc space height and, in B, diminished signal intensity. Severe central canal stenosis is related to both anterior disc herniation with osteophytes and posterior ligamentous hypertrophy at most of the cervical levels. A focal area of high signal intensity within the cord at the C5-C6 level reflects posttraumatic myelomalacia. (From Resnick D, Kransdorf MJ, editors: Bone and joint imaging, ed 3, Philadelphia, 2005, Saunders, p 147.)

The cervical vertebral canal is funnel-shaped, with its largest diameter at the atlantoaxial space and progressing to its narrowest point at the C5-C6 interspace. It is not surprising that this narrow point serves as the nidus of many painful conditions of the cervical spine. The shape of the cervical vertebral canal in humans is triangular but is subject to much anatomic variability among patients. Those patients with a more trifoil shape generally are more susceptible to cervical radiculopathy in the face of any pathologic process that narrows the cervical vertebral canal or negatively affects the normal range of motion of the cervical spine.

THE CERVICAL NERVES AND THEIR RELATION TO THE CERVICAL VERTEBRAE

The cervical nerve roots are each composed of fibers from a dorsal root that carries primarily sensory information and a ventral root that carries primarily motor information. As the dorsal and ventral contributions to the cervical nerve roots move away from the cervical spinal cord, they coalesce into a single anatomic structure that becomes the individual cervical nerve roots. As these coalescing nerve fibers pass through the intervertebral foramen, they give off small branches, with the anterior portion of the nerve providing innervation to the anterior pseudo-joint of Luschka and the annulus of the disc and the posterior portion of the nerve providing innervation to the zygapophyseal joints of each adjacent vertebra between which the nerve root is exiting. These nerve fibers are thought to carry pain impulses from these anatomic structures, and this notion of the intervertebral disc and zygapophyseal joint as distinct pain generators diverges from the more conventional view of the compressed spinal nerve root as the sole source of pain emanating from the cervical spine. As the nerve fibers exit the intervertebral foramen, they fully coalesce into a single nerve root and travel forward and downward into the protective gutter made up of the transverse process of the vertebral body to provide innervation to the head, neck, and upper extremities (Fig. 1-5).



• Figure 1-5 Position of cervical nerves relative to cervical vertebrae.

IMPLICATIONS FOR THE CLINICIAN

The bony cervical spine is a truly amazing anatomic structure in terms of both its structure and its function. The two uppermost segments of the cervical spine are vitally important to a human's day-to-day safety and survival, but with the exception of cervicogenic and tension-type headaches, they are not the source of the majority of painful conditions involving the cervical spine that are commonly encountered in clinical practice. However, the lower five segments provide ample opportunity for the evolution of myriad common painful complaints, most notably cervical radiculopathy and cervicalgia, including cervical facet syndrome.


2 Functional Anatomy of the Cervical Intervertebral Disc

The cervical intervertebral disc has two major functions: (1) to serve as the major shock-absorbing structure of the cervical spine and (2) to facilitate the synchronized movement of the cervical spine while at the same time helping to prevent impingement of the neural structures and vasculature that traverse the cervical spine. Both the shockabsorbing function and the movement and protective function of the cervical intervertebral disc are a function of the disc's structure as well as the laws of physics that affect it.


To understand how the cervical intervertebral disc functions in health and becomes dysfunctional in disease, it is useful to think of the disc as a closed, fluid-filled container. The outside of the container is made up of a top and a bottom called the endplates, which are composed of relatively inflexible hyaline cartilage. The sides of the cervical intervertebral disc are made up of a woven crisscrossing matrix of fibroelastic fibers that tightly attaches to the top and bottom endplates. This woven matrix of fibers is called the annulus, and it completely surrounds the sides of the disc (Fig. 2-1). The interlaced structure of the annulus results in an enclosing mesh that is extremely strong yet at the same time very flexible, which facilitates the compression of the disc during the wide range of motion of the cervical spine (Fig. 2-2).

Inside this container of the top and bottom endplates and surrounding annulus is water that contains a mucopolysaccharide gel-like substance called the nucleus pulposus (see Fig. 2-1). The nucleus is incompressible and transmits any pressure placed on one portion of the disc to the surrounding nucleus. In health, the water-filled gel creates a positive intradiscal pressure that forces the adjacent vertebrae apart and helps to protect the spinal cord and exiting nerve roots. When the cervical spine moves, the incompressible nature of the nucleus propulsus maintains a constant intradiscal pressure, while some fibers of the disc relax and others contract.


As the cervical intervertebral disc ages, it becomes less vascular and loses its ability to absorb water into the disc. This results in a degradation of the disc's shock-absorbing and motion-facilitating functions. This problem is made worse by degeneration of the annulus, which allows portions of the disc wall to bulge, distorting the ability of the nucleus pulposus to evenly distribute the forces placed on it through the entire disc. This exacerbates the disc dysfunction and can contribute to further disc deterioration, which can ultimately lead to actual complete disruption of the annulus and extrusion of the nucleus as well as render the disc more susceptible to damage from even minor trauma (Fig. 2-3; also see Chapter 3). The deterioration of the disc is responsible for many of the painful conditions that emanate from the cervical spine that are encountered in clinical practice (see Chapter 15).



• Figure 2-1 The cervical intervertebral disc can be thought of as a closed, fluid-filled container.



• Figure 2-2 The cervical intervertebral disc is a strong yet flexible structure, shown here in the range of motion of the cervical spine.



• Figure 2-3 Posttraumatic discovertebral injury: lucent annular cleft sign. A, Hyperextension injury. Lateral radiograph shows a linear collection of gas within the annular fibers of the intervertebral disc adjacent to the vertebral endplate. The lucent cleft sign (arrow), often seen after hyperextension injuries, is believed to represent traumatic avulsion of the annulus fibrosus from its attachment to the anterior cartilaginous endplate. B, Hyperflexion injury. Observe the gas density within the posterior portion of the C4-C5 disc (arrow) on this lateral radiograph obtained in flexion. This patient was recently involved in a rear-end impact motor vehicle collision and had severe neck pain. (From Taylor JAM, Hughes TH, Resnick D: Skeletal imaging: atlas of the spine and extremities, ed 2, St. Louis, 2010, WB Saunders.)