# Harper's Review of Biochemistry

Former title: Review of Physiological Chemistry

DAVID W. MARTIN, JR., MD PETER A. MAYES, PhD, DSc VICTOR W. RODWELL, PhD

## Harper's Review of Biochemistry

Former title: Review of Physiological Chemistry

### DAVID W. MARTIN, JR., MD

Professor of Medicine and Biochemistry
University of California School of Medicine
San Francisco
Investigator, Howard Hughes Medical Institute

## PETER A. MAYES, PhD, DSc

Reader in Biochemistry Royal Veterinary College University of London

## VICTOR W. RODWELL, PhD

Professor of Biochemistry
Purdue University
Lafayette, Indiana
and Associate Authors
专用章



#### Copyright © 1981

#### All Rights Reserved By

#### Lange Medical Publications

Drawer L, Los Altos, California 94022

Italian Edition: Piccin Editore, Via Brunacci, 12, 35100 Padua, Italy Spanish Edition: El Manual Moderno, S.A., Av. Sonora 206, Mexico 11, D.F. French Edition: Les Presses de l'Université Laval, Cite Universitaire, Quebec 10e, Canada Japanese Edition: Maruzen Co., Ltd., P.O. Box 5050, Tokyo International 100-31, Japan Portuguese Edition: Atheneu Editora São Paulo Ltda., Rua Marconi, 131, São Paulo, Brazil Polish Edition: Panstwowy Zaklad Wydawnictw Lekarskich, P.O. Box 379, 00-950 Warsaw, Poland

German Edition: Springer-Verlag, Neuenheimer Landstrasse 28-30, D-6900 Heidelberg 1, West Germany Turkish Edition: Ege Universitesi, Izmir, Turkey

Czech Edition: Avicenum, Malostranske n. 28, Prague 1, Czechoslovakia Indonesian Edition: CV. E.G.C., Penerbit Buku Kedokteran, P.O. Box 4276/Jkt., Jakaria, Indonesia

> International Standard Book Number: 0-87041-036-9 Library of Congress Catalogue Card Number: 61-10434

Harper's Review of Biochemistry, 18th ed. \$18.00 Copyright © 1939, 1944, 1951, 1953, 1955, 1957, 1959, 1961, 1963, 1965, 1967, 1969, 1971, 1973, 1975, 1977, 1979, 1981

#### Formerly published under the title Review of Physiological Chemistry.

#### A Concise Medical Library for Practitioner and Student

| Current Medical Diagnosis & Treatment 1984 (annual revision). Edited by M.A. Krupp and M.J. Chatton, 1100 pp.                 | 1981 |
|---|------|
| Curren: Pediatric Diagnosis & Treatment, 6th ed. Edited by C.H. Kempe, H.K. Silver, and D. O'Brien. 1122 pp. illus.           | 1980 |
| Current Surgical Diagnosis & Treatment, 5th ed. Edited by J.E. Dunphy and L.W. Way. 1138 pp, illus.                           | 1981 |
| Current Obstetric & Gynecologic Diagnosis & Treatment, 3rd ed. Edited by R.C. Benson. 1001 pp, illus.                         | 1980 |
| Review of Medical Physiology, 10th ed. W.F. Ganong. 628 pp, illus.  | 1981 |
| Review of Medical Microbiology, 14th ed. E. Jawetz, J.L. Melnick, and E.A. Adelberg. 593 pp, illus.                           | 1980 |
| Review of Medical Pharmacology, 7th ed. F.H. Meyers. E. Jawetz, and A. Goldfien. 747 pp, illus.                               | 1980 |
| Basic & Clinical Immunology, 3rd ed. Edited by H.H. Fudenberg, D.P. Stites,<br>J.L. Caldwell, and J.V. Wells. 782 pp, illus.  | 1980 |
| Basic Histology, 3rd ed. L.C. Junqueira and J. Carneiro. 504 pp., illus.  | 1980 |
| Clinical Cardiology, 2nd ed. M. Sokoiow and M.B. McIlroy. 718 pp. ilius.  | 1973 |
| General Urology, 10th ed. D.R. Smith. About 575 pp, illus.  | 1981 |
| General Ophthalmology, 9th ed. D. Vaughan and T. Asbury. 410 pp. illus.   | 1980 |
| Correlative Neuroanatomy & Functional Neurology, 17th ed. J.G. Chusid. 464 pp, illus.   | 1979 |
| Principles of Clinical Electrocardiography, 10th ed. M.J. Goldman. 415 pp, illus.   | 1979 |
| Handbook of Obstetrics & Gynecology, 7th ed R.C. Benson. 808 pp, illus.   | 1980 |
| Physician's Handbook, 19th ed. M.A. Krupp, N.J. Sweet, E. Jawetz, E.G. Biglieri,<br>R.L. Roe, and C.A. Camargo. 758 pp. dlus. | 1979 |
| Handbook of Pediatrics, 13th ed. H K. Silver, C.H. Kempe, and H.B. Bruyn. 735 pp. illus.                                      | 1980 |
| Handbook of Poisoning: Prevention, Diagnosis, & Treatment, 10th ed. R.H. Dreisbach. 578 pp.                                   | 1980 |

Lithographed in USA

## **Preface**

Review of Physiological Chemistry was first published in 1939 and revised in 1944. In 1951, the third edition appeared with Harold A. Harper assuming the duties of authorship. From the outset, the Review was intended to serve as a concise survey of those aspects of chemistry most relevant to the study of biology and medicine. Forty-two years later, the 18th edition is impressive evidence of the success of Dr. Harper's effort. During this interval, the field has expanded at a truly remarkable rate, and its interaction with biology and medicine has become intimate.

The 18th edition of this Review has undergone major revision in order to achieve Professor Harper's original intentions and to keep abreast of advances in biochemistry and molecular and cellular biology. We have altered the title to include "biochemistry," a contemporary name for the subject matter. As is apparent in the table of contents, the chapters have been subjected to major reorganizations including their titles, contents, and order of presentation. We have tried again to balance our desire to include all we regard as significant against the student's need for a concise review of a comprehensive body of scientific information.

To the authors, the major change in the 18th edition is the retirement of Harold Harper from active authorship of the *Review*. We hope that the example of his guidance in previous editions will enable us, in this and future editions, to provide an educational service of comparable quality for the benefit of students at many levels in multiple disciplines.

The authors and their valued contributors are most gratified by the broad base of acceptance and support this book has received all over the world. Several editions of the English language version have been reprinted in Japan, Lebanon, Taiwan, Pakistan, the Philippines, and Korea. In addition, there are now translations in Italian, Spanish French, Portuguese, Japanese, Polish, German, Turkish, Czech, and Indonesian. Hindi, Greek, Serbo-Croatian, and Chinese translations are in preparation.

David W. Martin, Jr. Peter A. Mayes Victor W. Rodwell

San Francisco July, 1981

## The Authors

#### Gerold M. Grodsky, PhD

Professor of Biochemistry and Associate Research Director, Metabolic Unit, University of California School of Medicine, San Francisco.

#### David W. Martin, Jr., MD

Professor of Medicine and Biochemistry, University of California School of Medicine, San Francisco: Investigator, Howard Hughes Medicai Institute.

#### Peter A. Mayes, PhD, DSc

Reader in Biochemistry, Royal Veterinary College, University of London.

#### Marion Nestle, PhD

Associate Dean and Lecturer in Medicine and Biochemistry, University of California School of Medicine, San Francisco.

#### Victor W. Rodwell, PhD

Professor of Biochemistry, Purdue University, Lafayette, Indiana.

## **Table of Contents**

| reface   |  |  | χi   |
|----------|--|--|------|
| Authors  |  |  | xiii |
| 1. Intro | oduction   | Rodwell, PhD   | 1    |
|          | Stereoisomers 1  | Functional Groups Important in Biochemistry 4  |      |
| 2. Wate  | <del>-</del> -   | Rodwell, PhD   | 7    |
|          | Introduction 7 Molecular Structure of Water 7 Macromolecular Structure of Water 7 Hydrogen Bonds 8 Dissociation of Water 8   | The Concept of pH 9 Protonic Equilibria of Functional Groups That are Weak Acids or Bases 10 Henderson-Hasselbalch Equation 12 Buffers & Buffering 13  |      |
| 3. Ami   | no Acids & Peptides  |  | 14   |
|          | Introduction 14 Amino Acids 14 Protonic Equilibria of Amino Acids 14 Structures of Amino Acids 16 Optical Isomers of Amino Acids 16 Physical Properties of Amino Acids 20 Chemical Reactions of Amino Acids 20 Peptides 21 Separatory Technics for Amino Acids & Peptides 23 | Peptides (cont'd)  Determination of the Amino Acid Composition of Peptides 26  Determination of the Primary Structure of Polypeptides 26  Synthesis by Automated Technics 28  Physiologically Active Peptides 28 |      |
| 4. Prot  |  |  | 31   |
|          | Classification of Proteins 31 Bonds Responsible for Protein Structure 32 Orders of Protein Structure 33 Denaturation of Proteins 34  | Determination of Primary Structure 35 Determination of Secondary & Tertiary Structure 36 Determination of Quaternary Structure 38  |      |
| 5. Stru  | ncture & Function of a Protein—Hemogle<br>David W. M   | obin   | 40   |
|          | Heme-Oxygen Interaction 40<br>Myoglobin 40   | The Hemoglobin Molecule 42 Insights From Mutant Hemoglobins 47   |      |
| 6. Gen   | neral Properties of Enzymes Victor W.  | Rodwell, PhD   | 51   |
|          | Catalysis 51 Coenzymes 51 Enzyme Specificity 53 Enzyme Classification & Nomenclature 54 Objective Measurement of Enzyme Activity 55  | Isolation of Enzymes 56 Intracellular Distribution of Enzymes 57 Isoenzymes 59 Enzymes in Clinical Diagnosis 61  |      |

|  | Peter A. Mayes, PhD, DSc  |
|--|---|
| Introduction 64  | Role of High-Energy Phospnates in Bioenergetics & Energy Capture 66   |
| 3. Kinetic Properties of Enzymes   | Victor W. Rodwell, PhD  |
| Kinetic Theory of Reaction 71 Effect of Reactant Concentration 7 Inhibition of Enzyme Activity 78                                | The Catalytic Site 80 Mechanism of Enzyme Action 83   |
| . Regulation of Enzyme Activity  |   |
| Metabolic Regulation 86 Regulation of Enzyme Quantity 8'   | Regulation of the Catalytic Efficiency of Enzymes 90  |
| ). Water-Soluble Vitamins  | David W. Martin, Jr., MD  |
| The Vitamins of the B Complex 9 Thiamin 97 Riboflavin 99 Niacin & Niacinamide 100 Pyridoxine 101 Pantothenic Acid 105            | The Vitamins of the B Complex (cont'd) Biotin 106 Vitamin B <sub>12</sub> 107 Folate or Folacin 109 Vitamin C (Ascorbic Acid) 112 |
| . Fat-Soluble Vitamins   | David W. Martin, Jr., MD  |
| Fat-Soluble Vitamins 114<br>Vitamin A (Retinoids) 114<br>Vitamin D 116   | Vitamin E (α-Tocopheroi) 119<br>Vitamin K 120   |
| Biologic Oxidation   | Peter A. Mayes, PhD, DSc  |
| Enzymes & Coenzymes Involved<br>& Recuction 125<br>The Respiratory Chain 130<br>The Role of the Respiratory Chair<br>Capture 132 | The Chemosmotic Hypothesis 134 Transport of Substances Into & Out of  |
| 13. Carbohydrates  | Peter A. Mayes, PhD, DSc  |
| Monosaccharides 143 Hexoses 143 Glycosides 145 Deoxy Sugars 146  | Amino Sugars (Hexosamines) 146 Disaccharides 147 Polysaccharides 147 Carbohydrates of Cell Membranes 150                          |
|  |   |
| 14. The Citric Acid Cycle—The C  | Peter A. Mayes, PhD, DSc  |

| 15. Metabolism of Carbohydrate Peter A. I  | Mayes, PhD, DSc   | 160 |
|--|---|-----|
| Intermediary Metabolism of Carbohydrate 160 Glycolysis 161 Oxidation of Pyruvate to Acetyl CoA 165 Glycogen Formation & Degradation 167 Glycogenesis 167 Glycogenolysis 170 The Hexose Monophosphate Shunt or Pentose Phosphate Pathway 173  | Gluconeogenesis 177 Metabolism of Hexoses 180 Minor Pathways of Glucose Metabolism 180 The Uronic Acid Pathway 180 Metabolism of Fructose 181 Metabolism of Galactose 183   |     |
| 16. Lipids   | Mayes, PhD, DSc   | 186 |
| Fatty Acids 186 Triacylglycerols (Triglycerides) 188 Phospholipids 189 Glycolipids (Glycosphingolipids) 191 Steroids 191   | The Plasma Lipids & Lipoproteins 193 Reactions & Properties of Lipids 195 Two Modern Methods for Separating & Identifying Lipids in Biologic Material 195 The Ceil Membranes 196  |     |
| 17. Metabolism of Lipids: I. Fatty Acids Peter A.  | Mayes, PhD, DSc   | 199 |
| Oxidation of Fatty Acids 200 Biosynthesis of Saturated Fatty Acids 204 Metabolism of Unsaturated Fatty Acids 209 The Essential Fatty Acids 210   | Metabolism of Acylglycerols 215 Metabolism of Sphingolipids 217 Phospholipids & Sphingolipids in Disease (Lipidoses) 219  |     |
| 18. Metabolism of Lipids: II. Role of Tissues  Peter A.  | Mayes, PhD, DSc   | 222 |
| Metabolism of Adipose Tissue & Mobiliza-<br>tion of Fat 223<br>Metabolism of the Plasma Lipoproteins 227   | Role of the Liver in Lipid Metabolism 231<br>Ketosis 233<br>Cholesterol Metabolism 237  |     |
| 19. Regulation of Carbohydrate & Lipid Metal   | bolism  | 245 |
| General Principles of Regulation of Metabolic<br>Pathways 245 Metabolic Control of an Enzyme-Catalyzed<br>Reaction 245 Regulation of Carbohydrate Metabolism 246 Regulation of Carbohydrate Metabolism at<br>the Cellular & Enzymatic Level 247  | Regulation of Carbohydrate Metabolism (cont'd) The Blood Glucose 251 Regulation of Lipid Metabolism 254 Regulation of Ketogenesis 255 Interconversion of Major Foodstuffs 257 The Economics of Carbohydrate & Lipid Metabolism in the Whole Body 257  |     |
| 20. Biosynthesis of Amino Acids Victor W   | V. Rodwell, PhD   | 262 |
| Amino Acid Metabolism 262 Nutritionally Essential & Nutritionally Nonessential Amino Acids 262 Nutritionally Nonessential Amino Acids 263 Nutritionally Nonessential Amino Acids Formed From Amphibolic Intermediates 263 Nutritionally Nonessential Amino Acids Formed From Other Nutritionally Nonessential Amino Acids 265 Nutritionally Nonessential Amino Acids Formed From Nutritionally Essential | Nutritionally Nonessential Amino Acids (cont'd) Biosynthesis of Nutritionally Essential Amino Acids 266 Biosynthesis of Nutritionally Essential Amino Acids From Glutamate 267 Biosynthesis of Nutritionally Essential Amino Acids From Aspartate 267 Biosynthesis of Nutritionally Essential Amino Acids From Amphibolic Intermediates 267 |     |

Amino Acids 266

| Overall View 269  | Circadian Changes in Plasma Amino Acid   |
|---|--|
| Transamination 269  | Levels 272   |
| Oxidative Deamination 270   | Urea Synthesis 273   |
| L-Glutamate Dehydrogenase 271   | Regulation of Urea Synthesis 274   |
| Formation of Ammonia 271  | Metabolic Disorders of the Urea Cycle 275  |
| Transport of Ammonia 272  |  |
| 22. Catabolism of the Carbon Skeleto  | ons of Amino Acids   |
| Conversion of Carbon Skeletons of   | Common Amino Acids Forming Pyruvate 279  |
| L-α-Amino Acids to Amphibo  | olic Inter- Amino Acids Forming Acetyl-Coenzyme A 283                              |
| mediates 277  | Amino Acids Forming Succinyl-Coenzyme A 286  |
| Amino Acids Forming Oxaloacetate  |  |
| Amino Acids Forming α-Ketoglutar  | rate 278   |
| 23. Conversion of Amino Acids to Sp   | Decialized Products  |
| Glycine 299   | Arginine 301   |
| Alanine 300   | Histidine 301  |
| Serine 300  | Tryptophan 302   |
| Threonine 300   | Phenylalanine & Tyrosine 302  Metabolism of Creating & Creatining 303              |
| Methionine 300 Cysteine 300   | Metabolism of Creatine & Creatinine 303 Metabolism of α-Aminobutyrate 304          |
| Cystenie 300  | Metabolism of a-Ammobatyfate 304   |
| 24. Porphyrins & Bile Pigments  | David W. Martin, Jr., MD   |
| The Porphyrias 313  | Hyperbilirubinemia 319   |
| Catabolism of Heme; Formation of Pigments 317   | Bile   |
|   | 122  |
| 25. Nucleotides   | David W. Martin, Jr., MD   |
| Nucleosides & Nucleotides 325<br>Naturally Occurring Nucleotides 32   | Synthetic Derivatives 329 27   |
| 26. Metabolism of Purine & Pyrimid  | line Nucleotides   |
| Clinical Disorders of Purine Metab  | colism 345 Clinical Disorders of Pyrimidine Metabolism 347                         |
| 27. Nucleic Acids & Chromatin .   | David W. Martin, Jr., MD   |
| 28. Nucleic Acid Replication, Transc  | cription, & Processing   |
| •   | Biologic Function of Ribonucleic Acid  |
| The Nature of DNA 361   | nalian (RNA) 374   |
| Genetic Organization of the Mamn  |  |
| Genetic Organization of the Mamn<br>Genome 363  | RNA Metabolism 376   |
| Genetic Organization of the Marnin<br>Genome 363<br>DNA Synthesis & Replication 363   | RNA Metabolism 376 Inhibitors of DNA & RNA Synthesis 384                           |
| Genetic Organization of the Mamn<br>Genome 363  | RNA Metabolism 376 Inhibitors of DNA & RNA Synthesis 384                           |
| Genetic Organization of the Mamn<br>Genome 363<br>DNA Synthesis & Replication 363<br>Alteration & Rearrangement of Ge<br>Material 370 | RNA Metabolism 376 Inhibitors of DNA & RNA Synthesis 384 metic Nucleases 385       |
| Genetic Organization of the Mamm<br>Genome 363<br>DNA Synthesis & Replication 363<br>Alteration & Rearrangement of Ge                 | RNA Metabolism 376 Inhibitors of DNA & RNA Synthesis 384 Nucleases 385  Code       |
| Genetic Organization of the Mamn<br>Genome 363<br>DNA Synthesis & Replication 363<br>Alteration & Rearrangement of Ge<br>Material 370 | RNA Metabolism 376 Inhibitors of DNA & RNA Synthesis 384 metic Nucleases 385  Code |

| 30. Regulation of Gen   |  | Martin, Jr., MD  | 402   |
|---|--|--|-------|
| 31. Membranes   | David W.   | Martin, Jr., MD  | 412   |
| Membrane Prote  | Membrane Lipids 413<br>ins 417<br>c Model of Membrane                                | Membrane Assembly 420 Transport Across Membranes 422 Intercellular Contact & Communication 424 Disorders of Membranes 426  |       |
| Glossary for Chapters   | 27-31  |  | 428   |
| 32. Glycoproteins, Pro  | oteoglycans, & Glycosami<br>David W.   | noglycans  | 430   |
| Glycoproteins 4<br>Blood Group Ar<br>Proteoglycans 4  | ntigens 436  | Degradation of the Polysaccharide Moieties of Glycoproteins & Proteoglycans 442  |       |
| 33. Contractile & Str   |  | Martin, Jr., MD  | 446   |
| Muscle 446<br>Cell Motility &   | the Cytoskeleton 454   | Collagen 458   |       |
| 34. General Characte  | ristics of Hormones<br>Gerold M  | f. Grodsky, PhD  | 462   |
| 35. Chemistry & Fun<br>Gastrointestinal T   | `ract  | . Thyroid, Pancreas, Adrenal, &  | 468   |
| The Thyroid 46 The Parathyroid The Pancreas 4 Insulin 475 Glucagon 48 Somatostatin The Adrenals 4 | s 473<br>75<br>2<br>483  | The Adrenals (cont'd) The Adrenal Medulla 483 The Adrenal Cortex 487 The Organs Producing Sex Hormones 496 Male Hormones 496 Female Hormones 497 The Gastrointestinal Hormones 500 |       |
| 36. Chemistry & Fun   |  | I. Pituitary & Hypothalamus  | 504   |
|   | tuitary Gland 505<br>the Anterior Pituitary 505                                      | The Middle Lobe of the Pituitary 512 The Posterior Lobe of the Pituitary 513   |       |
| 37. The Chemistry of  |  |  | 516   |
| sion of C   | ysiologic Events Affecting Diffu<br>xygen & Carbon Dioxide 516<br>cygen in Blood 519 | Transport of CO <sub>2</sub> in Blood 521 Respiratory Regulation of Acid-Base Balance 523  |       |
| 38. Digestion/Absorp  | tion in the Gastrointestina<br>Peter A.  | nl Tract   | . 527 |
| Digestion in th   | e Oral Cavity 527<br>e Stomach 527<br>otestinal Digestion 528                        | The Bile 528 Absorption From the Gastrointestinal Tract 535 Intestinal Putrefaction & Fernentation 538   |       |

| 39. Blood Plasma & Clotting .               | David W. Martin, Jr., MD    | € <b>4</b> 0 |
|---|-----------------------------|--------------|
| Blood Plasma 540<br>The Pinsma Proteins 540 | Blood Clotting 547          |              |
| 40. Water & Minerals                        | David W. Martin, Jr., MD    | 5 <b>5</b> 3 |
| Water 553                                   | Minerals (cont'd)           |              |
| Body Water 553                              | Trace Elements 559          |              |
| Water Balance 553                           | 1. Cobalt 559               |              |
| Water Losses 553                            | 2. Copper 559               |              |
| Water intake 554                            | 3. Iron 559                 |              |
| Minerals 555                                | 4. Molybdenum 563           |              |
| Calcium 555                                 | 5. Selenium 563             |              |
| Phosphorus 556                              | 6. Manganese 563            |              |
| Magnesium 557                               | 7. Zinc 563                 |              |
| Sodium 557                                  | 8. Chromium 564             |              |
| Potassium 558                               |                             |              |
| 41. Nutrition                               |                             | 565          |
|   | Marion Nestle, PhD          |              |
| Human Nutritional Requirements              | 565 Water 581               |              |
| Composition of Foods 567                    | Nutritional Supplements 581 |              |
| Food Energy 570                             | Food Toxins & Additives 583 |              |
| Sources of Energy 573                       | Nutrition & Health 583      |              |
| Vitamins 577                                | Dietary Recommendations 584 |              |
| Minerals 580                                |                             |              |
| Abbreviations Encountered in Bioc           | hemistry                    | 585          |
| Index                                       |                             | 587          |

Victor W. Rodwell, PhD


This chapter reviews certain aspects of organic chemistry relevant to biochemistry and provides guidelines to assist in learning and integrating the information. The early chapters of this book present basic data on the structures and chemical properties of important biochemical compounds. While some of these will be familiar, others are complex structures (eg, heterocyclic structures\*) perhaps not previously encountered by the student. The biochemistry of unfamiliar molecules is largely predictable from that of structurally similar molecules (eg, molecules that possess the same functional groups†). Each functional group in a molecule generally behaves in a predictable way with respect to its biochemical reactions. This guideline simplifies the understanding of enzyme-catalyzed transformations in living cells. Although most biochemically important molecules contain multiple functional groups, as a rule, only a single functional group undergoes change in a given enzyme-catalyzed reaction. Learning is therefore enhanced by focusing attention exclusively on that change to the virtual exclusion of all other aspects of the molecule. The complexities of intermediary metabolism can generally be made manageable in this way.

#### STEREOISOMERS

Stereoisomers differ only in the way in which the constituent atoms are oriented in space. In methane (CH<sub>4</sub>), the hydrogen atoms are at the vertices of an equilateral tetrahedron (4-sided pyramid) with the carbon atom at the center.

\*Hetero atoms (Greek heteros "other") such as O, N, and S also form covalent bonds with carbon, eg, in ethylamine, C<sub>2</sub>H<sub>5</sub>NH<sub>2</sub>, ethyl alcohol, C<sub>2</sub>H<sub>5</sub>OH, and ethyl mercaptan, C<sub>2</sub>H<sub>5</sub>SH. Hetero atoms have one or more pairs of electrons not involved in covalent bonding. Since these unshared electrons have a negative field, compounds with hetero atoms attract protons, ie, they act as bases (see Chapter 2). Heterocyclic structures are cyclic structures that contain hetero atoms.

†A functional group (eg, -NH<sub>2</sub>, -COOH, -OH) is a specific arrangement of linked chemical elements that has well-defined chemical and physical properties.



A carbon atom to which 4 different atoms or groups of atoms are attached is known as an asymmetric carbon atom. For example, in the formula for alanine, the asymmetric (alpha) carbon atom is starred (\*).

#### Alanine

Since many biochemicals contain 2 or more asymmetric C atoms, a thorough understanding of the stereochemistry of systems with more than one asymmetric center is essential.

#### Representation of Spatial Relationships Between Atoms

Certain spatial relationships are readily visualized using ball-and-stick atomic models. A compound having asymmetric carbon atoms exhibits optical isomerism. Thus, factic acid has 2 nonequivalent optical isomers, one being the mirror image or enantiomer of the other (Fig 1-1).

The reader may show that these structures are indeed different by changing the positions of either enantiomer by rotation about any axis and attempting to superimpose one structure on the other.

Although enantiomers of a given compound have the same chemical properties, certain of their physical and essentially all of their physiologic properties are different. Enantiomers rotate the plane of planepolarized light to an equal extent but in opposite directions. Since enzymes act on only one of a pair of enantiomers, only half of a racemic mixture (a mix-




Figure 1–1. Tetrahedral and ball-and-stick model representation of lactic acid enantiomers.

ture of equal quantities of both enantiomers) generally is physiologically active.

The number of possible different isomers is  $2^n$ , where n = the number of different asymmetric carbon atoms. An aldotetrose, for example, contains 2 asymmetric carbon atoms; hence, there are  $2^2 = 4$  optical isomers.

To represent 3-dimensional molecules in 2 dimensions, **projection formulas**, introduced by Emil Fischer, are used. The molecule is placed with the asymmetric carbon in the plane of the projection. The groups at the top and bottom project **behind** the plane of projection. Those to the right and left project equally **above** the plane of projection. The molecule is then projected in the form of a cross (Fig 1-2).

$$H \xrightarrow{CH^{2}} OH \equiv H - C - OH \\ \downarrow OH \equiv H - C - OH \\ \downarrow CO^{2}H \\ \downarrow CO^{2}H \\ \downarrow CO^{2}H \\ \downarrow CO^{2}H \\ \downarrow OH \\ \downarrow CO^{2}H \\ \downarrow OH \\ \downarrow$$

Figure 1-2. Fischer projection formula of (-)-lactic acid.

Unfortunately, the orientation of the tetrahedron differs from that of Fig 1-1. Fischer projection formulas may never be mentally lifted from the plane of the paper and turned over. Since the vertical bonds are really below the projection plane while the




Figure 1-3. Two aldotetroses. *Top:* Ball-and-stick models. *Middle:* Fischer projection formulas. *Bottom:* Abbreviated projection formulas.

horizontal bonds are above it, it also is not permissible to rotate the Fischer projection formula within the plane of the paper by either a 90-degree or a 270-degree angle, although it is permissible to rotate it 180 degrees.

The nomenclature for molecules with 2 asymmetric carbon atoms derives from the names of the 4-carbon sugars erythrose and threose. If 2 like groups (eg, two OH groups) are on the same side, the isomer is called the "erythro" form; if on the opposite side, the "threo" isomer. Fischer projection formulas inadequately represent one feature of these molecules. Look at the models from which these formulas are

**Figure 1–4.** Sawhorse representations of the erythro and threo enantiomers of 3-amino-2-butanol. The **erythro** and threo refer to the relative positions of -OH and  $-NH_2$  groups. Note that there are 3 ways to stagger  $C_2$  with respect to  $C_3$ . That shown represents a structure with the bulky  $CH_3$  groups oriented as far away from each other as possible.

Figure 1-5. Staggered Newman projection formulas for the erythro and three enantiemers of 3-amino-2-butanoi.

derived. The upper part of Fig 1-3 represents molecules in the "eclipsed" form in which the groups attached to C<sub>2</sub> and C<sub>3</sub> approach each other as closely as possible. The real shape of the molecule more closely approximates an arrangement with C2 and C3 rotated with respect to each other by an angle of 60 degrees, so that their substituents are staggered with respect to each other and are as far apart as possible. One way to represent "staggered" formulas is to use "sawhorse" representations (Fig 1-4). Newman projection formulas (Fig 1-5) view the molecule front-to-back along the bond joining the asymmetric carbon atoms. These C atoms, which eclipse each other, are represented as 2 superimposed circles (only one is shown). The bonds and groups attached to the asymmetric C atoms are projected in a vertical plane and appear as "spokes" at angles of 120 degrees for each C atom. The spokes on the rear atom are offset 60 degrees with respect to those on the front C atom. Bonds to the front carbon are drawn to the center of the circle and those for the rear carbon only to its periphery (Fig 1-5).

It is desirable to be able to convert Fischer projection formulas to sawhorse or Newman projection formulas. These most accurately illustrate the true shape of the molecule and hence are most useful in understanding its chemical and biologic properties. One way

Figure 1–6. Transformation from Fischer to sawhorse or Newman formula.

is to build a model\* corresponding to the Fischer projection formula, stagger the atoms, and draw the sawhorse or Newman formulas. Figure 1-6 shows how to interconvert these formulas without models. The Fischer projection formula is converted to an "eclipsed sawhorse" or Newman projection which then is rotated 180 degrees about the C<sub>2</sub>-C<sub>3</sub> bond, producing a staggered sawhorse or Newman projection.

#### Cis-Trans Isomerism

Cis-trans isomerism (Latin cis "this side," trans "across") occurs in compounds with double bonds. Since the double bond is rigid, the atoms attached to it are not free to rotate as are those attached to a single bond. Thus the structures

are not equivalent and have different chemical and physiologic properties. Fumaric acid, but not maleic acid, is physiologically active. The cis isomer has the 2 more "bulky" groups on the same side of the double

\*The student is urged to purchase an inexpensive set of models. These will prove invaluable in studying the chemistry of sugars, amino acids, and steroids in particular.




Figure 1–7. Representation of portions of the hydrocarbon backbones of a saturated fatty acid (S), an unsaturated fatty acid with a single *trans* double bond (T), and one with a single *cis* double bond (C). Bonds drawn as solid lines are in the plane of the paper. Bonds drawn as dotted lines project behind, and those drawn project in front of the plane of the paper.

bond. If they are on opposite sides of the double bond, the *trans* isomer is produced.

Introduction of *trans* double bonds in an otherwise saturated hydrocarbon chain deforms the shape of the molecule relatively little. A *cis* double bond, by contrast, entirely changes its shape. It can thus be appreciated why *cis* and *trans* isomers of a compound are not interchangeable in cells. Membranes composed of *trans* and *cis* isomers would have entirely different shapes. Enzymes acting on one isomer might be expected to be entirely inert with the other.

Again, the usual formulas fail to represent the actual shape of the molecules. Portions of the hydrocarbon backbone of a saturated fatty acid and of the cis and trans isomers of an 18-carbon unsaturated fatty acid are represented in Fig 1-7.

#### FUNCTIONAL GROUPS IMPORTANT IN BIOCHEMISTRY

A functional group is a specific arrangement of elements (generally C, H, O, N, P, or S) that has well-defined chemical and physical properties. The properties of biochemical molecules are best understood in terms of the chemical and physical properties of the functional groups these molecules contain.

#### **Alcohols**

Many biochemical compounds (eg, sugars, certain lipids, and amino acids) are alcohols. These have both polar (hydroxy, OH) and nonpolar (alkyl) character. They are thus best regarded both as hydroxylated hydrocarbons and as alkyl derivatives of water. Although alcohols with up to 3 carbon atoms are infinitely soluble in water, water solubility decreases with increasing length of the carbon chain, ie, with increasing nonpolar character. Primary, secondary, and tertiary alcohols have respectively one, 2, and 3 alkyl groups attached to the carbon atom bearing the OH group.

Secondary butyl alcohol (1-methylpropanol)

Tertiary butyl alcohol (1,1-dimethylethanol)

Both monohydric (one -OH group) and polyhydric (more than one -OH group) alcohols are of physiologic significance. Sugars are derivatives of polyhydric alcohols, as are cyclic or ring-containing alcohols such as inositol. Their highly polar character

makes polyhydric alcohols far more water-soluble than corresponding monohydric alcohols with equivalent numbers of carbon atoms. Thus, even polyhydric alcohols with 6 or more carbon atoms (eg, sugars) are highly water-soluble.

Chemical reactions of alcohols with biochemical analogies include:

A. Oxidation: Primary alcohols are oxidized by strong oxidizing agents to aldehydes and acids, whereas secondary alcohols are oxidized to ketones.

Primary:

Secondary:

$$R_1$$
 CHOH  $\xrightarrow{[O]}$   $R_1$  C=0

Tertiary alcohols cannot be oxidized (dehydrogenated) without rupture of a C-C bond.

**B. Esterification:** An ester is formed when water is split out between an alcohol and an acid.

The acid may be organic or inorganic. Esters of  $H_3PO_4$  (see phosphorylated sugars and phospholipids) and  $H_2SO_4$  are of great significance in biochemistry. Many lipids contain carboxylic ester linkages.

C. Ether Formation: Ethers are derivatives of alcohols in which the hydrogen of the -OH group is replaced by an alkyl group (R-O-R'). The ether linkage is comparatively uncommon in living tissues.

Sulfur, which is in the same group of the periodic table as oxygen, forms similar compounds. Thioalcohols (thiols, mercaptans), thioesters, and thioethers all occur in nature.

In addition, the disulfides (left) and peroxides (right)

play an important role in protein structure and in prostaglandin biosynthesis, respectively.

#### Aldehydes & Ketones

Aldehydes and ketones possess the strongly reducing carbonyl group > C=O. Aldehydes have one and ketones 2 alkyl groups attached to the carbon bearing the carbonyl group:

$$\begin{array}{ccc} H & & & & \\ R - C = 0 & & & R \\ R' \neq & & & \\ \end{array}$$
 Aldehyde

The sugars, in addition to being polyhydric alcohols, are also either aldehydes or ketones.

Reactions of aldehydes and ketones of biochemical interest include the following:

A. Oxidation: Oxidation of an aldehyde to the corresponding carboxylic acid. Ketones are not readily oxidized, since, like tertiary alcohols, they cannot lose hydrogen without rupture of a C-C bond.

$$\begin{array}{c} H \\ | \\ R - C = 0 \end{array} \longrightarrow R - COOH$$

**B. Reduction:** Reduction of an aidehyde yields the corresponding primary alcohol, and reduction of a ketone yields the corresponding secondary alcohol.

$$R - C = 0 \xrightarrow{[2H]} R - CH_2 - OH$$

$$R \longrightarrow C = 0 \xrightarrow{[2H]} R - CH_2 - OH$$

$$R \longrightarrow R \longrightarrow CH - OH$$

$$R \longrightarrow R \longrightarrow R$$

C. Hemiacetal and Acetal Formation: Under acidic conditions, aldehydes can combine with one or 2 of the hydroxyl groups of an alcohol, forming, respectively, a hemiacetal or an acetal:

A hemiacetal

An aceta

The carbonyl and alcohol functions may be part of the same molecule. For example, the aldose (aldehyde) sugars exist in solution primarily as internal hemiacetals. Analogous structures (hemiketals and ketals) are formed from alcohols and ketones.

Aldehydes may also form thiohemiacetals and thioacetals with thioalcohols. Thiohemiacetals function as enzyme-bound intermediates in the enzymic oxidation of aldehydes to acids.

A thiohemiacetal

**D. Aldol Condensation:** In alkali, aldehydes and, to a lesser extent, ketones undergo condensation between their carbonyl and their  $\alpha$ -carbon atoms to form aldols or  $\beta$ -hydroxy aldehydes or ketones. The  $\beta$ -hydroxy acids derived from these are important in fatty acid metabolism.

#### Carboxylic Acids

Carboxylic acids have both a carbonyl (> C=O) and a hydroxyl group on the same carbon atom. They are typical **weak acids** and only partially dissociate in water to form a hydrogen ion (H<sup>+</sup>) and a **carboxylate** anion (R-COO<sup>-</sup>) with the negative charge shared equally by the 2 oxygen atoms. Some reactions of carboxylic acids of biochemical interest include the following:

A. Reduction: Complete reduction yields the corresponding primary alcohol.

$$R-COOH \xrightarrow{\qquad} R-CH_2OH + H_2O$$

- **B. Ester and Thioester Formation:** See alcohols.
- C. Acid Anhydride Formation: A molecule of water is split out between the carboxyl groups of 2 acid molecules.

When both acid molecules are the same, a symmetric anhydride is produced. Molecules of different acids yield mixed anhydrides. Anhydrides found in nature include those of phosphoric acid (in ATP) and the mixed anhydrides formed from phosphoric acid and a carboxylic acid, eg:

Acetyl phosphate

D. Salt Formation: Carboxylic acids react stoichiometrically (equivalent for equivalent) with

151-6

bases to form salts. Na+ and K+ salts are 100% dissociated in solution.

E. Amide Formation: Splitting out a molecule of water between a carboxylic acid and ammonia or an amine forms an amide. Particularly important amides are peptides, formed from the amino group of one amino acid and the carboxyl group of another.

#### Amines

Amines, alkyl derivatives of ammonia, are usually gases or volatile liquids with odors resembling ammonia but more "fishlike." Primary, secondary,

Peptide bond

and terriary amines are formed by replacement of one, 2, or 3 of the hydrogens of ammonia, respectively.

Ammonia in solution exists in both charged and uncharged forms:

Amines behave in an entirely analogous way: