

THE CELL NUCLEUS

Volume II

EDITED BY

HARRIS BUSCH

Department of Pharmacology
Baylor College of Medicine
Texas Medical Center
Houston, Texas



ACADEMIC PRESS New York and London 1974

A Subsidiary of Harcourt Brace Jovanovich, Publishers

List of Contributors

Numbers in parentheses indicate the pages on which the authors' contributions begin.

FRANCES E. ARRIGHI (1), Department of Biology, The University of Texas, M. D. Anderson Hospital and Tumor Institute at Houston, Houston, Texas

RICHARD P. CREAGAN (209), Department of Biology, Kline Biology Tower, Yale University, New Haven, Connecticut

JEAN de GROUCHY (371), C.N.R.S., Clinique de Genetique Medicale Hôpital des Enfants Malades, Paris, France

J.-E. EDSTRÖM (293), Department of Histology, Karolinska Institutet, Stockholm, Sweden

JOHN F. HARTMANN (459), Merck Institute for Therapeutic Research, Rahway, New Jersey

I. BRENT HEATH (487), Department of Biology, York University, Toronto, Canada

FREDERICK HECHT (33), Clinical and Research Cytogenetics Laboratories, Division of Medical Genetics, Department of Pediatrics, Child Development and Rehabilitation Center, University of Oregon Medical School, Portland, Oregon

WOLFGANG HENNIG (333), Institut für Molekularbiologie II, der Universität Zürich, Winterthurerstrasse 260, Zürich, Switzerland

RAJU S. KUCHERLAPATI (209), Department of Biology, Kline Biology Tower, Yale University, New Haven, Connecticut

PETER LUYKX (163), Laboratory for Quantitative Biology, University of Miami, Coral Gables, Florida

R. ELLEN HEATH MAGENIS (33), Clinical and Research Cytogenetics Laboratories, Division of Medical Genetics, Department of Pediatrics, Child Development and Rehabilitation Center, University of Oregon Medical School, Portland, Oregon

JOHN MENDELSON (123), Division of Hematology, Department of Medicine, School of Medicine, University of California, San Diego, La Jolla, California

WARREN W. NICHOLS (437), Department of Cytogenetics, Institute for Medical Research, Camden, New Jersey

FRANK H. RUDDLE (209), Department of Biology, Kline Biology Tower, Yale University, New Haven, Connecticut

A. K. SHARMA (263), Department of Botany, University of Calcutta, Calcutta, India

ROBERT N. SHOFFNER (223), Department of Animal Science, University of Minnesota, St. Paul, Minnesota

ELTON STUBBLEFIELD (149), Section of Cell Biology, The University of Texas, M. D. Anderson Hospital and Tumor Institute at Houston, Houston, Texas

HERMAN E. WYANDT (33), Clinical and Research Cytogenetics Laboratories, Division of Medical Genetics, Department of Pediatrics, Child Development and Rehabilitation Center, University of Oregon Medical School, Portland, Oregon

ARTHUR M. ZIMMERMAN (459), Merck Institute for Therapeutic Research, Rahway, New Jersey

Preface

Although the cell nucleus is such an integral part of cell function, it has not been the subject of an extensive review in recent years. There have been important monographs on this subject including a conference on "The Cell Nucleus" chaired by J. S. Mitchell (Academic Press, 1960) and a conference on "The Nucleus of the Cancer Cell" (H. Busch, ed., Academic Press, 1963). When the monograph on "The Nucleolus" (H. Busch and K. Smetana, Academic Press, 1970) was undertaken it became apparent that there were so many contributory fields to nuclear and nucleolar function that a thorough review of the subject would be worthwhile. This three-volume treatise is designed to provide such a work.

It should be clear to researchers and students of the cell nucleus that there is such an enormous gap between our present information and the complete understanding of nuclear composition and function that this work represents only a small portion of the knowledge still to be developed in this field. It was simply not possible to cover the complete literature. Interested readers are urged to consult primary sources or special reviews.

I am indebted to my many colleagues around the world who have contributed to the actual writing of this work and particularly to the editorial advisors for their many suggestions that have brought this work to fruition. In addition, we are grateful for the aid provided for much of the basic research from the National Institutes of Health, the National Cancer Institute, the American Cancer Society, the National Science Foundation, and the Welch Foundation.

The cell nucleus is so important to the basic understanding of biological and medical problems that it holds a fascination for one and all. It is hoped that this treatise will provide a useful guide for research and study of this very exciting area of human endeavor.

Harris Busch

xiii

Contents of Other Volumes

Volume I

Nuclear Structure

Localization of Nuclear Functions as Revealed by
Ultrastructural Autoradiography and Cytochemistry
M. Bouteille, M. Laval, and A. M. Dupuy-Coin

The Nucleolus and Nucleolar DNA
Karel Smetana and Harris Busch

Ultrastructural Organization of Plant Cell Nuclei
Jean-G. Lafontaine

The Nucleus of the Plasmodial Slime Molds
Joyce Mohberg

Structures and Functions of the Nuclear Envelope
Werner W. Franke and Ulrich Scheer

Chemical and Biochemical Properties of the Nuclear Envelope
Charles B. Kasper

Nuclear-Cytoplasmic Interactions

Movement of Molecules between Nucleus and Cytoplasm
Lester Goldstein

Heterokaryons and Their Uses in Studies of Nuclear Function
E. Sidebottom

The Genome in Specialized Cells, as Revealed by
Nuclear Transplantation in Amphibia
J. B. Gurdon

Chromatin

The Molecular Organization of the Chromatin Fiber

Alberto J. Solari

The Structure of Human Chromosomes

David E. Comings

Ultrastructure and Function of Heterochromatin and Euchromatin

John H. Frenster

Author Index—Subject Index

Volume III**Nucleic Acids**

Nuclear DNA

Bernard S. Strauss

Nuclear DNA Polymerases

R. K. Craig and H. M. Keir

Precursor of mRNA (Pre-mRNA) and Ribonucleoprotein Particles
Containing Pre-mRNA

G. P. Georgiev

Nuclear High-Molecular-Weight RNA

Yong C. Choi, Ross N. Nazar, and Harris Busch

Low-Molecular-Weight Nuclear RNA's

Tae Suk Ro-Choi and Harris Busch

Nuclear Proteins

Nuclear Proteins

Mark O. J. Olson and Harris Busch

Animal Nuclear DNA-Dependent RNA Polymerases

*P. Chambon, F. Gissinger, C. Keding, J. L. Mandel, and M.
Meilhac*

Cytochemistry of Nuclear Enzymes

Andrzej Vorbrodt

Nuclear Protein Synthesis

LeRoy Kuehl

Special Aspects of Nuclear Function

Effects of Female Steroid Hormones on Target Cell Nuclei

Bert W. O'Malley and Anthony R. Means

The Nucleus during Avian Erythroid Differentiation

N. R. Ringertz and L. Bolund

Inhibitors as Tools in Elucidating the Structure and Function
of the Nucleus

*Rene Simard, Yves Langelier, Rosemonde Mandeville, Nicole
Maestracci, and André Royal*

Intranuclear Viruses

Ursula I. Heine

Author Index—Subject Index

Introduction

Why a cell nucleus? Although there is little doubt that the presence of a cell nucleus has permitted a great extension of the numbers of combinations and permutations of cellular phenotypes in both single and multicellular species, the origin of the cell nucleus is so ancient a part of evolution that it is uncertain what circumstances induced its origin and its development. What appear to be primitive “nuclear structures” have been found in both yeast and bacterial cells, but further evolutionary development produced a much more complex and functional structure in higher organisms. At present, it is not clear whether in its current state of development in the most specialized animal species, the cell has yet achieved its total potential for functionality. Some advantages of the cell nucleus may relate to a variety of characteristics of eukaryotic cells; for example, many eukaryotic cells are extremely long-lived and specifically differentiated, particularly cells of the central nervous system and the endocrine glands.

It seems reasonably clear that the development of a cell nucleus carried with it significant new chemical and physical properties of cells. Included among these are such obvious features as the nuclear envelope (nuclear membrane, or the bileaflet nuclear shell). This structure has three interfaces: one with the cytoplasm, another with the internal nuclear structure, and the third the space between the two layers of the nuclear envelope. This nuclear envelope not only serves as a geographic marker between the nuclear and cytoplasmic boundaries but in addition contains pores that give it more of a “Swiss cheese” or “Wiffle ball” appearance than a solid membrane between two heterogeneous masses. Through these pores migrate not only nuclear products that are “gene readouts” on their way to the cytoplasm but also the “cytonucleoproteins” and other elements that may serve as communication mechanisms between

the cytoplasm and the nucleus. The role of hormone protein receptors in nuclear function is an exciting current chapter in mechanisms of gene activation.

By scanning microscopy, the cell nucleus resembles a ball studded with small bodies since it is covered with ribosomes and probably with polysomes. Although it is not certain that synthesis of the nuclear proteins occurs on the outer nuclear surface, it seems likely that they are formed either there or close by, and rapidly penetrate the nuclear mass.

Nuclear constituents. The presence of nuclear DNA which is almost all of the genetic complement of the cell is the key characteristic of the nucleus, but there are other structures that are specialized nuclear constituents. Among these are the histones, whose evolutionary origin seems to be very close to that of the nuclear envelope itself. Although the histones are now extremely well defined in terms of structure and number, their functions are shrouded in almost as much mystery as ever. There are so many histone molecules per nucleus (10^8) and they are so few in types that their role has been currently relegated to that of either structural support for DNA or as a general gene repressor system which can be activated by combination of the histones with "acidic nuclear proteins" or nonhistone nuclear proteins. In any event, their presence in association with DNA is sufficiently universal in nucleated cells and even in the chromosomes that the rule is "where there is DNA, there are histones."

The nucleus contains defined structural elements which seem to increase in number as technical advances increase in electron microscopy. The largest of these structures and the most universal is the "nucleolus" which contains an intense concentration of RNA and is now known to produce most of the total RNA of the cell, especially the rRNA species which are the backbones of the ribosome. Its role in the production of other types of RNA, such as mRNA, remains to be defined. The ultrastructure of the nucleolus varies markedly in various cell types but its responsiveness to the variations in cell function is both ordered and harmonious with the other events and requirements of the cell.

Among the other structural elements of the nucleus are the *interchromatin dense granules* that are probably parts of the processing elements of the nucleus; *perichromatin dense granules*, dark RNP particles surrounded by a light halo (by usual electron microscopic studies); *intranuclear rodlets*; and other structures of which the juxtannucleolar channel system is one of the most intriguing. The functional roles of such "nucleus-specific" bodies are not defined, and manifest the very great requirement for research for understanding of the nuclear "government" of the cell.

The nucleus produces polysomes for export but retains for itself certain RNA molecules. Of these, the low molecular weight nuclear RNA species (LMWN RNA) are now being analyzed chemically, and the nucleotide sequences for three are defined. One of these, the U3 RNA, is "nucleolus specific." Others appear to be limited to the chromatin, and may exist juxtaposed to proteins in small RNP particles.

The nuclear proteins are composed of the histones, already noted above, many enzymes including the polymerases for RNA synthesis, structural proteins for ribosomal precursor elements, and other specialized processing elements of the nucleolus and nuclear nonhistone proteins (NHP) some of which may be "gene derepressor" proteins. Although the "gene derepressors" are clearly of enormous interest and objects of intensive research interest at present, it is only recently with the development of two-dimensional gel systems that the overall number of nuclear proteins has been approximated as several hundred. It is not yet clear which of these serve specific regulatory functions. It remains to be seen whether in individual chromosomes one or more of these nonhistone proteins (NHP) is specifically present. At present, methods for chromosome isolation seem to be improving to the point where it may be possible to ascertain whether any proteins have a special chromosome localization.

One of the more amazing aspects of the cell nucleus is the variety of changes that occurs during cell division. Not the least remarkable is the disappearance of the nuclear envelope. In metaphase there is the precise and equal separation of chromosomes of the daughter cells. It must be remembered, however, that there are other events accompanying metaphase that are of great importance and that all of the cellular components are distributed to the daughter cells approximately equally. Aspects of the formation of spindles and other nuclear elements are dealt with as specific topics in these volumes.

Although a definitive answer as to "why a cell nucleus" requires some consideration of its components, one may ask whether the functions subserved within this structure could not as well be served in a "nucleus-free" system? One may ask many other questions. Does the nuclear envelope protect delicate nuclear structures from enzymatic attack? Does the nuclear segregation provide for multilog specialization of function? Does the segregation of specific reactions for gene control and gene readout provide improved concentration of reactants and increased efficiency of these reactions? Does the nuclear envelope provide for penetrance of specific cellular elements into the nucleus? At present one can only speculate on these questions.

History of the cell nucleus. Improvements in light microscopy in the

early nineteenth century permitted Robert Brown to discover the cell nucleus in 1830. The finding of "one nucleus per cell" led to the cell theory of Schleiden and Schwann in 1838. This concept provided a base for many developments including the understanding of Virchow that cells are all derived from pre-existing cells (*omnis cellula e cellula*) by extraordinary complex molecular events. The biological and clinical sequelae to the development of this concept have been truly astonishing in the last century and a half.

Definition of the nuclear contents emerged from development of staining methods and the improvements for isolation and analysis of nuclear products. After Miescher found DNA, the Dische stain established that DNA was largely localized to the nucleus in mammalian cells. By the use of appropriate staining techniques it was also found that the nucleus contained a nucleolus and, further, that the nucleolus contained vacuoles and nucleolini. With the Unna and other RNA stains, Brachet showed that RNA was concentrated in the nucleolus and cytoplasm. Development of microscopic spectrophotometry enabled Caspersson to show that the nucleolus is an island of RNA in a nuclear sea of DNA and histones.

Readily visualized by specific staining procedures, the chromosomes were observed in metaphase. Initially observed in 1873 by Butschli, Flemming, Schneider, and others, they were named "chromosomes" by von Waldeyer-Hartz in 1888. Their separation into daughter cells was visible support for the concepts of Mendelian segregation. Chromosomal aberrations in special diseases and alterations in membranes and type of chromosomes in cell hybridization are topics of intensive current studies. Almost all of the elegant light microscopic studies on nucleoli that were beautifully reviewed by Montgomery were subjected to the criticism that staining procedures produce many artifacts. It remained for the development of light and electron microscopy to confirm and extend many features of the nucleus including the fascinating characteristics of the nucleolus and nuclear envelope. Not only were the characteristics of these structures defined by Bernhard, Swift, Smetana, and others but, in addition, important new structures were found that included nucleolar vacuoles, granular and fibrillar elements, perichromatin granules, interchromatinic granules, a variety of cytoplasmic invaginations, rodlets, and intranuclear tubular structures.

The preoccupation of biochemists with nuclear structures began in earnest after the finding of DNA by Miescher and the very rapid evolution of information of protamines and histones by Kossel, Lilienfeld, Mirsky, and others. After the Stedmans suggested that gene control might be exerted by nuclear proteins, an extensive series of investigations

on nuclear proteins developed that continue with increasing excitement at present.

"The Cell Nucleus" is designed to mark the state of our understanding in the mid 1970's at a time when an enormous number of new and exciting developments are occurring in morphological, biochemical, and biological comprehension of nuclear function. While the nucleus is generally regarded as the "governor" of the cell, information is still accumulating on what it governs, how it governs, and the input that produces specific responses. Although our understanding is incomplete, the great enthusiasm in the field is well supported by its many accomplishments. The Tables of Contents of these volumes show the breadth of our current concepts and information.

Harris Busch

Contents

List of Contributors	xi
Preface	xiii
Contents of Other Volumes	xv
Introduction	xix

PART I CHROMOSOMES—GENERAL

Chapter 1 *Mammalian Chromosomes*

Frances E. Arrighi

I. Introduction	1
II. DNA Content, Chromosome Number, and Chromosome Morphology	2
III. Sex Chromosomes	10
IV. Heterochromatin	16
V. Cytochemical Differentiation of Chromosomal Regions	22
VI. Somatic Cell Hybridization	23
VII. Chromosomes in Evolution	26
References	29

Chapter 2 *The Human Cell Nucleus: Quinacrine and Other Differential Stains in the Study of Chromatin and Chromosomes*

*Frederick Hecht, Herman E. Wyandt, and
R. Ellen Heath Magenis*

I. Perspectives on Human and Medical Cytogenetics	34
II. Human Chromosome Identification	42
III. Human Chromosome Polymorphisms	66
IV. Study of Chromosome Abnormalities	76
V. Chromosome Abnormalities in Malignancies	93
VI. Paternity Studies	94
VII. Parental Origin of Chromosome Abnormalities	94
VIII. Gene Mapping Using Chromosome Polymorphisms, Rearrangements, and Somatic-Cell Hybridization	96
IX. Chromatin: Differentially Marked Regions on Autosomes and the Y in Interphase	103
X. Meiotic Chromosomes	112
XI. Chromosome Evolution and Banding	113
References	115

Chapter 3 *Studies of Isolated Mammalian Metaphase Chromosomes*

John Mendelsohn

I. Introduction	123
II. Isolation of Metaphase Chromosomes	124
III. Chemical Composition of Metaphase Chromosomes	127
IV. Studies with Fractionated Metaphase Chromosomes	131
V. The Structure of Metaphase Chromosomes	136
VI. Conclusions	145
References	146

Chapter 4 *The Kinetics of DNA Replication in Chromosomes*

Elton Stubblefield

I. Introduction	149
II. The Replicon	150
III. The Replicon Series	150
IV. The Chromosome	151
V. Discussion	160
VI. Conclusions	161
References	162

Chapter 5 The Organization of Meiotic Chromosomes*Peter Luykx*

I. Introduction	163
II. General Organization of DNA in Chromosomes	165
III. Special Features of Meiotic Chromosomes	175
IV. Relation of Chromosome Structure to Meiotic Chromosome Behavior	192
V. Summary and Conclusions	200
References	202

Chapter 6 Progress in Human Gene Mapping by Somatic Cell Hybridization*Raju S. Kucherlapati, Richard P. Creagan, and Frank H. Ruddle*

I. Introduction	209
II. Methodology and Rationale of Human Gene Mapping	210
III. Assignments of Genes to Human Chromosomes	215
IV. Regional Localization of Human Genes	215
V. Conclusion	219
References	220

PART II CHROMOSOMES—SPECIFIC**Chapter 7 Chromosomes of Birds***Robert N. Shoffner*

I. Introduction	223
II. Phylogeny of Birds and Genome Size	224
III. Mitotic Chromosomes	225
IV. Meiotic Chromosomes	239
V. Heterochromatin	241
VI. Heteroploidy	247
VII. Summary	256
References	258

Chapter 8 Plant Cytogenetics*A. K. Sharma*

I. Physical and Chemical Constitution of Chromosomes	264
II. Behavior of Chromosomes in Different Tissues	266
III. Differentiation of Chromosome Segments	268
IV. Numerical and Structural Variability of Chromosome Complement—Origin and Role	271
V. Size and Morphology of Chromosomes in Evolution	281
VI. Karyotype as an Aid in Taxonomy	285
VII. Conclusion	286
References	287

Chapter 9 *Polytene Chromosomes in Studies of Gene Expression*

J.-E. Edström

I. Introduction	293
II. DNA Content of the Chromosome Band	295
III. Genetic Equivalent of the Chromosome Band	297
IV. Relation of Puffing to Gene Activity	299
V. The Transcriptional Activity	302
VI. Release of Chromosomal RNA to the Nuclear Sap	321
VII. Puff RNA in the Cytoplasm	323
VIII. Conclusions and Perspectives	326
References	328

Chapter 10 *Giant Chromosomes*

Wolfgang Hennig

I. Structural Organization of Giant Chromosomes	333
II. Metabolic Activities of Giant Chromosomes	352
III. Giant Chromosomes from the View of Genome Organization	361
References	366

PART III CHROMOSOMES—PATHOLOGY

Chapter 11 *Clinical Cytogenetics*

Jean de Grouchy

AUTOSOMAL DISORDERS

I. Trisomy 21	373
---------------	-----