

INDUSTRIAL SOLVENTS HANDBOOK

Fourth Edition

Edited by

Ernest W. Flick

INDUSTRIAL SOLVENTS HANDBOOK

Fourth Edition

Edited by

Ernest W. Flick

Copyright © 1991 by Noyes Data Corporation

No part of this book may be reproduced or utilized in
any form or by any means, electronic or mechanical,
including photocopying, recording or by any information
storage and retrieval system, without permission
in writing from the Publisher.

Library of Congress Catalog Card Number: 90-39470

ISBN: 0-8155-1244-9

Printed in the United States

Published in the United States of America by

Noyes Data Corporation

Mill Road, Park Ridge, New Jersey 07656

10 9 8 7 6 5 4 3 2 1

Library of Congress Cataloging-in Publication Data

Industrial solvents handbook / edited by Ernest W. Flick - 4th ed.

p. cm.

Includes bibliographical references [and index]

ISBN 0-8155-1244-9

1. Solvents--Handbooks, manuals, etc. I. Flick, Ernest W. II.

TP247.5.I53 1990

661'.807--dc20

Foreword

Completely revised, and vastly expanded, this well-established and successful reference volume is designed principally for the chemical and other process industries, but will be found useful by anyone needing the latest pertinent data on industrial solvents.

This Fourth Edition is uniquely helpful when it becomes necessary to select a new solvent on a competitive-comparative basis; when the customary solvent, employed hitherto, might no longer be available, or can no longer be used because of environmental reasons; or when prices have risen to such an extent that an existing process must be redesigned to make it economically feasible again.

The approximately 1,200 tables in this book contain basic data on the physical properties of most solvents and on the solubilities of a variety of materials in these solvents. Even phase diagrams for multicomponent systems are included. Particularly valuable are the HPLC and UV data for various solvents provided in the last chapter.

The contents of the tables were selected by the editor mainly from manufacturers' literature at no cost to, nor influence from, the manufacturers or distributors of these solvents. The source of each table is indicated by a reference number following the title. A complete set of references is found at the end of the book, as well as a trade name index.

The vast amount of information contained in the book is evidenced at once in the large table of contents, which is organized by chemical groups and also serves as the index. An abbreviated summary of the contents is given below, indicating the number of tables in each category.

| | |
|------------------------------------|-----|
| Hydrocarbon Solvents | 146 |
| Halogenated Hydrocarbons | 109 |
| Nitroparaffins | 10 |
| Organic Sulfur Compounds | 34 |
| Monohydric Alcohols | 172 |
| Polyhydric Alcohols | 204 |
| Phenols | 1 |
| Aldehydes | 13 |
| Ethers | 49 |
| Glycol Ethers | 74 |
| Ketones | 55 |
| Acids | 21 |
| Amines | 135 |
| Esters | 85 |
| HPLC and UV Data | 84 |

Advanced composition and production methods developed by Noyes Data Corporation are employed to bring this durably bound book to you in a minimum of time. Special techniques are used to close the gap between "manuscript" and "completed book." In order to keep the price of the book to a reasonable level, it has been partially reproduced by photo-offset directly from the original material and the cost saving passed on to the reader. Due to this method of publishing, certain portions of the book may be less legible than desired.

NOTICE

To the best of our knowledge the information in this publication is accurate; however, the Publisher does not assume any responsibility or liability for the accuracy or completeness of, or consequences arising from, such information. This book does not purport to contain detailed user instructions, and by its range and scope could not possibly do so. Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the Author or Publisher.

Industrial solvents could be toxic, and therefore due caution should always be exercised in the use of these potentially hazardous materials. Final determination of the suitability of any information or product for use contemplated by any user, and the manner of that use, is the sole responsibility of the user. We strongly recommend that users seek and adhere to a manufacturer's or supplier's current instructions for handling each material they use. The reader is cautioned to consult the supplier in case of questions regarding current availability.

Contents and Subject Index

| | |
|--|----------|
| INTRODUCTION. | 1 |
| HYDROCARBON SOLVENTS | 3 |
| Paraffins | |
| 2.1 Methane | 3 |
| 2.2 Ethane | 3 |
| 2.3 Propane | 4 |
| 2.4 Isobutane | 4 |
| 2.5 n-Butane | 5 |
| 2.6 2,2-Dimethylpropane | 5 |
| 2.7 Isopentane | 6 |
| 2.8 n-Pentane | 7 |
| 2.9 2,2-Dimethylbutane | 7 |
| 2.10 2,3-Dimethylbutane | 8 |
| 2.11 2-Methylpentane | 9 |
| 2.12 3-Methylpentane | 9 |
| 2.13 n-Hexane | 10 |
| 2.14 2,4-Dimethylpentane | 11 |
| 2.15 2,3-Dimethylpentane | 11 |
| 2.16 3-Methylhexane | 12 |
| 2.17 n-Heptane | 12 |
| 2.18 2,2,4-Trimethylpentane | 12 |
| 2.19 2,3,4-Trimethylpentane | 13 |
| 2.20 Mixed Trimethylpentanes | 13 |
| 2.21 Mixed Dimethylhexanes | 13 |
| 2.22 n-Octane | 14 |
| 2.23 2,2,5-Trimethylhexane | 14 |
| 2.24 n-Nonane | 15 |
| 2.25 n-Decane | 15 |
| 2.26 n-Undecane | 16 |
| 2.27 n-Dodecane | 16 |
| 2.28 n-Tridecane | 17 |
| 2.29 n-Tetradecane | 17 |
| 2.30 n-Pentadecane | 17 |
| 2.31 n-Hexadecane | 18 |
| 2.32 n-Heptadecane | 18 |
| 2.33 n-Octadecane | 18 |
| 2.34 n-Nonadecane | 18 |
| 2.35 n-Eicosane | 19 |
| Cycloparaffins | |
| 2.36 Cyclopentane | 19 |
| 2.37 Methylcyclopentane | 20 |
| 2.38 Cyclohexane | 20 |
| 2.39 1,1-Dimethylcyclopentane | 21 |
| 2.40 1,2- and 1,3-Dimethylcyclopentane | 22 |
| 2.41 Methylcyclohexane | 22 |
| 2.42 trans-1,4-Dimethylcyclohexane | 23 |
| 2.43 cis-1,4-Dimethylcyclohexane | 23 |
| 2.44 Mixed 1,4-Dimethylcyclohexanes | 23 |
| 2.45 trans-1,2-Dimethylcyclohexane | 24 |
| 2.46 cis-1,2-Dimethylcyclohexane | 24 |
| 2.47 Mixed 1,2-Dimethylcyclohexane | 25 |
| 2.48 Ethylcyclohexane | 25 |
| 2.49 Isopropylcyclohexane | 26 |
| Olefins | |
| 2.50 Ethylene | 27 |
| 2.51 Propylene | 27 |
| 2.52 Isobutylene | 27 |
| 2.53 Butene-1 | 28 |
| 2.54 trans-Butene-2 | 28 |
| 2.55 cis-Butene-2 | 28 |
| 2.56 Mixed 2-Butenes | 29 |
| 2.57 3-Methylbutene-1 | 29 |
| 2.58 2-Methylbutene-1 | 30 |
| 2.59 Methylbutene-2 | 31 |
| 2.60 Pentene-1 | 31 |
| 2.61 cis-Pentene-2 | 32 |
| 2.62 trans-Pentene-2 | 32 |

| | | |
|-----------------------------------|---|-----------|
| 2.63 | Mixed 2-Pentenes | 32 |
| 2.64 | 3,3-Dimethylbutene-1 | 33 |
| 2.65 | Mixed 2,3-Dimethylbutenes | 33 |
| 2.66 | 4-Methylpentene-1 | 33 |
| 2.67 | cis-4-Methylpentene-2 | 34 |
| 2.68 | trans-4-Methylpentene-2 | 35 |
| 2.69 | Mixed 4-Methyl-2-Pentenes | 35 |
| 2.70 | 2-Methylpentene-1 | 36 |
| 2.71 | 2-Methylpentene-2 | 36 |
| 2.72 | Hexene-1 | 37 |
| 2.73 | cis-Hexene-2 | 37 |
| 2.74 | Mixed 2-Hexenes | 37 |
| 2.75 | Mixed 2- and 3-Hexenes | 38 |
| 2.76 | Heptene-1 | 38 |
| 2.77 | cis-Heptene-2 | 38 |
| 2.78 | Mixed 2-Heptenes | 39 |
| 2.79 | Mixed 3-Heptenes | 39 |
| 2.80 | 2,4,4-Trimethylpentene-1 | 39 |
| 2.81 | 2,4,4 Trimethylpentene-2 | 40 |
| 2.82 | Mixed Diisobutylenes | 40 |
| 2.83 | Octene-1 | 41 |
| 2.84 | cis-Octene-2 | 41 |
| 2.85 | Mixed 2-Octenes | 41 |
| 2.86 | Mixed Octenes | 42 |
| 2.87 | Nonene-1 | 42 |
| 2.88 | Decene-1 | 42 |
| 2.89 | Undecene-1 | 42 |
| 2.90 | Dodecene-1 | 42 |
| 2.91 | Tridecene-1 | 43 |
| 2.92 | Tetradecene-1 | 43 |
| 2.93 | Butadiene-1,3 | 43 |
| 2.94 | Isoprene | 44 |
| 2.95 | Piperylene | 44 |
| Cycloolefins | | 44 |
| 2.96 | Cyclopentene | 44 |
| 2.97 | Cyclohexene | 45 |
| 2.98 | 4-Vinylcyclohexene-1 | 46 |
| 2.99 | Mixed Methylcyclohexenes | 46 |
| 2.100 | Cyclooctadiene-1,5 | 47 |
| Aromatics | | 47 |
| 2.101 | Benzene | 47 |
| 2.102 | Toluene | 48 |
| 2.103 | Ethylbenzene | 48 |
| 2.104 | p-Xylene | 49 |
| 2.105 | m-Xylene | 49 |
| 2.106 | o-Xylene | 50 |
| 2.107 | Cumene | 50 |
| 2.108 | n-Propylbenzene | 51 |
| 2.109 | Pseudocumene | 51 |
| 2.110 | n-Butylbenzene | 51 |
| 2.111 | Isobutylbenzene | 52 |
| 2.112 | sec-Butylbenzene | 53 |
| 2.113 | tet-Butylbenzene | 53 |
| 2.114 | 1-Phenylbutene-2 | 54 |
| 2.115 | sec-Amylbenzene | 54 |
| 2.116 | Mixed Amylbenzenes | 54 |
| Terpenes | | 55 |
| 2.117 | DIPENTENE No. 122 Terpene Solvent | 55 |
| 2.118 | SOLVENOL 2 Terpene Solvent | 55 |
| 2.119 | SOLVENOL 3 Terpene Solvent | 56 |
| 2.120 | HERCULES Steam-Distilled Wood Turpentine | 56 |
| 2.121 | HERCULES Alpha-Pinene | 57 |
| 2.122 | Selected Properties of Some Common Terpene Solvents | 57 |
| 2.123 | Arizona Terpene Products | 58 |
| Comparative Data | | 64 |
| 2.124 | Arnoco PANASOL Solvents | 64 |
| 2.125 | Ashland Aliphatic and Aromatic Solvents | 65 |
| 2.126 | Castrol Solvents | 66 |
| 2.127 | Chemcentral Solvents | 67 |
| 2.128 | Chevron Solvents | 68 |
| 2.129 | Crowley Solvents | 73 |
| 2.130 | Eastman Solvents and Diluents | 75 |
| 2.131 | Exxon Petroleum Solvents | 79 |
| 2.132 | Hoechst Celanese Methyl Ethyl Ketone | 80 |
| 2.133 | Kendall Special Solvents | 80 |
| 2.134 | Lyondell Hydrocarbon Solvents | 84 |
| 2.135 | Mobil Selected Aliphatic and Aromatic Solvents | 92 |
| 2.136 | Penreco Hydrocarbon Solvents | 93 |
| 2.137 | Phillips Hydrocarbon Solvents | 94 |
| 2.138 | Shell Chemical Solvents | 100 |
| 2.139 | Sun Refining Toluene and Xylene | 109 |

| | | |
|--|--|-----|
| 2.140 | Texaco Chemical Solvents | 110 |
| 2.141 | 3M SCOTCH-GRIP Solvents | 115 |
| 2.142 | Total Petroleum Special Solvents | 116 |
| 2.143 | UCAR Solvents | 120 |
| 2.144 | Unocal Chemicals Aliphatic and Aromatic Hydrocarbons | 124 |
| 2.145 | Vista Solvents | 127 |
| 2.146 | Witco Solvents | 129 |
| HALOGENATED HYDROCARBONS | | |
| Chlorinated Hydrocarbons | | |
| 3.1 | Allyl Chloride | 131 |
| 3.2 | n-Amyl Chloride | 131 |
| 3.3 | Mixed Amyl Chlorides | 131 |
| 3.4 | Benzyl Chloride | 132 |
| 3.5 | n-Butyl Chloride | 132 |
| 3.6 | sec-Butyl Chloride | 132 |
| 3.7 | Butyryl Chloride | 133 |
| 3.8 | Caprylyl Chloride | 133 |
| 3.9 | Carbon Tetrachloride | 134 |
| 3.10 | Chlorinated Butane Derivatives | 135 |
| 3.11 | Chlorinated Hydrocarbons | 135 |
| 3.12 | Chlorinated Organic Solvents | 135 |
| 3.13 | CHLOROWAX Chlorinated Paraffins and Alpha Olefins | 136 |
| 3.14 | Chlorobenzenes—Vapor Pressures | 139 |
| 3.15 | Chloroform | 139 |
| 3.16 | Chloromethylene Compounds | 140 |
| 3.17 | o- and p-Chlorotoluenes | 141 |
| 3.18 | p-Chlorotoluene | 141 |
| 3.19 | HALSO 99 | 141 |
| 3.20 | o-Dichlorobenzene | 142 |
| 3.21 | p-Dichlorobenzene | 142 |
| 3.22 | Dichlorodiisopropyl Ether | 143 |
| 3.23 | Dichloroethylene | 143 |
| 3.24 | Dichloroethyl Ether | 144 |
| 3.25 | Dichlorohydrin | 144 |
| 3.26 | Dichloromethane | 145 |
| 3.27 | Dichloropentanes | 146 |
| 3.28 | 2,4-Dichlorotoluene | 146 |
| 3.29 | Epichlorohydrin | 147 |
| 3.30 | Ethyl Chloride | 147 |
| 3.31 | Ethylene Chlorohydrin | 149 |
| 3.32 | Ethylene Dichloride | 149 |
| 3.33 | 2-Ethylhexyl Chloride | 150 |
| 3.34 | Glycerol α -Monochlorohydrin | 150 |
| 3.35 | Hexachloroethane | 151 |
| 3.36 | n-Hexyl Chloride | 151 |
| 3.37 | Isopropyl Chloride | 151 |
| 3.38 | Methyl Chloride | 151 |
| 3.39 | Monochlorobenzene | 154 |
| 3.40 | Monochlorohydrin | 154 |
| 3.41 | Pentachloroethane | 154 |
| 3.42 | Perchloroethylene | 155 |
| 3.43 | Propylene Chlorohydrin | 156 |
| 3.44 | Propylene Dichloride | 156 |
| 3.45 | 1,1,2,2-Tetrachloroethane | 157 |
| 3.46 | Tetrachloroethylene | 158 |
| 3.47 | Trichlorobenzenes | 160 |
| 3.48 | 1,1,1-Trichloroethane | 160 |
| 3.49 | 1,1,2-Trichloroethane | 166 |
| 3.50 | Trichloroethylene | 166 |
| 3.51 | Trichloropropene | 168 |
| 3.52 | Triglycol Dichloride | 168 |
| 3.53 | Vinyl Chloride | 169 |
| 3.54 | Vinylidene Chloride | 169 |
| 3.55 | Akzo Carbon Tetrachloride | 170 |
| Comparative Data | | |
| 3.56 | Alpha Cleaning Solvents | 171 |
| 3.57 | Ashland Chlorinated Solvents | 171 |
| 3.58 | Chemcentral Solvents | 172 |
| 3.59 | Dow Chemical Chlorinated Solvents | 172 |
| 3.60 | ICI Americas Selected Solvents | 173 |
| 3.61 | Mobil Oil Chlorinated Solvents | 180 |
| 3.62 | Occidental Chemical Chlorinated Solvents | 181 |
| 3.63 | PPG Chlorinated Solvents | 182 |
| 3.64 | Unocal Chemicals Halogenated Hydrocarbons | 188 |
| Fluorinated Hydrocarbons | | |
| 3.65 | Trichlorofluoromethane | 195 |
| 3.66 | Trichlorotrifluoroethane | 196 |
| 3.67 | GENESOLV D | 197 |
| 3.68 | ARKLONE P | 198 |
| 3.69 | FREON TF Solvent and FREON Precision Cleaning Agent | 202 |
| 3.70 | FORANE 113 | 204 |

| | | |
|--|---|-----|
| 3.71 | Trichlorotrifluoroethane/Acetone/Hexane/Nitromethane (85.8/12.5/1.6/0.1) | 205 |
| 3.72 | Trichlorotrifluoroethane/Acetone/Isohexane/Ethanol/Nitromethane (84.2/8.0/5.4%2.2/0.2) Azeotrope | 207 |
| 3.73 | Trichlorotrifluoroethane/Acetone/Nitromethane (90.3/9.4/0.3) | 209 |
| 3.74 | Trichlorotrifluoroethane/Butyl CELLOSOLVE (98.5/1.5) Blend | 211 |
| 3.75 | Trichlorotrifluoroethane/Methyl Alcohol/Ethyl Alcohol/Isopropyl Alcohol/Nitromethane (32/4/2/1/1) | 212 |
| 3.76 | Trichlorotrifluoroethane/SDA-30 Ethanol (65/35) Azeotrope | 214 |
| 3.77 | Trichlorotrifluoroethane/Denatured Alcohol (95.5/4.5) Blend | 216 |
| 3.78 | Trichlorotrifluoroethane/Isopropanol (85/15) Blend | 217 |
| 3.79 | Trichlorotrifluoroethane/Ethanol/Isopropanol/Nitromethane (93.5/3.5/2/1) | 218 |
| 3.80 | Trichlorotrifluoroethane/Isopropyl Alcohol (65/35) Azeotrope | 220 |
| 3.81 | Trichlorotrifluoroethane/Methanol/Acetone/Isohexane/Nitromethane (91.1/5.9/0.9/1.3/0.2) | 221 |
| 3.82 | Trichlorotrifluoroethane/Methylene Chloride/Cyclopentane (39/52/9) | 223 |
| 3.83 | Trichlorotrifluoroethane/Methylene Chloride/Methanol (55.0/41.7/3.3) Azeotrope | 224 |
| 3.84 | Trichlorotrifluoroethane/Methanol/Methylene Chloride/Cyclopentane (45.5/4.3/45.0/5.2) Azeotrope | 225 |
| 3.85 | Trichlorotrifluoroethane/Water Emulsion | 227 |
| 3.86 | HCFC 141b and Alcohol Blend | 227 |
| 3.87 | HCFC Solvent | 228 |
| 3.88 | GENESOLV DRSC, DRS and D Solvents | 229 |
| 3.89 | GENESOLV Solvent Drying System—GENESOLV DS and GENESOLV DS-10 | 229 |
| Comparative Data | | 230 |
| 3.90 | Guide to Grades of ARKLONE | 230 |
| 3.91 | Comparison of Fluorinated 113 Solvents | 231 |
| 3.92 | FORANE Solvents | 232 |
| 3.93 | Guide to FREON Solvents | 233 |
| 3.94 | FREON Fluorocarbons | 235 |
| 3.95 | GENESOLV Solvents and Common Chlorinated Solvents | 243 |
| Brominated Hydrocarbons | | 245 |
| 3.96 | Alkyl Bromides | 245 |
| 3.97 | Aryl Bromides | 251 |
| 3.98 | Brominated Organic Compounds | 253 |
| 3.99 | Bromoform | 253 |
| 3.100 | Ethyl Bromide | 254 |
| 3.101 | Ethylene Chlorobromide | 254 |
| 3.102 | Ethylene Dibromide | 254 |
| 3.103 | Methyl Bromide | 255 |
| 3.104 | Methylene Chlorobromide | 256 |
| 3.105 | Propylene Dibromide | 256 |
| 3.106 | Tetrabromoethane | 256 |
| 3.107 | Vinyl Bromide | 257 |
| Iodinated Hydrocarbons | | 257 |
| 3.108 | Iodinated Compounds | 257 |
| 3.109 | Physical Properties and Manufacture of Miscellaneous Organic Iodine Compounds | 258 |
| NITROPARAFFINS | | 259 |
| 4.1 | ANGUS Nitroparaffins and Derivative Products—Commercial Grade | 259 |
| 4.2 | ANGUS Nitroparaffins | 261 |
| 4.3 | ANGUS Nitro Alcohols | 262 |
| 4.4 | ANGUS Amino Alcohols | 262 |
| 4.5 | Industrial Amines Ranked in Order of Decreasing Base Strength | 265 |
| 4.6 | Comparing Amines for Safety | 265 |
| 4.7 | Physical Properties of COMSOL NM-55 | 266 |
| 4.8 | Specific Gravities of Nitromethane-Methanol Fuel Mixtures | 266 |
| 4.9 | NIPAR 640 | 267 |
| 4.10 | Chloronitroparaffins | 268 |
| ORGANIC SULFUR COMPOUNDS | | 269 |
| 5.1 | Carbon Disulfide | 269 |
| Dimethyl Sulfoxide (DMSO) | | 270 |
| 5.2 | Physical Properties of DMSO | 270 |
| 5.3 | Vapor Pressure vs Temperature for DMSO | 270 |
| 5.4 | Freezing Point Curves for DMSO-Water Solutions | 271 |
| 5.5 | Viscosity of DMSO and DMSO-Water Solutions | 271 |
| 5.6 | Thermal Stability of DMSO | 271 |
| 5.7 | Solubility of Salts in DMSO | 272 |
| 5.8 | Solubility of Gases in DMSO at Atmospheric Pressure and 20°C | 272 |
| 5.9 | Solubility of Resins and Polymers in DMSO | 273 |
| 5.10 | Solubility of Miscellaneous Materials in DMSO | 274 |
| 5.11 | Solubility of NaCN in DMSO | 275 |
| 5.12 | Solubility of NaCl in DMSO-H ₂ O Mixtures at 25°C | 275 |
| 5.13 | Solubility of Hydroxides in Aqueous DMSO | 275 |
| 5.14 | Acidity Functions of Bases in DMSO | 275 |
| 5.15 | Acidities in DMSO | 276 |
| 5.16 | Heat Capacity of DMSO | 277 |
| 5.17 | Density of DMSO | 277 |
| 5.18 | Vapor-Liquid Equilibrium DMSO-Water | 277 |
| 5.19 | Boiling Temperature Curve for DMSO-Water Solution | 277 |
| 5.20 | Vapor-Liquid Equilibrium Curve DMSO-Water at One Atmosphere | 278 |
| 5.21 | Theoretical Plate Requirement DMSO/Water System | 278 |
| 5.22 | Reflux Requirements—DMSO/Water System | 278 |
| 5.23 | Materials of Construction—Corrosion Data on DMSO/Water Systems | 279 |
| 5.24 | Thermal Decomposition of DMSO | 279 |
| 5.25 | Stability of 3M Dimsyl Sodium in DMSO | 280 |

| | | |
|--------------------------------------|--|-----|
| 6.26 | Temperature Change in CM Dimsyl Sodium Solution in Insulated Containers at Different Starting Temperatures | 280 |
| Sulfolene | | 281 |
| 5.27 | 3-Methylsulfolene | 281 |
| Sulfolane | | 281 |
| 5.28 | Physical Properties of Sulfolane | 281 |
| 5.29 | Typical Solvent Properties of Sulfolane | 282 |
| 5.30 | Specific Gravity (80°/60°F) for Blends of Sulfolane-Water-Diisopropylamine (DIPA) | 283 |
| Organosulfur Compounds | | 284 |
| 5.31 | Pennwalt Organosulfur Compounds | 284 |
| 5.32 | Vapor Pressure Curves of Pennwalt Organosulfur Intermediates | 288 |
| 5.33 | Phillips Organosulfur Compounds | 290 |
| MONOHYDRIC ALCOHOLS | | 291 |
| Methanol | | 291 |
| 6.1 | Physical Properties of Methanol | 291 |
| 6.2 | Properties of Aqueous Solutions of Methanol | 292 |
| 6.3 | Freezing Points of Methanol-Water Solutions | 292 |
| 6.4 | Density and Specific Gravity of Methanol-Water Solutions at 15°C | 293 |
| 6.5 | Density and Specific Gravity of Methanol-Water Solutions at 30°C | 294 |
| 6.6 | Resultant Volume When Methanol and Water Are Mixed | 295 |
| 6.7 | Solubility of Methanol in Gasoline from 15° to 30°C | 295 |
| 6.8 | Liquid Density of Methanol | 296 |
| 6.9 | Liquid Heat Capacity of Methanol | 296 |
| 6.10 | Vapor Heat Capacity of Methanol | 297 |
| 6.11 | Heat of Vaporization of Methanol | 297 |
| 6.12 | Surface Tension of Methanol | 298 |
| 6.13 | Liquid Thermal Conductivity of Methanol | 298 |
| 6.14 | Vapor Thermal Conductivity of Methanol | 299 |
| 6.15 | Vapor Pressure of Methanol | 299 |
| 6.16 | Vapor Viscosity of Methanol | 300 |
| 6.17 | Liquid Viscosity of Methanol | 300 |
| 6.18 | Azeotropes of Methanol | 301 |
| Ethyl Alcohol | | 302 |
| 6.19 | Physical Properties of Anhydrous Ethyl Alcohol | 302 |
| 6.20 | Physical Properties of 95% Ethanol | 302 |
| 6.21 | Conversion Table—Weight and Volume Percent of Ethyl Alcohol in Ethyl Alcohol-Water Mixtures | 303 |
| 6.22 | Index of Refraction of Ethyl Alcohol-Water Mixtures at 60°F | 303 |
| 6.23 | Heat of Solution of Ethyl Alcohol in Water | 304 |
| 6.24 | Resultant Volume When Ethyl Alcohol and Water Are Mixed | 304 |
| 6.25 | Boiling Points of Ethyl Alcohol-Water Solution | 304 |
| 6.26 | Permanganate Time Test | 305 |
| 6.27 | Freezing Points of Ethyl Alcohol-Water Mixtures | 305 |
| 6.28 | Viscosity of Ethyl Alcohol-Water Mixtures | 306 |
| 6.29 | Flash Point of Aqueous Ethyl Alcohol Solutions °C and °F vs Vol % Ethanol | 307 |
| 6.30 | Specific Heat of Aqueous Solutions of Ethanol | 307 |
| 6.31 | Surface Tension of Pure Ethanol at Various Temperatures | 307 |
| 6.32 | Latent Heat of Vaporization of Ethyl Alcohol | 308 |
| 6.33 | Heat Capacity of Ethyl Alcohol at Various Temperatures | 308 |
| 6.34 | Volumetric Equivalents | 309 |
| 6.35 | Ethyl Alcohol-Water Mixtures | 309 |
| 6.36 | Specially Denatured Alcohols | 315 |
| 6.37 | Authorized Denaturants for SDA 38B | 330 |
| 6.38 | Denaturants Authorized for Completely Denatured Alcohol (CDA) and Specially Denatured Alcohol (SDA) | 331 |
| 6.39 | Uses of Specially Denatured Alcohol | 332 |
| 6.40 | Proprietary Solvents | 334 |
| 6.41 | FILMEX | 336 |
| 6.42 | ANSOL Solvents | 338 |
| 6.43 | CDA 19 | 338 |
| 6.44 | Azeotropes of Ethanol | 339 |
| n-Propyl Alcohol | | 340 |
| 6.45 | Physical Properties of n-Propyl Alcohol | 340 |
| 6.46 | Azeotropes of n-Propyl Alcohol | 341 |
| 6.47 | n-Propanol-Water-Benzene | 342 |
| 6.48 | n-Propanol-Water-n-Butanol | 342 |
| 6.49 | n-Propanol-Water-Heptane | 342 |
| 6.50 | n-Propanol-Water-Hexane | 342 |
| Isopropyl Alcohol | | 343 |
| 6.51 | Physical Properties of Anhydrous Isopropyl Alcohol | 343 |
| 6.52 | Physical Properties of 91% Isopropyl Alcohol | 343 |
| 6.53 | Specific Gravity of Isopropyl Alcohol-Water Mixtures | 344 |
| 6.54 | Vapor-Liquid Compositions of Isopropyl Alcohol-Water Mixtures and Their Boiling Points | 345 |
| 6.55 | Refractive Index vs Composition of Isopropyl Alcohol-Water Mixtures at 25°C | 345 |
| 6.56 | Isopropyl Alcohol-Water: Kinematic Viscosity vs Composition at 25°C | 345 |
| 6.57 | Azeotropes of Isopropyl Alcohol | 346 |
| 6.58 | The Effect of Isopropyl Alcohol on the Dilution Ratio of Solvents | 346 |
| 6.59 | Viscosity of RS ½ Sec. Nitrocellulose in Mixtures of Toluene, Isopropyl Alcohol and Methyl Isobutyl Ketone | 347 |
| 6.60 | Methanol-Isopropyl Alcohol: Boiling Point vs Composition at 760 mm Hg | 347 |
| 6.61 | Methanol-Isopropyl Alcohol: Liquid-Vapor Equilibria at Atmospheric Pressure | 347 |
| 6.62 | Vapor Pressure of Isopropyl Alcohol (Anhydrous) and sec-Butyl Alcohol at Various Temperatures | 348 |
| 6.63 | Specific Gravities of Alcohols vs Temperature | 348 |

| | |
|--|-----|
| n-Butyl Alcohol | 349 |
| 6.64 Physical Properties of n-Butyl Alcohol | 349 |
| 6.65 Vapor Pressure of Butyl Alcohol at Various Temperatures | 350 |
| 6.66 Solubility of Water in Butyl Alcohol at Various Temperatures | 350 |
| 6.67 Solubility of Butyl Alcohol in Water at Various Temperatures | 351 |
| 6.68 Azeotropes of n-Butyl Alcohol | 351 |
| Isobutyl Alcohol | 352 |
| 6.69 Physical Properties of Isobutyl Alcohol | 352 |
| 6.70 Azeotropes of Isobutyl Alcohol | 352 |
| 6.71 Relative Evaporation Rates of Various Butyl Alcohols and Acetates | 353 |
| sec-Butyl Alcohol | 353 |
| 6.72 Physical Properties of sec-Butyl Alcohol | 353 |
| 6.73 Azeotropes of sec-Butyl Alcohol | 353 |
| tert-Butyl Alcohol | 354 |
| 6.74 Physical Properties of tert-Butyl Alcohol | 354 |
| 6.75 Azeotropes of tert-Butyl Alcohol | 354 |
| Primary Amyl Alcohol | 355 |
| 6.76 Physical Properties of Primary Amyl Alcohol | 355 |
| Primary n-Amyl Alcohol | 355 |
| 6.77 Physical Properties of Primary n-Amyl Alcohol | 355 |
| sec-Amyl Alcohol | 356 |
| 6.78 Physical Properties of sec-Amyl Alcohol | 356 |
| 6.79 Azeotropes of sec-Amyl Alcohol | 356 |
| sec-n-Amyl Alcohol | 356 |
| 6.80 Physical Properties of sec-n-Amyl Alcohol | 356 |
| 6.81 Azeotropes of sec-n-Amyl Alcohol | 356 |
| tert-Amyl Alcohol, Refined | 357 |
| 6.82 Physical Properties of Refined tert-Amyl Alcohol | 357 |
| 6.83 Azeotropes of tert-Amyl Alcohol | 357 |
| Isoamyl Alcohol | 358 |
| 6.84 Physical Properties of Isoamyl Alcohol | 358 |
| 6.85 Azeotropes of Isoamyl Alcohol | 358 |
| Active Amyl Alcohol | 359 |
| 6.86 Physical Properties of Active Amyl Alcohol | 359 |
| Fusel Oil, Refined | 359 |
| 6.87 Physical Properties of Refined Fusel Oil | 359 |
| Methylamyl Alcohol | 360 |
| 6.88 Physical Properties of Methylamyl Alcohol | 360 |
| 2-Ethylbutyl Alcohol | 360 |
| 6.89 Physical Properties of 2-Ethylbutyl Alcohol | 360 |
| n-Hexyl Alcohol | 361 |
| 6.90 Physical Properties of n-Hexyl Alcohol | 361 |
| 6.91 Solubility of Water in n-Hexyl Alcohol | 361 |
| 6.92 Azeotropes of Hexyl Alcohol | 361 |
| Cyclohexyl Alcohol | 362 |
| 6.93 Physical Properties of Cyclohexyl Alcohol | 362 |
| 6.94 Azeotropes of Cyclohexyl Alcohol | 362 |
| Heptyl Alcohol | 363 |
| 6.95 Physical Properties of Heptyl Alcohol | 363 |
| 6.96 Azeotropes of Heptyl Alcohol | 363 |
| 2-Heptyl Alcohol | 363 |
| 6.97 Physical Properties of 2-Heptyl Alcohol | 363 |
| 3-Heptyl Alcohol | 364 |
| 6.98 Physical Properties of 3-Heptyl Alcohol | 364 |
| 2-Ethylhexyl Alcohol | 364 |
| 6.99 Physical Properties of 2-Ethylhexyl Alcohol | 364 |
| n-Octyl Alcohol | 364 |
| 6.100 Physical Properties of n-Octyl Alcohol | 364 |
| 6.101 Azeotropes of n-Octyl Alcohol | 365 |
| sec-Octyl Alcohol | 365 |
| 6.102 Physical Properties of sec-Octyl Alcohol | 365 |
| 6.103 Azeotropes of sec-Octyl Alcohol | 365 |
| Isooctyl Alcohol | 366 |
| 6.104 Physical Properties of Isooctyl Alcohol | 366 |
| Nonyl Alcohol | 366 |
| 6.105 Physical Properties of Nonyl Alcohol | 366 |
| 3,5,5-Trimethylhexyl Alcohol | 367 |
| 6.106 Physical Properties of 3,5,5-Trimethylhexyl Alcohol | 367 |
| Decyl Alcohol | 367 |
| 6.107 Physical Properties of Decyl Alcohol | 367 |
| Isodecyl Alcohol | 367 |
| 6.108 Physical Properties of Isodecyl Alcohol | 368 |
| Tridecyl Alcohol | 368 |
| 6.109 Physical Properties of Tridecyl Alcohol | 368 |
| Other Alcohols and Alcohol Blends | 368 |
| 6.110 ALFOL 4 Alcohol | 369 |
| 6.111 ALFOL C ₆ -C ₁₀ Alcohol Low-Range Blends | 369 |
| 6.112 ALFOL C ₆ -C ₁₈ High Purity Alcohol Homologs | 369 |
| 6.113 ALFOL C ₁₀ -C ₁₆ Alcohol Blends | 370 |
| 6.114 ALFOL C ₁₄ -C ₂₀ Alcohol Blends | 371 |
| 6.115 ALFOL 20+ and 22+ Alcohols | 373 |
| Comparative Data | 373 |
| | 374 |

| | | |
|--|--|-----|
| 6.116 | Amsco Alcohols | 374 |
| 6.117 | Ashland Alcohols and Proprietary and Special Industrial Solvents | 374 |
| 6.118 | Chemcentral Alcohols | 376 |
| 6.119 | CPS Chemical Alcohols | 376 |
| 6.120 | Eastman Chemicals Alcohols | 377 |
| 6.121 | Hoechst Celanese Alcohols | 379 |
| 6.122 | Mobil Oil Alcohols | 380 |
| 6.123 | Proctor and Gamble Alcohols | 381 |
| 6.124 | Shell Chemical Alcohols | 383 |
| 6.125 | UCAR Alcohols | 384 |
| 6.126 | Unocal Chemicals Alcohols | 385 |
| Allyl Alcohol | | 390 |
| 6.127 | Physical Properties of Allyl Alcohol | 390 |
| 6.128 | Azeotropes of Allyl Alcohol | 390 |
| Crotyl Alcohol | | 391 |
| 6.129 | Physical Properties of Crotyl Alcohol | 391 |
| Methylbutynyl Alcohol | | 391 |
| 6.130 | Physical Properties of Methylbutynyl Alcohol | 391 |
| Methylpentynyl Alcohol | | 392 |
| 6.131 | Physical Properties of Methylpentynyl Alcohol | 392 |
| Higher Unsaturated Alcohols | | 392 |
| 6.132 | Unsaturated Aliphatic Alcohols | 392 |
| Diacetone Alcohol | | 392 |
| 6.133 | Physical Properties of Diacetone Alcohol | 392 |
| 2-Mercaptoethyl Alcohol | | 393 |
| 6.134 | Physical Properties of 2-Mercaptoethyl Alcohol | 393 |
| 2-Ethylsulfonylethyl Alcohol | | 393 |
| 6.135 | Physical Properties of 2-Ethylsulfonylethyl Alcohol | 393 |
| 1,1,1-Trifluoroethyl Alcohol | | 393 |
| 6.136 | Physical Properties of 1,1,1-Trifluoroethyl Alcohol | 393 |
| 1H,1H,3H-Tetrafluoro-1-Propyl Alcohol | | 394 |
| 6.137 | Physical Properties of 1H,1H,3H-Tetrafluoro-1-Propyl Alcohol | 394 |
| 1H,1H,5H-Octafluoro-1-Pentyl Alcohol | | 394 |
| 6.138 | Physical Properties of 1H,1H,5H-Octafluoro-1-Pentyl Alcohol | 394 |
| Benzyl Alcohol | | 394 |
| 6.139 | Physical Properties of Benzyl Alcohol | 394 |
| 6.140 | Akzo Chemicals Benzyl Alcohols | 395 |
| 6.141 | Azeotropes of Benzyl Alcohol | 396 |
| α-Methylbenzyl Alcohol | | 396 |
| 6.142 | Physical Properties of α-Methylbenzyl Alcohol | 396 |
| Furfuryl Alcohol | | 397 |
| 6.143 | Physical Properties of Furfuryl Alcohol | 397 |
| 6.144 | Vapor Pressure of Furfuryl Alcohol | 398 |
| 6.145 | Pounds per Gallon of Furfuryl Alcohol at Various Temperatures | 398 |
| 6.146 | Density of Furfuryl Alcohol-Water Solutions as a Function of Composition (at 25°C, 77°F) | 399 |
| 6.147 | Vapor Pressure of Furfuryl Alcohol as a Function of Temperature | 399 |
| 6.148 | Solubility of Liquid Organic Compounds in Furfuryl Alcohol (at 25°C, 77°F) | 400 |
| 6.149 | Solubility of Solid Organic Compounds in Furfuryl Alcohol (at 25°C, 77°F) | 400 |
| 6.150 | Solubility of Thermoplastic Resins in Furfuryl Alcohol (at Room Temperature) | 401 |
| 6.151 | Effect of Time at Elevated Temperature on Certain Characteristics of Furfuryl Alcohol (Under Neutral Conditions) | 401 |
| 6.152 | Stabilization of Furfuryl Alcohol with an Amine (at 150°C in Glass) | 402 |
| 6.153 | Autoxidation of Furfuryl Alcohol | 402 |
| Tetrahydrofurfuryl Alcohol | | 403 |
| 6.154 | Physical Properties of Tetrahydrofurfuryl Alcohol | 403 |
| 6.155 | Solubility of Various Substances in Tetrahydrofurfuryl Alcohol | 403 |
| 6.156 | Vapor-Liquid Equilibria in the Tetrahydrofurfuryl Alcohol-Water System | 404 |
| 6.157 | Vapor Pressure of Tetrahydrofurfuryl Alcohol | 404 |
| 6.158 | Specific Gravity and Pounds per Gallon of Tetrahydrofurfuryl Alcohol at Various Temperatures | 404 |
| 6.159 | Vapor-Liquid Equilibrium Curve of the THFA-Water System at the Boiling Point | 405 |
| 6.160 | The System THFA-Water Composition Curve | 405 |
| Terpenes | | 406 |
| 6.161 | HERCO and YARMOR Pine Oils | 406 |
| 6.162 | Hercules Terpineols | 408 |
| 6.163 | HERCULES alpha-Terpineol | 410 |
| Other Data | | 411 |
| 6.164 | Solubility Data for Alcohols | 411 |
| 6.165 | Melting Points of Saturated Monohydric Alcohols | 412 |
| 6.166 | Rate of Evaporation of Various Solvents at Room Temperature | 412 |
| 6.167 | Comparative Evaporation Rates of Alcohols | 412 |
| 6.168 | Vapor Pressure of Alcohols at Various Temperatures | 413 |
| 6.169 | Freezing Points (Initial Crystallization) of Aqueous Solutions of Alcohols | 413 |
| 6.170 | Specific Gravity of Aqueous Solutions of Alcohols at 20°C | 414 |
| 6.171 | Viscosity of Ethyl Cellulose in Alcohol-Hydrocarbon Mixtures | 414 |
| 6.172 | Evaporation Data for Various Solvents | 415 |
| POLYHYDRIC ALCOHOLS | | 416 |
| Ethylene Glycol | | 416 |
| 7.1 | Physical Properties and Specifications of Ethylene Glycol | 416 |
| 7.2 | Boiling Points of Aqueous Ethylene Glycol Solutions | 417 |
| 7.3 | Density of Aqueous Ethylene Glycol Solutions | 417 |
| 7.4 | Specific Gravity at 60°F of Aqueous Ethylene Glycol Solutions vs Composition | 418 |
| 7.5 | Freezing Points of Aqueous Ethylene Glycol Solutions | 418 |

| | | |
|-----------------------------------|---|-----|
| 7.6 | Specific Heat of Aqueous Ethylene Glycol Solutions | 419 |
| 7.7 | Vapor-Liquid Composition Curves for Aqueous Ethylene Glycol Solutions | 419 |
| 7.8 | Vapor Pressure of Aqueous Ethylene Glycol Solutions | 420 |
| 7.9 | Viscosity of Aqueous Ethylene Glycol Solutions | 420 |
| 7.10 | Relative Humectant Values of Aqueous Solutions of Ethylene Glycol | 421 |
| 7.11 | Water Vapor Dew Points over Aqueous Ethylene Glycol Solutions | 421 |
| 7.12 | Key Hygroscopicity Curve for Ethylene Glycol | 422 |
| 7.13 | Moisture Absorption of Ethylene Glycol at Various Relative Humidities | 422 |
| 7.14 | Moisture Absorption of Ethylene Glycol at Various Absolute Humidities | 422 |
| 7.15 | Kinematic Viscosity of Anhydrous Ethylene Glycol and Trimethylene Glycol Solutions | 423 |
| 7.16 | Freezing Points of Anhydrous Ethylene Glycol and Trimethylene Glycol Solutions | 423 |
| 7.17 | Azeotropes of Ethylene Glycol | 423 |
| Propylene Glycol | | |
| 7.18 | Physical Properties of Propylene Glycol | 424 |
| 7.19 | Propylene Glycol Specifications | 425 |
| 7.20 | Boiling Points of Aqueous Propylene Glycol Solutions | 425 |
| 7.21 | Conversion Chart for Aqueous Propylene Glycol Solutions | 426 |
| 7.22 | Density of Aqueous Propylene Glycol Solutions (Percent by Weight) | 426 |
| 7.23 | Effect of Aqueous Propylene Glycol Solutions on Dew Points at Various Contact Temperatures | 427 |
| 7.24 | Freezing Points of Aqueous Propylene Glycol Solutions | 427 |
| 7.25 | Heat of Vaporization of Propylene Glycol at Various Temperatures | 428 |
| 7.26 | Refractive Indices of Aqueous Propanediol Solutions at 20°, 30° and 40°C | 428 |
| 7.27 | Relative Humectant Values of Propylene Glycol, N.F. | 429 |
| 7.28 | Specific Gravity of Aqueous Propylene Glycol Solutions at Various Temperatures | 429 |
| 7.29 | Specific Heat of Aqueous Propylene Glycol Solutions | 430 |
| 7.30 | Thermal Conductivity of Aqueous Propylene Glycol Solutions at Various Temperatures | 430 |
| 7.31 | Total Pressure over Aqueous Propylene Glycol Solutions Versus Temperatures | 430 |
| 7.32 | Vapor-Liquid Composition Curves for Aqueous Propylene Glycol Solutions | 430 |
| 7.33 | Vapor Pressures of Aqueous Propylene Glycol Solutions | 431 |
| 7.34 | Viscosities of Aqueous Propylene Glycol Solutions | 431 |
| 7.35 | Azeotropes of Propylene Glycol | 431 |
| 1,3-Propanediol | | |
| 7.36 | Physical Properties of 1,3-Propanediol | 432 |
| 7.37 | Freezing Points of Aqueous Solutions of 1,3-Propanediol | 432 |
| 7.38 | Specific Gravity of Aqueous Solutions of 1,3-Propanediol at 20° and 40°C | 433 |
| 1,2-Butanediol | | |
| 7.39 | Physical Properties of 1,2-Butanediol | 433 |
| 7.40 | Specific Gravity of Aqueous 1,2-Butanediol Solutions at 20° and 40°C | 434 |
| 7.41 | Absolute Viscosity of Aqueous 1,2-Butanediol Solutions at 20° and 40°C | 434 |
| 1,3-Butanediol | | |
| 7.42 | Physical Properties of 1,3-Butanediol | 434 |
| 7.43 | Freezing Point of Aqueous Solutions of 1,3-Butanediol | 435 |
| 7.44 | Refractive Index and Freezing Point of Aqueous Solutions of 1,3-Butanediol | 435 |
| 7.45 | Specific Gravity of Aqueous 1,3-Butanediol Solutions at 20° and 40°C | 435 |
| 7.46 | Viscosity of Aqueous Solutions of 1,3-Butanediol | 435 |
| 7.47 | Absolute Viscosity of Aqueous 1,3-Butanediol Solutions at 20° and 40°C | 435 |
| 1,4-Butanediol | | |
| 7.48 | Physical Properties of 1,4-Butanediol | 436 |
| 7.49 | Absolute Viscosity of Aqueous 1,4-Butanediol Solutions at 20° and 40°C | 436 |
| 7.50 | Specific Gravity of Aqueous 1,4-Butanediol Solutions at 20° and 40°C | 436 |
| 2,3-Butanediol | | |
| 7.51 | Physical Properties of 2,3-Butanediol | 437 |
| 7.52 | Boiling Points of Aqueous levo-2,3-Butanediol Solutions at Atmospheric Pressure | 437 |
| 7.53 | Boiling Points of Aqueous levo-2,3-Butanediol-Ethanol Solutions | 438 |
| 7.54 | Boiling Points of Aqueous levo-2,3-Butanediol-Methanol Solutions | 438 |
| 7.55 | Freezing Points of Aqueous levo-2,3-Butanediol Solutions | 438 |
| 7.56 | Freezing Points of Aqueous meso-dextro-2,3-Butanediol Solutions | 439 |
| 7.57 | Effect of meso-2,3-Butanediol on the Freezing Point of Aqueous levo-2,3-Butanediol Solutions | 439 |
| 7.58 | Freezing Points of Aqueous levo-2,3-Butanediol-Ethanol Solutions | 440 |
| 7.59 | Freezing Points of Aqueous levo-2,3-Butanediol-Ethylene Glycol Solutions | 440 |
| 7.60 | Freezing Points of Aqueous levo-2,3-Butanediol-Methanol Solutions | 440 |
| 7.61 | Freezing Points of Aqueous levo-2,3-Butanediol-Tetrahydrofurfuryl Alcohol Solutions | 440 |
| 7.62 | Kinematic Viscosity of Aqueous levo-2,3-Butanediol Solutions, Expressed Logarithmically, as a Function of Concentration and Temperature | 441 |
| 7.63 | Kinematic Viscosity of Aqueous levo-2,3-Butanediol Solutions in Relation to Concentration and Temperature | 441 |
| 7.64 | Kinematic Viscosity of 60% levo-2,3-Butanediol, Glycerol and Ethylene Glycol Solutions at Low Temperatures | 441 |
| 7.65 | Kinematic Viscosity of Aqueous levo-2,3-Butanediol-Ethanol Solutions at 20°C, Expressed in Centistokes | 441 |
| 7.66 | Kinematic Viscosity of Aqueous levo-2,3-Butanediol-Methanol Solutions at 20°C, Expressed in Centistokes | 442 |
| 7.67 | Kinematic Viscosity of Aqueous levo-2,3-Butanediol-Ethylene Glycol Solutions at 20°C, Expressed in Centistokes | 442 |
| 7.68 | Kinematic Viscosity of Aqueous levo-2,3-Butanediol-Tetrahydrofurfuryl Alcohol Solutions at 20°C, Expressed in Centistokes | 442 |
| 7.69 | Absolute Viscosity of Aqueous Solutions of Ethylene Glycol, levo-2,3-Butanediol, meso-dextro-2,3-Butanediol and Glycerol at 20°C | 442 |
| 7.70 | Optical Rotatory Power of Aqueous levo-2,3-Butanediol Solutions at 20°C | 443 |
| 7.71 | Effects of Concentration and Temperature on the Specific Rotatory Power of Aqueous levo-2,3-Butanediol Solutions | 443 |
| 7.72 | Refractive Indices of Aqueous levo-2,3-Butanediol Solutions at Different Temperatures | 443 |
| 7.73 | Refractive Indices of Aqueous Solutions of meso- and levo-2,3-Butanediol at 25°C | 443 |

| | | |
|--|--|------------|
| 7.74 | Specific Gravity of Aqueous levo-2,3-Butanediol Solutions at 20°, 30° and 40°C | 444 |
| 7.75 | Specific Gravity of Aqueous meso-2,3-Butanediol Solutions at 20°, 30° and 40°C | 444 |
| 7.76 | Surface Tension of Aqueous Solutions of levo-2,3-Butanediol and Ethylene Glycol | 444 |
| Butanediols | | 145 |
| 7.77 | Refractive Indices of Aqueous Butanediol Solutions at 20°, 30° and 40°C | 445 |
| 7.78 | Kinematic Viscosity of Aqueous Butanediol Solutions at 20° and 40°C, Expressed in Centistokes | 445 |
| 2-Butene-1,4-diol | | 445 |
| 7.79 | Physical Properties of 2-Butene-1,4-diol | 445 |
| 2-Butyne-1,4-diol | | 446 |
| 7.80 | Physical Properties of 2-Butyne-1,4-diol | 446 |
| 1,5-Pantanediol | | 446 |
| 7.81 | Physical Properties of 1,5-Pantanediol | 446 |
| 7.82 | Absoluta Viscosity of Aqueous 1,5-Pantanediol Solutions at 20° and 40°C | 447 |
| 7.83 | Specific Gravity of Aqueous 1,5-Pantanediol Solutions at 20° and 40°C | 447 |
| 2,4-Pantanediol | | 447 |
| 7.84 | Physical Properties of 2,4-Pantanediol | 447 |
| Neopentyl Glycol | | 447 |
| 7.85 | Physical Properties of Neopentyl Glycol | 447 |
| Pantanediols | | 448 |
| 7.86 | Kinematic Viscosity of Aqueous Pantanediol Solutions at 20° and 40°C Expressed in Centistokes | 448 |
| 7.87 | Refractive Indices of Aqueous Pantanediol Solutions at 20° and 40°C | 448 |
| 1,6-Hexanediol | | 449 |
| 7.88 | Physical Properties of 1,6-Hexanediol | 449 |
| 2,5-Hexanediol | | 449 |
| 7.89 | Physical Properties of 2,5-Hexanediol | 449 |
| Hexylene Glycol | | 449 |
| 7.90 | Physical Properties and Specifications of Hexylene Glycol | 449 |
| 7.91 | Freezing Points of Hexylene Glycol-Water Mixtures | 450 |
| 7.92 | Specific Gravity and Freezing Point of Hexylene Glycol-Water Mixtures | 450 |
| Pinacol | | 451 |
| 7.93 | Physical Properties of Pinacol | 451 |
| 2,2-Diethyl-1,3-Propanediol | | 451 |
| 7.94 | Physical Properties of 2,2-Diethyl-1,3-Propanediol | 451 |
| 2-Ethyl-1,3-Hexanediol | | 451 |
| 7.95 | Physical Properties of 2-Ethyl-1,3-Hexanediol | 451 |
| "TMPD" Glycol | | 452 |
| 7.96 | Typical Properties of Eastman "TMPD" Glycol | 452 |
| 7.97 | Solubility of Water in Mixtures of "TMPD" and Hexylene Glycol | 453 |
| 2,5-Dimethyl-3-Hexyne-2,5-diol | | 454 |
| 7.98 | Physical Properties of 2,5-Dimethyl-3-Hexyne-2,5-diol | 454 |
| 1,4-Cyclohexanedimethanol | | 454 |
| 7.99 | Properties of 1,4-Cyclohexanedimethanol | 454 |
| p-Xylylene Glycol | | 456 |
| 7.100 | Physical Properties of p-Xylylene Glycol | 456 |
| 2-Ethyl-2-Butyl-1,3-Propanediol | | 456 |
| 7.101 | Physical Properties of 2-Ethyl-2-Butyl-1,3-Propanediol | 456 |
| 3,6-Dimethyl-4-Octyne-3,6-diol | | 456 |
| 7.102 | Physical Properties of 3,6-Dimethyl-4-Octyne-3,6-diol | 456 |
| Thiodiglycol | | 457 |
| 7.103 | Physical Properties of Thiodiglycol | 457 |
| 7.104 | Vapor Pressure of Thiodiglycol at Various Temperatures | 457 |
| Miscellaneous Glycols | | 458 |
| 7.105 | Hydrates of Aliphatic Glycols | 458 |
| 7.106 | Hydrates of Cyclic Glycols | 459 |
| 7.107 | Freezing Points of Aqueous Ethylene Glycol and Propylene Glycol Solutions | 460 |
| 7.108 | Freezing Points of Various Aqueous Glycol Solutions, °C | 461 |
| 7.109 | Freezing Points of Various Aqueous Alcohols, Glycols and Glycerol | 461 |
| 7.110 | Compatibility of Coupling Solvents with Carbon Tetrachloride and Water | 461 |
| 7.111 | Key Hygroscopicity Curve | 462 |
| 7.112 | Surface Tension of Glycol-Water Systems | 462 |
| 7.113 | Vapor Pressure of Glycols | 462 |
| 7.114 | Viscosity of Glycols | 463 |
| 7.115 | Water Absorption by Glycols as a Function of Time | 463 |
| 7.116 | Water Absorption by Glycols as a Function of Relative Humidity | 463 |
| 7.117 | Refractive Index, Specific Gravity, and Boiling Point Measurements of Various Glycols | 463 |
| 7.118 | Relative Solvent Properties of Glycols | 464 |
| 7.119 | Effect of Various Glycols on Synthetic Rubber Samples—Results Reported as % Volume and % Weight Increase | 464 |
| 7.120 | Solubility of Cellulose Derivatives in Glycols | 464 |
| 7.121 | Compatibility of Film Cast from 80/20 Toluene/Alcohol | 464 |
| 7.122 | Relative Humectant Values | 465 |
| 7.123 | Water Vapor Dew Points over Aqueous Ethylene Glycol Solutions | 466 |
| 7.124 | Water Vapor Dew Points over Aqueous Diethylene Glycol Solutions | 466 |
| 7.125 | Water Vapor Dew Points over Aqueous Triethylene Glycol Solutions | 466 |
| 7.126 | Water Vapor Dew Points over Aqueous Propylene Glycol Solutions | 466 |
| 7.127 | Water Vapor Dew Points over Aqueous Dipropylene Glycol Solutions | 467 |
| 7.128 | Boiling Points of Glycols at 50 mm Hg | 467 |
| 7.129 | Total Pressure over Aqueous Ethylene Glycol Solutions vs Temperature | 467 |
| 7.130 | Total Pressure over Aqueous Diethylene Glycol Solutions vs Temperature | 467 |
| 7.131 | Total Pressure over Aqueous Triethylene Glycol Solutions vs Temperature | 468 |
| 7.132 | Total Pressure over Aqueous Propylene Glycol Solutions vs Temperature | 468 |
| 7.133 | Total Pressure over Aqueous Dipropylene Glycol Solutions vs Temperature | 468 |

| | | |
|---------------------------------------|---|-----|
| 7.134 | Vapor-Liquid Composition Curves for Aqueous Ethylene Glycol Solutions | 469 |
| 7.135 | Vapor-Liquid Composition Curves for Aqueous Diethylene Glycol Solutions | 469 |
| 7.136 | Vapor-Liquid Composition Curves for Aqueous Triethylene Glycol Solutions | 470 |
| 7.137 | Vapor-Liquid Composition Curves for Aqueous Propylene Glycol Solutions | 470 |
| 7.138 | Vapor-Liquid Composition Curves for Aqueous Dipropylene Glycol Solutions | 471 |
| 7.139 | Pour Points of Glycols | 471 |
| 7.140 | Viscosities of Anhydrous Glycols | 471 |
| 7.141 | Viscosities of Aqueous Ethylene Glycol Solutions | 472 |
| 7.142 | Viscosities of Aqueous Diethylene Glycol Solutions | 472 |
| 7.143 | Viscosities of Aqueous Triethylene Glycol Solutions | 473 |
| 7.144 | Viscosities of Aqueous Tetraethylene Glycol Solutions | 473 |
| 7.145 | Viscosities of Aqueous Propylene Glycol Solutions | 473 |
| 7.146 | Viscosities of Aqueous Dipropylene Glycol Solutions | 473 |
| 7.147 | Viscosities of Aqueous Tripropylene Glycol Solutions | 474 |
| 7.148 | Freezing Points of Aqueous Glycol Solutions | 474 |
| 7.149 | Specific Heat of Anhydrous Glycols | 474 |
| 7.150 | Specific Heats of Aqueous Glycol Solutions (Btu/lb/°F) | 475 |
| 7.151 | Densities of Aqueous Ethylene Glycol Solutions (% by wt) | 475 |
| 7.152 | Densities of Aqueous Diethylene Glycol Solutions (% by wt) | 476 |
| 7.153 | Densities of Aqueous Triethylene Glycol Solutions (% by wt) | 476 |
| 7.154 | Densities of Aqueous Tetraethylene Glycol Solutions (% by wt) | 477 |
| 7.155 | Densities of Aqueous Propylene Glycol Solutions (% by wt) | 477 |
| 7.156 | Densities of Aqueous Dipropylene Glycol Solutions (% by wt) | 478 |
| 7.157 | Densities of Aqueous Tripropylene Glycol Solutions (% by wt) | 478 |
| 7.158 | Surface Tensions of Aqueous Solutions of Glycols at 77°F | 478 |
| 7.159 | Flammability of Glycols | 479 |
| 7.160 | Refractive Indices of Aqueous Glycol Solutions at 77°F (25°C) | 479 |
| 7.161 | Conversion Chart for Aqueous Ethylene Glycol Solutions | 479 |
| 7.162 | Conversion Chart for Aqueous Diethylene Glycol Solutions | 479 |
| 7.163 | Conversion Chart for Aqueous Triethylene Glycol Solutions | 480 |
| 7.164 | Conversion Chart for Aqueous Tetraethylene Glycol Solutions | 480 |
| 7.165 | Conversion Chart for Aqueous Propylene Glycol Solutions | 480 |
| 7.166 | Conversion Chart for Aqueous Dipropylene Glycol Solutions | 480 |
| 7.167 | Conversion Chart for Aqueous Tripropylene Glycol Solutions | 481 |
| 7.168 | Ashland Glycols | 481 |
| 7.169 | Chemcentral Polyols | 482 |
| 7.170 | Eastman Chemical Glycols | 483 |
| 7.171 | Hoechst Celanese Diethylene Glycol | 483 |
| 7.172 | Unocal Chemicals Glycols | 484 |
| Glycerol (Glycerine) | | 485 |
| 7.173 | Physical Properties and Specifications of Glycerol | 485 |
| 7.174 | Boiling Points and Specific Gravities of Aqueous Glycerol Solutions | 485 |
| 7.175 | Conversion Chart for Aqueous Glycerol Solutions (25°C) | 485 |
| 7.176 | Density of Glycerol Solutions | 485 |
| 7.177 | Freezing Points of Glycerol-Water Mixtures | 486 |
| 7.178 | Hygroscopicity Curves for Glycerol and 1,3-Butylene Glycol | 487 |
| 7.179 | Hygroscopicity Curves for Glycerol and 2,3-Butylene Glycol | 487 |
| 7.180 | Relative Humidities over Aqueous Glycerol Solutions, 20° to 100°C | 487 |
| 7.181 | Solubility of Sucrose and Dextrose in Aqueous Glycerol at 15°, 24° and 35°C | 488 |
| 7.182 | Solubility of Various Compounds in Glycerol | 488 |
| 7.183 | Specific Gravity and Percent Glycerol | 489 |
| 7.184 | Specific Gravities of Glycerol and Glycol Mixtures | 490 |
| 7.185 | Specific Heat of Glycerol | 490 |
| 7.186 | Vapor Pressure of Glycerol | 490 |
| 7.187 | Vapor Pressure of Glycerol-Water Solutions | 490 |
| 7.188 | Viscosity of Glycerol Solutions in Centipoises | 491 |
| Comparative Data | | 492 |
| 7.189 | Emery CP/USP Glycerines | 492 |
| 7.190 | Hurnko Chemical Refined Glycerine | 492 |
| 7.191 | Procter & Gamble Glycerines | 493 |
| 1,2,4-Butanetriol | | 493 |
| 7.192 | Physical Properties of 1,2,4-Butanetriol | 493 |
| 1,2,6-Hexanetriol | | 494 |
| 7.193 | Physical Properties of 1,2,6-Hexanetriol | 494 |
| - | 7.194 Freezing Points of 1,2,6-Hexanetriol-Water Mixtures | 494 |
| 7.195 | Vapor Pressure of 1,2,6-Hexanetriol | 494 |
| 7.196 | Solubility of 1,2,6-Hexanetriol in Organic Solvents | 495 |
| 7.197 | Compatibility of 1,2,6-Hexanetriol | 495 |
| 7.198 | Viscosities and Freezing Points of 1,2,6-Hexanetriol | 495 |
| Trimethylolpropane | | 496 |
| 7.199 | Physical Properties of Trimethylolpropane | 496 |
| Pentaerythritol | | 496 |
| 7.200 | Physical Properties of Pentaerythritol | 496 |
| Sorbitol | | 497 |
| 7.201 | Physical Properties of Sorbitol | 497 |
| 7.202 | Boiling Point of Sorbitol Solutions | 497 |
| 7.203 | Hydrogenolysis of Sorbitol and Glycerol at a Hydrogen Pressure of 2,000 psi | 498 |
| 7.204 | Hydrogenolysis of Sorbitol at 215°C and a Hydrogen Pressure of 2,000 psi | 498 |
| 7.205 | Phase Diagram of Sorbitol Solubility in Hydroalcoholic Liquids at 25°C | 499 |
| 7.206 | Solubility of Sorbitol in Hydroalcoholic Liquids at 25°C | 499 |
| 7.207 | Viscosity Curve for Pure d-Sorbitol Solutions of Various Concentrations | 499 |
| Sugar Alcohols | | 500 |
| 7.208 | Physical Properties of the Sugar Alcohols | 500 |

| | |
|--|------------|
| Miscellaneous Polyhydric Alcohols | 501 |
| 7.209 Hydrates of Polyhydric Alcohols | 501 |
| PHENOLS | 503 |
| 8.1 Phenol | 503 |
| ALDEHYDES | 504 |
| Furfural | 504 |
| 9.1 Properties of Pure Furfural | 504 |
| 9.2 Typical Properties and Specifications of Furfural | 505 |
| 9.3 Solubility of Various Substances in Furfural | 506 |
| 9.4 Solubility of Selected Thermoplastic Resins in Furfural | 506 |
| 9.5 Specific Gravity and Pounds per Gallon of Furfural | 507 |
| 9.6 Composition/Density of Furfural-Water Solutions | 507 |
| 9.7 Vapor Pressure of Furfural | 508 |
| 9.8 Solution Temperature of Furfural-Water System | 508 |
| 9.9 Temperature-Composition Diagram of Furfural-Water System | 509 |
| 9.10 Vapor-Liquid Equilibria in the Furfural-Water System | 509 |
| 9.11 Vapor-Liquid Composition of Furfural-Water System | 510 |
| Other Aldehydes | 510 |
| 9.12 Vapor Pressures of Various Aldehydes | 510 |
| 9.13 Physical Properties of Various Aldehydes | 511 |
| ETHERS | 512 |
| 10.1 Dimethyl Ether | 512 |
| 10.2 Chlorodimethyl Ether | 513 |
| 10.3 Chloromethyl Ethyl Ether | 514 |
| 10.4 Ethyl Ether | 514 |
| 10.5 Flammability of Ethyl Ether-Oxygen-Helium Mixture | 515 |
| 10.6 Dichloroethyl Ether | 515 |
| Isopropyl Ether | 516 |
| 10.7 Properties of Pure Isopropyl Ether | 516 |
| 10.8 Vapor Pressure of Isopropyl Ether | 516 |
| 10.9 Isopropyl Ether-Water Solubility | 516 |
| 10.10 Mutual Solubility for the System: Isopropyl Ether-Isopropyl Alcohol-Water at 25°C, % wt | 517 |
| 10.11 Conjugate Solutions in the System: Isopropyl Ether-Isopropyl Alcohol-Water at 25°C, % wt | 518 |
| 10.12 Miscibility of Isopropyl Ether-Isopropyl Alcohol-Water at 25°C | 518 |
| 10.13 Azeotropic Information-Isopropyl Ether | 519 |
| 10.14 Vapor Pressure of Isopropyl Ether at Various Temperatures | 520 |
| 10.15 Specific Gravity of Isopropyl Ether vs Temperature | 520 |
| 10.16 Mutual Solubility and Specific Gravity of Isopropyl Ether, Water and Isopropyl Alcohol at 25°C | 520 |
| 10.17 n-Butyl Ether | 521 |
| 10.18 Diamyl Ether | 522 |
| 10.19 n-Hexyl Ether | 522 |
| 10.20 Solubility Data for Various Ethers | 523 |
| 10.21 Comparative Evaporation Rates of Various Ethers | 523 |
| 10.22 Specific Gravities of Various Ethers | 524 |
| 10.23 Vapor Pressures of Various Ethers | 525 |
| 10.24 Ethylene Oxide | 527 |
| 10.25 Enthalpy and Entropy of Ethylene Oxide | 527 |
| 10.26 Propylene Oxide | 528 |
| 10.27 Freezing Points of Solutions of Ethylene Oxide and Propylene Oxide | 528 |
| 10.28 1,2-Butylene Oxide | 529 |
| 10.29 CARDOLITE NC-513 | 529 |
| 10.30 1,4-Dioxane | 530 |
| 10.31 Trioxane | 530 |
| 10.32 Vinyl Methyl Ether | 531 |
| 10.33 Vinyl Ethyl Ether | 531 |
| 10.34 Vinyl 2-Chloroethyl Ether | 531 |
| 10.35 Vinyl Butyl Ether | 531 |
| 10.36 Vinyl Isobutyl Ether | 532 |
| 10.37 Vinyl 2-Ethylhexyl Ether | 532 |
| 10.38 Typical Properties of the Vinyl Ethers | 532 |
| 10.39 Phenyl Methyl Ether | 533 |
| 10.40 Dibenzyl Ether | 534 |
| 10.41 Diphenyl Oxide | 534 |
| 10.42 Miscellaneous Alkyl Aryl Ethers | 535 |
| 10.43 Furan | 535 |
| 10.44 2-Methylfuran | 536 |
| 10.45 Tetrahydrofuran | 536 |
| 10.46 2,3-Dihydropyran | 536 |
| 10.47 Tetrahydropyran | 536 |
| 10.48 Tetrahydropyran-2-Methanol | 536 |
| 10.49 Terpinyl Methyl Ether | 539 |
| GLYCOL ETHERS | 541 |
| 11.1 AMSCO-SOLVS | 541 |
| 11.2 ARCO-SOLVS | 541 |
| 11.3 Ashland Glycol Ethers | 543 |
| 11.4 DOWANOL Glycol Ethers and Acetates | 543 |
| 11.5 Eastman Chemicals Glycol Ethers | 544 |
| 11.6 Grant Chemical Glycol Diethers (GLYMES) | 546 |

| | | |
|-------------------------------------|--|-----|
| 11.7 | Mobil Glycols and Glycol Ethers | 550 |
| 11.8 | Olin Chemicals POLY-SOLV Glycol Ethers | 551 |
| 11.9 | Union Carbide Glycol Ethers | 552 |
| 11.10 | Unocal Chemicals Glycol Ethers | 553 |
| Methyl | | 554 |
| 11.11 | Physical Properties of Methylal | 554 |
| Ethylene Glycols | | 554 |
| 11.12 | Ethylene Glycol Monoethyl Ether | 554 |
| 11.12 | Ethylene Glycol Monoethyl Ether | 554 |
| 11.14 | Ethylene Glycol Diethyl Ether | 555 |
| 11.15 | Ethylene Glycol Monopropyl Ether | 555 |
| 11.16 | Ethylene Glycol Monobutyl Ether | 556 |
| 11.17 | Water Solubility of Ethylene Glycol n-Butyl Ether | 557 |
| 11.18 | Ethylene Glycol Monoisobutyl Ether | 557 |
| 11.19 | Ethylene Glycol Dibutyl Ether | 558 |
| 11.20 | Ethylene Glycol Monophenyl Ether | 559 |
| 11.21 | Ethylene Glycol Monobenzyl Ether | 559 |
| 11.22 | Terpinyl Ethylene Glycol Ether | 559 |
| 11.23 | Ethylene Glycol Butylphenyl Ethers | 560 |
| 11.24 | Ethylene Glycol Monohexyl Ether | 560 |
| 11.25 | Ethylene Glycol Ethyl Hexyl Ether | 560 |
| 11.26 | Ethylene/Diethylene Glycol 2-Ethylhexyl Ether | 561 |
| 11.27 | Diethylene Glycol | 561 |
| 11.28 | Diethylene Glycol Monomethyl Ether | 562 |
| 11.29 | Diethylene Glycol Monoethyl Ether/Ethylene Glycol | 562 |
| 11.30 | Diethylene Glycol Monopropyl Ether | 562 |
| 11.31 | Diethylene Glycol Dimethyl Ether | 563 |
| 11.32 | Diethylene Glycol Monoethyl Ether | 563 |
| 11.33 | Diethylene Glycol Monoethyl Ether (Special Grade) | 563 |
| 11.34 | Diethylene Glycol Monohexyl Ether | 564 |
| 11.35 | Diethylene Glycol Divinyl Ether | 564 |
| 11.36 | Diethylene Glycol Monobutyl Ether | 564 |
| 11.37 | Diethylene Glycol Monoisobutyl Ether | 565 |
| 11.38 | Triethylene Glycol | 565 |
| 11.39 | Triethylene Glycol Methyl Ether/Highers | 566 |
| 11.40 | Triethylene Glycol Butyl Ether/Highers | 566 |
| 11.41 | Tetraethylene Glycol | 567 |
| Propylene Glycols | | 567 |
| 11.42 | Propylene Glycol Monomethyl Ether | 567 |
| 11.43 | Propylene Glycol Monophenyl Ether | 567 |
| 11.44 | Propylene Glycol Monopropyl Ether | 568 |
| 11.45 | Propylene Glycol Monobutyl Ether | 568 |
| 11.46 | Propylene Glycol tert-Butyl Ether | 568 |
| 11.47 | Propylene Glycol Monobutoxyethyl Ether | 569 |
| 11.48 | Propylene Glycol Isobutyl Ether and Higher Homologs | 569 |
| 11.49 | Propylene Based Glycol Ethers | 570 |
| 11.50 | Propylene Based Glycol Ether Blend | 570 |
| 11.51 | Dipropylene Glycol Monomethyl Ether | 570 |
| 11.52 | Dipropylene Glycol Monopropyl Ether | 571 |
| 11.53 | Dipropylene Glycol Monobutyl Ether | 571 |
| 11.54 | Tripropylene Glycol | 571 |
| 11.55 | Tripropylene Glycol Monomethyl Ether | 572 |
| 11.56 | Aromatic Based Glycol Ether | 572 |
| Triglycols | | 572 |
| 11.57 | Methoxytriglycol | 572 |
| 11.58 | Ethoxytriglycol | 573 |
| 11.59 | Butoxytriglycol | 573 |
| Miscellaneous Glycol Data | | 573 |
| 11.60 | ARCOSOLV Evaporation Characteristics, Resin Compatibility, and Other Data | 573 |
| 11.61 | DOWANOL Miscibility, Solubility, Evaporation Rates, Vapor Pressures, Density, Surface Tension and Other Data | 573 |
| 11.62 | GLYME Azeotropic Vapor Pressure and Solubility Data | 582 |
| 11.63 | Union Carbide Glycol Ether Azeotrope, Surface Tension and Other Data | 593 |
| Polyethylene Glycols | | 601 |
| 11.64 | Ashland Polyethylene Glycols | 605 |
| 11.65 | CARBOWAX Polyethylene Glycols | 606 |
| 11.66 | Dow Polyethylene Glycols | 621 |
| Polypropylene Glycols | | 633 |
| 11.67 | Ashland Polypropylene Glycols | 633 |
| 11.68 | Dow Polypropylene Glycols and Polyglycol Copolymers | 634 |
| Polyols | | 644 |
| 11.69 | Properties of PLURONIC and TETRONIC Surfactants | 644 |
| Glycerine Ethers | | 646 |
| 11.70 | Glyceryl α -Monomethyl Ether | 646 |
| 11.71 | Glyceryl α,γ -Dimethyl Ether | 646 |
| 11.72 | Glyceryl α -Mono-n-Butyl Ether | 646 |
| 11.73 | Glyceryl α -Monoisoamyl Ether | 646 |
| 11.74 | Glyceryl α,γ -Diisoamyl Ether | 647 |
| 11.75 | Miscellaneous Glycerine Ethers | 647 |
| KETONES | | 648 |
| Acetone | | 648 |