# 1964 BOOK OF ASTM STANDARDS

With Related Material

(Issued Annually)



# PART 3

Steel Sheet, Strip, Bar, Rod, Wire, Chain, and Spring; Wrought Iron Bar and Sheet; Metallic Coated Products

As of September, 1963

Print Septembers \$8.40

AMERICAN SOCIETY FOR TESTING AND MATERIALS

12 22 3/3 45 73 1957 (3)

# 1964 BOOK OF ASTM STANDARDS


With Related Material

(Issued Annually)



Steel Sheet, Strip, Bar, Rod, Wire, Chain, and Spring; Wrought Iron Bar and Sheet; Metallic Coated Products

As of September, 1963



2200

THE American Society for Testing and Materials is an international nonprofit, technical, scientific, and educational society devoted to "... the promotion of knowledge of the materials of engineering, and the standardization of specifications and methods of testing."

Since 1898, the Society, mainly through the activities of technical committees, has conducted vast numbers of investigations and researches leading to a better knowledge of the properties of materials and the development of more than 3200 widely used standards for materials. These are used throughout the world by industry, government, architects, and engineers in specifying and evaluating materials of all kinds. They are applied in design, manufacturing, construction, and maintenance.

More than 90 main technical committees (some 2500 committees including all subcommittees and sections) function in prescribed fields and under regulations that ensure a balanced representation of producers, consumers, and general interest groups. Current committee activities cover materials in the fields of aerospace, atomic energy, surgical implants, housing and construction, highways, heavy industry, and durable consumer goods.

The standards developed by the committees and the hundreds of technical papers and reports presented at Society meetings are published and widely distributed.

The world-wide membership is drawn from a broad spectrum of individuals, agencies, and industries concerned with materials. More than 11,500 members include 8000 individual engineers, scientists, researchers, educators, and testing experts; 1000 governmental agencies and departments (federal, state, and municipal), educational institutions, and libraries; and 2500 companies, associations, and research institutes. There are more than 2000 engineering and science student members. In addition, about 7000 other individuals, though not personally members of the Society, serve as technical experts representing industrial members on committees.

A cordial invitation to apply for membership in the Society is extended to individuals and organizations who are concerned with the fields of work in which ASTM is active. Some information on membership is given on the membership application form bound in the back of this book. For further information, contact ASTM Headquarters, 1916 Race St., Philadelphia, Pa. 19103.

The appearance of this Book is a tribute to the sincere efforts of the technical committees responsible for the development and review of the standards, and of the many individuals serving on the committees. The Society's timetested standardization procedure provides opportunity during the period of promulgation for full consideration by all interested parties. As developments and advances take place, requirements are suitably revised.

© BY AMERICAN SOCIETY FOR TESTING AND MATERIALS 1964 Library of Congress Catalog Card Number: 40-10712

Printed in Baltimore, U.S.A. January, 1964

C40-94

#### **FOREWORD**

THE 1964 Book of ASTM Standards comprises 32 parts, of which this volume is one. It contains all current formally approved ASTM Standard and Tentative Specifications, Methods of Tests, Recommended Practices, and Definitions, as well as certain other related materials, such as proposed methods. New editions of the Book of Standards will be issued annually.

The 1964 edition of the Book of Standards comprises over 21,600 pages and includes the 3200 ASTM Standards and Tentatives in effect at the time of publication. To make this amount of material available in books of convenient size and not too bulky and heavy for binding, the standards are issued in 32 parts, as listed on p. v. Publication dates of the various parts are spread throughout the entire year beginning in January, and each part will appear in the same month each year. An additional list by materials is also given to enable the user to locate the part in which each type of material is included.

The combined Index to ASTM Standards, issued annually, will be helpful in locating any desired standard. All current standards and tentatives as well as new and revised items accepted by the Society between the appearance of any given part are made available as separate reprints.

Standards comprise those specifications, methods of test, and definitions that have been formally adopted by the Society, requiring a letter ballot approval by the entire membership.

Tentatives have been approved by the sponsoring committee as representing the latest thoughts and practices and have been accepted by the Society in accordance with established procedures for use pending adoption as standard.

In accordance with Society regulations, standards that have been published for a period of six years or more without revision have been reviewed (in the odd-numbered years) by the responsible technical committees prior to the appearance of the Book and have been reapproved in their present form.

Tentative Revisions appear at the end of the standards to which they apply. A list of the tentative revisions that apply to the standards in this part appears at the end of the Table of Contents.

An ASTM standard represents a common viewpoint of those parties concerned with its provisions, namely, producers, consumers, and general interest groups. It is intended to aid industry and the general public. The use of an ASTM standard is purely voluntary. The existence of an ASTM standard does not preclude anyone from manufacturing, marketing, or purchasing products, or using products, processes, or procedures not conforming to the standard. ASTM standards are subject to periodic review and revision, and those who use them are cautioned to obtain the latest revisions.

### 1964 BOOK OF ASTM STANDARDS LISTED BY PARTS

Part 1-Steel Piping Materials

Part 2-Ferrous Castings

- Part 3-Steel Sheet, Strip, Bar, Rod, Wire, Chain, and Spring; Wrought Iron Bar and Sheet; Metallic Coated Products
- Part 4-Structural Steel; Boiler and Pressure Vessel Plate; Steel Rails, Wheels, and Tires; Bearing Steel; Steel Forgings; Ferro-Alloys; Filler Metal

Part 5-Copper and Copper Alloys (Including Electrical Conductors)

Part 6-Light Metals and Alloys (Including Electrical Conductors)

- Part 7-Nonferrous Metals and Alloys (Including Corrosion Tests); Die-Cast Metals; Electrodeposited Metallic Coatings; Metal Powders
- Part 8-Magnetic Properties; Metallic Materials for Thermostats and for Electrical Resistance, Heating, and Contacts; Materials for Electron Tubes and Semiconductor Devices

Part 9-Cement; Lime; Gypsum

Part 10-Concrete and Mineral Aggregates

- Part 11-Bituminous Materials for Highway Construction, Waterproofing, and Roofing; Soils
- Part 12-Mortars; Clay and Concrete Pipe and Tile; Masonry Units; Asbestos-Cement Products; Building Stone

Part 13-Refractories; Glass; Ceramic Materials

- Part 14-Thermal Insulation; Acoustical Materials; Joint Sealants; Fire Tests; Building Construc-
- Part 15-Paper; Packaging; Cellulose; Casein; Flexible Barrier Materials

Part 16-Structural Sandwich Constructions; Wood; Adhesives

Part 17-Petroleum Products-Motor Fuels; Solvents; Fuel Oils; Lubricating Oils; Cutting Oils Part 18-Petroleum Products-Measurement and Sampling; Liquefied Petroleum Gases; Pure Light

Hydrocarbons; Engine Test Methods; Lubricating Grease; Petroleum Wax

Part 19-Gaseous Fuels; Coal and Coke

- Part 20-Paint, Varnish, Lacquer, and Related Products-Materials Specifications and Tests; Naval Stores; Industrial Aromatic Hydrocarbons
- Part 21-Paint, Varnish, Lacquer, and Related Products-Tests for Formulated Products and Applied Coatings
- Part 22-Sorptive Mineral Materials; Soap; Engine Antifreezes; Wax Polishes; Halogenated Organic Solvents

Part 23-Industrial Water; Atmospheric Analysis

- Part 24—Textile Materials-Methods and Definitions, General
- Part 25-Textile Materials-Fibers and Products; Leather
- Part 26-Plastics-Specifications (with Closely Related Tests)

Part 27-Plastics-General Methods of Testing

- Part 28-Rubber; Carbon Black; Gaskets
- Part 29-Electrical Insulating Materials
- Part 30-General Testing Methods; Quality Control; Appearance Tests; Temperature Measurement; Effect of Temperature
- -Metallography; Nondestructive Testing; Radioisotopes and Radiation Effects; Industrial Chemicals; Emission, Absorption, and Mass Spectroscopy
- Part 32-Chemical Analysis of Metals

# 1964 BOOK OF ASTM STANDARDS LISTED BY MATERIALS

MATERIAL	PART	MATERIAL	PART
Acoustical Materials	14	Industrial Water	. 23
Adhesives	16	Iron Castings	. 2
Antifreezes, Engine	22	Joint Sealants	
Appearance Tests	30	Leather	. 25
Aromatic Hydrocarbons, Industrial	20	Light Metals and Alloys	. 6
Asbestos-Cement Products	12	Lime	. 9
Atmospheric Analysis	23	Magnetic Properties, Metallic	
Bituminous Materials for Highway Constr	uc-	Magnetic Properties, Nonmetallic	
tion, Waterproofing, and Roofing		Malleable Iron	. 2
Boiler and Pressure Vessel Plate		Masonry Units	. 12
Building Constructions	14	Metal Powders	. 7
Building Stone	12	Metallic Coated Products	
Carbon Black	28	Metallography	. 31
Casein	15	Metals, Chemical Analysis of	
Cast Iron	2	Mortars	. 12
Cellulose	15	Naval Stores	. 20
Cement	9	Nondestructive Testing	
Ceramic Materials	13	Nonferrous Metals, General	
Chemical Analysis of Metals	32	Packaging	
Chemicals, Industrial		Paint, Varnish, Lacquer, and Related Prod	
Clay and Concrete Pipe and Tile	12	ucts:	
Coal and Coke	19	Materials Specifications and Tests	. 20
Concrete and Mineral Aggregates	10	Tests for Formulated Products and Ap	-
Copper and Copper Alloys	5	plied Coatings	. 21
Corrosion, Iron and Steel	3	Paper	
Corrosion, Nonferrous Metals	7	Petroleum Products:	
Die-Cast Metals	7	Cutting Oils	. 17
Effect of Temperature	30	Engine Test Methods	. 18
Electrical Conductors	5.6	Fuel Oils	17
Electrical Contacts	8	Liquefied Petroleum Gases	. 18
Electrical Insulating Materials	29	Lubricating Grease	
Electrodeposited Metallic Coatings	7	Lubricating Oils	
Electron Tube Materials and Semiconduc	tor	Measurement and Sampling	18
Devices	8	Motor Fuels	17
Engine Antifreezes	22	Petroleum Wax	18
Ferro-Alloys	4	Pure Light Hydrocarbons	18
Ferrous Castings	2	Solvents	17
Filler Metal	4	Plastics:	
Fire Tests	14	General Method of Testing	27
Flexible Barrier Materials	15	Specifications (with Closely Related Tests)	26
Gaseous Fuels	19	Quality Control	30
Gaskets	28	Radioisotopes and Radiation Effects	31
General Testing Methods	30	Refractories	1.3
Glass	13	Rubber	28
Gypsum	9	Soap	22
Halogenated Organic Solvents	22	Soils	11
Industrial Aromatic Hydrocarbons	20	Sorptive Mineral Materials	22
Industrial Chemicals	31	Spectroscopy	31

MATERIAL	PART	MATERIAL	PART
Steel:		Textile Materials:	
Bearing Steel		Fibers and Products	25
Boiler and Pressure Vessel Plate	e 4	Methods and Definitions, Ge	neral 24
Castings	<b>2</b>	Thermal Insulation	14
Forgings	4	Thermostats for Electrical Res	
Piping Materials	1	ing, and Contacts	
Rails, Wheels, and Tires	- · · · · · · · · · · 4	Water, Industrial	
Sheet, Strip, Bar, Rod, Wire,	Chain, and		
Spring	3	Wax Polishes	
Stainless Steel	1. 2. 3. 4	Wood	16
Structural Steel	4	Wrought Iron:	
Structural Sandwich Construction	s 16	Bar and Sheet	
Temperature Measurement	30	Castings	

# GUIDE TO THE USE OF THE BOOK OF STANDARDS

THE standards in this Book are assembled in numeric sequence of designation numbers. The Table of Contents in each part is presented in duplicate—one a list of the standards classified according to the materials covered, the other, a list of the standards in numeric sequence of their ASTM Designations.

A subject index of the standards and tentatives in this part appears at the back of this volume. This index should be the most convenient means of locating any standard appearing in the volume if only the general subject matter covered is known.

A separate combined Index, covering all standards and tentatives in the 32 parts of the Book of ASTM Standards, is issued annually; this should be of convenience to all users of the Book of Standards.

A numeric list with complete titles of the current standards and tentatives also appears in the combined Index.

Comments or suggestions intended to improve the utility of the Book of Standards will be welcome.

Nothing contained in any publication of the American Society for Testing and Materials is to be construed as granting any right, by implication or otherwise, for manufacture, sale, or use in connection with any method, apparatus, or product covered by Letters Patent, nor as insuring anyone against liability for infringement of Letters Patent.

#### CONTENTS

#### 1964 BOOK OF ASTM STANDARDS, PART 3

STEEL SHEET, STRIP, BAR, ROD, WIRE, CHAIN, SPRING; WROUGHT IRON; METALLIC COATED PRODUCTS

#### As of September, 1963

In the serial designations prefixed to the following titles, the initial letter, indicative of the general classification, and the first number are permanent. The number following the dash indicates the year of original issue as tentative or of adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 1964 have as their final number, 64. Tentatives are identified by the letter T.

In the following listing, the standards and tentatives are grouped according to materials to which they apply.

For Contents in Numeric Sequence, see p. xv. A complete Subject Index appears on p. 657.

#### STEEL PLATE, SHEET, STRIP

Specifications for:		PAGE
A 93 - 63 T.	Sheets, Coils and Cut Lengths, Zinc-Coated (Galvanized) Iron or Steel	43
A 109 - 62 T.	Strip, Cold-Rolled Carbon Steel	50
A 167 – 63.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium-Nickel Steel	131
A 176 – 63.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium Steel	
A 177 – 58.	Sheet and Strip, High-Strength Corrosion-Resisting Chromium-	142
	Nickel Steel	153
A 240 - 63.	Corrosion-Resisting Chromium and Chromium-Nickel Steel Plate.	
	Sheet, and Strip for Fusion-Welded Unfired Pressure Vessels	205
A 245 – 62a T.	Carbon Steel Sheets of Structural Quality, Flat-Rolled (See Part 4).	
†A 263 – 63.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium Steel Clad.	237
†A 264 – 63.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium-Nickel	
	Steel Clad	245
†A 265 – 62.	Plate, Nickel and Nickel-Base Alloy Clad Steel	254
A 283 - 58.	Low and Intermediate Tensile Strength Carbon Steel Plates of	
	Structural Quality (Plates 2 in. and Under in Thickness) (See Part 4).	
A 284 – 55 T.	Low and Intermediate Tensile Strength Carbon-Silicon Steel Plates for Machine Parts and General Construction (See Part 4).	
A 303 - 62 T.	Strip of Structural Quality, Hot-Rolled Carbon Steel	275
A 308 - 63 T.	Sheete Coile and Cut Langtha Lang Town June - Ct.	275
	Sheets, Coils and Cut Lengths, Long Terne Iron or Steel	312
A 328 54.	Steel Sheet Piling (See Part 4).	

<sup>†</sup> Adopted by the Boiler and Pressure Vessel Committee of the American Society of Mechanical Engineers. The ASME Boiler and Pressure Vessel Code Specifications are identical with or based upon these ASTM Specifications.

Specifications for:		PAGE
A 345 - 55. A 357 - 58.	Electrical Steel, Flat-Rolled	352
A 365 – 62 T.	Boilers and other Pressure Vessels	360
A 266 (277)	laneous Drawn or Severely Formed Parts	373
A 366 – 62 T. A 374 – 62 T.	Sheets, Cold-Rolled Carbon Steel, Commercial Quality	378 388
A 375 – 62 T.	Sheets and Strip, High Strength Low Alloy Hot-Rolled Steel	394
A 412 – 63.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium-Nickel-Manganese Steel.	454
A 414 - 62 T.	Sheets, Carbon Steel, of Flange and Firebox Qualities (See Part 4).	
A 415 – 62 T.	Sheets, Hot-Rolled Carbon Steel, Commercial Quality	462
A 424 – 62 T.	Sheets, Steel, for Porcelain Enameling.	471
A 425 - 62 T.	Strip, Hot-Rolled Carbon Steel, Commercial Quality	477
A 457 – 63.	Plate, Sheet, and Strip, Hot, Hot-Cold-Worked, and Cold-Worked Alloy Steel, for High Strength at Elevated Temperatures	513
A 463 – 62 T.	Aluminum-Coated Steel Sheets Type 1 for Heat-Resisting Applica- tions, in Coils and Cut Lengths	538
A 480 - 63.	Flat-Rolled Stainless and Heat Resisting Steels in Form of	
A 484 - 63 T.	Plate, Sheet, and Strip, General Requirements for Delivery of General Requirements for Stainless and Heat Resisting Wrought Steel Products (Except Wire)	579 592
Methods of Test fo		3,2
A 309 - 54.	Weight and Composition of Coating on Long Terne Sheets by the Triple Spot Test	319
	STEEL BARS AND RIVET STEEL	
Specifications for:		
A = 6 - 62 T.	Rolled Steel Plates, Shapes, Sheet Piling, and Bars for Structural Use, General Requirements for Delivery of (See Part 4).	
†A 29 – 61 T.	Hot-Rolled and Cold-Finished Carbon and Alloy Steel Bars, General Requirements for.	1
A = 31 - 55.	Boiler Rivet Steel and Rivets (See Part 4).	-
A 107 – 61 T.	Bars, Hot-Rolled Carbon Steel	51
A 108 - 61 T.	Bars and Shafting, Cold-Finished Carbon Steel	55
A 141 - 58.	Rivet Steel, Structural (See Part 4).	
A 195 - 59. A 276 - 63.	Structural Rivet Steel, High-Strength (See Part 4). Bars, Heat-Resisting Stainless Steel, Hot-Rolled and Cold-	
A 270 - 03.	Finished	259
A 304 – 61 T.	Bars, Alloy Steel, to End Quench Hardenability Requirements	280
A 306 - 60 T.	Bars, Carbon Steel, Subject to Mechanical Property Require-	
1 244 (4 m	ments	309
A 311 – 61 T.	Bars, Carbon Steel, Stress Relief Annealed Cold-Drawn	324
A 314 – 63. A 321 – 61 T.	Billets and Bars, Corrosion-Resisting Steel, for Reforging Bars, Carbon Steel, Quenched and Tempered	330 336
A 322 – 61 T.	Bars, Alloy Steel, Hot-Rolled	339
A 331 - 61 T.	Bars, Alloy Steel, Cold-Finished	346
A $355 - 57$ T.	Bars, Alloy Steel, for Nitriding	357
A 406 - 59 T.	Rivet Steel, High Strength Structural Alloy (See Part 4).	
A 429 – 63.	Bars, Chromium-Nickel-Manganese Steel, Hot-Rolled and Cold- Finished Stainless and Heat Resisting	484
A 434 – 60 T.	Bars, Quenched and Tempered Alloy Steel, Hot-Rolled and Cold- Finished	489
A 458 – 63.	Bars, Hot, Hot-Cold-Worked, and Cold-Worked Alloy Steel, for High Strength at Elevated Temperatures	523
<b>A 479</b> – <b>63</b> .	Bars and Shapes, Stainless and Heat-Resisting Steel, for Use in Boilers and Other Pressure Vessels	570
Recommended Pra	ctice for:	
A 400 – 58.	Selection of Steel Bar Compositions According to Section	431
	For Contents in Numeric Sequence, see p. xv.	7. AR

#### STEEL BOLTING MATERIALS

Specifications for:		PAGE
A 76 - 58 T.	Track Bolts and Nuts, Low-Carbon Steel (See Part 4).	
A 183 - 60 T.	Track Bolts and Nuts, Heat-Treated Carbon Steel (See Part 4).	
A 193 – 62 T.	Alloy-Steel Bolting Materials for High-Temperature Service (See Part 1).	
A 194 – 62 T.	Nuts, Carbon and Alloy Steel, for Bolts for High-Pressure and High- Temperature Service (See Part 1).	
A 307 - 63 T.	Low Carbon Steel Externally and Internally Threaded Standard Fasteners (See Part 1).	
A 320 - 63 T.	Bolting Materials, Alloy-Steel, for Low-Temperature Service (See Part 1).	E
A 325 – 63 T.	Bolts for Structural Steel Joints, High-Strength, Including Suitable Nuts and Plain Hardened Washers (See Part 4).	
A 354 – 63 T.	Quenched and Tempered Alloy Steel Bolts and Studs with Suitable Nuts (See Part 1).	
A 394 – 63 T. A 437 – 59 T.	Bolts and Nuts, Galvanized Steel Transmission Tower (See Part 4). Bolting Material, Alloy-Steel Turbine-Type, Specially Heat Treated for High-Temperature Service (See Part 1).	
A 449 – 63 T.	Ouenched and Tempered Steel Bolts and Studs	505
A 453 - 63.	Bolting Materials, High-Strength, High-Temperature, with Expansion Coefficients Comparable to Austentic Steels (See Part 1).	
A 489 – 63 T.	Carbon Steel Eyebolts	602
STE	EL BARS FOR CONCRETE REINFORCEMENT AND PRESTRESSED CONCRETE	
The star	dards shown in italics are published in Part 4 of the 1964 Book of ASTM Standards	
Specifications for:		
A $61 - 63$ T.	Deformed Rail Steel Bars for Concrete Reinforcement with 60,000 Psi Minimum Yield Strength	29
A 15 - 62 T.	Bars, Billet-Steel, for Concrete Reinforcement.	
A 16 - 63 T. A 82 - 62 T.	Bars, Rail-Steel, for Concrete Reinforcement.	
A 82 - 02 T.	Wire, Cold-Drawn Steel, for Concrete Reinforcement.	
A 160 – 62 T. A 184 – 37	Bars, Axle-Steel, for Concrete Reinforcement.  Mats, Fabricated Steel Bar or Rod, for Concrete Reinforcement.	
A 184 - 37. A 185 - 61 T.	Wire Fabric, Welded Steel, for Concrete Reinforcement.	
A 305 - 56 T.	Deformations of Deformed Steel Bars for Concrete Reinforcement, Minimum Requirements for.	
A 408 - 62 T.	Bars, Billet-Steel, Large Size Deformed, for Concrete Reinforcement.	
A 416 – 59 T. A 421 – 59 T.	Uncoated Seven-Wire Stress-Relieved Strand for Prestressed Concrete.	
A 431 - 62 T.	Uncoated Stress-Relieved Wire for Prestressed Concrete.  Bars, High Strength Deformed Billet-Steel, for Concrete Reinforce-	
	ment with 75,000 Psi Minimum Yield Strength.	
A 432 - 62 T.	Bars, Deformed Billet-Steel, for Concrete Reinforcement with 60,000 Psi Minimum Yield Strength.	
	STEEL WIRE	
Specifications for:		
•	Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line	
*A 112 - 59,	Wire Zinc-Coated (Galvanized) Steel Tie Wires	66 70
*A 116 – 57.	Zinc-Coated (Galvanized) from or Steel Farm-Field and Railroad	
** ***	Right-of-Way Wire Fencing	73
*A 121 - 57. *A 326 - 59.	Zinc-Coated (Galvanized) Steel Barbed Wire.  Zinc-Coated (Galvanized) High Tensile Steel Telephone and	77
A 363 - 58.	Telegraph Line Wire Zinc-Coated Steel Overhead Ground Wire Strand	342 370
A 368 – 55.	Stainless Steel Wire Strand	385
	American Standard by the American Standards Association.	
	For Contents in Numeric Sequence, see p. xv.	-49

## CONTENTS

Specifications for	:	PAGE
A 460 - 61 T. A 474 - 62 T. *A 475 - 62 T. A 478 - 63. A 492 - 63. A 493 - 63. *B 227 - 57. B 228 - 56. B 229 - 56. B 245 - 63. B 341 - 63 T.	Copper Covered Steel Wire Strand Aluminum-Coated Steel Wire Strand Zinc-Coated Steel Wire Strand Chromium-Nickel Stainless Steel Weaving Wire Stainless and Heat Resisting Steel Rope Wire Stainless and Heat Resisting Steel Cold Heading Wire Hard-Drawn Copper Covered Steel Wire Concentric-Lay-Stranded Copper Covered Steel Conductors Concentric-Lay-Stranded Copper and Copper Covered Steel Composite Conductors Standard Weight Zinc-Coated (Galvanized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR) Aluminum-Coated (Aluminized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR)	613 617 622 627
	STEEL CHAIN AND NAILS	
Specifications for:		
A 56 - 63. A 391 - 58. A 413 - 59 T. A 454 - 61 T. A 466 - 62 T. A 467 - 62 T. C 380 - 63.	Crane Chain, Wrought Iron Chain, Alloy Steel Chain, Carbon Steel Conveyor Chain, Steel Chain, Weldless Carbon Steel Chain, Machine and Coil Annular Ringed Nails for Gypsum Wallboard (See Part 9).	19 419 458 509 548 553
	SPRING STEEL AND STEEL SPRINGS	
Specifications for:		
A 59 - 49. A 60 - 49. A 68 - 49. A 125 - 52. A 147 - 51. A 227 - 63 T. A 229 - 63 T. A 230 - 63 T. A 231 - 63 T. A 232 - 63 T. A 313 - 63. A 332 - 56. A 401 - 63 T. A 407 - 63 T.	Steel Bars for Springs, Silicon-Manganese. Steel Bars for Springs, Chromium-Vanadium. Bars for Springs, Carbon-Steel, with Silicon Requirements. Steel Helical Springs, Heat-Treated. Steel Leaf Springs, Heat-Treated. Steel Mechanical Spring Wire, Hard-Drawn. Music Steel Spring Wire. Steel Spring Wire, Oil-Tempered. Valve Spring Quality Wire, Carbon-Steel. Steel Spring Wire, Chromium-Vanadium Alloy. Steel Spring Wire, Chromium-Vanadium Alloy. Steel Spring Wire, Chromium-Nickel, Stainless. Steel Bars for Springs, Nickel-Chromium-Molybdenum. Steel Spring Wire, Chromium-Silicon Alloy. Upholstery Spring Wire for Coiled Type Springs. Upholstery Spring Wire for Zig-Zag, Square Formed, and No-Sag Types Spring Units.	23 26 32 85 98 182 185 191 194 197 327 348 445 448
Methods of Test fo		
A 318 - 56.	Tension Testing of Steel Spring Wire	334
	WROUGHT IRON	
Specifications for:		
A 42 - 63. A 56 - 63. A 72 - 63 T. A 73 - 60 T.	Wrought Iron Plates Wrought Iron Crane Chain Welded Wrought Iron Pipe (See Part 1). Wrought Iron Rolled or Forged Blooms and Forgings (See Part 4). Staybolt Wrought Iron, Solid. Staybolt Wrought Iron, Hollow-Rolled—Discontinued. Rivets and Rivet Rounds, Wrought Iron. Sheets, Uncoated, Wrought Iron.	15 19 36 104 112
A IW-W.	Sheets, Zinc-Coated (Galvanized) Wrought Iron  For Contents in Numeric Sequence, see p. xv.	115

Specifications for	<i>:</i>	PAGE
A 189 - 63. A 207 - 63 T. A 382 - 59 T.	Bars, Single and Double Refined Wrought Iron Shapes and Bars, Rolled Wrought Iron Heat-Exchanger and Condenser Tubes, Cold-Drawn Wrought Iron (S. Bart)	158 162
A 419 - 61.	(See Part 1).  Pipe, Electric-Fusion (Arc)-Welded Wrought Iron Plate (See Part 1).	
Definitions of Ter	rms Relating to:	
A 81 - 63.	Wrought Iron	3.5
	METALLIC COATED PRODUCTS	
Specifications for:	•	
A 93 – 63 T.	Sheets, Coils and Cut Lengths, Zinc-Coated (Galvanized) Iron or	43
*A 111 – 59.	Steel. Telephone and Telegraph Line Wire, Zinc-Coated (Galvanized)	60
*A 112 – 59.	"Iron" Steel Tie Wires, Zinc-Coated (Galvanized)	70
*A 116 – 57.	Farm-Field and Railroad Right-of-Way Wire Fencing, Zinc- Coated (Galvanized) Iron or Steel	7.
A 120 - 63 T.	Pipe for Ordinary Uses, Black and Hot-Dipped Zinc Coated (Galvanized) Welded and Seamless Steel (See Part 1).	
*A 121 - 57.	Barbed Wire, Zinc-Coated (Galvanized) Steel	77
A 123 - 63.	Products Fabricated from Rolled, Pressed, and Forged Steel Shapes, Plates, Bars, and Strip, Zinc (Hot-Galvanized) Coat- ings on	80
A 153 - 61.	Iron and Steel Hardware, Zinc Coating (Hot-Dip) on	108
A 163 ~ 63.	Sheets, Wrought Iron, Zinc-Coated (Galvanized)	115
*A 164 - 55. *A 165 - 55.	Electrodeposited Coatings of Zinc on Steel  Electrodeposited Coatings of Cadmium on Steel	119 123
*A 166 - 61 T.	Electrodeposited Coatings of Nickel and Chromium on Steel	127
A 361 – 63 T.	Roofing Sheets, Iron or Steel, 1.25 oz Class Coating (Pot Vield) Zinc-Coated (Galvanized).	360
A 363 - 58.	Overhead Ground Wire Strand, Zinc-Coated Steel	370
A 386 - 61. A 390 - 58.	Assembled Steel Products, Zinc Coating (Hot-Dip) on	
A 392 – 63 T.	Poultry Fencing, Zinc-Coated (Galvanized) Steel	416
A 411 - 59.	Armor Wire, Zinc-Coated (Galvanized) Low-Carbon Steel	451
A $444 - 63$ T.	Sheets, Zinc-Coated (Galvanized) Iron or Steel, for Culverts and Underdrains	492
A 446 – 63 T.	Sheets, Steel, of Structural Quality, Coils, and Cut Lengths, Zinc-	
4 450 63	Coated (Galvanized)	498
A 459 – 63. A 460 – 61 T.	Flat Steel Armoring Tape, Zinc-Coated Steel Wire Strand, Copper Covered Steel Wire Strand, Copper Covered Steel Wire Strand Stra	529 533
A 463 – 62 T.	Steel Sheets Type 1, Aluminum-Coated, for Heat-Resisting Applications, in Coils and Cut Lengths	538
A 474 – 62 T.	Steel Wire Strand, Aluminum-Coated	557
*A 475 – 62 T.	Steel Wire Strand, Zinc-Coated	562
A 491 – 63 T. *B 227 – 57.	Aluminum-Coated Steel Chain-Link Fence Fabric	600
B 228 - 56.	Steel Conductors, Concentric-Lay-Stranded Copper Covered	622
B $229 - 56$ .	Steel Composite Conductors, Concentric-Lay-Stranded Copper	
B 245 – 63.	and Copper Covered  Steel Core Wire for Aluminum Conductors, Steel Reinforced	627
B 261 – 63.	(ACSR), Standard Weight Zinc-Coated (Galvanized).  Zinc-Coated (Galvanized) Steel Core Wire (With Coatings Heavier than Standard Weight) for Aluminum Conductors,	633
B 341 - 63 T.	Steel Reinforced (ACSR). Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), Aluminum-Coated (Aluminized).	647 647
	For Contents in Numeric Sequence, see p. xv.	711

## CONTENTS

Methods of Test	for:	PAGE
*A 90 – 53.	Weight of Coating on Zinc-Coated (Galvanized) Iron or Steel	
A 428 – 58 T.	Weight of Coating on Aluminum-Coated Iron or Steel Articles	39 481
Recommended Pr		
*A 143 – 59.	Safeguarding Against Embrittlement of Hot Galvanized Structural	
A 384 – 59.	Steel Products and Procedure for Detecting Embrittlement Safeguarding Against Warpage and Distortion During Hot-Dip	94
A $385 - 62$ .	Galvanizing of Steel Assemblies  Providing High Quality Zinc Coatings (Hot Dip) on Assembled Products	407
A 464 – 62 T.	Use of Magnetic Type Instruments for Measurement of Thickness of Hot-Dip Zinc Coatings on Iron and Steel	410 545
	MISCELLANEOUS STEEL PRODUCTS	J10
Specifications for:		
A 307 – 63 T.	Fasteners, Low-Carbon Steel Externally and Internally Threaded Standard (See Part 4).	
	GENERAL METHODS	
Methods of Test f	for:	
A 219 – 58,	Local Thickness of Electrodeposited Coatings	166
A 239 – 41.	Uniformity of Coating by the Preece Test (Copper Sulfate Dip) on Zinc-Coated (Galvanized) Iron or Steel Articles	
A $255 - 62$ T.	End-Quench Test for Hardenability of Steel	200 218
A 279 – 63. A 370 – 61 T.	Total Immersion Corrosion Test of Stainless Steels	266
E = 8 - 61 T.	Mechanical Testing of Steel Products (See Part 1). Tension Testing of Metallic Materials (See Part 30).	
Recommended Pro	·	
A 224 – 46.	Conducting Plant Corrosion Tests	173
A 262 – 63.	Bolling Nitric Acid Test for Corrosion-Resisting Steels	226
A 380 - 57, A 393 - 63.	Descaling and Cleaning Stainless Steel Surfaces	400
110/0 00.	Conducting Acidified Copper Sulfate Test for Intergranular Attack in Austenitic Stainless Steel	427
A 400 - 58.	Selection of Steel Bar Compositions According to Section	431
	RELATED MATERIAL	
List of Atmosphe	eric Corrosion Test Reports	655
Index	<del></del>	657
Membership App	olication Blank	660

#### CONTENTS IN NUMERIC SEQUENCE

#### ASTM STANDARDS AND TENTATIVES RELATING TO STEEL SHEET, STRIP, BAR, ROD, WIRE, CHAIN, SPRING; WROUGHT IRON; METALLIC COATED PRODUCTS

This list in numeric sequence includes only those standards and tentatives appearing in this book. For a complete list in numeric sequence of all standards and tentatives issued by the Society, see the current edition of the combined Index to ASTM Standards which is published separately.

		1	PAGF
†A	29 - 61 T.	Spec. for General Requirements for Hot-Rolled and Cold-Finished	
,		Carbon and Alloy Steel Bars (Tentative)	1
Α	42 ~ 63.	Spec. for Wrought Iron Plates	1.5
Α	56 <b>- 63</b> .	Spec. for Wrought Iron Crane Chain	19
Α	<b>59 - 49</b> .	Spec, for Silicon-Manganese Steel Bars for Springs	23
Α	60 - 49.	Spec. for Chromium-Vanadium Steel Bars for Springs	20
Α	61 - 63 T.	Spec. for Deformed Rail Steel Bars for Concrete Reinforcement	
		with 60,000 Psi Minimum Yield Strength (Tentative)	<b>2</b> 4
Α	68 - 49.	Spec. for Carbon-Steel Bars for Springs, with Silicon Require-	
		ments	32
	81 - 63.	Def. of Terms Relating to Wrought Iron	35
	84 - 63.	Spec. for Staybolt Wrought Iron, Solid	36
	8 <b>6</b> .	L'iscontinued,	
*A	90 - 53.	Test for Weight of Coating on Zinc-Coated (Galvanized) Iron or	•
		Steel Articles	39
Α	93 - 63 T.	Spec. for Zinc-Coated (Galvanized) Iron or Steel Sheets, Coils, and	
	400 (400	Cut Lengths (Tentative)	43
	107 - 61 T.	Spec. for Hot-Rolled Carbon Steel Bars (Tentative)	51
A	108 - 61 T.	Spec. for Cold-Finished Carbon Steel Bars and Shafting (Tenta-	59
	100 (170	tive)	59
	109 - 62 T. 111 - 59.	Spec. for Cold-Rolled Carbon Steel Strip (Tentative)	35
Α	111 - 39.	oranh Line Wire	66
* A	112 – 59.	graph Line Wire	70
	112 - 59. 116 - 57.	Spec. for Zinc-Coated (Galvanized) Iron or Steel Farm-Field and	•
Л	110 - 37.	Railroad Right-of-Way Wire Fencing	73
* A	121 – 57.	Spec. for Zinc-Coated (Galvanized) Steel Barbed Wire	77
	122 - 37 .	(Spec. for Zinc-Coated Steel Wire Strand "Galvanized" and Class A	•
21	155.	("Extra Galvanized")) Discontinued 1962—Replaced by Specifi-	
		cations A 475.	
Α	123 - 63.	Spec. for Zinc (Hot-Galvanized) Coatings on Products Fabricated	
•		from Rolled, Pressed, and Forged Steel Shapes, Plates, Bars,	
		and Strip	80
Α	125 - 52.	Spec. for Heat-Treated Steel Helical Springs	8
*A	143 - 59.	Rec. Practice for Safeguarding Against Embrittlement of Hot	
		Galvanized Structural Steel Products and Procedure for De-	
		tecting Embrittlement	. 9
		-	

<sup>\*</sup> Approved as American Standard by the American Standards Association.

† Adopted by the Boiler and Pressure Vessel Committee of the American Society of Mechanical Engineers. The ASME Boiler and Pressure Vessel Code Specifications are identical with or based upon these ASTM Specifications.

		PAGE
A 147 – 51.	Spec. for Heat-Treated Steel Leaf Springs	98
A 152 – 63.	Spec. for Wrought Iron Rivets and Rivet Rounds	104
A 153 – 61.	Spec. for Zinc Coating (Hot-Dip) on Iron and Steel Hardware	108
*A 162 – 63.	Spec. for Uncoated Wrought Iron Sheets	112
A 163 – 63.	Spec. for Zinc-Coated (Galvanized) Wrought Iron Sheets	115
*A 164 – 55.	Spec. for Electrodeposited Coatings of Zinc on Steel	119
*A 165 – 55.	Spec. for Electrodeposited Coatings of Cadmium on Steel	123
*A 166 - 61 T.	Spec. for Electrodeposited Coatings of Nickel and Chromium on	
	Steel (Tentative)	127
A 167 - 63.	Spec. for Corrosion-Resisting Chromium-Nickel Steel Plate,	
	Sheet, and Strip	131
A 176 – 63.	Spec. for Corrosion-Resisting Chromium Steel Plate, Sheet, and	
	Strip	142
A 177 – 58.	Strip. Spec. for High-Strength Corrosion-Resisting Chromium-Nickel	142
	Steel Sheet and Strip	153
A 189 ~ 63.	Spec. for Single and Double Refined Wrought Iron Bars	158
A 207 - 63 T.	Spec. for Rolled Wrought Iron Shapes and Bars (Tentative)	
A 218.	(Spec. for Zinc-Coated Steel Wire Strand (Class B and Class C Coat-	162
	ings)) Discontinued 1962—Replaced by Specifications A 475.	
A 219 - 58,	Test for Local Thickness of Electrodeposited Coatings.	166
A 224 - 46.	Rec. Practice for Conducting Plant Corrosion Tests.	166
A 227 - 63 T.	Spac for Hard Drawn Steel Machanical Spains Wine (Tantation)	173
A 228 - 63 T.	Spec. for Hard-Drawn Steel Mechanical Spring Wire (Tentative)	182
A 229 - 63 T.	Spec. for Music Steel Spring Wire (Tentative)	185
	Spec. for Oil-Tempered Steel Spring Wire (Tentative)	188
A 230 - 63 T.	Spec. for Carbon-Steel Valve Spring Quality Wire (Tentative)	191
A 231 – 63 T.	Spec. for Chromium-Vanadium Alloy Steel Spring Wire (Tenta-	
A 121 62 TD	tive)	194
A 232 – 63 T.	Spec. for Chromium-Vanadium Alloy Steel Valve Spring Quality	
A 020 44	Wire (Tentative)	197
A 239 – 41.	Test for Uniformity of Coating by the Preece Test (Copper Sul-	
	fate Dip) on Zinc-Coated (Galvanized) Iron or Steel Articles.	200
A 240 – 63.	Corrosion-Resisting Chromium and Chromium-Nickel Steel	
	Plate, Sheet, and Strip for Fusion-Welded Unfired Pressure	
	Vessels	205
A 255 - 62 T.	End-Quench Test for Hardenability of Steel (Tentative)	218
A 262 - 63.	Rec. Practice for Boiling Nitric Acid Test for Corrosion-Resisting	
	Steels	226
†A 263 – 63.	Spec. for Corrosion-Resisting Chromium Steel Clad Plate Sheet	
	and Strip	237
†A 264 – 63.	Spec. for Corrosion-Resisting Chromium-Nickel Steel Clad Plate,	
	Sheet and Strip	245
†A 265 – 62.	Spec. for Nickel and Nickel-Base Alloy Clad Steel Plate	254
A 276 - 63.	Spec. for Hot-Rolled and Cold-Finished Stainless and Heat Resist-	
	ing Steel Bars.	259
A 279 - 63.	Total Immersion Corrosion Test of Stainless Steels.	266
A 303 - 62 T.	Spec. for Hot-Rolled Carbon Steel Strip of Structural Quality	200
	(Tentative)	275
A 304 - 61 T.	Spec. for Alloy Steel Bars to End Quench Hardenability Require-	210
02 1,	ments (Tentative)	280
†A 306 - 60 T.	Spec. for Carbon Steel Bars Subject to Mechanical Property Re-	200
1	quirements (Tentative)	200
A 308 - 63 T.	Spec. for Long Terne Iron or Steel Sheets, Coils, and Cut Lengths	309
11000 001.		240
A 309 - 54.	(Tentative)	312
11 507 - 54.	Test for Weight and Composition of Coating on Long Terne Sheets	240
A 311 - 61 T.	by the Triple Spot Test Spec. for Stress Relief Annealed Cold-Drawn Carbon Steel Bars	319
A 311 - 01 1.	Spec. for Stress Relief Annealed Cold-Drawn Carbon Steel Bars	
A 212 62	(Tentative)	324
A 313 – 63.	Spec. for Chromium-Nickel Stainless Steel Spring Wire	327
A 314 – 63.	Spec. for Corrosion-Resisting Steel Billets and Bars for Reforging	330
A 318 - 56.	Tension Testing of Steel Spring Wire	334
A 321 - 61 T.	Spec. for Quenched and Tempered Carbon Steel Bars (Tentative)	336
A 322 - 61 T.	Spec. for Hot-Rolled Alloy Steel Bars (Tentative)	339
*A 326 – 59.	Spec. for Zinc-Coated (Galvanized) High Tensile Steel Telephone	
	and Telegraph Line Wire	342
A 331 – 61 T.	Spec. for Cold-Finished Alloy Steel Bars (Tentative)	346
	•	