

**RECENT ADVANCES IN  
INSULIN THERAPY**



# RECENT ADVANCES IN INSULIN THERAPY

Proceedings of the 5th Korea-Japan Symposium on  
Diabetes Mellitus, Chejudo, Korea, 27-28 April 1989

*Editors:*

**Tai Hee Lee**

Department of Internal Medicine, School of Medicine  
Chonnam National University, Kwangju, Korea

**Kap Bum Huh**

Department of Internal Medicine, School of Medicine  
Yonsei University, Seoul, Korea

**Shigeaki Baba**

Kobe University, School of Medicine  
Kobe, Japan



1990

**EXCERPTA MEDICA, Amsterdam – New York – Oxford**

© 1990 Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of the publisher, Elsevier Science Publishers B.V., Biomedical Division, P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Special regulations for readers in the USA - This publication has been registered with the Copyright Clearance Center Inc. (CCC), 27 Congress Street, Salem, MA 01970, USA. Information can be obtained from the CCC about conditions under which photocopies of parts of this publication may be made in the USA. All other copyright questions, including photocopying outside the USA, should be referred to the copyright owner, Elsevier Science Publishers B.V., unless otherwise specified.

International Congress Series No. 867  
ISBN 0 444 81131 1

*This book is printed on acid-free paper.*

*Published by:*  
Elsevier Science Publishers B.V.  
(Biomedical Division)  
P.O. Box 211  
1000 AE Amsterdam  
The Netherlands

*Sole distributors for the USA and Canada:*  
Elsevier Science Publishing Company Inc.  
655 Avenue of the Americas  
New York, NY 10010  
USA

**Library of Congress Cataloging-in-Publication Data**

Korea-Japan Symposium on Diabetes Mellitus (5th : 1989 : Cheju-do, Korea)

Recent advances in insulin therapy : proceedings of the 5th Korea-Japan Symposium on Diabetes Mellitus, Cheju-do, Korea, 27-28 April 1989 / editors, Tai Hee Lee, Kap Bum Huh, Shigeaki Baba.

p. cm. -- (International congress series ; no. 867)

ISBN 0-444-81131-1 (U.S. : alk. paper)

1. Diabetes--Congresses. 2. Insulin--Therapeutic use--Congresses.

I. Lee, Tai Hee. II. Huh, Kap Bum. III. Baba, Shigeaki, 1925-

IV. Title. V. Series.

[DNLM: 1. Diabetes Mellitus--drug therapy--congresses.

2. Insulin--therapeutic use--congresses. W3 EX89 no. 867 / WK 815 K84 1989:]

RC660.A15K67 1989

616.4'62061--dc20

DNLM/DLC

for Library of Congress

Printed in The Netherlands

## OPENING ADDRESS

Ladies and gentlemen:

On behalf of the organizing committee I would like to welcome you to the 5th Korea-Japan Diabetes Symposium.

It was just 10 years ago when several diabetologists from Korea and Japan got together in Nagoya, Japan and proposed to hold the first symposium on the subject for the academic exchange of information and knowledge between the two countries. Since then, there has been a marked development in both, numbers and quality of the papers presented at the subsequent symposia, and this time we are expecting a successful conference reflecting the past two years of effort by Korean and Japanese diabetologists. I think the reason for selecting 'Recent Advances in Insulin Therapy' as the topic for this symposium is based on the realization that recent advances in insulin therapy will undoubtedly benefit clinicians in their daily practice.

Chejudo, where the symposium is being held, is famous for its richness in rocks, wind and women: hence, the name of this island has been 'three-abundant island'. Furthermore, it is also well-known for not having three things, namely, thieves, beggars and high fences around the houses. Since it has distinctive natural surroundings and living styles, it is most frequently visited by newlyweds on their honeymoon. I hope all the participants will enjoy sightseeing in this beauty spot.

I would like to thank the organizing committee for making it possible to hold the 5th symposium on this beautiful island, and also to thank all of you for coming all the way here to attend.

I would also like to convey my special appreciation to the guest speakers Professor Skyler from the U.S.A., Professor Yoon from Canada, Professor Assan from France and Dr Kim from the U.S.A.

May I once again extend my sincere welcome to all of you and express the hope that the symposium will prove to be fruitful and that the gathering will remain in our memories as an unforgettable event for many years to come.

Finally I would like to thank Les Laboratoires Servier, Korea, Nihon Servier Co., Ltd. and Dainippon Pharm. for their financial support towards the publication of the proceedings of this symposium.

Thank you very much.

TAI HEE LEE

President

The 5th Korea-Japan Diabetes Symposium



*Tai Hee Lee*  
President



# The 5th Korea-Japan Symposium on Diabetes Mellitus



*M.Y. Chung*  
Vice Secretary



*S.H. Shin*  
General Secretary

*The Organizing Committee Members, Advisors and Chairmen*



*E.J. Kim*  
*Honorary President*



*S. Baba*  
*Vice President*



*K.B. Huh*  
*Vice President*



*S.Y. Lee*  
*Adviser*



*H.K. Min*



*S.J. Lee*



*Y.K. Choi*



*M.H. Kim*

*Advisers*



*T. Kaneko*



*T. Kuzuya*  
*Advisers*



*S. Tarui*



*R. Takeda*  
*Adviser*



*Y.G. Yun*



*N. Sakamoto*



*Y. Goto*

*Organizing Committee Members*



Y. Shigeta

Y. Hirata

Organizing Committee Members



G. Ishiki

H. Sasaki

Chairmen



Y.S. Kim



K.W. Kim



K.W. Lee

Chairmen



H.Y. Son



Y.K. Kim



H.Y. Lee



K.B. Kim

Chairmen



*J.S. Skyler*



*J.W. Yoon*



*R. Assan*



*S.W. Kim*

*Guest Speakers*



*Y. Akanuma*



*Y. Ikeda*



*H.K. Lee*



*M.Y. Chung*

*Symposists*




*Welcome Party*



*Farewell Party*





# CONTENTS

## LECTURES

Etiology of insulin-dependent diabetes mellitus

*J.W. Yoon, K.W. Kim, C.Y. Pak, Y. Kang, J.W. Kim and  
H.M. Eun*

3

Recent aspects of research in insulin metabolism with special reference  
to insulin degrading enzyme

*S. Baba*

11

A self-regulated insulin delivery system

*S.W. Kim, C.M. Pai and E.J. Mack*

25

## SYMPOSIUM - Recent advances in insulin therapy

Insulin therapy in Japan

*Y. Akanuma*

35

Combination treatment with insulin and sulfonylurea in diabetes mellitus

*H.K. Lee*

39

Pharmacokinetics and efficacy of mixed insulin in NIDDM

*Y.S. Kim*

47

Remission of juvenile diabetes by application of glucose controlled  
insulin infusion system

*M.Y. Chung*

51

## INSULIN SECRETION

Effects of inhibitors of sugar taste response on insulin release

*A. Niki, H. Niki and T. Hashioka*

59

Effect of ageing on insulin secretory activity of the rat pancreas

*K. Tanigawa, S. Tsuchiyama, S. Ohguni and Y. Kato*

63

Effect of verapamil on insulin release in the isolated pancreatic islets of  
rats

*K.S. Hong, M.I. Kang, B.Y. Cha, K.W. Lee, H.Y. Son, S.K. Kang  
and B.K. Bang*

67

Urinary growth hormone (GH) in insulin-dependent diabetic patients

*O. Nukada, C. Uchiyama, S. Ubuka, T. Yoda and J. Higuchi*

71

## INSULIN ACTION

Alterations of insulin receptor status and its messenger RNA levels by  
glucocorticoids in cultured IM-9 cell lines

*S.W. Kim, I.M. Yang, J.W. Kim, Y.S. Kim, K.W. Kim and  
Y.K. Choi*

77

Effects of cyclosporin A on insulin binding and action in isolated fat cells of rat

*B.Y. Cha, K.S. Hong, K.W. Lee, H.Y. Son and S.K. Kang*

81

## METABOLISM

Effect of an oral glucose loading test on erythrocyte sorbitol, and sorbitol dehydrogenase (SDH) and glyceraldehyde reductase (GAR) activities in hyperthyroidism

*H. Hosojima, E. Miyauchi, H. Okada and S. Morimoto*

91

Fatty acid composition of adipose tissue in non-insulin dependent diabetic patients

*H.C. Jang, J.Y. Park, Y.K. Shong, B.D. Rhee, B.Y. Cho, H.K. Lee, C.S. Koh and H.K. Min*

95

Effects of glycosylated serum proteins on prostaglandin synthesis in platelets and vascular endothelial cells

*H. Takeda, H. Kishikawa, M. Shinohara, T. Yano, S. Ueno, S. Kobori and M. Shichiri*

99

## CLINICAL DIABETES

Gestational impairment of glucose tolerance: Clinical backgrounds and outcomes

*N. Yoshioka, K. Sanoyama and M. Takai*

105

Obese NIDDM diagnosed during pregnancy

*Y. Omori, M. Shimizu, S. Minei and Y. Hirata*

109

Development of high-performance liquid chromatographic assay of serum glycated albumin and its clinical use

*K. Shima, F. Abe and N. Ito*

113

Serum 1,5-anhydroglucitol level in patients with non-insulin-dependent diabetes mellitus

*Y. Iwamoto, N. Ohwada, T. Awata, A. Matsuda and T. Kuzuya*

117

Effect of blood glucose control and low protein diet on urinary albumin excretion in diabetic patients

*Y.J. Kwon, D.M. Kim, K.A. Han, S.K. Sung and H.J. Yoo*

121

## ETIOLOGY

Genetic analysis of diabetic susceptibility in inbred mouse strains

*K. Kaku, M. Matsuda, T. Kaneko and M.A. Permutt*

127

A model for insulin-dependent diabetes mellitus resulting from cumulative autoimmune and environmental insults in NOD mice

*K.U. Lee, S. Ihm and J.W. Yoon*

131

|                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Time course of histological changes of insulinitis seen in BB/W rats (Saitama-Tokyo colony), especially on eosinophilic infiltration after the onset of diabetes mellitus |     |
| <i>S. Kawazu, S. Shunto, M. Suzuki, K. Negishi, T. Watanabe, S. Katayama, J. Ishii and K. Komeda</i>                                                                      | 135 |
| Multiple streptozotocin-induced diabetes in mice: Evidence in vitro for two-step mechanism in development of insulinitis                                                  |     |
| <i>K.U. Lee, S. Ihm, B.D. Rhee, H.K. Lee and H.K. Min</i>                                                                                                                 | 139 |
| The effects of cytokines of islet secretory function applying neonatal rat pancreatic monolayers                                                                          |     |
| <i>K. Negishi, S. Kawazu, M. Suzuki, T. Watanabe, S. Shunto, S. Moritani, N. Serizawa, S. Takei, I. Inoue, J. Ishii and M. Kawakami</i>                                   | 143 |
| Purification and analysis of antigenic protein for islet cell surface antibodies                                                                                          |     |
| <i>M. Suzuki, S. Kawazu, K. Negishi, T. Watanabe, S. Shunto and J. Ishii</i>                                                                                              | 147 |
| Reactivity of islet cell antibody with fetal and infant rat pancreatic islets                                                                                             |     |
| <i>Y. Yamashiro, H. Taniguchi, S. Baba, T. Taniguchi, S. Kodama, S. Aono, G. Isshiki and T. Jinnouchi</i>                                                                 | 151 |
| Islet cell surface antibodies in Korean diabetics                                                                                                                         |     |
| <i>H.C. Lee, K.W. Lee, Y.W. Cho, Y.L. Kim, S.K. Lim, K.R. Kim and K.B. Huh</i>                                                                                            | 155 |
| Prevalence and clinical significance of islet cell antibodies (ICA) in the patients with autoimmune thyroid disease                                                       |     |
| <i>N. Chikuba, Y. Yamaguchi, H. Yamasaki, H. Yamamoto, D. Tahara, M. Akasi, M. Nakamura, T. Nakanishi, S. Akazawa and S. Nagataki</i>                                     | 159 |
| Insulin receptor gene RFLP in Korean NIDDM patients                                                                                                                       |     |
| <i>S.W. Kim, I.M. Yang, J.W. Kim, Y.S. Kim, K.W. Kim and Y.K. Choi</i>                                                                                                    | 163 |
| Unprocessed insulin proreceptors due to point mutation at the cleavage site                                                                                               |     |
| <i>M. Kobayashi, T. Sasaoka, A. Hisatomi and Y. Shigeta</i>                                                                                                               | 167 |
| The close relation between mesenteric fat accumulation and glucose intolerance - Metabolic, anthropological and archaeological aspects                                    |     |
| <i>S. Tarui, T. Kobatake, S. Fujioka and Y. Matsuzawa</i>                                                                                                                 | 171 |
| The relationship of body fat distribution and glucose metabolism                                                                                                          |     |
| <i>D.J. Park, H.C. Jang, B.D. Rhee, H.K. Lee, C.S. Koh and H.K. Min</i>                                                                                                   | 175 |
| Body fat content and distribution in diabetics                                                                                                                            |     |
| <i>Y.L. Kim, Y.W. Cho, K.W. Lee, S.K. Lim, H.C. Lee, K.B. Huh, E.K. Kim and K.Y. Lee</i>                                                                                  | 179 |

## EPIDEMIOLOGY

Methods to achieve high ascertainment of mortality status of IDDM cases in Japan: Diabetes epidemiology research international mortality study

*N. Kasuga, N. Tajima, T. Kitagawa, R.E. LaPorte and Diabetes Epidemiology Research International (DERI) Group* 185

Some immunogenetic and clinical aspects of Type 1 diabetes in Korea

*B.D. Rhee, K.U. Lee, S.Y. Kim, B.Y. Cho, H.K. Lee, C.S. Koh and H.K. Min* 189

Clinico-biochemical features of hospitalized Korean diabetics

*K.B. Huh, H.M. Kim, Y.W. Cho, E.J. Lee, Y.L. Kim, K.W. Lee, S.K. Lim, K.R. Kim, H.C. Lee and D.H. Kim* 193

A diabetic pair of monozygotic twin with simple type of retinopathy

*T. Jinnouchi, K. Kaziwara, J. Nagaki, H. Jinnouchi, F. Miyamoto, S. Hukumitsu and G. Mimura* 199

Study on underlying causes of death in GTT examinees

*C. Ito* 203

Prevalence of diabetic retinopathy and associated risk factors

*M.I. Kang, K.S. Hong, B.Y. Cha, Y.W. Kim, K.W. Lee, H.Y. Son and S.K. Kang* 207

## COMPLICATION

Comparison of prevalence of retinopathy between Japanese patients with IDDM and NIDDM

*T. Otani, H. Yokoyana, Y. Uchigata and Y. Hirata* 213

Measurement of urinary glycylylprolyl dipeptidyl aminopeptidase in patients with diabetic renal dysfunction

*S. Morioka, K. Uchida, H. Himei and T. Kawanishi* 217

Persistent proteinuria developed after strict control of hyperglycemia in three cases of non-insulin dependent diabetes mellitus

*H. Yoshizumi, K. Nunoi, R. Nomiyama, H. Himeno, Y. Sato, N. Tsutsu, K. Onoyama and M. Fujishima* 221

Nerve conduction study in diabetic foot patients

*Y.C. Choi, C.M. Kang, M.Y. Chung and T.H. Lee* 225

Studies on electrophysiological abnormalities of the sural nerve in patients with diabetic neuropathy

*J. Nagaki, K. Kaziwara, F. Miyamoto and T. Jinnouchi* 229

The mechanism by which cyclic AMP is reduced in sciatic nerves of streptozotocin-induced diabetic rats

*H. Shindo, M. Tawata, K. Aida and T. Onaya* 233

Clinical usefulness of sympathetic skin response in patients with diabetic neuropathy

*K. Uchida, S. Morioka, H. Himei and S. Kawanishi* 237

Orthostatic hypotension in diabetic patients

*Y. Goto, K. Yamada, T. Ohyama, M. Matsumoto and S. Yamada* 241

|                                                                                                                                                                                                                                                                               |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Facilitation of aging of autonomic nerve function by diabetes mellitus<br><i>H. Taniguchi, N. Kuroda, J.-I. Kato, Y. Ishida, K. Ejiri and S. Baba</i>                                                                                                                         | 245 |
| Assessment of diabetic autonomic neuropathy by the power spectral analysis of heart rate<br><i>N. Ueda, Y. Yamasaki, R. Kawamori and T. Kamada</i>                                                                                                                            | 249 |
| Significance of thermographic cold exposure test and ultrasonographic gastric emptying time in relation to symptoms in patients with diabetic neuropathy<br><i>A. Ohki, G. Okuno, Y. Kido, T. Kashiwara, K. Sakuyama, F. Kawakami and H. Tako</i>                             | 253 |
| Therapeutic effects of aldose reductase inhibitor on the renal and neural lesions in WBN/Kob rats<br><i>Y. Mori, J. Yokoyama, H. Oka, T. Nohara, A. Kurita, T. Kuwata, K. Satoh, K. Houi, T. Hasunuma, S. Mochio, M. Nishimura and Y. Ikeda</i>                               | 257 |
| Anti-platelet action and its mechanism of isoliquiritigenin, a new aldose reductase inhibitor, purified from glycyrrhizae radix<br><i>M. Tawata, K. Aida, H. Shindo, T. Noguchi, Y. Ozaki, S. Kume and T. Onaya</i>                                                           | 263 |
| Macroangiopathy: Comparison of clinical features in NIDDM patients with and without loss of pulsation of A. dorsalis pedis<br><i>Y. Sakamoto, O. Mokuda, E. Ubukata and N. Shimizu</i>                                                                                        | 267 |
| Systemic hyperbaric oxygen therapy in patients with diabetic foot<br><i>Y.S. Park, J.H. Chung, M.K. Lee, B.D. Rhee, S.Y. Kim, H.K. Lee, C.S. Koh and H.K. Min</i>                                                                                                             | 271 |
| Endogenous hyperinsulinemia in angiographically assessed coronary artery disease with impaired glucose tolerance and normolipidemia<br><i>T. Nakai, R. Fujiwara, Y. Kutsumi and S. Miyabo</i>                                                                                 | 275 |
| The echocardiographic findings in diabetes mellitus<br><i>C.M. Kang, Y.C. Choi, M.H. Jeong, M.Y. Chung, J.C. Kang and T.H. Lee</i>                                                                                                                                            | 279 |
| Effects of hyperglycemia in sorbitol and myo-inositol (MI) levels of embryo during organogenesis in rat embryo culture<br><i>S. Akazawa, M. Hashimoto, M. Akazawa, M. Akashi, Y. Yamaguchi, H. Yamasaki, N. Chikuba, H. Yamamoto, D. Tahara, T. Nakanishi and S. Nagataki</i> | 283 |
| Manifest diabetes affects myo-inositol (MI) contents of embryo during early organogenesis in rat<br><i>M. Akashi, S. Akazawa, M. Hashimoto, M. Akazawa, Y. Yamaguchi, H. Yamasaki, N. Chikuba, H. Yamamoto, D. Tahara, T. Nakanishi and S. Nagataki</i>                       | 287 |
| Diabetes mellitus as a prethrombotic state: Both heparin cofactor II (HCII) and antithrombin III (ATIII) were depressed in the diabetes mellitus<br><i>S. Kadowaki, H. Kobayashi and T. Matsuo</i>                                                                            | 291 |

## Bone mineral density in diabetic patients

- S.K. Hong, M.K. Lee, M.S. Lee, S.Y. Kim, M.C. Lee, B.Y. Cho,  
H.K. Lee, C.S. Koh and H.K. Min* 295

## Effect of streptozotocin on glucose metabolism of nutritionally deprived Wistar rat

- K.B. Huh, E.J. Lee, H.C. Lee, K.W. Lee and Y.L. Kim* 299

## High sucrose diabetic rabbits and bone changes

- H. Sekimoto, K.Y. Lin, M. Matsumoto, C.H. Liu, M. Natto,  
N. Ishikawa and M. Takasaki* 305

**TREATMENT**

## Self-monitoring note of diet and practice in dietary therapy

- Y. Suzuki, S. Anazawa, K. Matsuoka and A. Horiuchi* 311

## Computer assisted instruction for diabetes mellitus using hyper-text technique

- M. Yoshida, M. Wada, T. Morishima, H. Nishizawa and H. Abe* 317

## Effects of aging and gastrectomy on glycemic index in the elderly diabetes mellitus

- Y. Goriya, H. Sekimoto, M. Matsumoto, M. Matsumoto and  
M. Natto* 321

## Diabetic complications and social adaptation-long-term follow-up study of children with insulin-dependent diabetes mellitus (IDDM)

- S. Kanematsu, H. Maruyama, S. Ishiba, Y. Uchigata, T. Otani,  
T. Kasahara, K. Kameyama, Y. Omori and Y. Hirata* 325

## Increased insulin sensitivity following acute physical exercise in patients with IDDM

- Y. Sato, K. Yamanouchi, T. Shinozaki and K. Kato* 329

## Effect of tolbutamide on glucagon secretion in insulin-dependent and non-insulin-dependent diabetic patients

- O. Mokuda and Y. Sakamoto* 333

## Pattern of treatment among diabetics in Diabetes Center, Tokyo Women's Medical College

- M. Chosa and Y. Hirata* 337

## Survey of insulin regimen in hospitalized diabetic patients

- A. Matsuda, T. Kuzuya, Y. Iwamoto, T. Awata, S. Kumakura and  
N. Ohwada* 341

## Strict glycemic control restores residual insulin secretion in non-insulin dependent diabetics

- R. Kawamori, K. Bando, Y. Yamasaki and T. Kamada* 345

## Control of blood glucose levels in pancreatic diabetes caused by chronic pancreatitis

- H. Wakasugi, A. Funakoshi and M. Abe* 349

## Combination therapy of glipizide and gliclazide in noninsulin dependent diabetic patients

- S.S. Kim, Y.S. Oh and S.H. Shin* 353

Development of artificial endocrine pancreas – Possibility of non-invasive measurement of blood glucose using infra-red spectroscopy with an ATR prism

*K. Kajiwara, H. Fukushima, M. Sakakida and M. Shichiri*

357

Transplantation of cultured neonatal pancreatic cells in allogeneic rats

*Y. Maeda, H. Koike, K. Kubo, Y. Yamamoto, H. Morita, H. Tabata, H. Sakaguchi, T. Sanke, M. Kondo, K. Nanjo and K. Miyamura*

361

Successful intrathecal transplantation of islets without immunosuppressive drugs

*Y. Hara, H. Taniguchi, K. Ishihara, A. Tsutou, K. Narutaki and S. Baba*

365

## MISCELLANEOUS

Endogenous digitalis-like substance and renal Na-K-ATPase activity in the early stage of streptozotocin-diabetic rats

*M. Ikeda, S. Okamoto, T. Morise, Y. Ito, H. Takasaki, R. Soma, I. Miyamori and R. Takeda*

371

Insulin release from islets cold-stored with 50% glycerol

*K. Ishihara, H. Taniguchi, Y. Hara, A. Tsutou, K. Narutaki and S. Baba*

375

The effects of a family history of diabetes mellitus on glucose tolerance and pancreatic B-cell function

*H. Kikuoka, T. Negoro, K. Nanjo, M. Nishi, K. Kubo, K. Machida, K. Nakai, M. Kondo, T. Sanke and K. Miyamura*

381

Incidence rates of ear lobe crease in diabetes and patients with impaired glucose tolerance

*S. Fukumitsu, T. Jinnouchi and K. Kajiwara*

385

Tumor markers in diabetic patients: A comparison of serum levels of sialyl SSEA-1, carcinoembryonic antigen and CA19-9

*T. Wakugami, H. Tanaka, M.R. Islam, S. Yamamoto, K. Ishikawa, S. Higa, K. Murakami and G. Mimura*

389

A trial to establish the assay methods for 'fructosamine' in protein fractions of serum and tissues in order to estimate hyperglycemic episode retrospectively

*S.-I. Tashiro, M. Ogawa, K. Tomogane and Y. Akazawa*

393

**Index of authors**

397