ASTM STANDARDS 1952

1952 Book of ASTM STANDARDS

Including

TENTATIVES

(A Tricking, Relication)

PAKI 3

Cement, Concrete, Ceramics, Thermal Insulation, Road Materials, Waterproofing, Soils

FOREWORD

The Book of ASTM Standards, of which this is the 1952 edition, is a triennial publication, with Supplements issued in the intervening years. It contains the formally adopted ASTM Standards and the ASTM Tentative Specifications, Methods of Test, and Definitions.

Prior to this edition, the Book of Standards was issued in six parts. Today, with the extension of Society work into new fields, the 1952 edition of the Book of Standards comprises over 10,000 pages. To make this amount of material available in books of convenient size and not too bulky and heavy for binding, it was decided to print the standards on Bible paper and to publish the 1952 Book of Standards in seven parts, as follows:

Part 1-Ferrous Metals.

Part 2-Non-Ferrous Metals

Part 3—Cementitious Materials, Refractories, Glass, Ceramics, Thermal Insulation. Concrete, Mortar, Stone, Building Units, Road Materials, Waterproofing, Roofing, Soils

Part 4—Paint, Naval Stores, Wood, Structural Sandwich Constructions, Building Constructions, Fire Tests

Part 5-Petroleum Products, Fuels, Industrial Aromatic Hydrocarbons, Engine Anti-

Part 6-Rubber, Plastics, Electrical Insulation

Part 7-Textiles, Soap, Water, Paper, Shipping Containers, Adhesives

In these seven parts are included the 1892 ASTM Standards and Tentatives in effect at the time of publication, exclusive of the 38 ASTM Methods of Chemical Analysis of Metals which appear in a separate publication bearing that title.

The annual Supplements to each part issued in the succeeding years will contain the newly adopted or revised Standards and new or revised Tentatives. These Supplements should be consulted for changes in status and for current revisions of Standards and Tentatives. The combined Index to ASTM Standards, issued annually, will also be helpful in this connection and in locating any desired standard.

Standards comprise those specifications and methods of test that have been formally adopted by the Society, requiring a letter ballot approval by the entire membership.

Tentatives have been approved by the sponsoring committee as representing the latest thoughts and practices and have been accepted by the Society in accordance with established procedures for use pending adoption as standard.

In accordance with Society regulations, standards that have been published for a period of six years or more without revision have been reviewed by the responsible technical committees prior to the appearance of the Book and have been reapproved in their present form.

Tentative Revisions appear at the end of the standard to which they apply. A list of the tentative revisions that apply to the standards in this book appears on p. xxiii. The Supplements to be issued in 1953 and 1954 should be consulted for revisions or change in status of any of these tentative revisions.

The appearance of this Book is a tribute to the sincere efforts of the technical committees responsible for the development and review of the standards, and of the many individuals serving on the committees. The Society's time-tested standardization procedure provides for adequate representation on technical committees of producers and consumers and those having a general interest in the material or subject in question. Opportunity is provided during the period of promulgation for full consideration by all interested parties through publication as tentative before adoption as standard. As developments and advances take place, requirements are suitably revised.

GUIDE TO THE USE OF THE BOOK OF STANDARDS

THE standards in this Book are assembled in a sequence determined by the specific materials or products to which they apply. The Table of Contents in each part is presented in duplicate—one a list of the standards classified according to the materials covered, the other a list of the standards in numeric sequence of their serial designations.

A subject index of the standards and tentatives in this part appears at the back of this volume (see page 1597). This index should be the most convenient means of locating any standard appearing in the volume, especially if only the general subject matter covered is known.

A separate combined Index, covering all standards and tentatives in the seven parts of the Book of ASTM Standards, in the annual Supplements thereto, and in the Book of ASTM Methods for Chemical Analysis of Metals, is also issued annually, which should be of convenience to all users of the Book of Standards. The combined Index will be revised annually to incorporate the latest references to the standards, whether they appear in the Book of Standards or in the 1953 or 1954 Supplements. This Index should be of convenience to all users of ASTM standards.

A numeric list with complete titles of the current standards and tentatives also appears with this Index.

Comments or suggestions intended to improve the utility of the Book of Standards will be welcome.

CONTENTS

BOOK OF ASTM STANDARDS, PART 3

Cement, Concrete, Ceramics, Thermal Insulation, Road Materials, Waterproofing, Soils1

In the serial designations prefixed to the following titles, the initial letter, indicative of the general classification, and the first number are permanent. The number following the dash indicates the year of original issue as tentative or of adoption as standard, or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 1952 have as their final number, 52. Tentatives are identified by the letter T. In the following listing, the Standards and Tentatives are grouped according to materials to which they apply.

For Contents in Numeric Sequence, see p. xxv.

Tentative Revisions of Standards appear at the end of the Standard to which they apply.

A complete subject index appears on p. 1597.

CEMENT

$S_{P}e$	cifications for:		PAGE
*C	150 - 52.	Portland Cement	1
		Tentative Revision of Specifications C 150	
*C	175 – 51 T.	Air-Entraining Portland Cement (Tentative)	
C	205 - 51 T.	Portland Blast-Furnace Slag Cement (Tentative)	9
Ċ	10 - 37.	Natural Cement.	13
Č	10 - 52 T.	Natural Cement (Tentative)	15
*Č	91 – 51.	Masonry Cement	18
·	71 011	Tentative Revision of Specifications C 91	25
С	226 – 52 T.	Air-Entraining Additions for Use in the Manufacture of Air-En-	26
	020 F0 TD	training Portland Cement (Tentative)	34
C	230 – 52 T.	Flow Table for Use in Tests of Hydraulic Cement (Tentative)	34
Met	hods of Test fo	or:	
*C	185 - 50 T.	Air Content of Hydraulic Cement Mortar (Tentative)	37
	227 - 52 T.	Alkali Reactivity, Potential, of Cement - Aggregate Combina-	
_	22, 02 1.	tions (Tentative)	44
(151 - 52.	Autoclave Expansion of Portland Cement	52
_	101 02.	Tentative Revision of Method C 151	55
C	243 - 52 T.	Bleeding of Cement Pastes and Mortars (Tentative)	56
	265 - 51 T.	Calcium Sulfate in Hydrated Portland Cement Mortar (Ten-	30
C	203 - 31 1.	tative)	60
	85 - 42.	Cement Content of Hardened Portland-Cement Concrete	1079
*C	114 47.	Chemical Analysis of Portland Cement	62 99
*C	114 - 51 T.	Chemical Analysis of Portland Cement (Tentative)	102
ı	See Supplements	to be issued in 1953 and 1954 for revision or change in status of any of these star	dards

or tentatives.
* Approved as American Standard by the American Standards Association.

Me	thods of Test j	for:	PAGE
C	267 - 51 T.	Chemical Resistance of Hydraulic Cement Mortars (Tentative)	371
*Ĉ	109 - 52.	Compressive Strength of Hydraulic Cement Mortars	
Ċ	184 – 44.	Fineness of Hydraulic Cement by the No. 200 Sieve	
Ċ	204 - 51.	Fineness of Portland Cement by Air Permeability Apparatus	
Ċ	115 - 42.	Fineness of Portland Cement by the Turbidimeter	
-		Tentative Revision of Method C 115	144
*C	186 - 49.	Heat of Hydration of Portland Cement	
		Tentative Revision of Method C 186	151
*C	187 - 49.	Normal Consistency of Hydraulic Cement	152
С	183 - 46.	Sampling Hydraulic Cement	155
С	228 - 49 T.	Sampling Hydraulic Cement	157
*C	189 – 49.	Soundness of Hydraulic Cement Over Boiling Water (Pat Test).	163
*Č	188 - 44.	Specific Gravity of Hydraulic Cement	165
*C	190 - 49.	Tensile Strength of Hydraulic Cement Mortars	167
C	266 - 51 T.	Time of Setting of Hydraulic Cement by Gillmore Needles (Tentative)	173
*C	191 – 52.	Time of Setting of Hydraulic Cement by Vicat Needle	176
Č	229 - 52 T.	Time of Setting of Hydraulic Cement in Mortar (Tentative)	180
Defi C	nitions of Ter 219 – 51 T.	ms Relating to: Hydraulic Cement (Tentative)	107
C	219 - 31 1.	Trydradic Cement (Tentative)	183
		LIME	
Spe	cifications for:		
С	5 26,	Quicklime for Structural Purposes	187
С	6 - 49.	Normal Finishing Hydrated Lime	189
Č	206 - 49.	Special Finishing Hydrated Lime	191
C	207 - 49.	Hydrated Lime for Masonry Purposes	193
C	141 - 42.	Hodraulic Hydrated Lime for Structural Purposes	195
		Tentative Revision of Specifications C 141	200
C	45 - 25.	Quicklime and Hydrated Lime for Cooking of Rags in Paper	004
~	44 07	Manufacture	201
Č	46 27.	Quicklime for Sulfite Pulp Manufacture	203
0000000	47 – 27.	Hydrated Lime for Varnish Manufacture	205
Č	48 – 24.	Quicklime and Hydrated Lime for Use in the Textile Industry	207
Č	49 – 42.	Quicklime and Hydrated Lime for Silica Brick Manufacture	208
Č	53 - 52 T. 258 - 52.	Quicklime and Hydrated Lime for Water Treatment (Tentative)	210
Ç	258 - 52.	Quicklime for Calcium Carbide Manufacture	212
Ç	259 - 52.	Hydrated Lime for Grease Manufacture	213
C	35 – 52 T.	Inorganic Aggregates for Use in Interior Plaster (Tentative)	214
Met	hods of:		
С	50 - 27.	Sampling, Inspection, Packing, and Marking of Quicklime and Lime Products	217
С	25 - 47.	Chemical Analysis of Limestone, Quicklime, and Hydrated Lime.	221
č	110 - 49.	Physical Testing of Quicklime and Hydrated Lime	234
Ĕ	119 - 50.	Fire Tests of Building Construction and Materials (see Part 4, p.	201
~	117 50.	993).	
	4.4 6.00	n 1	
Defi:	nitions of Terr 51 – 47.	ms Relating to:	243
C	J1 - 41.	Lime	470
		GYPSUM	
•	ifications for:		0.45
*C	22 - 50.	Gypsum Gypsum Plasters.	247
*C	28 - 50.	Gypsum Plasters	249
*C	59 - 50.	Gypsum Molding Plaster	252
*C	61 - 50.	Keene's Cement	254

^{*} Approved as American Standard by the American Standards Association.

Sp	ecifications for	r:	PAGI
******	35 - 52 T. 36 - 50. 37 - 50. 79 - 50. 52 - 41.	Inorganic Aggregates for Use in Interior Plaster (Tentative) Gypsum Wall Board Gypsum Lath. Gypsum Sheathing Board Gypsum Partition Tile or Block.	250 250 260
Ме	thods of:		
*C <i>E</i>	26 – 52. 119 – 50.	Testing Gypsum and Gypsum Products Fire Tests of Building Construction and Materials (see Part 4, p. 993).	265
Def	î ni tions of Te	rms Relating to:	
С	11 – 50.	Gypsum	278
MA	GNESIUM	OXYCHLORIDE AND MAGNESIUM OXYSULFATE CEMI	ents
_	cifications for		
CCC	276 – 51 T. 277 – 51 T. 275 – 51 T.	Magnesium Chloride (Tentative). Magnesium Sulfate, Technical Grade (Tentative) Oxychloride Magnesia (Tentative).	283 284 2 85
Me	thods of Test j	for:	
C	237 - 51 T.	Sampling Magnesia Oxychloride Compositions and Ingredients	
CCC	244 - 52. 245 - 52. 247 - 52.	(Tentative). Chemical Analysis of Magnesium Sulfate, Technical Grade. Chemical Analysis of Magnesium Chloride Ignition Loss and Active Calcium Oxide in Magnesium Oxide	287 289 292
C	246 - 52.	for Use in Magnesium Oxychloride Cements. Physical Testing of Magnesia for Magnesium Oxychloride Cements.	297 3 01
Ç	238 - 51.	Sieve Analysis of Magnesium Oxychloride Compositions, Aggregates and Fillers.	304
c	239 - 51. 250 - 52.	Field Determination of Specific Gravity of Gauging Solutions for	306 308
С	251 - 52.	Magnesium Oxychloride Cements Mixing Magnesium Oxychloride Cement Compositions with Gauging Solution (for Preparation of Specimens for Labora-	
С	255 - 52.	tory Tests). Consistency of Magnesium Oxychloride Cements by the Flow	310
\boldsymbol{c}	249 - 52.	Slump Test for Field Consistency of Magnesium Oxychloride	314
00000 0	248 - 52. 252 - 52. 253 - 52. 254 - 52. 256 - 52.	Cements Bulk Density of Magnesium Oxychloride Cements Linear Contraction of Magnesium Oxychloride Cements Linear Change of Magnesium Oxychloride Cements Setting Time of Magnesium Oxychloride Cements Flexural Strength of Magnesium Oxychloride Cements (Using Simple Bar with Two-Point or Single-Point Loading).	316 318 320 323 328 332
C	231 - 32.	Compressive Strength of Magnesium Oxychloride Cements	337
		ASBESTOS-CEMENT PRODUCTS	
-	ifications for:		
	220 - 49 T. 221 - 49 T. 222 - 49 T. 223 - 49 T. 296 - 52 T.	Asbestos-Cement Flat Sheets (Tentative). Asbestos-Cement Corrugated Sheets (Tentative). Asbestos-Cement Roofing Shingles (Tentative). Asbestos-Cement Siding Shingles and Clapboards (Tentative). Asbestos-Cement Pressure Pipe (Tentative).	343 347 351 356 360

For Contents in Numeric Sequence, see p. xxv.

^{*} Approved as American Standard by the American Standards Association.

CONTENTS

CHEMICAL-RESISTANT MORTARS

Spe	cifications for:		PAGE
С	287 - 52 T.	Sulfur Mortar (Tentative)	367
Me	thod of Test for	;	
С	267 - 51 T.	Chemical Resistance of Hydraulic Cement Mortars (Tentative)	371
		MORTAR FOR UNIT MASONRY	
Spe	cifications for:		
C C C	144 - 52 T. 161 - 44 T. 270 - 52 T.	Aggregate for Masonry Mortar (Tentative)	380
		MASONRY BUILDING UNITS	
1	Section 2	Brick	
Spe	cifications for:		
*00000000	55 - 52. 62 - 50. 73 - 51. 216 - 50. 279 - 52 T. 126 - 52 T. 7 - 42. 32 - 50.	Building Brick, Concrete. Building Brick (Solid Masonry Units Made from Clay or Shale) Building Brick, Sand-Lime. Facing Brick (Solid Masonry Units Made from Clay or Shale). Masonry Units, Chemical-Resistant (Tentative) Masonry Units, Glazed (Tentative) Paving Brick. Sewer Brick (Made from Clay or Shale).	389 391 396 398 402 441 405 412
M et	hods of:		
*C	67 – 50.	Sampling and Testing Brick	414
		Structural Tile and Filter Block	
Spec	cifications for:		
***************************************	34 - 52. 56 - 52. 57 - 52. 212 - 52 T. 126 - 52 T. 52 - 41. 159 - 51.	Clay Load-Bearing Wall Tile, Structural. Clay Non-Load-Bearing Tile, Structural. Clay Floor Tile, Structural. Clay Facing Tile, Structural (Tentative). Masonry Units, Glazed (Tentative). Gypsum Partition Tile or Block. Filter Block, Vitrified Clay, for Trickling Filters. Tentative Revision of Specifications C 159.	424 428 431 434 441 262 447 449
M et.	hods of:		
*C E	112 - 52. 119 - 50.	Sampling and Testing Structural Clay Tile	45 0
Defi	nitions of Terr	ns Relating to:	
С	43 - 50.	Structural Clay Tile	454 456
		Concrete Masonry Units	
Spec	ifications for:		
*C *C *C	129 - 52. 145 - 52.	Concrete Masonry Units, Hollow Load-Bearing	457 459 461 463
*C	55 - 52.	Concrete Building Brick.	389
•	Approved as Am	erican Standard by the American Standards Association.	

For Contents in Numeric Sequence, see p. xxv.

Me	thods of:		PAGI
*C E	140 - 52. 119 - 50.	Sampling and Testing Concrete Masonry Units	465
		PIPE AND DRAIN TILE	
Spe	cifications for:		
•0000000	4-50 T. 13-50 T. 261-50 T. 200-50 T. 278-51 T. 211-50. 14-52.	Drain Tile (Tentative)	471 480 484 489 493 498 502
С	75 - 52.	Reinforced Concrete Sewer Pipe. Tentative Revision of Specifications C 75.	510 512 521
c c	76 - 52. 118 - 52.	Reinforced Concrete Culvert Pipe Tentative Revision of Specifications C 76	523 533 535
U	110 - 04.	Concrete Irrigation Pipe Tentative Revision of Specifications C 118	540
M et	hods of Testin	g:	
С	301 - 52 T.	Clay Pipe (Tentative)	541
Rece	ommended Pro	uctice for:	
С	12 - 51 T.	_ 1 _ 1	547
		REFRACTORIES	. •
Spec	cifications for:		
0000	64 - 51. 153 - 51. 176 - 47. 178 - 47.	Refractories for Heavy Duty Stationary Boiler Service	553 558 561
C C C	213 - 51. 106 - 51. 63 - 51.	cinerator Service. Castable Refractories for Boiler Furnaces and Incinerators. Refractories for Incinerators. Refractories for Malleable Iron Furnaces with Removable Bungs	563 565 567 570
C	105 - 47. 49 - 42.	and for Annealing Ovens. Ground Fire Clay as a Mortar for Laying-Up Fireclay Brick Quicklime and Hydrated Lime for Silica Brick Manufacture	574 209
Clas	sification of:		
C	27 - 41. $155 - 47.$	Fireclay Refractories	576 578
Met	hods of Test fo	or:	
000000 0	202 - 47. 38 - 52. 107 - 52. 122 - 52. 180 - 52. 288 - 52 T. 179 - 46.	Thermal Conductivity of Fireclay Refractories. Basic Procedure in Panel Spalling Test for Refractory Brick. Panel Spalling Test for High Duty Fireclay Brick. Panel Spalling Test for Super Duty Fireclay Brick. Panel Spalling Test for Fireclay Plastic Refractories. Disintegration of Fireclay Refractories in an Atmosphere of Carbon Monoxide (Tentative). Combined Drying and Firing Shrinkage of Fireclay Plastic Refractories.	579 583 590 592 594 597
ccc C	181 - 47. 198 - 47. 199 - 47.	fractories Workability Index of Fireclay Plastic Refractories Bonding Strength of Air-Setting Refractory Mortar (Wet Type) Refractoriness of Air-Setting Refractory Mortar (Wet Type) aerican Standard by the American Standards Association.	601 604 606
-	Thinner as ura	management of any and any	

Me	thods of Test	for:	PAGE
C	268 - 51 T. 269 - 51 T.	Modulus of Rupture of Castable Refractories (Tentative) Permanent Linear Change on Firing of Castable Refractories	
C	182 – 47. 93 – 46.	(Tentative) Thermal Conductivity of Insulating Fire Brick Crushing Strength and Modulus of Rupture of Insulating Fire Brick at Room Temperature	614
C	210 - 46. 16 - 49.	Brick at Room Temperature Tentative Revision of Methods C 93 Reheat Change of Insulating Fire Brick Refractory Brick Under Load at High Temperatures	619 620 623
000000	24 - 46. 201 - 47. 113 - 46. 133 - 49.	Pyrometric Cone Equivalent (P.C.E.) of Refractory Materials Thermal Conductivity of Refractories	628 632 639
CCC	134 - 41. 154 - 41. 20 - 46.	Brick and Shapes. Size and Bulk Density of Refractory Brick. Warpage of Refractory Brick and Tile. Apparent Porosity, Water Absorption. Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick.	641 644 646
CCC	135 - 47. 92 - 46. 18 - 52.	True Specific Gravity of Refractory Materials Sieve Analysis and Water Content of Refractory Materials Chemical Analysis of Refractory Materials.	648 651 654 657
Defi	nitions of:		
Ċ	71 - 51.	Refractories, Terms Relating to	682 684
С	108 – 46.	Heat Transmission, Symbols for	685
		CERAMIC WHITEWARE	
Defi	nitions of Ter	ms Relating to:	
С	242 – 50 T.	Ceramic Whiteware (Tentative)	691
		PORCELAIN ENAMEL	
M et	hods of Test f	or:	
c	282 - 51 T. 283 - 51 T.	Acid Resistance of Porcelain Enamels (Tentative) Boiling Acid Resistance of Porcelain Enameled Utensils (Tenta-	695
C	284 - 51 T. 285 - 52 T.	tive) Impact Resistance of Porcelain Enameled Utensils (Tentative) Sieve Analysis of Wet Milled and Dry Milled Porcelain Enamel (Tentative)	700 705 709
Defi	nitions of Ter	ms Relating to:	
		Porcelain Enamel (Tentative)	713
		GLASS AND GLASS PRODUCTS	
Spe	cifications for	:	
D	7 3 0 - 49.	Pin-Type Lime-Glass Insulators, Low and Medium Voltage (see Part 6, p. 1244).	
D	<i>879 - 49</i> .	Pin-Type Lime-Glass Insulators, Communication and Signal (see Part 6, p. 1300).	
Met	hods of Test f	or:	
00000000	146 - 43. 169 - 43. 158 - 43. 224 - 49 T. 225 - 49 T.	Chemical Analysis of Glass Sand	723 729 749 752
CCCC	225 - 49 T. 147 - 50. 148 - 50. 149 - 50.	Chemical Attack, Resistance to, of Glass Containers (Tentative). Hydrostatic Pressure Test on Glass Containers. Polariscopic Examination of Glass Containers. Thermal Shock Test on Glass Containers.	754 760 763 765
		Pos Contents in Numeric Seguence coe n wwn	

M	ethods of Test j	For:	PAGI
C	240 - 50 T.	Sampling and Testing Structural Non-Load Bearing Cellular Glass Blocks (Tentative)	768
D		Pin-Type, Lime-Glass Insulators (see Part 6, p. 1121).	
) 550 - 44.) 578 - 52.	Glass Spool Insulators (see Part 6, p. 1148). Glass Yarn, Tests and Tolerances for (see Part 7, p. 388).	
	886 – 49.	Glass Varn, Compatibility with Insulating Varnish (see Part 7, p. 392).	
D		Glass Fabrics, Woven, Tests and Tolerances for (see Part 7, p. 394).	
	580 - 49. 581 - 4 9.	Glass Tapes, Woven, Tests and Tolerances for (see Part 7, p. 399). Glass Tubular Sleeving and Braids, Woven, Tests and Tolerances for	
D	1039 – 50 T.	(see Part 7, p. 397). Glass-Bonded Mica Used as Electrical Insulation (Tentative) (see Part 6, p. 1353).	
Dej	finitions of Te	rms Relating to:	
С	162 - 52.	Glass and Glass Products	770
		THERMAL INSULATING MATERIALS	
Spe	ecifications for:		
Ç	193 - 48.	85 per cent Magnesia Thermal Insulating Cement	787
Š	194 – 48.	Asbestos Thermal Insulating Cement.	789
C	195 - 48. 1 96 - 48.	Mineral Wool Thermal Insulating Cement. Expanded or Exfoliated Vermiculite Thermal Insulating Cement.	791 794
C	197 - 48.	Diatomaceous Silica Thermal Insulating Cement	797
Ç	262 - 51 T.	Mineral Wool Batt Insulation (Industrial Type) (Tentative)	799
C	263 – 51 T.	Mineral Wool Blanket Insulation (Metal-Mesh Covered) (Industrial Type) (Tentative)	801
С	264 - 51 T.	Mineral Wool Felt Insulation (Industrial Type) (Tentative)	803
C	280 - 51 T.	Mineral Wool Blanket-Type Pipe Insulation (Tentative)	805
	. 281 − 52 T.	Mineral Wool Molded Type Pipe Insulation for Elevated Temperatures (Tentative). Mineral Wool Molded Type Pipe Insulation for Low Temperatures (Tentative)	807
С	300 – 52 T.	Mineral Wool Molded Type Pipe Insulation for Low Tempera- tures (Tentative)	810
C	298 - 52 T.	Cellular Asbestos Paper Thermal Insulation for Pipes (Tentative)	813
Ç	299 - 52 T.	Laminated Asbestos Thermal Insulation for Pipes (Tentative)	816
C	208 – 48.	Structural Insulating Board Made from Vegetable Fibers	818
	thods of Test fo		
C	163 - 44. 164 - 52.	Sampling and Mixing Thermal Insulating Cement Storage Density of Thermal Insulating Cement	821 823
č	165 – 45.	Compressive Strength of Preformed Block Type Thermal Insula-	825
		Tentative Revision of Method C 165	827
С	166 - 52.	Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement	828
С	303 - 52 T.	Density of Preformed Block Type Thermal Insulation (Ten-	831
С	302 - 52 T.	tative) Density of Preformed Pipe Covering Type Thermal Insulation (Tentative)	833
С	203 - 51.	Flexural Strength of Preformed Block Type Thermal Insulation.	835
Č	209 - 48.	Structural Insulating Board Made from Vegetable Fibers	837
С	236 – 49 T.	Thermal Conductance and Transmittance of Built-Up Sections by Means of the Guarded Hot Box (Tentative)	841
С	177 – 45.	Thermal Conductivity of Materials by Means of the Guarded Hot Plate.	848
С	167 - 50.	Thickness and Density of Blanket Type Thermal Insulating Materials	857
С	304 - 52 T.	Vibration Resistance of Preformed Thermal Insulation for Pipes (Tentative)	859
Ç	214 ~ 48 T.	Water Vapor Permeability of Sheet Materials Used in Connection with Thermal Insulation (Tentative)	861
		For Contents in Numeric Sequence, see p. xxv.	

De	finitions of Te	rms Relating to:	PAGE
C	168 – 51.	Thermal Insulating Materials	865
		NATURAL BUILDING STONES	
$M\epsilon$	ethods of Test j	for:	
0000000	241 - 51. 97 - 47. 170 - 50. 99 - 52. 100. 102. 218 - 48 T.	Abrasion Resistance of Stone Subjected to Foot Traffic. Absorption and Bulk Specific Gravity of Natural Building Stone. Compressive Strength of Natural Building Stone. Modulus of Rupture of Natural Building Stone. (Modulus of Elasticity of Natural Building Stone) Discontinued. (Shear Testing of Natural Building Stone) Discontinued. Temperature Cycles and Weak Salt Solutions, Combined Effect of on Natural Building Stone (Tentative)	869 872 875 878
D C C		Conducting Paths in Electrical State (see Part 6, p. 1050). Durability of Slate for Roofing (Tentative). Flexure Testing of Slate (Modulus of Rupture, Modulus of Elas-	884
C	121 - 48.	ticity). Water Absorption of Slate.	886 889
Dei	finitions of Ter	rms Relating to:	
ć		Natural Building Stones	891
	MINERA	L AGGREGATES, CONCRETE, AND NONBITUMINOUS HIGHWAY MATERIALS	
		(See also Soils)	
		Aggregates	
Spe	ecifications for:		
CCCDD	144 - 52 T. 33 - 52 T. 130 - 42. 448 - 49. 692 - 51 T.	Aggregate for Masonry Mortar (Tentative). Concrete Aggregates (Tentative) Concrete Aggregates, Lightweight. Coarse Aggregate for Highway Construction, Standard Sizes Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete	377 897 902 905
D	693 - 49.	Base and Surface Courses of Pavements (Tentative)	907 909
D	694 - 49.	and Surface Courses of Pavements Crushed Stone, Crushed Slag, and Gravel for Water-Bound Macadam Base and Surface Courses of Pavements	912
D	1139 – 52 T.	Crushed Stone, Crushed Slag, and Gravel for Single Bituminous Surface Treatment (Tentative)	914
	1073 – 51 T.	Fine Aggregate for Sheet Asphalt and Bituminous Concrete Pave- ments (Tentative)	916
	242 - 39.	Mineral Filler for Sheet Asphalt and Bituminous Concrete Pavements. Inorganic Aggregates for Use in Interior Plaster (Tentative)	918
D	35 - 52 T. 1001 - 51.	Sieve Analysis of Granular Mineral Surfacing for Asphalt Roofing	214
D	1241 - 52 T.	and Shingles. Soil - Aggregate Subbase, Base, and Surface Courses, Materials	1201 919
D D	556 - 40 T. 557 - 40 T.	for (Tentative) Stabilized Base Course, Materials for (Tentative) Stabilized Surface Course, Materials for (Tentative)	922 924
M et	thods of Test fo	pr:	
	131 - 51. 289 - 46.	Abrasion of Coarse Aggregate by Use of the Los Angeles Machine. Abrasion of Graded Coarse Aggregate by Use of the Deval Ma-	926
*C	2 - 33. 117 - 49.	chine Abrasion of Rock by Use of the Deval Machine Amount of Material Finer than No. 200 Sieve in Aggregates	929 932 933
		months of Garagian district about the Caracity of Caracity and Association	

For Contents in Numeric Sequence, see p. xxv.

^{*} Approved as American Standard by the American Standards Association.

M	ethods of Test.	for:	PAGE
*(31 ~ 49.	Concrete Compression and Flexure Test Specimens, Making and	
•	192 - 52 T .	Curing in the Field	1042
		Curing in the Laboratory (Tentative)	1046
*(Fire Tests of Building Construction and Materials (see Part 4, p. 993).	
	10-49.	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	1510
C	293 - 52 T.	Flexural Strength of Concrete (Using Simple Beam With Center-	1310
**	1 124 20	Point Loading) (Tentative)	1054
*0		Flow of Portland-Cement Concrete by Use of the Flow Table Rapid Freezing and Thawing in Water, Resistance of Concrete	1057
	. 4/0 04 4.	Specimens to (Tentative)	1060
C	291 – 52 T.	Rapid Freezing in Air and Thawing in Water Resistance of Con-	
C	292 - 52 T.	crete Specimens to (Tentative)	1064
	472 - 52 1.	crete Specimens to (Tentative)	1068
C	215 - 52 T.	rundamental transverse and Torsional Frequencies of Concrete	2000
•C	42 - 49.	Specimens (Tentative) Hardened Concrete, Securing, Preparing, and Testing Specimens	1072
C	42 - 49.	from, for Compressive and Flexural Strengths	1076
C	85 ~ 42.	Hardened Portland-Cement Concrete. Cement Content of	1079
**	174 40	Tentative Revision of Method C 85	1081
*C	174 - 49, 172 - 52 T .	Measuring Length of Drilled Concrete Cores. Sampling Fresh Concrete (Tentative)	1082
Č	143 - 52.	Slump of Portland-Cement Concrete	1086
*Ĉ	157 - 52 T.	Slump of Portland-Cement Concrete Volume Change of Cement Mortar and Concrete (Tentative)	1088
T.	138 - 44.	Weight per Cubic Foot, Yield, and Air Content (Gravimetric)	1004
		of Concrete	1094
Dej	initions of Ta	rms Relating to:	
C	125 - 48.	Concrete and Concrete Aggregates	9 90
		Brick and Block Pavement Materials	
Spe	cifications for:		
*C	7 - 42.	Brick, Paving	405
*D	57 - 20 .	Brick, Paving. Cement Grout Filler for Brick and Stone Block Pavements, Materials for	לחחי
*D	58 - 37.	rials for. Sand-Cement Bed for Brick and Block Pavements, Materials for	1097 1000
*Ď	59 - 39.	Granite Block for Pavements	101
#TN	121 20	Tentative Revision of Specifications D 59	102
*D	131 - 39. 132 - 39.	Granite Block for Durax Pavements.	105
\widetilde{D}	52 - 20.	Wooden Paving Blocks for Exposed Pavements (see Part 4, p. 686).	105
	· _		
	Ç	Concrete Curing Materials, Expansion Joint Fillers	
Spe	cifications for:	•	
*D		Calcium Chloride 1	107
	1190 – 52 T.		164
D	994 – 48 T.	Preformed Expansion Joint Filler for Concrete (Bituminous Type)	166
D	544 - 49.	Expansion Joint Fillers, Preformed, for Concrete (Nonextruding	
Ð	544 - 52 T.	Expansion Joint Fillers, Preformed, for Concrete (Nonextruding	109
*E		and Resilient Types) (Tentative)	112
*E	11 - 39. 6 32 - 43 .	Sieves for Testing Purposes	545 114
4,5		Sodium Chloride 1 Tentative Revision of Specifications D 632 1	115
C	171 – 49 T.	Waterproof Paper for Curing Concrete (Tentative) 1	116
	Approved as Am	perican Standard by the American Standards Association.	

For Contents in Numeric Sequence, see p. xxv.

M	ethods of Test	for:	PAG
D	345 - 48. 1191 - 52 T. 545 - 49.	Expansion Joint Fillers, Preformed, for Concrete (Nonextruding	. 130:
C	156 - 52 T.	Water Retention Efficiency of Liquid Membrane-Forming Com- pounds and Impermeable Sheet Materials for Curing Concrete	. 112) -
		(Tentative)	1126
		Cement	
Sp	ecifications for		
*CC**C	10 - 37. 10 - 52 T. 150 - 52. 175 - 51 T.	Natural Cement. Natural Cement (Tentative) Portland Cement. Portland Cement, Air-Entraining (Tentative).	1.5
Ċ	205 - 51 T. 230 - 52 T.	Portland Blast-Furnace Slag Cement (Tentative) Flow Table for Use in Tests of Hydraulic Cement (Tentative)	Q
Me	thod of Test	for:	
С	227 - 52 T.	Potential Alkali Reactivity of Cement-Aggregate Combinations (Tentative)	44
	BITUM	INOUS MATERIALS FOR HIGHWAY CONSTRUCTION, WATERPROOFING, AND ROOFING	
		Highway Construction Materials	
Spe	cificat ions for :		
	946 - 47 T. 977 - 49.	Asphalt Cement for Use in Pavement Construction (Tentative). Asphalt, Emulsified. Tentative Revision of Specifications D 977	1133 1135
*D	59 8 ~ 46.	Asphalt, Cut-Back (Medium Curing Type).	1137
*D	597 ~ 4 6.	ASDDAIL, Cut-Back (Rapid Curing Type)	1140
*D	241 - 43 . 517 - 50.	Asphalt Filler for Brick Pavements. Asphalt Plank	1142
D -	947 - 52 T.	Asphalt Plank Asphaltic Concrete for Base and Surface Courses, Hot-Mixed, Hot-Laid (Tentative).	
D	978 – 52 T. 995 – 51.	Asphaltic Mixtures for Sheet Asphalt Pavements (Tentative) Bituminous Mixing Plant Requirements. Tentative Revision of Specifications D 995	1151
*D	112 - 30.	Coal-Tar Pitch for Stone Block Filler	1160
	490 - 47. 1190 - 52 T.	18r.,	1161
Ď	994 - 48 T.	Concrete Joint Sealer, Hot-Poured Elastic Type (Tentative) Preformed Expansion Joint Filler for Concrete (Bituminous	
D	544 – 49.	Preformed Expansion Joint Fillers for Concrete (Nonextruding	1166
D	544 - 52 T.	and Resilient Types) Preformed Expansion Joint Fillers for Concrete (Nonextruding and Resilient Types) (Tentative)	1109 1112
		Waterproofing and Roofing Materials	
Spec	ifications for:		
D	449 - 49. 31 2 - 44.	Asphalt for Dampproofing and Waterproofing	
D 1	312 - 44. 1227 - 52 T.	Asphalt-Base Emulsions for Use as Protective Coatings for	1171
D	491 - 41.	Asphalt Mastic for Use in Waterproofing (Asphalt Cement, Min-	1174
D	170 - 41.	eral Aggregate). Bituminous Grout for Use in Waterproofing Above Ground Level.	11/0

^{*} Approved as American Standard by the American Standards Association.

Spe	cifications for:		PAGE
D	171 – 41.	Bituminous Grout for Use in Waterproofing Below Ground Level.	1180
D	450 - 41. 654 - 49.	Coal-Tar Pitch for Roofing, Dampproofing, and Waterproofing Coal-Tar Pitch for Steep Built-Up Roofs	1182
D	173 – 44.	Fabrics, Woven Cotton, Saturated with Butiminous Substances for Use in Waterproofing	1187
D	226 47.	in Constructing Built-Up Roofs	1190
D	227 - 47.	Felt, Roofing, Coal-Tar Saturated, for Use in Waterproofing and in Constructing Built-Up Roofs.	1193
D	250 - 47.	Felts, Asbestos, Asphalt-Saturated, for Use in Waterproofing and	1196
D	655 47.	in Constructing Built-Up Roofs. Felts, Asbestos, Asphalt-Saturated and Coated, for Use in Constructing Built-Up Roofs	1198
D:	1001 - 51.	structing Built-Up Roofs Granular Mineral Surfacing for Asphalt Roofing and Shingles, Sieve Analysis of.	1201
D	41 - 41. 43 - 41.	Primer for Use with Asphalt in Dampproofing and Waterproofing Priming Coat, Creosote for, for Use with Coal-Tar Pitch in Damp-	1202
Ð	249 - 50 Т.	proofing and Waterproofing Roofing, Asphalt, Surfaced with Mineral Granules (Tentative)	1204 1206
	224 - 52.	Rooting, Asphalt, Surfaced with Powdered Tale or Mica	1210
Ð	371 - 51.	Roofing, Asphalt, Wide Selvage, Surfaced with Mineral Granules	1213
	225 ~ 51.	Shingles, Asphalt, Surfaced with Mineral Granules. Siding, Asphalt, Surfaced with Mineral Granules.	1210
	699 51 . 1226 5 2 T.	Asphalt Insulating Siding Surfaced with Mineral Granules (Ten-	1419
י ע	1220 - 32 1.	tative)	1222
		tadavoji i i i i i i i i i i i i i i i i i i	
		Sieves	
Spec	ifications for:		
*E	11 - 39.	Sieves for Testing Purposes (Wire Cloth Sieves, Round-Hole and Square-Hole Screens or Sieves)	1543
		Thermometers	
Spec	rifications for:		
E	1 – 52.	ASTM Thermometers	1503
		General	
Meth	iods of Test fo	r:	
*D	244 - 49.	Asphalts, Emulsified	1224 1236
D 1	1167 – 51 T.	Asphalt-Base Emulsions for Use as Protective Coatings for Built-Up Roofs (Tentative)	1237
	228 - 48 T. 1228 - 52 T.	Built-Up Roofs (Tentative). Asphalt Roll Roofing, Cap Sheets, and Shingles (Tentative) Asphalt Insulating Siding Surfaced with Mineral Granules (Tentative)	1241 1248
*D	4 - 52.	Bitumen	1255
	165 - 42.	Riturgen Soluble in Uarbon Tetrachloride, Proportion of	1258
	010 - 49 T.	Biluminous Emulsions for Use as Protective Coatings for Metal	
		(Tentative) (see Part 4, p. 473).	1260
_D 1	1097 - 50 Т.	Bitumen Content of Paving Mixtures by Centrifuge (Tentative).	1262
	147 - 41.	Bitununous Mastics, Grouts, and Like Mixtures Coarse Particles in Mixtures of Asphalt and Mineral Matter.	1268
	313 - 41.	Compressive Strength of Bituminous Mixtures (Tentative)	1270
	1074 ~ 52 T.	Distillation of Cut-Back Asphaltic Products.	1275
*D	402 - 49. 86 - 52.	Distillation of Gasoline, Naphtha, Kerosine, and Similar Petro-	
*D	20 - 52.	leum Products. Distillation of Tar Products Suitable for Road Treatment.	1280 1286
		Tribulant of the Indian Standards Association	

For Contents in Numeric Sequence, see p. xxv.