

63,3071.
W 747
1962

AMERICAN DRUG INDEX

1962

CHARLES O. WILSON, Ph.D.

*Dean and Professor of Pharmaceutical Chemistry, School of Pharmacy,
Oregon State University*

AND

TONY EVERETT JONES, Ph.D.

*Associate Professor of Pharmaceutical Chemistry, School of Pharmacy,
University of Colorado; Director of
Pharmaceutical Research, Carbisulphoil Company*



J. B. LIPPINCOTT COMPANY

Philadelphia and Montreal

Copyright © 1962, by J. B. Lippincott Company

Copyright 1956, 1958, 1959, 1960, 1961, by J. B. Lippincott Company

**This book is fully protected by copyright and, with the exception
of brief extracts for review, no part of it may be reproduced
in any form without the written permission of the publishers**

**Distributed in Great Britain by
Pitman Medical Publishing Co., Limited, London**

Library of Congress Catalog Card Number 55-6286

Printed in the United States of America

PREFACE

The *American Drug Index* has been prepared for the identification and correlation of the many pharmaceuticals available to the medical and allied professions. The need for this index has become acute as the number of drugs and drug products in all their tremendous variety has multiplied.

The organization of the index is fundamentally alphabetical with extensive cross-indexing. Names listed are generic (also called non-proprietary, public name or common name); brand (also called trade-mark, proprietary or specialty), chemical, U.S.P., N.F., N.N.D. and A.D.R. Synonyms that are in general use also are included. All names used for a pharmaceutical occur in alphabetical order with the pertinent data given under the brand name and the name by which it is made available. Data included are generic names, chemical names, manufacturer, pharmaceutical forms, size, dosage and use. Generic names occur in alphabetical order and here the recognition of the drug is indicated by U.S.P. (United States Pharmacopeia), N.F. (National Formulary), N.N.D. (New and Nonofficial Drugs) and A.D.R. (Accepted Dental Remedies). The information is in accord with the latest editions of these books: U.S.P. XVI, N.F. XI, N.N.D. 1961, A.D.R. 1961.

Because of the multiplicity of specialty names (brand names) used for the same therapeutic agent or the same combination of therapeutic agents, it was apparent that some correlation could be done. As an example of this, please turn to Aluminum Hydroxide Gel. Here under the generic name are given the brand names. Following are combinations of aluminum hydroxide gel organized in a manner to point out relationships among the many products. Reference then is made to the specialty name or names having the indicated composition. Under the specialty name are given manufacturer, composition, available forms, sizes, dosage and use.

The multiplicity of generic names for the same therapeutic agent has complicated the nomenclature of these agents. Examples of multiple generic names for the same chemical substance are (1) parabromdylamine, brompheniramine; (2) acetaminophen, p-hydroxy acetanilid, N-acetyl-p-aminophenol; (3) d-isoeephedrine, d-pseudoephedrine; (4) methapyrilene HCl, thenylpyramine HCl; and (5) pyrilamine, pyranisamine, pyranilamine, pyraminyl and anisopyradamine.

Generic names recognized by the United States Pharmacopeia Committee, National Formulary Committee and the American Medical Association Council on Drugs are preceded by an asterisk.

The *American Drug Index* should be most useful to physicians, pharmacists, dentists, nurses, and to sales personnel, students and teachers in the fields incorporating pharmaceuticals. The cross-indexing feature permits the finding of drugs or drug combinations when only one major ingredient is known. For example, a combination of aluminum hydroxide gel and mag-

PREFACE

vi

nesium trisilicate is available. This combination can be found by looking under the name of either of the two ingredients, and in each case the specialty names are given.

CHARLES O. WILSON
TONY E. JONES

A.A.S. COMPOUND. (Tilden) Aspirin 5 gr., nux vomica ext. 1/10 gr., hyoscyamus ext. ½ gr., gelsemium tr. 3 min., cascara sagrada ext. 1 gr./Tab. Bot. 100s, 1000s.
Use: Analgesic.

ABAC. (Massengill) Aspirin 5 gr., caffeine ¼ gr., Pot. bromide ¼ gr., Sod. bromide ¼ gr./Tab. Bot. 100s, 1000s.

Use: (1-2 q. 3 h.) Analgesic sedative.

ABAC FOR CHILDREN. (Massengill) Aspirin 1 gr., caffeine 1/10 gr., Pot. bromide 1/20 gr., Sod. bromide 1/20 gr., aromatics q.s./Tab. Bot. 1000s.

Use: (1 q. 4 h.) Analgesic.

ABACTAL. (Massengill) Aspirin 5 gr., caffeine ¼ gr., Pot. bromide ¼ gr., Sod. bromide ¼ gr., phenobarbital ½ gr./Tab. Bot. 100s, 1000s.

Use: (1-2 t.i.d.) Analgesic sedative.

ABASIN. (Winthrop Labs.) Acetylcarbromal, 4 gr.) Bot. 100s.

Use: (1-2 t.i.d.) Sedative.

ABSCILLIN 800 M., A.D.R. (Abbott) Procaine penicillin G 600,000 u., buffered Pot. penicillin G 200,000 u. for aq. inj. Vial, 1 cc., Box 25s, 5 cc., 1s, 25s.

Use: I.M.; bacterial infections.

ABSCILLIN-DC. A.D.R. (Abbott) Procaine penicillin G in aq. susp. 600,000 u. 1 cc. Abboject disposable syr. w/needle, 1s, 25s.

Use: I.M.; penicillin therapy.

ABSO-VAC. See: A.C.D. Solution. (Abbott).
AB-CEDET. (Beard). B-1 10 mg., B-2 10 mg., B-6 10 mg., B-12 6 mcg., A 12,500 U.S.P. u., D 1,250 U.S.P. u., calcium pantothenate 5 mg., C 100 mg./Tab. Bot. 100s, 1000s.

Use: Therapeutic vitamin preparation.

ABDEC DROPS. (Parke, Davis) Vit. A 5000 u., D 1000 u., B-1 1 mg., B-2 1.2 mg., B-6 1 mg., sod. pantothenate 5 mg., nicotinamide 10 mg., C 50 mg./0.6 cc. Bot. 15 cc., 50 cc.

Use: Vitamin deficiencies.

ABDEC KAPEALS. (Parke, Davis) Vit. A 10,000 u., D 1000 u., B-1 5 mg., B-2 3 mg., B-6 1.5 mg., B-12 2 mcg., dl-panthanol 10 mg., nicotinamide 25 mg., Vit. C 75 mg., mixed tocopherols 5 mg./Cap. Bot. 50s, 100s, 250s, 1000s.

Use: (1 daily) Multivitamin therapy.

A-B-D-G. (Blue Line) Vit. A 5000 u., D 1000 u., B-1 1 mg., B-2 2 mg./Cap. Bot. 100s.

Use: (1 daily) Dietary supplement.

A-B-D-G VITAMIN. (Morton & Converse) Vit. A 5000 u., D 1000 u., B-1 333 u., riboflavin 2000 mcg./Tab. Bot. 100s, 250s, 500s, 1000s.

Use: (1 daily) Multivitamin therapy.

A-B-D-G VITAMINS. (Upjohn) Vit. A 2500 u., D 250 u., B-1 1.5 mg. B-2 1 mg., nico-

ticamide 10 mg./Cap. Bot. 50s, 100s, 250s, 1000s.

Use: (1 daily) Multivitamin therapy.

ABDOL W/Minerals. (Parke, Davis) Vit. C 50 mg., B-2 2.5 mg., B-12 1 mcg., B-6 0.5 mg., B-1 2.5 mg., nicotinamide 20 mg., Vit. A 5000 u., D 1000 u., Cal. pantothenate 2.5 mg., folic acid 0.1 mg., iodine 0.15 mg., Mang. 1 mg., cobalt 0.1 mg., Pot. 5.0 mg., molybdenum 0.2 mg., iron 15 mg., copper 1 mg., zinc 0.5 mg., Mag. 1 mg., Cal. 44.0 mg., Phos. 34 mg./Cap. Bot. 100s, 250s.

Use: (1 daily) Vitamin-mineral deficiency states.

ABDOL W/MINERALS for Children. (Parke, Davis) Vit. C 40 mg., B-2 2 mg., B-12 1.5 mcg., B-6 0.5 mg., B-1 1 mg., nicotinamide 12 mg., A 3000 u., D 1000 u., cal. pantothenate 2.5 mg., folic acid 0.1 mg., w/iron, copper, zinc, magnesium, calcium, phosphorus, iodine, manganese, cobalt, and pot./Cap. Bot. 100s.

Use: Vitamin-mineral supplement.

ABDOL W/Vit. C Cap. (Parke, Davis) Vit. A 5000 u., D 1000 u., B-1 2.5 mg., B-2 2.5 mg., B-6 0.5 mg., B-12 1 mcg., nicotinamide 20 mg., Vit. C 50 mg., pantothenic acid (as Cal. salt) 5 mg./Cap. Bot. 25s, 100s, 250s, 5000s.

Use: (1 daily) Vitamin deficiency.

A-B-M-C OINTMENT. See: Lembrose, Oint. (Wyeth).

ABMINTHIC. N.N.D. 1960. (Pfizer) Dithiazanine iodide. 3 3'-Diethylthiadicarbocyanine iodide. 200 mg./Tab. Bot. 100s.

Use: Anthelmintic.

ABRODIL. See Methiodal Sodium. (Winthrop Labs.).

A-B-S & C. (Morton & Converse) Aloin 1/5 gr., strychnine 1/120 gr., belladonna lvs. ext. ½ gr., cascara sagrada ½ gr./Tab. Bot. 100s, 1000s.

Use: (1 h.s.) Laxative.

ABISINOL. (Lemmon) N-acetyl-p-aminophenol, 150 mg.; salicylamide, 150 mg.; phenyltoloxamine dihydrogen citrate, 25 mg.; phenylephrine HCl, 2.5 mg./Tab. Bot. 100s.

Use: Sinus headache.

ABSORBABLE CELLULOSE COTTON OR GAUZE. N.N.D. 1959. See: Oxidized Cellulose. (Various Mfr.).

ABSORBABLE DUSTING POWDER. U.S.P., N.N.D. 1959. See: Bio-Sorb, Pow. (Ethicon)

ABSORBABLE GELATIN FILM. N.N.D. 1961. Sterile nonantigenic, absorbable, water-insoluble, gelatin film. See: Gelfilm. (Upjohn)

ABSORBABLE GELATIN SPONGE. U.S.P., N.N.D. 1961, A.D.R. Gelatin sponge. See Gelfoam, Preps. (Upjohn).

ABSORBABLE SURGICAL DRESSINGS. See: Hemo-Pak. (Johnson & Johnson).

ABSORBABLE SURGICAL SUTURE, U.S.P., A.D.R. (Various Mfr.) Surgical Gut, Surgical Catgut, Catgut suture.

ABSORBENT BASE. (Upsher-Smith) Oint. Base: Cetyl alcohol, stearyl alcohol, lauryl sulfate, methyl p-hydroxybenzoate & hydrocarbons. Jar 1.5, 6, 25 lb.

Use: Ointment base.

ABSORBENT OINTMENT BASE.

See: Plastibase Hydrophilic (Squibb).

Polysorb (Fougera).

ABTEN. (Paul Maney) Rauwolfia serpentina alkaloids ext. Tab. (1 mg. & 2 mg.) Bot. 100s, 1000s.

Use: (2 daily) Hypotensive and tranquillizing agent.

ABUPHENINE CITRATE. (Chemo Pura) Diethylaminoethyl phenylethylacetate citrate. Pow. for mfg.

Use: Antispasmodic.

ABUPHENINE HYDROCHLORIDE. (Chemo Pura) Diethylaminoethyl phenylethylacetate hydrochloride. Pow. for Mfg.

Use: Antispasmodic.

A-C TROCHES. (Abbott) Anesthesin $\frac{1}{4}$ gr., calcidin & licorice. Bot. 24s, 100s, 1000s.

Use: Throat & mouth infections.

ACACIA GUM, U.S.P., A.D.R. (Penick) Acacia senegal, gum arabic. Mucilage; pow., $\frac{1}{4}$ lb., 1 lb., tears, $\frac{1}{4}$ -1 lb., syr.; whole, $\frac{1}{4}$ -1 lb.

Use: Demulcent, emulsifier.

W/Mag. oxide & veg. mucinoid. See: Acarosil, Pow. (Sherman).

W/Veg. mucinoid. See: Acarojel, Pow. (Sherman).

A.C.A. COMPOUND. (Rowell) Aspirin $3\frac{1}{2}$ gr., phenacetin $2\frac{1}{2}$ gr., caffeine $\frac{1}{2}$ gr./Cap. or Tab. Bot. 100s, 1000s. Also with codeine phos. $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$ and 1 gr. See: A.P.C.

Use: (1-2 q. 3 h.) Analgesic & antipyretic.

A-C-A-COMPOUND. (Sutliff & Case) Acetanilid 130 mg., Camphor 16 mg., Capsicum 16 mg., Aloin 4 mg., Podophyllum 1.6 mg., Aconite Root 0.65 mg., Atropine Sulfate 0.03 mg., Tr. Gelsemium 0.2 cc./Tab. Bot. 1000s.

Use: Analgesic & antipyretic.

ACAP. (Barre) Vit. A 50,000 u./Cap. Bot. 100s.

Use: Vitamin A deficiencies.

ACAPNOID. (Chemico) Belladonna pow. 1/10 gr., phenobarbital $\frac{1}{2}$ gr., stramonium pow. 1 gr., ephedrine sulfate $\frac{1}{4}$ gr./Tab. Bot. 100s, 500s, 1000s.

Use: Sedative & antispasmodic.

ACARALUM. (Sherman) Carbohydrate uranides (veg. mucinoid) 50%, acacia 20%,

aluminum hydroxide gel 25%, Mag. oxide 5%. Pow. Can 8 oz.

Use: (2 dr. p.r.n.) Gastric antacid.

ACAROJEL (Sherman) Carbohydrate uranides (veg. mucinoid) 50%, acacia 50%. Pow. Can 8 oz.

Use: Laxative.

ACAROSIL (Sherman) Carbohydrate uranides (veg. mucinoid) 50%, acacia 25%, Mag. oxide. 25%. Pow. Can 8 oz.

Use: (1 dr. p.r.n.) Gastric antacid.

ACCESSORONE. (Upjohn) Vit. A 22,600 u., D 267 u., red bone marrow ext. 0.62 cc., iron & ammonium citrate 0.259 Gm., malt ext., yeast ext., citrum conc. q.s./fl. oz. Bot. 10 fl. oz., 24 fl. oz.

Use: Dietary supplement.

ACCO. (Assoc. Concentrates) Protein, 32%, carbohydrate 54%, ash 5.75%, fat 0.75%, crude fiber 1.61%, Vit. B-1 2 mg., B-2 3 mg., nicotinic acid 15 mg. Jar 15 oz.

Use: Nutritional supplement.

A-C-D SOLUTION, U.S.P. Sod. citrate, citric acid & dextrose in sterile pyrogen-free solution.

Abbott—(Abbo-Vac) 150, 250, 500 cc. (non-Vac) 250 & 500 ml. (Pliapab) w/Blood collection set 500 cc.

Baxter—600 cc. bot. with 70, 120 or 300 cc. of sol.; 1000 cc. with 500 cc. of sol.

Cutter—500 cc. bot. with 75 or 120 cc. of sol.; 650 cc. bot. with 80 or 130 cc. of sol. Use: Anticoagulant for preparation of plasma or whole blood.

ACE-CAF-EDINE, A.D.R. 1955. (Paul Maney) Aspirin $3\frac{1}{2}$ gr., acetophenetidin $2\frac{1}{2}$ gr., caffeine $\frac{1}{2}$ gr./cap. or tab. Cap., Bot. 100s, 1000s; Tab., No. 1, Bot. 100s, 1000s; also w/phenobarbital, Bot. 1000s. See: A.P.C.

Use: (1-2 q. 3 h.) Analgesic & antipyretic.

ACECOLINE. (Anglo-French) Acetylcholine chloride 20, 50, 100 or 200 mg. w/saligenin 40 mg./cc. in propylene glycol. Amp., 1 cc. Box 6s.

Use: S.C., I.M.; parasympathetic agent.

ACE-JEL (Ortho) Acid vaginal jelly buffered to pH of 4.0, containing ricinoleic acid, boric acid, oxyquinoline sulfate & propyl ester parahydroxybenzoic acid in water-dispersible base. Tube with or without applicator.

ACENOCOUMARIN. See: Sintrom, Tab. (Geigy)

ACENOCOUMAROL, N.N.D. 1961. 3-(alpha-acetylonyl-p-nitrobenzyl)-4-hydroxycoumarin. See: Sintrom, Tab. (Geigy)

ACEPROMAZINE. 10(3-dimethylaminopro-

- pyl)-3-acetylphenothiazine maleate. See: Atravet (Ayerst). Plegicil (Ayerst)
Use: Tranquilizer.
- ACETABAR.** (Columbus) Phenobarbital $\frac{1}{4}$ gr., acetophenetidin $2\frac{1}{2}$ gr., acetylsalicylic acid $3\frac{1}{2}$ grs., caffeine $\frac{1}{4}$ gr./Tab. or wafer. Bots. 100s, 1000s.
Use: (1-2 q. 4 h.) Analgesic-sedative.
- ACETALAX.** (G. F. Harvey) Diacetylhydroxyphenolisatin. Cap. 5 mg., Bot. 100s, 1000s.
Use: (1-2 h.s.) Laxative.
- p-ACETAMIDOBENZOIC ACID SALT** of 2-dimethylaminoethanol. See: Deaner, Tab. (Riker)
- ACETAMINOPHEN**, N.F. See: N-Acetyl-p-aminophenol.
- ACETAMINOPHENOL.** See: N-acetyl-p-aminophenol.
- ACETANILID**, N.F., A.D.R.; Tablets, N.F. (Various Mfr.). (Acetylaminobenzene, acetylaniline, antifebrin) N-Phenylacetamide Cry. Bot. 1 oz., $\frac{1}{4}$ lb., 1 lb.
Use: Antipyretic, analgesic.
Powder Compound, N.F. (Various Mfr.).
W/Acetophenetidin, salol & caffeine. See: Ferbrisol, liq. (Tilden).
- W/Anesthesin, ephedrine alkaloid, bismuth subnitrate, petrolatum, menthol, eucalyptol. See: Nasalene, No. 1, Liq. (Abbott).
- W/Camphor, capsicum, aloin, podophyllum, aconite root, atropine sulfate, tr. gelsemium. See: A-C-A Compound, Tabs. (Sutliff & Case).
- W/Quinine sulfate, podophyllin, aloin, aconite root, capsicum, atropine sulfate, and camphor. See: C.C.G., Tab. (Noyes).
- ACETARSOL.** See: Acetarsone, Tabs. (Abbott)
- ACETARSONE**, N.F., N.N.R. 1950; Tablets, N.F. (Abbott) 3-Acetamido-4-hydroxyphenylarsonic acid (Acetarsol, Acetphenarsine, Amarsan, Dynarsan, Ehrlich 594, Limarsol, Orarsan, Osarsol, Paroxyl, Stovarsol.) Tab. (0.25 Gm.). Bot. 100s, 500s.
Use: Amebiasis & trichomoniasis.
- W/Hydrolyzed carbohydrates. See: Devegan, Tabs. (Winthrop Labs.).
- W/Polymyxin B, Neomycin. See: Neosporin vag. Supp. (Burroughs Wellcome).
- ACETARSONE SALT OF ARECOLINE.** See: Drocarbil, N.F. (Winthrop Labs.)
- ACETAZOLAMIDE**, U.S.P., N.N.D. 1961. Sodium salt, U.S.P. See: Diamox, Tabs. (Lederle).
- ACET-DIA-MER-SULFONAMIDE**, N.F., N.N.R. 1955. Sulfacetamide, Sulfadiazine & Sulfamerazine.
See: Buffonamide, Susp., N.N.R. (Tutag)
Cetazine, Tab., N.N.R. (Bowman Bros.).
- Dorsulfas, Susp. & Tabs., N.N.R. (Smith-Dorsey).
- Incorposul, Susp. & Tabs., N.N.R. (Blue Line).
- Pansulfa, Susp., Tabs. (Merrell).
- Sulfadiazine, sulfamerazine & sulfacetamide, Susp., N.F.; Tab. N.F.
- Sultrid (Taylor).
- Tilamide, Liq. (Tilden).
- Tricombisul, Susp. & Tabs., N.N.R. (Schering).
- Trizyl, Susp. & Tabs. (Central).
- W/Gantrisin & Pot. penicillin G. See: Trionacil, Tab. (Flint, Eaton)
- W/Hyoscyamus Ext. See: Suromate, Tab. (Patch)
- W/Sulfamethazine.
See: Delomets, Tab. (Durst).
Deltamide, Tab. or Susp. (Armour)
Kotrasul, Tabs., Susp. (Chicago).
Quad-Sulfa, Tab. (Zimmer).
- W/Sulfamethazine, Pot. penicillin G. See: Deltamide w/Penicillin, Tab. or Supp. (Armour)
- W/Urea, neocalamine, talc, glycerin, camphor, menthol. See: Neofonamide, Liq. (McNeil)
- ACETEST.** (Ames). Sod. nitroprusside, disodium phosphate, aminoacetic acid, lactose. Tab. Bot. 100s, 250s.
Use: Test for acetone or diacetic acid in urine.
- ACETICYL.** See: Acetylsalicylic Acid.
- ACETIDINE**, A.D.R. (Merck Sharp & Dohme) Aspirin 6 pt., phenacetin 4 pt., caffeine 1 pt. Caps., pink, 5 gr., Bot. 100s, 1000s; white, 5 gr., Bot. 12s, 36s, 100s, 1000s; Tab., pink or white, 5 gr., Box, Bot 100s, 1000s. See: A.P.C.
Use: (1-2 q. 3 h.) Analgesic, antipyretic.
- W/Codeine phosphate $\frac{1}{4}$ gr., A.D.R. Tab. 100s, 500s.
Use: (1-2 q. 3 h.) Analgesic, antipyretic.
- W/Codeine phosphate $\frac{1}{2}$ gr., A.D.R. Tab. 100s, 500s.
Use: (1-2 q. 3 h.) Analgesic, antipyretic.
- ACETILUM ACIDULATUM.** See: Acetylsalicylic Acid. (Various Mfr.).
- ACETOBRO, PEDIATAB No. 1.** (Columbus Pharm.) Bromisovalum $\frac{1}{2}$ gr., ethyl salicylate carbonate 1 gr., acetophenetidin $\frac{3}{4}$ gr., caffeine 1/16 gr./tab. Bot. 100s, 1000s.
Use: (1-2 q. 3 hr.) Sedative.
- ACETO-CORT.** (Mallard) Hydrocortisone 1.5 mg, aspirin 5 gr., aluminum hydroxide gel 100 mg./Tab. Bot. 100s, 1000s.
Use: Treatment of mild to moderate rheumatoid arthritis.

ACETOHEXAMIDE

4

***ACETOHEXAMIDE**. (Eli Lilly) N-(p-acetylphenylsulfonyl)-N'-cyclohexylurea.

Use: Blood sugar lowering compound.

ACETOL. See: Acetylsalicylic Acid. (Various Mfr.).

ACETOLACTIN. (G. F. Harvey) Acetphenolisatin 5 mg./Cap. Bot. 100s, 1000s

Use: Laxative or purgative

ACETOMEROCTOL, N.N.D. 1961. See: Merbak, Prep. (Schieffelin)

ACETONE or **DIACETIC ACID TEST**. See: Acetest, Tab. (Ames).

ACETONYL. (Upjohn) Granular efferv. salt. Aspirin as sod. salt $7\frac{1}{2}$ gr. w/Pot. & Sod. citrates & tartrates, calcium lactate, Sod. phosphate & magnesium sulfate/2 oz. Bot. 4 oz.

Use: (1 tps.) Analgesic & alkalizer.

ACETOPHEN. (Smith-Dorsey) Phenobarbital $\frac{1}{4}$ gr., aspirin 3 gr., acetophenetidin 2 gr., hyoscymus ext. $\frac{1}{8}$ gr./Cap. Bot. 100s, 1000s.

Use: (1 t.i.d.) Sedative—analgesic.

***ACETOPHENAZINE MALEATE**. 2-acetyl-10-{3-[4-(p-hydroxyethyl)piperazinyl]propyl} phenothiazine dimaleate.

See: Tindal (Schering Corp.).

ACETOPHENETIDIN, U.S.P., N.N.R. 1941, A.D.R.; Tablets, U.S.P. (Various Mfr.) (Phenacetin, p. Ethoxyacetanilide.) Cry. or Pow. 1 oz., $\frac{1}{4}$ lb., 1 lb., 5 lb.

Use: Antipyretic, analgesic.

W/Aspirin, caffeine. See: A.P.C.

Acetophenetidin Combinations on pp. 5 to 10.

ACETOPHENETIDIN PHENYL SALICYLATE TABLETS, N.F.

ACETOSAL. See: Acetylsalicylic Acid. (Various Mfr.).

ACETOSALIC ACID. See: Acetylsalicylic Acid. (Various Mfr.).

ACETOSALIN. See: Acetylsalicylic Acid. (Various Mfr.).

ACETOSULFONE SODIUM. 4,4'-diaminodiphenylsulfone-2-N-acetylsulfonamide. See: Promacatin, Tab. (Parke, Davis)

ACETO-VER. (Mallard) Aspirin 5 gr., veratrum viride Pow. 1 gr., rutin 20 mg., Vit. C 30 mg./Tab. Bot. 100s, 500s, 1000s.

Use: Capillary diseases.

ACETPHEN-ACETYL COMPOUND. (First Texas) Aspirin 3 gr., acetophenetidin 2 gr., caffeine $\frac{1}{2}$ gr., gelsemium tr. 1 min./Cap. Bot. 100s, 500s, 1000s. See A.P.C. w/gelsemium

Use: (2-3 cap. daily) Analgesic & antipyretic.

ACETPHENARSINE. See: Acetarsons, Tab. (Abbott).

* Generic name recognized by N.F., U.S.P. or A.M.A.

ACETPHENOLISATIN. (Chemo Pura) Pow. Pkg. for mfg.

See: Diacetylhydroxyphenylisatin, Prep. (Various Mfr.).

Use: Laxative.

ACETPYROGALL, N.N.R. 1951. Pyrogallol triacetate.

ACETRIZOATE SODIUM, N.N.D. 1961. Injection, U.S.P. 3-Acetyl-amino-2,4,6-triiodobenzoate sodium.

See: Thioxakon (Mallinckrodt)

Urokon Sodium, Amp. (Mallinckrodt)

W/Polyvinylpyrrolidone. See: Salpax, Vial (Ortho).

ACETRIZOIC ACID, N.N.R. 1951. 3-Acetyl-amino-2,4,6-triiodobenzoic acid. See: Acetrizoate, Sod. (Mallinckrodt).

ACET-THEOCIN SODIUM. See: Theophylline Sod. Acetate. (Various Mfr.).

ACETYCOL. (Warner-Chilcott) Colchicine salicylated 0.25 mg., p-aminobenzoic acid 162 mg., aspirin 325 mg., thiamine 5 mg., ascorbic acid 20 mg., niacin 15 mg./Tab. Bot. 100s, 500s, 1000s.

Use: (1 t.i.d.) Analgesic in arthritis, gout & neuritis.

ACETYL ADALIN. See: Acetylcarbromal. (Various Mfr.).

p-ACETYLAMINOBENZALDEHYDE THIOSEMICARBAZONE. (Amithiozone, Antib, Berculan A, Benzothiozon, Conteben, Myuizone, Neustab, Tebethion, Thiomicid, Thioparamizone, Thiacetazone)

See: Panrone, Tab. (Panray).

Teebazone, Tab. (Consol. Midland)

Tibione, Tab. (Schenley).

Use: With streptomycin in the treatment of tuberculosis.

ACETYLAMINO BENZENE. See: Acetanilid. (Various Mfr.).

2-ACETYLAMINO-4-(N-(p-CHLOROPHENYL)-ACETAMIDO)-s-TRIAZINE. (Searle) Under study.

Use: Oral diuretic.

2-ACETYLAMINO-5-NITROTHIAZOLE. See: Tritheon, Tab. (Ortho)

N-ACETYL-p-AMINOPHENOL Acetaminophen.

See: Amdil, Tab. (Breon)

Anelix, Elix. (Kirkman)

Apamide, Tab. (Ames)

Elixodyne, Liq. (Lemmon)

Febralin, Elix. (Buffington)

Fendon, Tab. (A.P.C.)

Lestemp (Reid Labs.)

Lyteca Syrup. (Lloyd, D. & W.)

Metolid, Tab. (Columbus)

Nacetyl (Allison)

Nebs, Tab. (Norwich Pharmacal)

Acetophenetidin Combinations

Acetophenetidin*	Others	Manufacturer	Brand
16 mg. 4 gr.	Acetanilid 10 mg., caffeine 2 gr., salol 4 gr. Acetanilid 10 gr., NaBr. 20 gr., caffeine 2 gr.	Tilden Lilly	Ferbrisal, Tab. Acel. Brom. w/ Phenacetin Cpd. Elix.
60 mg. 150 mg.	N-Acetyl-p-aminophenol 240 mg., caffeine 15 mg., Vit. B-1 10 mg. N-Acetyl-p-aminophenol 150 mg., phenylpropanolamine HCl 25 mg., phenyltoloxamine dihydrogen citrate 22 mg.	Schilling Warner-Chilcott	Gesik, Tab. Sinutab, Tab.
120 mg.	Achromycin HCl 125 mg., caffeine 30 mg., salicylamide 150 mg., chloralphen citrate 25 mg.	Lederle	Achrocidin, Tab.
120 mg.	Achromycin HCl 125 mg., salicylamide 150 mg., Vit. C 25 mg., pyrilamine maleate 15 mg.	Lederle	Achrocidin, Syr./5 cc.
2 gr.	Aluminum aspirin 3½ gr., caffeine ¾ gr., isobutylalyl barbituric acid ¾ gr.	L. L. Drug Co.	Alatal, Tab.
3 gr.	Alurate 1 gr.	Roche	Allonal, Tab.
1 gr.	Amidopyrine 3½ gr., caffeine ½ gr., hyoscyamus ext. ¼ gr.	Lilly	Amidophen, Pulv.
1½ gr.	Amidopyrine 2 gr., caffeine ¾ gr., phenobarbital ½ gr.	Chicago	Nalgised, Tab.
1½ gr.	Amidopyrine 3 gr., caffeine ¾ gr., phenobarbital 1/6 gr., Mag. oxide	Harco	Compirin, Tab.
1 gr.	Aminopyrine 3½ gr., caffeine ½ gr., hyoscyamus ext. ¼ gr.	Massengill	Andofige, Cap.
2½ gr.	Amobarbital ½ gr., d-amphetamine 5 mg., aspirin 2½ gr.	Smith, Kline & French	Daprisal, Tab.
2½ gr.	d-Amphetamine phosphate 1/24 gr., aspirin 2½ gr.	Neisler	Theraize, Tab.
2 gr.	rac-amphetamine 1/26 gr., aspirin 4 gr.	Harvey	Harvodyne #4, Tab.
2½ gr.	Amphetamine sulfate 2.5 mg., aspirin 2½ gr.	Smith, Kline & French	Edrisal, Tab.
2½ gr.	d-Amphetamine sulfate 2.5 mg., aspirin 3½ gr.	Pitman-Moore	Alcetin, Tab.
2½ gr.	d-Amphetamine sulfate 2.5 mg., pentobarbital sod. ¼ gr., aspirin 3½ gr.	Arnar-Stone	Polygesic, Tab.
2 gr.	Aspirin 4 gr., aluminum hydroxide gel dried 2 gr., caffeine ¼ gr., gelsemium Tr. 3 min.	Central	Asphac-B, Tab.
160 mg.	Aspirin 227 mg., caffeine 32.5 mg., pyrilamine maleate 6.25 mg., methapyrilene fumarate 6.25 mg.	Sutliff & Case	A-P-C W/ Antihistamine, Tab
160 mg.	Aspirin 230 mg., chlor-trimeton maleate 2 mg., caffeine 30 mg., phenylephrine HCl 10 mg.	Schering	Coricidin "D" Decongestant, Tab.
1½ gr.	Aspirin 3 gr., dower's powder ¼ gr., camphor monobromated ¼ gr., caffeine ½ gr., atropine sulfate 1/500 gr.	Sutliff & Case	Anso, Tab. or Cap.
1½ gr.	Aspirin 3 gr., opium pow. 1/20 gr., ipecac pow. 1/20 gr., atropine sulf. 1/500 gr., camphor ½ gr.	Blue Line	Dophenco, Cap.

Acetophenetidin	Others	Manufacturer	Brand
194 mg.	Aspirin 162 mg., phenobarbital 16.2 mg., hyoscyamine sulf. 0.031 mg., propenpyridamine maleate 12.5 mg., phenylephrine HCl 10 mg.	Robins	Phenaphen Plus, Tab.
2.5 gr.	Aspirin 3 gr., promethazine HCl 6.25 mg., mephentermine sulf. 7.5 mg.	Ives-Cameron	Synalgos, Cap.
2 gr.	Aspirin 4 gr., racephedrine HCl 1/12 gr., pyrilamine maleate 1/5 gr.	Ulmer	Hiscaphen, Tab.
150 mg.	Aspirin aluminum 277 mg., dihydrocodeine bitartrate 30 mg., caffeine 30 mg.	Cartlone	Drocoesic No. 3., Tab.
2 gr.	Aspirin aluminum, isobutyl-allyl-barbituric acid 3/4 gr., caffeine 3/8 gr.	Leyden	Alatal, Tab.
1 gr.	Atropine sulf. 1/1000 gr., aspirin 2 gr., phenylephrine HCl 5 mg., caffeine 1/2 gr., salicylamide 1 gr./Tab.	Clapp	Emagrin Forte, Tab.
2 gr.	Barbital 1 1/2 gr., aspirin 3 1/2 gr.	Warner	Peralga, Tab.
120 mg	Belladonna alkaloids 0.0625 Gm., aspirin 180 mg., phenobarbital 15 mg.	Rorer	Paadon, Cap.
1/2 gr.	Belladonna tr. 3.8 min., aspirin 3 1/2 gr., caffeine 1/2 gr.	Vanpelt & Brown	Bellasprio, Tab.
2 gr.	Belladonna ext. 1/5 gr., Cal. iodide 1/3 gr., Sod. salicylate 2 gr., camphor 1/4 gr., capsicum 1/10 gr.	Superior Pharmacal	Cepheb, Tab.
2 1/2 gr.	Benzedrine sulfate 2.5 mg., aspirin 2 1/2 gr.	Smith, Kline & French	Edrisal, Tab.
	Codeine sulfate 1/2 gr.	Smith, Kline & French	w/Codeine
	Codeine sulfate 1/4 gr., 1/2 gr.	Smith, Kline & French	w/Codeine
3/8 gr.	Bromisovalum 1/2 gr., ethyl salicylate carbonate 1 gr., caffeine 1/16 gr.	Columbus Pharmacal	Acetobro, Pediatub No. 1
1/2 gr.	Caffeine 1/10 gr., sod. bicarbonate 1/5 gr., amm. carbonate 1/32 gr., licorice ext.	Jenkins Labs.	Anadyne Jr., Tabs.
160 mg.	Carisoprodol 200 mg., caffeine 32 mg.	Wallace	Soma Compound, Tabs.
120 mg.	Carisoprodol 200 mg., caffeine 32 mg., codeine phosphate 16 mg.	Wallace	Soma Compound w/Codeine, Tabs.
1 gr.	Colchicine salicylate 1/700 gr., aspirin 5 gr., caffeine 1/2 gr.	First Texas	For-Dyne, Cap. & Tab. ⁸
150 mg.	Chlorcyclizine HCl 15 mg., pseudoephedrine HCl 20 mg., aspirin 200 mg., caffeine 30 mg.	Burroughs Wellcome	Emprazil, Tab.
320 mg.	Chlorothen citrate 25 mg., caffeine 32 mg.	Whittier	Caubren Comp., Tab.
320 mg.	Chlorothenylpyramine 25 mg., caffeine 32 mg.	Braon	Fenoxdyne Comp., Tab
2 1/2 gr.	Chlorpheniramine maleate 2 mg., methoxyphenamine HCl 25 mg., aspirin 3 1/2 gr., caffeine 1/2 gr.	Upjohn	Pyroxate, Cap.

Acetophenetidin Combinations

Acetophenetidin	Others	Manufacturer	Brand
16 mg.	Chlor-Trimeton maleate .75 mg., aspirin 80 mg.	Schering	Coricidin Pediatric Medillets
130 mg.	Chlor-Trimeton maleate 4 mg., salicylamide 190 mg., caffeine 30 mg., ascorbic acid 50 mg., methamphetamine HCl 1.25 mg.	Schering	Coricidin Forte, Cap.
2 gr.	d-Desoxyephedrine HCl 1/24 gr., aspirin 4 gr., butabarb 1/4 gr.	Central	Asphedex, Tab.
200 mg.	dl-Desoxyephedrine HCl 1 mg., Sod. genislate 200 mg.	Crookes	Gentexin, Tab.
2 gr.	Diallylbarbital 3/4 gr., aspirin 3 1/2 gr.	Ulmer	Alprine, Tab.
160 mg.	Dihydrohydroxycodeinone HCl 4.5 mg., dihydrohydroxycodeinone terephthalate 0.38 mg., hexobarbital 100 mg., homatropine terephthalate 0.38 mg., aspirin 224 mg., caffeine 32 mg.	Endo	Percobarb, Cap.
1 gr.	Dover's pow. 3/16 gr., aspirin 3 gr., caffeine 1/8 gr.	Smith, Miller & Patch	Acetyl-Cof-Phen, Cap.
1 1/2 gr.	Dover's pow. 1/4 gr., aspirin 3 1/2 gr., caffeine 1/2 gr., camph. 1/2 gr.	Harvey	Harvadyne # 3, Tab.
1 1/2 gr.	Dover's pow. 1/4 gr., aspirin 2 gr., caffeine 1/8 gr., camphor monobromide 1/4 gr.	Warren-Teed	Oveen, Tab.
1 1/2 gr.	Dover's pow. 1/4 gr., aspirin 2 gr., caffeine 1/8 gr., atropine sulfate 1/500 gr., camphor 1/8 gr.	Warren-Teed	Ovofen, Cap. & Tab.
1 1/2 gr.	Dover's pow. 1/4 gr., aspirin 2 gr., atropine sulfate 1/500 gr., camphor monobromide 1/8 gr.	Lemmon	Aspidyne Comp., Cap. & Tab.
1 1/2 gr.	Dover's pow. 1/2 gr., aspirin 2 gr., caffeine 1/8 gr., atropine sulfate 1/500 gr., camphor 1/4 gr., Sod. sulfate 7 1/2 gr.	Hance	Dovium, Cap.
1 1/2 gr.	Ephedrine HCl 1/8 gr.	Abbott	Dysco, Tab.
3 gr.	Ephedrine HCl 3/8 gr., phenobarbital 1/4 gr.	Mallard	Phenadrin, Cap.
160 mg.	Ephedrine ethylenediamine 10.6 mg., theobromine sod. acetate 25 mg., caffeine 50 mg.	Field Labs.	Kradent, Tab.
130 mg.	Ergotamine tartrate 1 mg., belladonna alkaloids 0.1 mg., caffeine 100 mg.	Organon	Wigraine, Tab.
2 gr.	Gelsemium 1/10 gr., aspirin 3 gr., caffeine 1/2 gr.	Smith-Dorsey	Phen-Acetyl, Cap.
2 gr.	Gelsemium 3/10 gr., aspirin 4 gr., caffeine 1/4 gr.	Smith-Dorsey	Saliphen, Tab.
2 gr.	Gelsemium 1/3 gr., aspirin 4 gr., caffeine 1/2 gr., strychnine sulfate 1/240 gr., camphor monobromide 1/2 gr.	Elder	Narelic, Tab.
2 1/2 gr.	Gelsemium 1/5 gr., aspirin 2 1/2 gr., colchicine salicylate, camphor	First Texas	Formasal & Camphor Comp., Tab.
130 mg.	Gelsemium ext. 2.2 mg., aspirin 130 mg., caffeine 16 mg., hyoscyamus 11 mg.	Drug Products	Hentisphen, Cap.
2 1/2 gr.	Gelsemium tr. 2 min., aspirin 3 1/2 gr., colchicine salicylate 1/4 gr.	Straßenburgh	Senapirin, Tab.
2 gr.	Gelsemium tr. 3 min., aspirin 4 gr., colchicine salicylate 1/4 gr.	Central	Asphac-G, Tab.

Acetophenetidin Combinations

[8]

Acetophenetidin	Others	Manufacturer	Brand
2 gr.	Gelsemium tr. 2 min., aspirin 3 gr., colchicine salicylate ¼ gr., methyl salicylate	Noyes	Aidant, Tab.
2½ gr.	Gelsemium tr. 1 min., aspirin 3½ gr., colchicine salicylate ¼ gr., diallylbarbital ¼ gr.	Buffington	Doradol, Tab.
120 mg.	Hesperidin 100 mg., vit. C 50 mg., phenylephrine HCl 5 mg., prophenpyridamine maleate 6.25 mg., methapyrilene HCl 8.33 mg., pyrilamine maleate 8.33 mg., salicylamide 200 mg., caffeine 30 mg.	Boyle	Boyle Citra, Cap.
1 gr.	Hyoscyamus ext. ¼ gr., amidopyrine 3½ gr., caffeine ½ gr.	Lilly	Amidophen, Pulv.
2 gr.	Isobutyl-allyl-barbituric acid ¾ gr., acetylsalicylic acid 3 gr., caffeine 2/3 gr.	Sandoz	Florinal, Cap.
2 gr.	Methapyrilene fumarate 8.3 mg., phenyltoloxamine dihydrogen citrate 8.3 mg., pyrilamine maleate 8.3 mg., aspirin 3 gr., caffeine ½ gr.	Walker Corp.	Trist-A-Lin, Tab.
97 mg.	Methocarbamol 400 mg., aspirin 81 mg., hyoscyamine sulfate 0.016 mg., phenobarbital 8.1 mg.	Robins	Robaxial-PH, Tabs.
100 mg.	Pamabrom 50 mg.	Whittier	M-Minus-5, Tab.
80 mg.	Penicillin V Pot. 100,000 u., Pyronil 7.5 mg., histadyl 12.5 mg., clopane 6.25 mg., aspirin 114 mg., caffeine 16 mg.	Lilly	V-Kor, Tab.
130 mg.	Penicillin V 100,000 u., salicylamide 194 mg., promethazine HCl 6.25 mg., mephentermine sulf. 3 mg.	Wyeth	Pen-Vee-Cidin, Cap.
2½ gr.	Penobarbital ¼ gr., aspirin 4 gr.	Smith-Dorsey	Angesal, Tab.
2½ gr.	Penobarbital sod. ¼ gr., dextroamphetamine sulfate 2.5 mg., aspirin 3½ gr.	U.S. Standard Prods.	Damital, Tab.
2 gr.	Phenobarbital ¼ gr., aspirin 4 gr.	Warren-Teed	Axotal, Tab.
2 gr.	Phenobarbital ¼ gr., aspirin 4 gr.	Harvey	Harvodal, Tab.
2 gr.	Phenobarbital ¼ gr., aspirin 4 gr., atropine sulfate 1/500 gr.	Warren-Teed	Axopin, Tab.
120 mg.	Phenobarbital 15 mg., aspirin 180 mg., belladonna alkaloids 0.0625 Gm.	Rorer	Peaddon, Cap. & Tab.
1½ gr.	Phenobarbital ½ gr., amidopyrine 2 gr., caffeine ¾ gr.	Chicago	Nalgised, Tab.
1½ gr.	Phenobarbital 1/6 gr., amidopyrine 3 gr., caffeine ¾ gr., Mag. oxide	Harco	Compirin, Tab.
3 gr.	Phenobarbital ¼ gr., ephedrine HCl ¾ gr.	Mallard	Phenodrin, Cap.
120 mg.	Phenylephrine HCl 5 mg., pyrilamine maleate 12 mg., salicylamide 250 mg., dried aluminum hydroxide gel 120 mg., caffeine 15 mg.	Central	Cenagesic, Tab.

Acetophenetidin Combinations

Acetophenetidin	Others	Manufacturer	Brand
150 mg.	Phenyltoloxamine dihydrogen citrate 44 mg., salicylamide 150 mg., caffeine 32 mg.	Organon	Medache, Tab.
150 mg.	Phenyltoloxamine dinydrogen citrate 44 mg., salicylamide 150 mg., caffeine 32 mg.	Philadelphia Ampoule	Achease, Tab.
100 mg.	Pot. penicillin G 250,000 u., salicylamide 100 mg., phenyltoloxamine dihydrogen citrate 25 mg.	Smith, Miller & Patch	Elpafec, Tab.
162 mg.	d-Propoxyphene HCl 65 mg., aspirin 227 mg., caffeine 32.4 mg.	Lilly	Darvon Compound-65, Caps.
100 mg.	Pyrabromide 50 mg.	Whittier	M-Minus-4, Tab.
2 1/2 gr.	Pyranisamine maleate 25 mg., aspirin 2 1/2 gr., gelsemium 1/5 gr., colchicine salicylate camphor	First Texas	Formasal & Camphor Comp. w/Anthistamine
2 1/2 gr.	Pyrilamine maleate 25 mg., aspirin 3 1/2 gr., caffeine 1/2 gr.	Horton & Converse	Histopyran Comp., Tab.
2 1/2 gr.	Pyrilamine maleate 25 mg., aspirin 3 1/2 gr., caffeine 1/2 gr., quinine sulfate 1/2 gr.	Horton & Converse	Hista-Peca., Tab.
2 1/2 gr.	Pyrilamine maleate 25 mg., aspirin 3 1/2 gr., caffeine 1/2 gr.	Hance	Hista-Pac., Tab. & Cap.
1 1/2 gr.	Pyrilamine maleate 25 mg., aspirin 3 1/2 gr., caffeine 1/2 gr.	Rexall	Monhistin-A.P.C., Tab.
2 1/2 gr.	Pyrilamine maleate 10 mg., aspirin 3 1/2 gr., PABA 1/2 gr.	Gold Leaf	Parisamine, Tab.
2 1/2 gr.	Pyrilamine maleate 5/12 gr., aspirin 3 gr., caffeine 1 gr., Vit. C 2 1/2 gr.	Brewer	Pyrahist Comp. w/Vit. C Cap.
2 1/2 gr.	Pyrilamine maleate 25 mg., aspirin 3 1/2 gr., caffeine 1/2 gr., hyoscyamine HBr 0.4 mg., hyoscine HBr .008 mg.	Meyer	Almegestic, Tab.
2 gr.	Pyrilamine maleate 25 mg., salicylamide 3 gr., caffeine 1/2 gr., atropine sulf. 1/600 gr., quinine sulf. 1/2 gr., ascorbic acid 25 mg.	Taylor	Histaquin, Cap.
2 1/2 gr.	Pyrilamine maleate 12.5 mg. salicylamide 3 1/2 gr., caffeine 1/2 gr., hyoscyamine sulfate 0.0702 mg., atropine sulfate 0.0140 mg., hyosine hydrobromide 0.0042 mg.	Yanpelt & Brown	Pyro-Aspro, Tab.
2 gr.	Quinine sulf. 1/4 gr., camphor 1/4 gr., podophyllin 1/40 gr., aloin 1/16 gr., atropine sulf. 1/2000 gr.	Upjohn	Special Formula No. 2, Tab. or Cap.
120 mg.	Salicylamide 200 mg., amobarbital 15 mg., d-amphetamine sulfate 2 mg., hyoscyamine sulfate 0.05 mg.	Finley	Sedamasal, Caps.
2 1/2 gr.	Salicylamide 3 1/2 gr., caffeine 1/2 gr.	Rowell	Salprin, Tab.
2 1/4 gr.	Salicylamide 2 gr., caffeine 1 gr.	Bristol-Myers	Excedrin, Tab.
2.5 gr.	Salicylamide 3.5 gr., caffeine 0.5 gr., ascorbic acid 50 mg., pyrilamine maleate 25 mg., hesperidin 25 mg.	Bryant	Biocal, Cap.
2 1/2 gr.	Salicylamide 3 1/2 gr., di-desoxyephedrine HCl 1/30 gr.	Wampole	Tryads, Tab.

Acetophenetidin	Others	Manufacturer	Brand
2 gr.	Salicylamide 1 gr., dl-desoxyephedrine HCl 5 mg., Mag. gluconate 3 gr.	Mallard	Sedonate, Tab.
120 mg.	Salicylamide 230 mg., prophenpyridamine maleate 10 mg., caffeine 30 mg., ascorbic acid 20 mg., hesperidin purified 20 mg.	Roerig	Ceryban, Cap.
120 mg.	Salicylamide 250 mg., racephedrine HCl 5 mg., pyrilamine maleate 12 mg., ascorbic acid 50 mg., Dover's powder 24 mg.	Central	Canamal, Cap.
65 mg.	Salicylate sod. 320 mg., salicylic ethyl ester carbonate 32 mg., calcium root pow. ext. 1.6 mg.	Endo	Tetrogen, Tab.
¼ gr.	Salicylic acid ½ gr., sod. bicarbonate 3 gr., mag. salicylate 2 gr., strontium salicylate 2 gr., methyl salicylate, pancreatin, diastase	Jenkins Labs.	Foursalco, Tab.
2½ gr.	Salysal 2½ gr., caffeine ½ gr.	Rare-Galen	Salyphac, Tab.
2 gr.	Sandotal ¾ gr., aspirin 3 gr., caffeine ¾ gr.	Sandoz	Floralin, Tab.
200 mg.	Sod. gentisate 200 mg., dl-desoxyephedrine HCl 1 mg.	Crookes	Gentexin, Tab.
2½ gr.	Sod. salicylate, PABA, Sod. bicarb.	Anglo-French	Encynex, Tab.
8 mg.	Strontium salicylate 32.5 mg., phenolphthalein 6.5 mg., camphor monobromated 32.5 mg., aconite 1.6 mg., atropine sulfate 0.03 mg.	Sutliff & Case	Phenac, Tab.
120 mg.	Tao 125 mg., salicylamide 150 mg., buclizine 15 mg., caffeine 30 mg.	Roerig	TAO-AC, Cap.
120 mg.	Tetracycline HCl 125 mg., caffeine 30 mg., salicylamide 150 mg., buclizine HCl 15 mg.	Pfizer	Tetracydin, Tab.
125 mg.	Tetracycline phosphate 125 mg., aspirin 150 mg., caffeine 30 mg., phenyltoloxamine HBr 25 mg.	Bristol	Tetrex APC w/Bristamin, Cap.
2½ gr.	Thenylpyramine HCl 25 mg., aspirin 3¼ gr., d-amphetamine sulfate 1 mg.	Pitman-Moore	Cohisine, Tab.
2½ gr.	Vit. C 25 mg., Cal. glutamate 2 gr., aspirin 5 gr., caffeine 1 gr.	Testagar	Nuprin Comp., Tab.

- Pedituss (Sutliff & Case)
 Rystal, Syr. (Grail)
 Tempra, 5 gr. (Mead)
 Tussapap (Sutliff & Case)
 Tylenol, Elix. (McNeil)
- BUFFERED TABLETS.**
 See Apamide-Ves, Tab. (Ames)
- W/Acetophenetidin, caffeine, Vit. B-1. See: Gesik, Tab. (Schilling)
- W/Acetophenetidin, phenylpropanolamine HCl, phenyltoloxamine dihydrogen citrate. See: Sinutab, Tab. (Warner-Chilcott)
- W/Acetylcarbromal. See: Apromal, Tab. (Ames).
- W/Adiphenin HCl, Methampyrone, phenyltoloxamine citrate. See: Anafac, Cap. (Pharmafac)
- W/A.P.C. See: Doloro Compound, Tab. (Buffington)
- W/Ascorbic acid, salicylamide. See: Arthralgen, Tabs. (Whittier)
- W/Ascorbic acid, salicylamide, prednisone. See: Arthralgen PR, Tabs. (Whittier)
- W/Aspirin & caffeine.
 See: Acetylduo, Tab. (Chicago Pharm.).
 Trigesic, Tab. (Squibb).
- W/Aspirin, caffeine, aluminum hydroxide, calcium gluconate. See: Supac-B, Tab. (Mission)
- W/Aspirin & caffeine with codeine. See: Trigesic w/Codeine, Tab. (Squibb).
- W/Aspirin, phenylephrine HCl, noscapine, caffeine, pyrilamine maleate, methapyrilene fumarate. See: Tussapap, Tab. (Sutliff & Case)
- W/Aspirin, trimethyl xanthine, chlorpheniramine maleate, phenylephrine HCl. See: Thorex Cold Capsules. (Gillette Labs.)
- W/Butabarbital, d-amphetamine sulfate, acetylsalicylic acid, salicylamide. See: Stuart Prolar, Tab. (Stuart)
- W/Butabarbital sod.
 See: Butapap (Physicians Products)
 Nacetyl, Tab. (Allison)
- W/Butabarbital Sod. & methamphetamine HCl. See: Algoston, Tab. (McNeil).
- W/Chlorpheniramine maleate, Pot. alpha-phenoxyethyl penicillin, phenylephrine HCl, phenylpropanolamine HCl, phenyltoloxamine citrate. See: Syndecon, Tab., Sol. (Bristol)
- W/Chlorpheniramine maleate, dextromethorphan HBr, phenylephrine, ascorbic acid. See: Thorphan Cold Syr. (Bryant)
- W/Chlorpheniramine maleate, phenylpropanolamine HCl, noscapine, glyceryl guaiacolate, ammonium chloride. See: Mycatussin, Syr. (Myers-Carter)
- W/Chlorphenylpyridamine maleate, phenylephrine HCl. See: Novahistine Singlet, Tab. (Pitman-Moore)
- W/Chlorprophenyridamine maleate, phenylephrine HCl, phenylpropanolamine HCl, ephedrine sulfate. See: Pyrets, Tab. (Bernhoff)
- W/Chlorzoxazone, codeine phosphate. See: Parafon w/Codeine, Tab. (McNeil)
- W/Colchicine, zoxazolamine. See: Triurate Tab. (McNeil)
- W/Demerol. See: Demerol APAP (Breon)
- W/Dextromethorphan hydrobromide, chlorpheniramine maleate, pyrilamine maleate phenylephrine HCl, caffeine, ascorbic acid. See: Tacol, Tabs. (Massengill)
- W/Diadol, mephenesin, homatropine methyl bromide. See: Steri-Eze, Tab. (Buffington's)
- W/Diallylbarbituric acid, mephenesin, homatropine methylbromide. See: Stri-Eze, Tab. (Buffington's)
- W/Dihydrocodeinone bitartrate, homatropine methylbromide, chlorpheniramine maleate, phenylephrine HCl. See: Hycomine Compound, Tabs. (Endo)
- W/Dihydrocodeinone bitartrate, meperidine HCl. See: Demerol Compound, Tab. (Breon)
- W/Dihydrocodeinone bitartrate, phenylephrine HCl, pyrilamine maleate, pot. guaiacolate, sod. citrate, citric acid, chloroform. See: Codigesic, Syr. (Central)
- W/Flexin. See: Flexilon, Tab. (McNeil)
- W/Flexin, hydrocortisone. See: Flexilon-HC, Tab. (McNeil)
- W/Glyceryl guaiacolate. See: Rystal, Syr. (Grail)
- W/Guayanesin, phenylephrine HCl. See: Papanesin, Tab. (Superior Pharm.)
- W/Hyoscine hydrobromide, butabarbital sodium. See: Pallacin, Tab. (Denab)
- W/Isometheptene mucate, dichloralphenazone. See: Midrin, Caps. (Carrick)
- W/d-Methorphan HBr, chlorpheniramine, phenylephrine. See: Romilar-CF, Syr. (Hoffmann-La Roche)
- W/Methyliso-octenylamide mucate, salicylamide. See: Migrade Tab. (Crystal)
- W/Methyliso-octenylamine mucate, salicylamide, and caffeine. See: Nygram, Cap. (Dumas-Wilson)
- W/Neo-synephrine HCl, phenyldiamine HCl, caffeine. See: Neo-Synephrine Compound Cold Tablets, (Winthrop Labs.)
- W/Neostigmine bromide, hyoscine hydrobromide. See: Darth, Tabs. (Denab)
- W/Noscapine alkaloid, phenylpropanolamine, glyceryl guaiacolate, chloroform, A.R. See: Coryz Suspension, Liq. (Marion)
- W/Phenindamine tartrate, sulfadimethoxine, caffeine. See: Madricidin, Cap. (Roche)
- W/Phenylephrine HCl, atropine sulfate, pheniramine maleate. See: TPC, Tab. (Tennessee Pharm.)

W/Phenylephrine HCl, chlorpheniramine maleate, dextromethorphan Hbr, ascorbic acid. See: Thorphan, Syr. (Bryant)

W/Phenylephrine HCl, chlorpheniramine maleate, noscapine, salicylamide, Vit. C. See: Noscaps, Cap. (Table Rock)

W/Phenylephrine HCl, chlorphenylpyridamine maleate. See: Novahistine Singlet, Tabs. (Pitman-Moore)

W/I-Phenylephrine HCl, isothipendyl HCl, dimethoxanate HCl, ammonium chloride, sodium citrate, chloroform. See: Cothera Compound, Liq. (Ayerst)

W/Phenylephrine, d-methorphan HBr, pyrilamine maleate, potassium guaiacolsulfonate, alcohol. See: Thormal, Liq. (Central)

W/Phenylephrine HCl, phenylpropanolamine hydrochloride, dextromethorphan hydrobromide, ascorbic acid, chlorpheniramine maleate. See: Thorphan C.F., Tabs. (Bryant)

W/Phenylpropanolamine, ammonium chloride. See: Zestan, Tab. (Standex)

W/Phenylpropanolamine, glyceryl guaiacolate, noscapine. See: Coryz, Tab. (Marion)

W/Phenylpropanolamine HCl, phenyltoloxamine dihydrogen citrate, pot. quaiacolsulfonate. See: Conex Syrup (Lloyd, Dabney & Westerfield)

W/Phenylpropanolamine HCl, pyrilamine maleate, phenyltoloxamine citrate, methapyrilene HCl, phenylephrine HCl, chlorpheniramine maleate. See: Leyahist, Caps. (Leyden Labs.)

W/Phenyltoloxamine dihydrogen citrate & phenylpropanolamine HCl. See: Conex Plus, Tab. (Lloyd, Dabney & Westerfield)

W/Phenyltoloxamine dihydrogen citrate, salicylamide, dl-amphetamine phosphate, metropine. See: Acogesic, Cap. (Strassenburgh)

W/Phenyltoloxamine dihydrogen citrate, salicylamide, Vit. C, citrus bioflavonoids, caffeine, racemic amphetamine sulfate. See: Euphenex, Tab. (Lloyd, Dabney & Westerfield)

W/Pipenzolate methylbromide, phenobarbital. See: Piptal Pediatric Antipyretic (Lakeside)

W/Salicylamide. See: Padiagesic (Columbus)

W/Salicylamide, acetylsalicylic acid, butabarbital, d-amphetamine sulfate. See: Stuart Prolar, Tab. (Stuart)

W/Salicylamide, acetylsalicylic acid, d-amphetamine sulfate, butabarbital, hyoscyamine sulfate, atropine sulfate, hyoscine hydrobromide. See: Stuart Prolar-B, Tab. (Stuart)

W/Salicylamide, caffeine. See: Matco Analgesic, Tabs. (Matco)

W/Salicylamide, caffeine, phenylephrine HCl, tristamine. See: Contramal-CP, Caps. (Physicians Products)

W/Salicylamide, chlorpheniramine maleate, phenylephrine HCl, phenylpropanolamine HCl, caffeine, ascorbic acid. See: Tristamine Forte, Cap. (Barre)

W/Salicylamide, chlorpheniramine maleate, d-isophedrine hydrochloride. See: Isogesic, Tabs. (Arnar-Stone)

W/Salicylamide, codeine phosph., caffeine. See: Cylamide, Tab. (Chicago Pharmacal Co.) Also with phenobarb.

W/Salicylamide, Dipyrone, Vit. C. See: Dipralon Forte, Tab. (Arnar-Stone)

W/Salicylamide, glyceryl guaiacolate, pyrilamine maleate, phenylephrine HCl. See: Guaiagesic, Liq. (Columbus)

W/Salicylamine, d-isophedrine HCl, chlorpheniramine maleate. See: Isogesic, Tab. (Arnar-Stone)

W/Salicylamide, phenobarbital, caffeine. See: Cylamide w/Phenobarbital, Tab. (Chicago Pharmacal Co.)

W/Salicylamide, phenyltoloxamine dihydrogen citrate, phenylephrine HCl. See: Absinol, Tab. (Lemmon)

W/Salicylamide, potassium guaiacolsulfonate, pyrilamine maleate, ammonium chloride, sodium citrate, phenylephrine hydrochloride. See: Tussabar (Bruce)

W/Sod. salicylate, phenylephrine, glyceryl guaiacolate. See: Pedituss, Syr. (Sutliff & Case)

W/Terpin hydrate, dextromethorphan, phenylephrine HCl, chlorpheniramine maleate, ascorbic acid. See: Syntussin Compound, Cap. (Ives-Cameron)

W/Tetracycline base, phenyltoloxamine citrate. See: Tetrex Ap, Syr. (Bristol)

W/Thephorin, madribon, caffeine. See: Madridin, Cap. (Roche)

W/Trimeprazine tartrate, phenylpropanolamine HCl. See: Coplexan, Liq. (Smith, Kline & French)

W/Zoxazolamine, colchicine. See: Triurate, Tabs. (McNeill)

ACETYLANILINE. See: Acetanilid, (Various Mfr.).

ACETYL-BETA-METHYLCHOLINE CHLORIDE, U.S.P., N.N.R. 1947. See: Mecholyl Chloride, Amp. (Merck Sharp & Dohme)

ACETYL-BROMO-DIETHYLACETYL-CARBAMIDE. See: Acetylcarbromal. (Various Mfr.).

ACETYL-CAF-PHEN. (Smith, Miller & Patch) Aspirin 3 gr., acetophenetidin 1 gr., caffeine $\frac{1}{2}$ gr., Dover's Pow. 3/16 gr./Cap. Bot. 100s, 1000s.

Use: (1 t.i.d.) Analgesic.

ACETYL-CARB. (Sherman) Aspirin & Sod. bicarb. Tab. 500s, 1000s.

Use: (1-2 q. 3 h.) Analgesic.

ACETYLCARBOMAL (Chemo Puro, Meyer) Acetyl adalin, acetyl-bromo-diethylacetyl-carbamide. Pow. for mfg.

See: Abasin. (Winthrop Labs.)

Sedamyl. (Schenley).

Use: Sedative.

W/N-acetyl-p-aminophenol. See: Apromal, Tab. (Ames)

W/Apamide. See: Apromal, Tab. (Ames).

W/Bromisovalum.

See: Daysed, Tab. (Tailby-Nason).

Sedayson, Tab. (Tailby-Nason).

W/d-Desoxyephedrine HCl.

See: Euphased-5, Tab. (Schenley)

W/Hyoscyamine sulfate, atropine sulfate & hyoscine HBr. See: Disperdon, Tab. (Standard).

W/Mephenesin & reserpine. See: Amril, Tab. (Amfre-Grant)

ACETYLCOLINE CHLORIDE. (Various Mfr.).
Leader—Amp. (0.1 Gm., 0.2 Gm.) 1 cc., 12s.

Merck—Amp. (0.1 Gm.). Vial 10 Gm.

Use: S.C., I.M., I.V. Parasympathomimetic agent & vasodilator. Paroxysmal tachycardia.

W/Saligenin. See: Acecoline, Amp. (Anglo-French).

ACETYLCOLINE-LIKE THERAPEUTIC AGENTS. See: Cholinergic agents.

ACETYLDIGITOXIN, N.N.D. 1961. The natural-occurring cardiac glycoside defined as the alpha acetyl ester of digitoxin. See: Acylanid, Tab. (Sandoz)

N¹-(ACETYL-3,4-DIMETHYL-5-ISOXAZOLYL) SULFANILAMIDE. See: Gantrisin Acetyl, Prep. (Roche Labs.)

ACETYLDUO. (Chicago Pharm.) Acetyl-p-aminophenol 2.5 gr., aspirin 3.5 gr., caffeine 0.5 gr./Tab. Bot. 100s, 1000s.

Use: (1 q. 3-4 h.) Analgesic.

2-ACETYL-10-{3-[4-{β-HYDROXYETHYL}-PIPERIDINO]PROPYL}PHENOTHIAZINE. (Piperacetazine) See: Guide, (Pitman-Moore)

ACETYLIC COMPOUND. (Central) Salicylamide 30 mg., acetophenetidin 30 mg., atropine sulfate 0.03 mg., aconite root 1.5 mg., camphor monobromated 8.0 mg., phenolphthalein 6.0 mg./Tab. Bot. 100s, 1000s
Use: Analgesic, antipyretic

ACETYLIN. See: Acetylsalicylic Acid. (Various Mfr.).

ACETYLMETHIONINE. (Chemo Puro) Methionine 78%. Pow. for mfg.
Use: Nutrient.

ACETYLMETHIONINE CALCIUM. (Chemo

Puro) Methionine 71%, calcium 9.5%. Pow. for mfg.

Use: Nutrient.

ACETYL MIDICEL. See: Midicel Acetyl Susp. (Parke, Davis)

ACETYLPHENYLISATIN. See: Diacetylhydroxyphenylistan.

ACETYLRÉSOSCINOL. See: Resorcinol Monoacetate. (Various Mfr.).

ACETYLSAL. See: Acetylsalicylic Acid.

ACETYLSALICYLIC ACID, U.S.P., A.D.R., N.N.R. 1947; Capsules, N.F.; Tablets, U.S.P. (Various Mfr.) Acidum acetylsalicylicum, 2-acetoxybenzoic acid, Acetilum Acidulatum, Acetophen, Acetol, Acetosol, Acetosalic Acid, Acetosalin, Acetyl, Acetyl, Acetylsal, Acylpyrin, Aspro, Helicon, Rhodine, Salacetin, Salcetogen, Saletin.

See: Aspirin Preps. (Various Mfr.).

A.S.A., Tab. (Lilly)

Empirin (Burroughs Wellcome).

Salts.

See: Aluminum Acetylsalicylate.

Calcium Acetylsalicylate.

Use: Analgesic & antipyretic.

W/Acetophenetidin & caffeine. See: A.P.C. preparations. (Various Mfr.).

W/Mixtures. See: Aspirin preparations. (Various Mfr.).

ACETYLSALICYLIC ACID, ACETOPHENETIDIN AND CAFFEINE, N.F. See: A.P.C., Prep. (Various Mfr.).

ACETYLSALICYLIC ACID ENTERIC COATED.

See: Asteric, Tab. (Brewer).

ACETYLSTROBELINE. See: Asmatone, Cap. (National Research).

N-ACETYL SULFAMETHOXYPYRIDAZINE, N.N.D. 1961. 3-(N-Acetylsulfanilamide)-6-methoxypyridazine. See: Kynex Acetyl Pediatric Suspension (Lederle)

N¹-ACETYLSULFANILAMIDE. (Albucid; p-Aminobenzenesulfonacetamide; Sulfacet; Sulfacetamide, incorrectly called A.P.C.; N-Sulfanilylacetamide.) See: Sulamyd. (Schering).

Use: Sulfonamide therapy.

ACETYL SULFISOXAZOLE, N.N.D. 1960. N¹-acetyl-3,4-dimethyl-5-sulfanilamidoisoxazole. See: Gantrisin Acetyl. (Hoffmann-La Roche)

ACETYLTANNIC ACID, N.N.R. 1941.

ACHEASE. (Philadelphia Ampoule) Phenyltoloxamine dihydrogen citrate 44 mg., acetophenetidin 150 mg., salicylamide 150 mg., caffeine 32 mg./Tab. Bot. 100s, 1000s.
Use: Tension headaches.

ACHLORHYDRIA DETERMINATION. See: Diagnex.

ACHLORHYDRIA THERAPY.

See: Acidol. (Various Mfr.)