ASTM STANDARDS 1952

1952 Book of ASTM STANDARDS

Including

TENTATIVES

(A Triennial Publication)

PART 1
Ferrous Metals

A.S.T.M. Standards, Part 1, 1952 材料檢驗規格第一卷

編著者: Amer. Soc. for Testing Materials

影印者: 中美圖書局 發行 上海南京東路160號 電話 16844

印刷者: 工聯印刷廠

装訂者: 世界製本所

定 價: ¥ 160,000

1954年3月化學印 31"×43" 1/22 銅版圖301吋 本數:1-183

FOREWORD

The Book of ASTM Standards, of which this is the 1952 edition, is a triennial publication, with Supplements issued in the intervening years. It contains the formally adopted ASTM Standards and the ASTM Tentative Specifications, Methods of Test, and Definitions.

Prior to this edition, the Book of Standards was issued in six parts. Today, with the extension of Society work into new fields, the 1952 edition of the Book of Standards comprises over 10,000 pages. To make this amount of material available in books of convenient size and not too bulky and heavy for binding, it was decided to print the standards on Bible paper and to publish the 1952 Book of Standards in seven parts, as follows:

Part 1-Ferrous Metals

Part 2-Non-Ferrous Metals

Part 3-Cementitious Materials, Refractories, Glass, Ceramics, Thermal Insulation, Concrete, Mortar, Stone, Building Units, Road Materials, Waterproofing, Roofing, Soils

Part 4-Paint, Naval Stores, Wood, Structural Sandwich Constructions, Building Constructions, Fire Tests

Part 5-Petroleum Products, Fuels, Industrial Aromatic Hydrocarbons, Engine Anti-

Part 6-Rubber, Plastics, Electrical Insulation

Part 7-Textiles, Soap, Water, Paper, Shipping Containers, Adhesives

In these seven parts are included the 1892 ASTM Standards and Tentatives in effect at the time of publication, exclusive of the 38 ASTM Methods of Chemical Analysis of Metals which appear in a separate publication bearing that title.

The annual Supplements to each part issued in the succeeding years will contain the newly adopted or revised Standards and new or revised Tentatives. These Supplements should be consulted for changes in status and for current revisions of Standards and Tentatives. The combined Index to ASTM Standards, issued annually, will also be helpful in this connection and in locating any desired standard.

Standards comprise those specifications and methods of test that have been formally adopted by the Society, requiring a letter ballot approval by the entire membership.

Tentatives have been approved by the sponsoring committee as representing the latest thoughts and practices and have been accepted by the Society in accordance with established procedures for use pending adoption as standard.

In accordance with Society regulations, standards that have been published for a period of six years or more without revision have been reviewed by the responsible technical committees prior to the appearance of the Book and have been reapproved in their present form.

Tentative Revisions appear at the end of the standard to which they apply. A list of the tentative revisions that apply to the standards in this book appears on p. xix. The Supplements to be issued in 1953 and 1954 should be consulted for revisions or change in status of any of these tentative revisions.

Emergency Alternate Provisions are intended for use during the period of National Emergency where they may be considered as a permissible alternate by the purchaser of the material for the specific application or use desired. The Emergency Alternate Provisions applying to the standards in this part of the Book of Standards appear in a separate section on pink colored stock, beginning on page 513.

The appearance of this Book is a tribute to the sincere efforts of the technical committees responsible for the development and review of the standards, and of the many individuals serving on the committees. The Society's time-tested standardization procedure provides for adequate representation on technical committees of producers and consumers and those having a general interest in the material or subject in question. Opportunity is provided during the period of promulgation for full consideration by all interested parties through publication as tentative before adoption as standard. As developments and advances take place, requirements are suitably revised.

GUIDE TO THE USE OF THE BOOK OF STANDARDS

THE standards in this Book are assembled in a sequence determined by the specific materials or products to which they apply. The Table of Contents in each part is presented in duplicate—one a list of the standards classified according to the materials covered, the other a list of the standards in numeric sequence of their serial designations.

Emergency Alternate Provisions applying to the standards in this book appear in the pink colored insert section beginning on page 513.

A subject index of the standards and tentatives in this part appears at the back of this volume (see page 1545). This index should be the most convenient means of locating any standard appearing in the volume, especially if only the general subject matter covered is known.

A separate combined Index, covering all standards and tentatives in the seven parts of the Book of ASTM Standards, in the annual Supplements thereto, and in the Book of ASTM Methods of Chemical Analysis of Metals, is also issued annually, which should be of convenience to all users of the Book of Standards. The combined Index will be revised annually to incorporate the latest references to the standards, whether they appear in the Book of Standards or in the 1953 or 1954 Supplements. This Index should be of convenience to all users of ASTM standards.

A numeric list with complete titles of the current standards and tentatives also appears with this Index.

Comments or suggestions intended to improve the utility of the Book of Standards will be welcome.

CONTENTS

1952 BOOK OF ASTM STANDARDS, PART 1

FERROUS METALS1

In the serial designations prefixed to the following titles, the initial letter, indicative of the general classification, and the first number are permanent. The number following the dash indicates the year of original issue as tentative or of adoption as standard or, in the case of revision, the year of last revision. Thus, standards adopted or revised during the year 1952 have as their final number, 52. Tentatives are identified by the letter T.

In the following listing, the standards and tentatives are grouped according to materials

to which they apply.

For Contents in Numeric Sequence, see p. xxi.

Tentative Revisions of Standards appear at the end of the Standards to which they apply.

A complete subject index appears on p. 1545.

STEEL

Steel Pipe

Spo	ecifications for	"	
	53 - 52 T.		PAGE
	106 - 52 T.	Welded and Seamless Steel Pipe (Tentative)	7
••	190 01 1.	Seamless Carbon-Steel Pipe for High-Temperature Service (Tenta- tive)	
*A	120 - 47.	Welded and Seemlans Start Bire C. O. II	40
		Welded and Seamless Steel Pipe for Ordinary Uses, Black and	
*A	134 - 51 T.	Hot-Dipped Zinc-Coated (Galvanized)	50
		Electric-Fusion (Arc)-Welded Steel Plate Pipe (Sizes 16 in. and	
Α	135 - 51 T.	Over) (Tentative)	58
	139 - 51 T.	Electric-Resistance-Welded Steel Pipe (Tentative)	64
		Electric-Fusion (Arc)-Welded Steel Pipe (Sizes 4 in. and Over) (Tentative).	
Α	155 - 52a T.	Electric-Fusion-Welded Steel Pipe for High Temperature Service	72
		(Tentative)	
A	<i>158</i> .	(Seamless Alloy-Steel Pipe for High-Temperature Service) Dis-	80
		continued—Replaced by Specifications A 312 and A 335, see pp.	
		261 and 293.	
A	206.	(Seamless Carbon-Molybdenum Alloy-Steel Pipe for High Tempera-	
		ture Service) Discontinued—Replaced by Specifications A 335, see	
		p. 293.	
	211 - 44.	Spiral-Welded Steel or Iron Pipe. Welded and Seemless Steel Pipe Pil	
	252 46.		156
	253 - 51 T.	WOULD AND DEATHLESS UMPH_HARPTH IVAN Dina /T1-1!	211
A	<i>280</i> .		215
		at High Temperatures) Discontinued—Replaced by Specifications	
	312 - 51 T.	Seamless and Welded Austenitic Stainless Stool Director	200
A	315.	COUNTRY STATE OF COME CITY COME IN A LAND AND A STATE OF THE STATE OF	261
		2 1000 4 100 (UI SETVICE (II FILER PMI havettimen) Diseases?	
	222		
A.	333 - 50 T.	Seamless and Welded Steel Pine for Low Temperature Co	
	225 50 50	(Tentative).	274
A	335 – 52a T.	Continues I critical filler offer Pine for High Tompontario C.	274
		(Tentative)	20.2
			293

See Supplements to be issued in 1953 and 1954 for revision or change in status of any of these standards Approved as American Standard by the American Standards Association.

Specifications fo	r:	PAGE
A 358 - 52 T.	Electric-Fusion-Welded Austenitic Chromium-Nickel Alloy Steel Pipe for High Temperature Service (Tentative)	328
A 362 - 52 T.	Iron-Chromium and Iron-Chromium-Nickel Alloy Tubular Centrifugal Castings for General Applications (Tentative)	
	Steel Tubes	
Specifications fo	r:	
A 83 - 52 T.	Seamless Steel Boiler Tubes (Tentative)	26
A 161 - 52 T.	Seamless Low-Carbon and Carbon-Molybdenum Steel Still Tubes for Refinery Service (Tentative)	86
A 178 - 51 T.	Electric-Resistance-Welded Steel and Open-Hearth Iron Boiler Tubes (Tentativa)	92
A 179 - 51 T.	Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and	
A 192 - 51 T.	Condenser Tubes (Tentative). Seamless Steel Boiler Tubes for High-Pressure Service (Tentative).	98
A 199 - 52 T.	Seamless Cold-Drawn Intermediate Alloy-Steel Heat-Fychanger	112
A 200 - 52 T.	and Condenser Tubes (Tentative) Seamless Intermediate Alloy-Steel Still Tubes for Refinery Service	131
A 209 - 51 T.	(Tentative). Seamless Carbon-Molybdenum Alloy-Steel Boiler and Superheater Thics (Tentation)	136
A 210 - 52 T.	Tubes (Tentative) Medium-Carbon Seamless Steel Boiler and Superheater Tubes (Tentative)	142
A 213 - 52 T.	(Tentative). Seamless Alloy Steel Boiler, Superheater, and Heat Exchanger	149
	Tubes (Tentative)	159
A 214 - 51 T.	Tubes (Tentative) Electric-Resistance-Welded Steel Heat Exchanger and Condenser Tubes (Tentative)	
A $226 - 51$ T.	Lubes (Tentative). Electric-Resistance-Welded Steel Boiler and Superheater Tubes for High-Pressure Service (Tentative).	168
A 249 - 52 T.	Welded Austenitic Stainless Steel Boiler, Superheater Heat Fee	185
A 250 - 51 T.	changer, and Condenser Tubes (Tentative) Electric-Resistance-Welded Carbon-Molybdenum Alloy-Steel	196
A 254 - 51 T.	Boiler and Superheater Tubes (Tentative). Copper Brazed Steel Tubing (Tentative)	204
A 268 - 47.	Seamless and Welded Ferritic Stainless Steel Tubing for General	227
A 269 - 52.	Seamless and Welded Austenitic Stainless Steel Tubing for General Service	236
A 270 - 50.	Deamless and Welded Austenitic Stainless Steel Senitary Tuking	241 246
A 271 - 52.	Service Service	
	Tentative Revision of Specifications A 271	249 255
A 334 - 51 T.	Seamless and Welded Steel Tubes for Low-Temperature Service (Tentative).	285
Stee	el Forged or Rolled Pipe Fittings and Welding Fittings	200
Specifications for		
A 105 - 46.	Forged or Rolled Steel Pipe Flanges, Forged Fittings, and Valves	
	and Parts for filgh-1emperature Service	36
A 181 - 49.	Tentative Revision of Specifications A 105. Forged or Rolled Steel Pipe Flanges, Forged Fittings, and Valves	39
	Tentative Revision of Specifications A 191	102
A 182 - 52a T.	Forged of Kolled Alloy-Steel Pipe Flanges, Forged Fittings and	105
A 350 - 52 T.	Valves and Parts for High-Temperature Service (Tentative) Forged or Rolled Carbon and Alloy Steel Flanges, Forged Fittings, and Valves and Parts for Low Temperature Service (Tentative)	106
A 234 - 52a T.	and Valves and Parts for Low-Temperature Service (Tentative). Welding Fittings, Factory-Made Wrought Carbon Steel and Ferritic Alloy Steel (Tentative).	305
	sindy bicer (remainer)	101

^{*} Approved as American Standard by the American Standards Association.

Steel Castings

Spe	cifications fo	r:	PAGE
A	27 - 52 T.	Mild- to Medium-Strength Carbon-Steel Castings for General Application (Tentative)	1
*A	95 - 44.	Carbon-Steel Castings for Valves, Flanges, and Fittings for High- Temperature Service.	32
	128 - 33.	Austenitic Manganese-Steel Castings	935
	148 - 50 T.	High-Strength Steel Castings for Structural Purposes (Tentative)	938
A	157.	(Alloy-Steel Castings for Valves, Flanges, and Fittings for High- Temperature Service) Discontinued—Replaced by Specifications A 217 and A 351, see pp. 178 and 311.	
A	216 - 47 T.	Carbon-Steel Castings Suitable for Fusion Welding for High- Temperature Service (Tentative)	173
Α	217 - 49 T.	Alloy-Steel Castings for Pressure Containing Parts Suitable for	
	206 40 7	High-Temperature Service (Tentative)	178
Α	296 – 49 T.	Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application (Tentative)	957
A	297 - 49 T.	Heat-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy	931
		Castings for General Application (Tentative)	962
A	351 - 52 T.	Ferritic and Austenitic Steel Castings for High-Temperature	
A	352 - 52 T.	Service (Tentative) Ferritic Steel Castings for Pressure Containing Parts Suitable for	311
••	002 02 1.	Low-Temperature Service (Tentative)	317
A	356 – 52 T.	Heavy-Walled Carbon and Low Alloy Steel Castings for Steam	317
	240 E0 T	Turbines (Tentative). Iron-Chromium and Iron-Chromium-Nickel Alloy Tubular Cen-	966
А	362 – 52 T.	trifugal Castings for General Applications (Tentative)	222
В	190 - 50.	Chromium-Nickel-Iron Alloy Castings (25-12 Class) for High-	333
_		1 emperature Service	971
В	207 – 50.	Nickel-Chromium-Iron Alloy Castings (35-15 Class) for High	
		Temperature Service	977
	thods of:		
A	272 – 44 T.	Magnetic Particle Testing and Inspection of Commercial Steel	
E	71 - 52.	Castings (Tentative)	943
		Zirdustrial Radiographic Standards for Steel Castings	1496
_	initions of:		
E	52 49 T.	Industrial Radiographic Terminology for Use in Radiographic Inspection of Castings and Weldments (Tentative)	1494
		Steel Bolting Materials	
Spe	cifications for	r:	
Ā	76 - 49 T.	Low-Carbon Steel Track Bolts and Nuts (Tentative)	
	183 – 51 T.	Heat-Treated Carbon and Alloy Steel Track Bolts and Nuts (Ten-	814
A	193 – 52 T.	tative). Alloy-Steel Bolting Materials for High-Temperature Service (Tentative)	817
*A	194 - 51.	tative). Carbon and Alloy Steel Nuts for Bolts for High-Pressure and	119
A	261 - 47.	High-Temperature Service Heat-Treated Carbon-Steel Bolting Material Tentative Revision of Specifications A 261	231
	307 – 52 T.	Tentative Revision of Specifications A 261 Steel Machine Bolts and Nuts and Tap Bolts (Tentative)	235
A	320 – 52 T.	Thioy-Steel Bolting Materials for Low-Temperature Service (Ten-	256
Α.	325 - 52 T.	Quenched and Tempered Steel Bolts and Studs with Suitable Nuts	268
	384 80 55	and riam washers (remarive)	624
A.	354 - 52 T.	Quenched and Tempered Allov Steel Holts and Chida mith Chitalli	VAT
		Nuts (Tentative)	324

^{*} Approved as American Standard by the American Standards Association.

Boiler Steel Plates and Rivets

Sp	cifications for:	:	PAGE
A	20 - 52 T.	General Requirements for Delivery of Rolled Steel Plates of Flange	
	m	and Firebox Qualities (Tentative)	363
	30 - 52a T.		374
	31 - 52 T.	Boiler Rivet Steel and Rivets (Tentative)	547
	129 – 52 T.	Open-Hearth Iron Plates of Flange Quality (Tentative)	387
A	167 - 44 .	Corrosion-Resisting Chromium-Nickel Steel Plate, Sheet, and Strip.	392
A	201 - 52a T.	Carbon-Silicon Steel Plates of Intermediate Tensile Ranges for	
		Fusion-Welded Boilers and Other Pressure Vessels (Tentative)	410
Α	202 - 52a T.	Chromium-Manganese-Silicon (CMS) Alloy-Steel Plates for	
		Boilers and Other Pressure Vessels (Tentative)	413
Α	203 - 528 T	Nickel-Steel Plates for Boilers and Other Pressure Vessels (Tenta-	110
		tive)	415
A	204 - 52a T	tive). Molybdenum-Steel Plates for Boilers and Other Pressure Vessels	#13
••		(Tentative)	410
Δ	212 - 522 T	High Tensile Strength Carbon-Silicon Steel Plates for Boilers and	419
11	212 324 1.	Other Processes Vende (Tentative)	400
А	225 52- 7	Other Pressure Vessels (Tentative).	423
Α.	243 - 322 1.	Manganese-Vanadium Steel Plates for Boilers and Other Pressure	
	040 40	Vessels (Tentative)	426
Λ	240 - 49.	Corrosion-Resisting Unromium and Chromium-Nickel Steel Plate.	
		Sheet, and Strip for Fusion-Welded Unfired Pressure Vessels	429
A	263 – 44 T.	Corrosion-Resisting Chromium Steel Clad Plate Sheet and Strip	
		(Tentative). Corrosion-Resisting Chromium-Nickel Steel Clad Plate, Sheet, and	449
A	264 – 44 T.	Corrosion-Resisting Chromium-Nickel Steel Clad Plate, Sheet, and	
		SLID (Tentarive)	457
	265 – 43 T.	NICKEL and Nickel-Base Alloy Clad Steel Plate (Tentative)	465
A	285 - 52a T.	Low and Intermediate Tensile Strength Carbon-Steel Plates of	403
		Flange and Firebox Qualities (Plates 2 in. and Under in Thick-	
		ness) (Tentative)	475
A	299 - 52a T.	High Tensile Strength Carbon-Manganese-Silicon Steel Plates for	475
		Boilers and Other Pressure Vessels (Tentative)	470
Α	300 - 52 T.	Steel Plates for Pressure Vessels for Service at Low Temperatures	478
••	000 00 1.	(Tentative)	
Δ	301 - 520 T	Chromium Malahaman Carl Division D. 19	481
Λ	301 - 32a 1.	(Tentative). Chromium-Molybdenum Steel Plates for Boilers and Other Pres-	
	200 En T	sure Vessels (Tentative). Manganese-Molybdenum Steel Plates for Boilers and Other Pres-	484
А	302 - 32a I.	Manganese-Molybdenum Steel Plates for Boilers and Other Pres-	
		sure Vessels (Tentative) Low-Carbon High-Nickel Steel Plate for Pressure Vessels (Tentative)	487
A.	353 - 52 T.	Low-Carbon High-Nickel Steel Plate for Pressure Vessels (Tenta-	
	255 525		497
A	357 - 52 T.	J Fer Cent Chromium, U.5 Per Cent Molyhdenum Steel Plates for	
		Boilers and Other Pressure Vessels (Tentative)	500
		Structural and Rivet Steel	
٥.			
	ecifications for		
Α	6 52a T.	General Requirements for Delivery of Rolled Steel Plates, Shapes,	
		oneet Piling, and Bars for Structural Use (Tentative)	341
Α		Siecl for Bridges and Kuildings (Tentative)	356
Α	8 - 52a T.	Structural Nickel Steel (Tentative)	359
A	27 - 52 T.	Mild- To Medium-Strength Carbon-Steel Castings for General	339
		Application (Tentative)	
Α	94 - 52 T.	Structural Silicon Steel (Tentative)	27.
	113 - 52 T.	Structural Steel for Locomotives and Cars (Tentative)	376
	123 - 47.	Zinc (Hot-Galvanized) Coatings on Structural Steel Shapes, Plates	385
		and Bare and Their Products	40
А	131 - 52 T.	and Bars, and Their Products.	1045
	141 - 52 T.	Structural Steel for Ships (Tentative)	389
	141 - 52 T. 148 - 50 T.	Sudding River Steer (Tentative)	562
A	195 - 52 T.	TATALITALICITY OF CASHINGS INF STRICTITAL PHENORES (Cantativa)	938
, A	120 - 32 I.	riigh-Strength Structural Rivet Steel (Tentative)	564
	235 - 52 T.	Carbon Sieel Forgings for General Industrial Use (Tentation)	665
	237 - 52 T.	Alloy-Steel Forgings for General Industrial Use (Tentative)	678
A	242 - 52 T.	Low-Alloy Structural Steel (Tentative)	437

^{*} Approved as American Standard by the American Standards Association.

Specifications for		PAGE
A 245 - 52 T.	Heavy Gage Structural Quality Flat Hot-Rolled Carbon-Steel Sheets (Tentative)	439
A 246 - 52 T.	Sheets (Tentative) Light Gage Structural Quality Flat Rolled Carbon-Steel Sheets (Tentative)	444
A 283 ~ 52 T.	Eow and Intermediate Tensile Strength Carbon-Steel Plates of Structural Quality (Plates 2 in. and Under in Thickness) (Tenta-	
A 284 - 52 T.	tive). Low and Intermediate Tensile Strength Carbon-Silicon Steel	470
A 287 ~ 46 T.	Plates for Machine Parts and General Construction (Tentative) Rolled Carbon-Steel Locomotive Frames (Tentative)	472 849
A 303 - 52 T. A 306 - 52a T.	Hot-Rolled Carbon-Steel Strip of Structural Quality (Tentative) Carbon-Steel Bars Subject to Mechanical Property Requirements	490
A 307 - 52 T.	(Tentative). Steel Machine Bolts and Nuts and Tap Bolts (Tentative)	604
A 325 - 52 T.	Quenched and Tempered Steel Bolts and Studs with Suitable Nuts and Plain Washers (Tentative).	256 624
A 328 - 52 T.	Sieel Sneel Pung (Tenialive)	495
A $354 - 52$ T.	Quenched and Tempered Alloy Steel Bolts and Studs with Suitable Nuts (Tentative).	324
Methods and De		
A 359 - 52 T.	Mechanical Testing of Structural Steel (Tentative)	506
Recommended Pr	ractice for:	
A 143 – 46.	Safeguarding Against Embrittlement of Hot Galvanized Structural Steel Products and Procedure of Detecting Embrittlement.	1048
	Sheet and Strip Steel	
Specifications for		
A 109 – 49 T. A 245 – 52 T.	Cold-Rolled Carbon Steel Strip (Tentative). Heavy Gage Structural Quality Mat Hot-Rolled Carbon-Steel	378
A 246 - 52 T.	Sheets (Tentative) Light Gage Structural Quality Flat Rolled Carbon-Steel Sheets (Tentative)	439
A 303 - 52 T.	(Tentative) Hot-Rolled Carbon-Steel Strip of Structural Quality (Tentative)	444 490
	Bar Steels	
0. 44 .4	(See also Spring Steel and Steel Springs)	
Specifications for		
A 107 - 52a T. A 108 - 52 T. A 276 - 49 T.	Hot-Rolled Carbon-Steel Bars (Tentative). Cold-Finished Carbon-Steel Bars and Shafting (Tentative). Hot-Rolled and Cold-Finished Corrosion-Resisting Steel Bars	551 556
A 286 - 52 T.	First-Treated Allow Steel Page (Tout at	573 577
A 306 - 52a T	(Tentative) End-Quench Hardenability Requirements	581
A 311 - 52 T.	Carbon-Steel Bars Subject to Mechanical Property Requirements (Tentative). Stress-Relief-Annealed Cold-Drawn Carbon-Steel Bars (Tentative)	604
		610
A 314 - 47 T. A 321 - 52 T.	Corrosion-Resisting Steel Billets and Bare for Deforming (Tantation)	763
A 322 - 52 T.	Heat-Treated Carbon-Steel Bars (Tentative) Hot-Rolled Alloy-Steel Bars (Tentative). Cold-Finished Alloy-Steel Bars (Tentative).	614
A 331 - 50 T.	Cold-Finished Alloy-Steel Bars (Tentative)	619 643
A 355 - 52 T. A 364 - 52 T.	Cold-Finished Alloy-Steel Bars (Tentative) Alloy-Steel Bars for Nitriding (Tentative) Cold-Finished Heat-Treated Alloy Steel Bars (Tentative)	648
Method of:	Teated Alloy Steel Bars (Tentative)	653
A 255 – 48 T.	End-Quench Test for Hardenability of Steel (Tentative)	
Methods and Defi	nitions for:	566
A 330 - 51 T.	Mechanical Testing of Steel Bars (Tentative)	629
	For Contents in Numeric Sequence, see -	

	Steel Diffets, Forgings, and Axies	
(See als	to Steel Forged or Rolled Pipe Fittings and Welding Fittings)	
Specifications for	77:	PAG
A 21 - 47 T.		66
A 235 - 52 T.	Carbon Steel Forgings for General Industrial Use (Tentative)	66
A 236 - 52 T.	Carbon Steel Forgings for Locomotives and Cars (Tentative)	67
A $237 - 52$ T.	Alloy Steel Forgings for General Industrial Use (Tentative)	67
A 238 – 49 T.		684
A 243 - 51 T.		693
A 266 - 51 T.		70
A 273 - 52 T.		70
A 274 - 52 T. A 288 - 50 T.		71:
A 200 - 30 1.	Carbon and Alloy Steel Forgings for Magnetic Retaining Rings	
A 289 - 52 T.	for Turbine Generators (Tentative). Alloy Steel Forgings for Nonmagnetic Coil Retaining Rings for	728
11 207 12 1.	Turbine Generators (Tentativo)	
A 290 - 52 T.	Turbine Generators (Tentative). Carbon and Alloy Steel Forgings for Rings for Reduction Gears	732
11270 02 1.	(Tentative)	72
A 291 - 52 T.	(Tentative). Carbon and Alloy Steel Forgings for Pinions for Reduction Gears	736
	(Tentative)	
A 292 - 52 T.		740
	and Shafts (Tentative)	746
A 293 - 52 T.		/**
		751
A 294 - 52 T.	Carbon and Alloy Steel Forgings for Turbine Bucket Wheels	,,,,
		758
A 314 - 47 T.	COMPRIOR ACSISTING STEEL BILLETS AND BATS for Reforming (Tentative)	763
A 336 - 51 T.	Alloy Steel Seamless Drum Forgings (Tentative).	776
Methods of:	, , , , , , , , , , , , , , , , , ,	
A 275 - 47.	Magnetic Particle Testing and Insuration of the	
A 317 - 52 T.	Magnetic Particle, Testing and Inspection of Heavy Steel Forgings.	723
	Macroetch Testing and Inspection of Steel Forgings (Tentative)	766
	Steel Rails and Accessories	
Specifications fo	r:	
A 1 - 49 T.	Open-Hearth Carbon-Steel Rails (Tentative).	785
A 2 - 49 T.	Open-mearth Steel Girder Rails of Plain, Grooved, and Guard Tymes	103
		791
A $3-49$ T.	Low-Carbon Steel follit bark (tentanive)	795
A $4-49$ T.	TAVAIUII-CALDUI ALCEI IOHII NAFE (I ANTATIVA)	798
A 5 - 48.	Tiku-Cardon Steel foint Bars	801
A 49 - 51 T.	Quentifica Calibuli-Steel 10) nr Hard (Tentative)	804
A 65 - 49 T.	Suit Steel ITack Shikes (Tentative)	807
A 66 - 49 T.		809
A 67 – 48.	Dow-Carben Steer He Plates	811
A 76 - 49 T.	Dow Carbon Steel Hack Bolls and Nills (entative)	814
A 183 - 51 T.		
A 241 - 48.	(Tentative)	817
	Hot-worked High-Carbon Steel Tie Plates	821
Roll	ed Railroad Wheels and Tires and Locomotive Frames	
Specifications for	•	
A 25 – 48.	Wrought Steel Wheels for Electric Railway Service.	
A $26 - 39$.	Steel Tires	827
A 57 – 48.	Steel Tires. Multiple-Wear Wrought Steel Wheels.	836
A 186 - 46.		839
A 329 ~ 50 T.	Heat-Treated Steel Tires (Tentative)	844
A 287 – 46 T.	Heat-Treated Steel Tires (Tentative) Rolled Carbon-Steel Locomotive Frames (Tentative)	852
		849
Spacifications for	Spring Steel and Steel Springs	
Specifications for		
A 59 - 49.	Silicon-Manganese Steel Bars for Springs.	861
A 60 – 49.	Unromlum-Vanadium Steel Rara for Springs	863
A 68 - 49.	Carbon Sicci Dars for Springs with Silicon Requirements	865
A 332 - 51 T.	Nickel-Chromium-Molybdenum Steel Bars for Springs (Tentative)	903
	For Contents in Numeric Sequence, see p. xxi.	
	and an industric Sequence, see p. xxi.	

NTE	

	CONTENTS	xiii
Specifications for	r:	PAGE
A 125 - 52.	Heat-Treated Steel Helical Springs	867
A 147 - 51.	Heat-Treated Steel Leaf Springs	876
A 227 - 47.	Hard-Drawn Steel Spring Wire	882
A 228 - 51.	Steel Music Spring Wire	884
A 229 - 41.	Oil-Tempered Steel Spring Wire	887
A 227 - 11.	Tentative Revision for Specifications A 229	889
A 230 - 47.	Carbon-Steel Valve Spring Quality Wire	890
A 231 - 41.	Chromium Vanadium Steel Spring Wire	893
A 232 - 47.	Chromium-Vanadium Steel Spring Wire Chromium-Vanadium Steel Valve Spring Quality Wire	895
A 313 - 47 T.	Chromium-Nickel Corrosion-Resisting Steel Spring Wire (Tentative)	
Method of:		
A 318 - 48 T.	Tension Testing of Steel Spring Wire (Tentative)	901
	Concrete Reinforcement Steel	
Specifications for		
A $15 - 52$ T.	Billet Steel Bars for Concrete Reinforcement (Tentative)	909
A 16 - 52 T.	Rail-Steel Bars for Concrete Reinforcement (Tentative)	913
*A 82 - 34.	Cold-Drawn Steel Wire for Concrete Reinforcement	916
A 160 - 52 T.	Axle-Steel Bars for Concrete Reinforcement (Tentative).	918
*A 184 - 37.	Fabricated Steel Bar or Rod Mats for Concrete Reinforcement	922
*A 185 - 37.	Welded Steel Wire Fabric for Concrete Reinforcement	926
A 305 - 50 T.	Minimum Requirements for the Deformations of Deformed Steel	740
	Bars for Concrete Reinforcement (Tentative)	930
	Steel Chain	,,,,
Specifications for	,	
A 56 – 39.		
A 30 - 39.	Iron and Steel Chain	980
	Ball- and Roller-Bearing Steels	
Specifications for	:	
A 295 – 46 T.	Carbon-Chromium Ball- and Roller-Bearing Steels (Tentative)	984
	Corrosion-Resisting and Heat-Resisting Steels	
Specifications for		
A 167 - 44.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium-Nickel Steel	392
A 177 – 44.	Sheet and Strip, Corrosion-Resisting Chromium-Nickel Steel, High-Strength	
A 176 - 49.	Plate, Sheet, and Strip, Corrosion-Resisting Chromium Steel	406
A 240 - 49.	Plate Sheet and Strip for Euglan Walded IV Co. LD	399
11 240 47.	Plate, Sheet, and Strip for Fusion-Welded Unfired Pressure Vessels,	
A 263 - 44 T.	Corrosion-Resisting Chromium and Chromium-Nickel Steel Plate, Sheet, and Strip, Corrosion-Resisting Chromium Steel Clad	429
A 264 – 44 T.	(Tentative). Plate, Sheet, and Strip, Corrosion-Resisting Chromium-Nickel	449
4 065 42 FB	Cicci Clau (Tellialive)	457
A 265 - 43 T.	Figure, Nickel and Nickel-Base Alloy Clark Steel (Tentative)	465
A 157.	Cusings for Values, Flanges, and Filtings for High-Temperature	100
A 296 - 49 T.	Castings for General Application, Corresion-Resistant Iron	
A 297 - 49 T.	Castings for General Application, Heat-Resistant Tron Chromium	957
	and from Unromitim Nickel Alloy (Tentative)	962
A 351 - 52 T.	Steel (Tentative)	311
A $362 - 52$ T.	Castings, Tubular Centrifugal, for General Application Trans	
B 190 - 50.	Chromium and Iron-Chromium-Nickel Alloy (Tentative). Castings for High-Temperature Service, Chromium-Nickel-Iron	333
B 207 - 50.	Castings for High-Temperature Service Nickel Chromium Trans	971
	TAMOY (SS-13 CHASS)	977
A 276 - 49 T.	Date, 1101-Noucu and Cold-Pinished Corrosion-Registring Charl	241
	(Tentative).	573

* Approved as American Standard by the American Standards Association.

Sp	eciju	calion	s for:		PAGE
A	314	- 47		llets and Bars for Reforging, Corrosion-Resisting Steel (Tenta-	763
A	193	- 52	T. Bo	tive) olting Materials for High-Temperature Service, Alloy-Steel (Ten-	
*A	194	- 51	. N	tative)ts for Bolts for High-Pressure and High-Temperature Service,	119
A	320	- 52	T. Bo	Carbon and Alloy Steel. Olting Materials for Low-Temperature Service, Alloy-Steel (Ten-	126
Α	182	- 52	a T. Fo	tative)	268
A	336	51	T. Fo	Valves and Parts for High-Temperature Service (Tentative)	106 776
A	158	?.	(5	eamless Alloy-Steel Pipe for High-Temperature Service) Discon- tinued—Replaced by Specifications A 312, see p. 261.	
		- 51 - 52	T. Pij	pe, Seamless and Welded Austenitic Stainless Steel (Tentative) pe, for High Temperature Service, Electric-Fusion-Welded Aus-	261
			1	tenitic Chromium-Nickel Alloy Steel (Tentative)	328
		- 52		Steel (Tentative)	159
		- 47	,	Welded Austenitic Stainless Steel (Tentative)	196
		- 52		thing for General Service, Seamless and Welded Ferritic Stainless	236
			1	bing for General Service, Seamless and Welded Austenitic Stainless Steel	241
		- 50 - 52	. Tu	ibing, Sanitary, Seamless and Welded Austenitic Stainless Steel ibes, Still, for Refinery Service, Seamless Austenitic Chromium-	246
Α	313	- 47	T. Sp	Nickel Steelring Wire, Chromium-Nickel Corrosion-Resisting Steel (Tenta-	249
A	298	- 48	T. W	tive)elding Electrodes, Chromium and Chromium-Nickel Steel, Corrosion-Resisting (Tentative).	898 1134
Me	thod	s of:			
A	279	- 44 - 49	T. Co	prosion Test, Total Immersion, of Stainless Steels (Tentative). It Spray (Fog) Testing Tentative) (see Part 2, p. 1037)	1003
Rec	อทเท	nende	d Practi		
A	224	- 46 - 52	. Pla	ant Corrosion Tests, Conducting of illing Nitric Acid Test for Corrosion-Resisting Steels (Tentative).	989 998
				Deoxidizers	
-	-	ation	•		
		- 50 - 50		rromanganese	1359
		- 49		rrosilicon uminum for Use in Iron and Steel Manufacture (see Part 2, p. 527)	1361
				Methods of Chemical Analysis of Steel	
Мe	thod	s of:		111111111111111111111111111111111111111	
E	30	- 52	1	emical Analysis of Steel, Cast Iron, Open-Hearth Iron, and Wrought Iron (See 1950 Book of "ASTM Methods for Chemical Analysis of Metals"a)	
E	59	- 45	. Sa	mpling Steel, Cast Iron, Open-Hearth Iron and Wrought Iron (See 1950 Book of "ASTM Methods for Chemical Analysis of Metals")	
				METALLIC COATED STEEL PRODUCTS	
n .	٠,		Lead.	and Terne-Alloy-Coated Steel and Iron Products	
		ation		140 0 4 0 0	
		- 46	T. Le	ad-Alloy Coating (Hot-Dip) on Iron or Steel Hardware (Tentative)	1071
A	308	- 50	T. Lo	ng Terne Iron or Steel Sheets, Coils and Cut Lengths (Tenta- tive)	1075
	thod				2010
		4 9	,,	eight and Composition of Coating on Long Terne Sheets by the Triple Spot Test, Test for	1081
3	Appi Meti	roved 10ds)	as Ameri 2 3 0 – 52 z	can Standard by the American Standards Association. represent a combination of Methods E 30 - 47 and Methods E 30 - 50 T.	

Zinc-Coated Steel and Iron Products

Specifications for	77:	PAGE	
*A 123 - 47.	Structural Steel Shapes, Plates, and Bars and Their Products, Zinc		
	(Hot-Galvanized) Coatings on.	1045	
A 153 - 49. *A 93 - 52 T.	Hardware, Iron and Steel, Zinc Coating (Hot-Dip) on	1051 1019	
A 163 - 39.	Sheets, Zinc-Coated (Galvanized) Wrought Iron	1193	
A 361 - 52 T.	Sheets, Roofing, 1.25 Oz Ordered Coating (Pot Yield), Zinc-Coated		
A 111 E2	(Galvanized) Iron or Steel (Tentative)	1092	
A 111 – 52.	Line Wire, Telephone and Telegraph, Zinc-Coated (Galvanized) "Iron"	1025	
A 326 – 52.	"Iron". Line Wire, Telephone and Telegraph, Zinc-Coated (Galvanized) High Tensile Steel.	1025	
A 363 - 52 T.	Overhead Ground Wire, Zinc-Coated Steel (Tentative)	1096	
*A 122 – 52 T.	Wire Strand, Zinc-Coated Steel ("Galvanized" and Class A "Extra	1010	
A 218 - 52 T.	Galvanized") (Tentative) Wire Strand, Zinc-Coated Steel (Class B and Class C Coatings) (Tentative)	1040	
B 245 - 52 T.	(Tentative). Core Wire for Aluminum Conductors, Steel Reinforced (ACSR),	1054	
В 261 – 52 Т.	Standard Weight Zinc-Coated (Galvanized) Steel (Tentative). Core Wire for Aluminum Conductors, Steel Reinforced (ACSR),	1099	
2 201 02 1.	(With Coatings Heavier Than Standard Weight), Zinc-Coated (Galvanized) Steel (Tentative)	1104	
*A 112 - 33.	Tie Wires, Line-Coated (Galvanized) from and Steel	1104 1029	
*A 121 – 48.	Barbed Wire, Zinc-Coated (Galvanized) Iron or Steel	1038	
*A 116 – 48.	rending, Wire, Zinc-Coaled (Galvanized) Iron or Steel Warm Field		
*A 117 – 33.	, and Railroad Right-of-Way Fence Fabric, Zinc-Coated Iron or Steel Chain-Link, Galvanized	1032	
A 337 - 51 T.	After Weaving Fence Fabric, Zinc-Coated Iron or Steel Chain-Link, Galvanized	1035	
*A 120 - 47.	Before Weaving (Tentative) Pipe for Ordinary Uses, Welded and Seamless, Black and Hot-	1090	
B 201 - 49 T.	Dipped Altic-Coated (Galvanized) Steel	50	
2 401 19 1.	Chromate Finishes on Electrodeposited Zinc, Hot-Dipped Galvanized, and Zinc Die-Cast Surfaces (Tentalive) (see Past 2, p. 988)		
Methods of:	2000 200 Cust Sinjuces (1 eminibe) (see Funt 2, p. 908)		
A 90 – 39.	Weight of Continuon Time Court 1 (C.1. 1. 1)		
, , , , , , , , , , , , , , , , , ,	Weight of Coating on Zinc-Coated (Galvanized) Iron or Steel Articles, Tests for	1015	
A 239 - 41.	Uniformity of Coating by the Preece Test (Copper Sulfate Din)	1015	
	on Eme-Coated (Galvanized) Iron or Steel Articles, Test for.	1066	
Recommended Practice for:			
A 143 - 46.	Safeguarding Against Embrittlement of Hot Galvanized Structural Steel Products and Procedure for Detecting Embrittlement	1010	
	Electrodeposited Coatings on Steel	1048	
Specifications for	5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5		
	Zinc on Steel, Electrodeposited Coatings of (Tentative) (see Part 2, p. 965)		
A 165 - 51 T.	70.7		
A 166 - 45 T.	Nickel and Chromium on Steel, Electrode posited Coatings of (Tenta		
	tive) (see Part 2, p. 973) Lead on Steel, Electrodeposited Coatings of (Tentative) (see Part 2, p. 984)		
B 201 - 49 T.	Chromate Finishes on Electrodeposited Zine Hat Dinned Calania		
Methods of:	and Zinc Die-Cast Surfaces (Tentative) (see Part 2, p. 988)		
A 219 - 51 T.	Local Thickness of Electrodeposited Coatings, Test for (Tentative)		
B 117 - 49 T.	Salt Spray (Fog) Testing (Tentative) (see Pari 2, p. 1037)	1059	
Recommended F	ractices for:		
B 177 - 49.	Chromium Plating on Steel for Engineering Hos (as Dout 2 . 000)		
B 183 - 49.	Preparation of Low-Carbon Steel for Electroplating (see Part 2, p. 1997) 1002)		

^{*} Approved as American Standard by the American Standards Association.

Recommended Practices for:				
B 242 - 51.	Preparation of High-Carbon Steel for Electroplating (see Part 2, p. 1006)			
B 254 - 51 T.	Preparation of and Electroplating on Stainless Steel (Tentative) (See Part 2, p. 1027)			
	WELDING ELECTRODES AND RODS			
Specifications for	,a •			
A 233 - 48 T.	Mild Steel Arc-Welding Electrodes (Tentative)	1111		
A 251 - 46 T.	Iron and Steel Gas-Welding Rods (Tentative)	1129		
A 298 - 48 T.				
4 24 6 40 00	ing Electrodes (Tentative)	1134		
A 316 – 48 T.	Low-Alloy Steel Arc-Welding Electrodes (Tentative)	1148		
Charles-Hans for	WROUGHT IRON			
Specifications for				
A 85. *A 41 - 36.	(Bars, Common Iron) Discontinued. Bars, Dafined Iron	1160		
A 189 - 42.	Bars, Refined Iron Bars, Single and Double Refined Wrought Iron	1109		
A 207 - 39.	Shapes and Bars, Rolled Wrought Iron	1201		
A 84 - 52 T.	Staybolt Wrought Iron, Solid (Tentative).	1180		
A 86 - 52 T.	Staybolt Wrought Iron, Hollow-Rolled (Tentative)	1183		
A 73 – 39.	Blooms and Forgings, Rolled or Forged, Wrought Iron	1176		
A 56 - 39. A 72 - 52 T.	Chain, Iron and Steel			
A 42 - 52 T.	Pipe, Welded Wrought-Iron (Tentative) Plates, Wrought Iron (Tentative)	20		
A 162 - 39.	Sheets, Uncoated Wrought Iron	11/2		
A 163 - 39.	Sheets, Zinc-Coated (Galvanized) Wrought Iron	1103		
A 152 - 39.	Rivets and Rivet Rounds, Wrought Iron	1186		
Methods of:	• •			
E 30 - 52.	Chemical Analysis of Steel, Cast Iron, Open-Hearth Iron, and			
23 00 00.	Wrought Iron (See 1950 Book of "ASTM Methods for Chemical			
	Analysis of Metals ''a')			
E. 59 - 45.	Sampling Steel, Cast Iron, Open-Hearth Iron, and Wrought Iron (See			
	1950 Book of "ASTM Methods for Chemical Analysis of Metals")			
Definitions of:	, , , , , , , , , , , , , , , , , , ,			
A 81 – 33.	Wrought Iron, Terms Relating to	1170		
	CAST IRON	11/9		
Specifications for				
A 43 – 49 T.	Foundry Pig Iron (Tentative)	1207		
*A 48 - 48.	Gray Iron Castings	1226		
Λ 126 – 42.	Gray Iron Castings for Valves, Flanges, and Pine Fittings	1235		
A 159 - 49 T.	Gray from Castings, Automotive (Tentative)	17/2		
A 190 - 47. A 278 - 51 T.	Gray Iron Castings, Lightweight and Thin-Sectioned	1246		
A 2/0 - 31 1.	Gray Iron Castings for Pressure-Containing Parts for Tempera-	40.0		
A 319 - 48 T.	tures Up to 650 F. (Tentative). Gray Iron Castings for Elevated Temperatures for Non-Pressure	1262		
	Containing Parts (Tentative)	1268		
*A 44 – 41.	Cast Iron Pit-Cast Pipe for Water or Other Liquids	1717		
A 74 - 42.	Cast Iron Soil Pipe and Fittings	1222		
*A 142 - 38. A 339 - 51 T.	Cast Iron Culvert Pine	1020		
A 360 - 52 T.	Nodular Iron Castings (Tentative). Chilled and White Iron Castings (Tentative).	1275		
	Chined and writte from Castings (Tentative)	1279		
Methods of:				
A 256 – 46.	Compression Testing of Cast Iron.	1257		
A 327 - 50 T. E 30 - 52.	IMPACT 1 esting of Cast Iron (Tentative)	1271		
25 JU - J2.	Chemical Analysis of Steel, Cast Iron, Open-Hearth Iron, and Wrought Iron (See 1950 Book of "ASTM Methods for Chemical			
	Analysis of Metals" a)			
E 59 - 45.				
12 Jy - TJ.	Sampling Steel, Cast Iron, Open-Hearth Iron, and Wrought Iron (see 1950 Book of "ASTM Methods for Chemical Analysis of Metals")			

Approved as American Standard by the American Standards Association.
 Methods E 30 - 52 represent a combination of Methods E 30 - 47 and E 30 - 50 T.

CONTENTS xvii

Recommended P		PAGE
A 247 - 47.	Graphite in Gray Iron, Evaluating the Microstructure of Plate I. Graphite Flake Size Chart Opposite Plate II. Graphite Flake Type Chart Opposite	1250 1251
A $260 - 47$.	Torsion Tests of Cast Iron	1259
Definitions of:	•	
A 196 - 47. E 52 - 49 T.	Cast Iron, Terms Relating to	
	MALLEABLE IRON	
Specifications for	:	
*A 47 - 52. *A 197 - 47. A 220 - 50. A 277. A 338 - 51 T.	Malleable Iron Castings. Cupola Malleable Iron. Pearlitic Malleable Iron Castings. (Malleable Iron Flanges, Pipe Fittings, and Valve Parts) Discontinued—Replaced by Specifications A 338, see p. 1293. Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad,	1288 1290
	Marine, and Other Heavy Duty Service (Tentative)	1293
<i></i>	MAGNETIC MATERIALS	
Specifications for	:	
A 345 - 49.	Spec. for Flat-Rolled Electrical Steel	1351
Methods of:		
A $34 - 49$.	Magnetic Materials, Testing Tentative Revision of Method A 34	1297
A 341 - 49.	Normal Induction and Hysteresis of Magnetic Materials, Test for	1309
A 342 – 49.	1'CINCADUIV OF PERNY Magnetic Materials Tract to-	4714
A 343 - 49.	Tentative Revision of Methods A 342. Alternating Current Core Loss and Permeability of Magnetic Materials, Test for.	1319
A 344 - 52.	Tentative Revision of Methods A 343. Electrical and Mechanical Properties of Magnetic Materials, Test for	1340
Definitions of:		10.11
A 340 49.	Terms with Symbols, Relating to Magnetic Testing	1301
	FERRO-ALLOYS	
Specifications for:		
A 98 - 50. A 99 - 50. A 100 - 50. A 101 - 50. A 102 - 50. A 132 - 50. A 144 - 50. A 146 - 52. A 323 - 52. A 324 - 52.	Spiegeleisen Ferromanganese Ferrosilicon Ferrochromium Ferrovanadium Ferromolybdenum Ferrotungsten Molybdenum Salts and Compounds Ferroboron Ferrotitanium	1359 1361 1363 1365 1367 1369 1371
Methods of:		
E = 31 - 47. $E = 32 - 42.$	Chemical Analysis of Ferro-Alloys (See 1950 Book of "ASTM Methods for Chemical Analysis of Metals") Sampling Ferro-Alloys (See 1950 Book of "ASTM Methods for Chemical Analysis of Metals")	
	GENERAL METHODS OF TESTING	
	Metallography	
Methods of:	- -	
E 2-49 T.	Micrographs of Metals and Alloys, Preparation of (Including Recom- mended Practice for Photography as Applied to Metallography) (Tentative) (see Part 2, p. 1071)	

^{*} Approved as American Standard by the American Standards Association.