

Ullmann's Encyclopedia of Industrial Chemistry

Sixth, Completely Revised Edition

Volume 2

Air Classifying

to

Ammonia

WILEY-VCH

Numerical data, descriptions of methods or equipment, and other information presented in this book have been carefully checked of accuracy. Nevertheless, authors and publisher do not assume any liability for misprints, faulty statements, or other kinds of errors. Persons intending to handle chemicals or to work according to information derived from this book are advised to consult the original sources as well as relevant regulations in order to avoid possible hazards.

Library of Congress Card No.: Applied for.

British Library Cataloguing-in-Publication Data:
A catalogue record for this book is available from the British Library.

Bibliographic information published by Die Deutsche Bibliothek.

Die Deutsche Bibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data is available in the Internet at <<http://dnb.ddb.de>>.

ISBN 3-527-30385-5

© 2003 WILEY-VCH Verlag GmbH & Co. KGaA,
Weinheim.

Printed on acid-free paper.

The paper used corresponds to both the U. S. standard
ANSI Z.39.48 – 1984
and the European standard ISO TC 46.

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such are not to be considered unprotected by law.

Cover Design: Gunther Schulz, Fussgönheim
Composition: Steingraeber Satztechnik GmbH,

Dossenheim

Printing: Strauss Offsetdruck GmbH, Mörlenbach

Bookbinding: Litges & Dopf Buchbinderei GmbH,
Heppenheim

Printed in the Federal Republic of Germany

Ullmann's Encyclopedia of Industrial Chemistry

Volume 2

Ullmann's Encyclopedia of Industrial Chemistry

Volumes 1 - 39: Alphabetically Arranged Articles

Volume 40: Index

Editorial Advisory Board

Matthias Bohnet

Technical University Braunschweig,
Braunschweig, Germany

C. Jeffrey Brinker

Advanced Materials Laboratory,
Albuquerque, NM, USA

Boy Cornils

Hoechst Aktiengesellschaft,
Frankfurt am Main, Germany

Trevor J. Evans

Institution of Chemical
Engineers, Rugby, Great Britain

Helmut Greim

Technical University of Munich,
Freising-Weihenstephan,
Germany

L. Louis Hegedus

ATOFINA Chemicals, Inc., King
of Prussia, PA, USA

Joachim Heitbaum

Chemetall GmbH, Frankfurt am
Main, Germany

Wolfgang A. Herrmann

Technical University of Munich,
Garching, Germany

Wilhelm Keim

RWTH Aachen, Aachen,
Germany

Axel Kleemann

ASTA Medica AG, Hanau,
Germany

Gerhard Kreysa

DECHEMA e.V., Frankfurt am
Main, Germany

Trevor Laird

Scientific Update, East Sussex,
Great Britain

Jürg Lölicher

Nestlé Research Center, Kempt-
thal, Switzerland

Roger O. McClellan

Chemical Industry Institute of
Toxicology, Albuquerque, NM,
USA

John L. McGuire

Johnson and Johnson, New
Brunswick, NJ, USA

James W. Mitchell

Bell Laboratories, Murray Hill,
NJ, USA

Akio Mitsutani

Nippon Chemtech Consulting,
Takarazuka, Japan

Takeru Onoda

Mitsubishi Chemical
Corporation, Tokyo, Japan

Ludolf Plass

Lurgi AG, Frankfurt am Main,
Germany

Gregory

Stephanopoulos
Massachusetts Institute of Tech-
nology, Cambridge, MA, USA

Dietmar Werner

BASF Aktiengesellschaft,
Ludwigshafen, Germany

Peter Woditsch

Bayer Aktiengesellschaft, Kre-
feld, Germany

Naoya Yoda

Graduate School of Business,
Rissho University, Yokohama,
Japan

Symbols and Units

Symbols and units agree with SI standards (for conversion factors see page IX). The following list gives the most important symbols used in the encyclopedia. Articles with many specific units and symbols have a similar list as front matter.

Symbol	Unit	Physical Quantity
a_B		activity of substance B
A_r		relative atomic mass (atomic weight)
A	m^2	area
c_B	$mol/m^3, mol/L (M)$	concentration of substance B
C	C/V	electric capacity
c_p, c_v	$J\ kg^{-1}K^{-1}$	specific heat capacity
d	cm, m	diameter
d		relative density (ϱ/ϱ_{water})
D	m^2/s	diffusion coefficient
D	$Gy (=J/kg)$	absorbed dose
e	C	elementary charge
E	J	energy
E	V/m	electric field strength
E	V	electromotive force
E_A	J	activation energy
f		activity coefficient
F	C/mol	Faraday constant
F	N	force
g	m/s^2	acceleration due to gravity
G	J	Gibbs free energy
h	m	height
\hbar	$W \cdot s^2$	Planck constant
H	J	enthalpy
I	A	electric current
I	cd	luminous intensity
k	(variable)	rate constant of a chemical reaction
k	J/K	Boltzmann constant
K	(variable)	equilibrium constant
l	m	length
m	g, kg, t	mass
M_r		relative molecular mass (molecular weight)
n_D^{20}		refractive index (sodium D-line, 20 °C)
n	mol	amount of substance
N_A	mol^{-1}	Avogadro constant ($6.023 \times 10^{23} mol^{-1}$)
p	Pa, bar^*	pressure
Q	J	quantity of heat
r	m	radius
R	$J\ K^{-1}mol^{-1}$	gas constant
R	Ω	electric resistance
S	J/K	entropy
t	$s, min, h, d, month, a$	time

Symbols and Units (Continued from p. VII)

Symbol	Unit	Physical Quantity
t	°C	temperature
T	K	absolute temperature
u	m/s	velocity
U	V	electric potential
U	J	internal energy
V	$\text{m}^3, \text{L}, \text{mL}, \mu\text{L}$	volume
w		mass fraction
W	J	work
x_B		mole fraction of substance B
Z		proton number, atomic number
α		cubic expansion coefficient
α	$\text{W m}^{-2}\text{K}^{-1}$	heat-transfer coefficient (heat-transfer number)
α		degree of dissociation of electrolyte
$[\alpha]$	$10^{-2}\text{deg cm}^2\text{g}^{-1}$	specific rotation
η	$\text{Pa} \cdot \text{s}$	dynamic viscosity
θ	°C	temperature
\varkappa		c_p/c_v
λ	$\text{W m}^{-1}\text{K}^{-1}$	thermal conductivity
λ	nm, m	wavelength
μ		chemical potential
ν	Hz, s^{-1}	frequency
ν	m^2/s	kinematic viscosity (η/ρ)
π	Pa	osmotic pressure
ϱ	g/cm^3	density
σ	N/m	surface tension
τ	$\text{Pa} (\text{N/m}^2)$	shear stress
φ		volume fraction
χ	$\text{Pa}^{-1} (\text{m}^2/\text{N})$	compressibility

* The official unit of pressure is the pascal (Pa).

Conversion Factors

SI unit	Non-SI unit	From SI to non-SI multiply by
<i>Mass</i>		
kg	pound (avoirdupois)	2.205
kg	ton (long)	9.842×10^{-4}
kg	ton (short)	1.102×10^{-3}
<i>Volume</i>		
m^3	cubic inch	6.102×10^4
m^3	cubic foot	35.315
m^3	gallon (U.S., liquid)	2.642×10^2
m^3	gallon (Imperial)	2.200×10^2
<i>Temperature</i>		
$^\circ\text{C}$	$^\circ\text{F}$	$^\circ\text{C} \times 1.8 + 32$
<i>Force</i>		
N	dyne	1.0×10^5
<i>Energy, Work</i>		
J	Btu (int.)	9.480×10^{-4}
J	cal (int.)	2.389×10^{-1}
J	eV	6.242×10^{18}
J	erg	1.0×10^7
J	kW · h	2.778×10^{-7}
J	kp · m	1.020×10^{-1}
<i>Pressure</i>		
MPa	at	10.20
MPa	atm	9.869
MPa	bar	10
kPa	mbar	10
kPa	mm Hg	7.502
kPa	psi	0.145
kPa	torr	7.502

Powers of Ten

E (exa)	10^{18}	d (deci)	10^{-1}
P (peta)	10^{15}	c (centi)	10^{-2}
T (tera)	10^{12}	m (milli)	10^{-3}
G (giga)	10^9	μ (micro)	10^{-6}
M (mega)	10^6	n (nano)	10^{-9}
k (kilo)	10^3	p (pico)	10^{-12}
h (hecto)	10^2	f (femto)	10^{-15}
da (deca)	10	a (atto)	10^{-18}

Abbreviations

The following is a list of the abbreviations used in the text. Common terms, the names of publications and institutions, and legal agreements are included along with their full identities. Other abbreviations will be defined wherever they first occur in an article. For further abbreviations, see page VII, Symbols and Units; page XIV, Frequently Cited Companies (Abbreviations), and page XV, Country Codes in patent references. The names of periodical publications are abbreviated exactly as done by Chemical Abstracts Service.

abs.	absolute	BAM	Bundesanstalt für Materialprüfung (Federal Republic of Germany)
a.c.	alternating current	BAT	Biologischer Arbeitsstoff-Toleranz-Wert (biological tolerance value for a working material, established by MAK Commission, see MAK)
ACGIH	American Conference of Governmental Industrial Hygienists	Beilstein	Beilstein's Handbook of Organic Chemistry, Springer, Berlin – Heidelberg – New York
ACS	American Chemical Society	BET	Brunauer – Emmett – Teller
ADI	acceptable daily intake	BGA	Bundesgesundheitsamt (Federal Republic of Germany)
ADN	accord européen relatif au transport international des marchandises dangereuses par voie de navigation interieure (European agreement concerning the international transportation of dangerous goods by inland waterways)	BGBI.	Bundesgesetzblatt (Federal Republic of Germany)
ADNR	ADN par le Rhin (regulation concerning the transportation of dangerous goods on the Rhine and all national waterways of the countries concerned)	BIOS	British Intelligence Objectives Subcommitee Report (see also FIAT)
ADP	adenosine 5'-diphosphate	BOD	biological oxygen demand
ADR	accord européen relatif au transport international des marchandises dangereuses par route (European agreement concerning the international transportation of dangerous goods by road)	bp	boiling point
AEC	Atomic Energy Commission (United States)	B.P.	British Pharmacopeia
a.i.	Active ingredient	BS	British Standard
AIChE	American Institute of Chemical Engineers	ca.	circa
AIME	American Institute of Mining, Metallurgical, and Petroleum Engineers	calcd.	calculated
ANSI	American National Standards Institute	CAS	Chemical Abstracts Service
AMP	adenosine 5'-monophosphate	cat.	catalyst, catalyzed
APhA	American Pharmaceutical Association	CEN	Comité Européen de Normalisation
API	American Petroleum Institute	cf.	compare
ASTM	American Society for Testing and Materials	CFR	Code of Federal Regulations (United States)
ATP	adenosine 5'-triphosphate	cfu	colony forming units
		Chap.	chapter
		ChemG	Chemikaliengesetz (Federal Republic of Germany)
		C.I.	Colour Index
		CIOS	Combined Intelligence Objectives Subcommitee Report (see also FIAT)
		CNS	central nervous system
		Co.	Company
		COD	chemical oxygen demand
		conc.	concentrated
		const.	constant
		Corp.	Corporation
		crit.	critical

CTFA	The Cosmetic, Toiletry and Fragrance Association (United States)	FIAT	Field Information Agency, Technical (United States reports on the chemical industry in Germany, 1945)
DAB 9	Deutsches Arzneibuch, 9th ed., Deutscher Apotheker-Verlag, Stuttgart 1986	Fig.	figure
d.c.	direct current	fp	freezing point
decomp.	decompose, decomposition	Friedländer	P. Friedländer, Fortschritte der Teerfarbenfabrikation und verwandter Industriezweige, Vol. 1 – 25, Springer, Berlin 1888 – 1942
DFG	Deutsche Forschungsgemeinschaft (German Science Foundation)	FT	Fourier transform
dil.	dilute, diluted	(g)	gas, gaseous
DIN	Deutsche Industrie Norm (Federal Republic of Germany)	GC	gas chromatography
DMF	dimethylformamide	GefStoffV	Gefahrstoffverordnung (regulations in the Federal Republic of Germany concerning hazardous substances)
DNA	deoxyribonucleic acid	GGVE	Verordnung in der Bundesrepublik Deutschland über die Beförderung gefährlicher Güter mit der Eisenbahn (regulation in the Federal Republic of Germany concerning the transportation of dangerous goods by rail)
DOE	Department of Energy (United States)	GGVS	Verordnung in der Bundesrepublik Deutschland über die Beförderung gefährlicher Güter auf der Straße (regulation in the Federal Republic of Germany concerning the transportation of dangerous goods by road)
DOT	Department of Transportation – Materials Transportation Bureau (United States)	GGVSee	Verordnung in der Bundesrepublik Deutschland über die Beförderung gefährlicher Güter mit Seeschiffen (regulation in the Federal Republic of Germany concerning the transportation of dangerous goods by sea-going vessels)
DTA	differential thermal analysis	GLC	gas-liquid chromatography
EC	effective concentration	Gmelin	Gmelin's Handbook of Inorganic Chemistry, 8th ed., Springer, Berlin – Heidelberg – New York
EC	European Community	GRAS	generally recognized as safe
ed.	editor, edition, edited	Hal	halogen substituent (-F, -Cl, -Br, -I)
e.g.	for example	Houben-Weyl	Methoden der organischen Chemie, 4th ed., Georg Thieme Verlag, Stuttgart
emf	electromotive force	HPLC	high performance liquid chromatography
EmS	Emergency Schedule	IAEA	International Atomic Energy Agency
EN	European Standard (European Community)	IARC	International Agency for Research on Cancer, Lyon, France
EPA	Environmental Protection Agency (United States)		
EPR	electron paramagnetic resonance		
Eq.	equation		
ESCA	electron spectroscopy for chemical analysis		
esp.	especially		
ESR	electron spin resonance		
Et	ethyl substituent ($-C_2H_5$)		
et al.	and others		
etc.	et cetera		
EVO	Eisenbahnverkehrsordnung (Federal Republic of Germany)		
exp (...)	$e^{(\dots)}$, mathematical exponent		
FAO	Food and Agriculture Organization (United Nations)		
FDA	Food and Drug Administration (United States)		
FD & C	Food, Drug and Cosmetic Act (United States)		
FHSA	Federal Hazardous Substances Act (United States)		

IATA-DGR	International Air Transport Association, Dangerous Goods Regulations	Federal Republic of Germany); cf. Deutsche Forschungsgemeinschaft (ed.): Maximale Arbeitsplatzkonzentrationen (MAK) und Biologische Arbeitsstoff-Toleranz-Werte (BAT), WILEY-VCH Verlag, Weinheim (published annually)
ICAO	International Civil Aviation Organization	
i.e.	that is	
i.m.	intramuscular	
IMDG	International Maritime Dangerous Goods Code	max.
IMO	Inter-Governmental Maritime Consultive Organization (in the past: IMCO)	MCA
Inst.	Institute	Manufacturing Chemists Association (United States)
i.p.	intraperitoneal	Me
IR	infrared	Methodicum Chemicum Methodicum Chemicum, Georg Thieme Verlag, Stuttgart
ISO	International Organization for Standardization	MFAG
IUPAC	International Union of Pure and Applied Chemistry	Medical First Aid Guide for Use in Accidents Involving Dangerous Goods
i.v.	intravenous	MIK
Kirk-Othmer	Encyclopedia of Chemical Technology, 3rd ed., J. Wiley & Sons, New York – Chichester – Brisbane – Toronto 1978 – 1984; 4th ed., J. Wiley & Sons, New York – Chichester – Brisbane – Toronto 1991 – 1998	maximale Immissionskonzentration (maximum immission concentration)
(l)	liquid	min.
Landolt-Börnstein	Zahlenwerte u. Funktionen aus Physik, Chemie, Astronomie, Geophysik u. Technik, Springer, Heidelberg 1950 – 1980; Zahlenwerte und Funktionen aus Naturwissenschaften und Technik, Neue Serie, Springer, Heidelberg, since 1961	mp
LC ₅₀	lethal concentration for 50 % of the test animals	MS
LCL ₀	lowest published lethal concentration	NAS
LD ₅₀	lethal dose for 50 % of the test animals	NASA
LDLo	lowest published lethal dose	NCTC
ln	logarithm (base e)	NIH
LNG	liquefied natural gas	NIOSH
log	logarithm (base 10)	NMR
LPG	liquefied petroleum gas	no.
M	mol/L	NOEL
M	metal (in chemical formulas)	NRC
MAK	Maximale Arbeitsplatz-Konzentration (maximum concentration at the workplace in the	NRDC
		NSC
		NSF
		NTSB
		OECD
		OSHA

p., pp.	page, pages	regulation in Federal Republic of Germany)
Patty	G. D. Clayton, F. E. Clayton (eds.): Patty's Industrial Hygiene and Toxicology, 3rd ed., Wiley Interscience, New York	Technische Anleitung zum Schutz gegen Lärm (low noise regulation in Federal Republic of Germany)
PB report	Publication Board Report (U.S. Department of Commerce, Scientific and Industrial Reports)	lowest published toxic dose
PEL	permitted exposure limit	tetrahydrofuran
'Ph	phenyl substituent ($-C_6H_5$)	thin layer chromatography
Ph. Eur.	European Pharmacopoeia, 2nd. ed., Council of Europe, Strasbourg 1981	Threshold Limit Value (TWA and STEL); published annually by the American Conference of Governmental Industrial Hygienists (ACGIH), Cincinnati, Ohio
phr	part per hundred rubber (resin)	total oxygen demand
PNS	peripheral nervous system	Technische Richtkonzentration (lowest technically feasible level)
ppm	parts per million	Toxic Substances Control Act (United States)
q. v.	which see (quod vide)	Technischer Überwachungsverein (Technical Control Board of the Federal Republic of Germany)
ref.	refer, reference	Time Weighted Average
resp.	respectively	Umweltbundesamt (Federal Environmental Agency)
R_f	retention factor (TLC)	Ullmann's Encyclopedia of Industrial Chemistry, 5th ed., VCH Verlagsgesellschaft, Weinheim, 1985 – 1996; Ullmanns Encyklopädie der Technischen Chemie, 4th ed., Verlag Chemie, Weinheim 1972 – 1984; 3rd ed., Urban und Schwarzenberg, München 1951 – 1970
R. H.	relative humidity	United States Atomic Energy Commission
RID	règlement international concernant le transport des marchandises dangereuses par chemin de fer (international convention concerning the transportation of dangerous goods by rail)	United States Adopted Names
RNA	ribonucleic acid	United States Dispensatory
R phrase	risk phrase according to (R-Satz) ChemG and GefStoffV (Federal Republic of Germany)	United States Department of Agriculture
rpm	revolutions per minute	United States Pharmacopeia
RTECS	Registry of Toxic Effects of Chemical Substances, edited by the National Institute of Occupational Safety and Health (United States)	ultraviolet
(s)	solid	Unfallverhütungsvorschriften der Berufsgenossenschaft (workplace safety regulations in the Federal Republic of Germany)
SAE	Society of Automotive Engineers (United States)	Verordnung in der Bundesrepublik Deutschland über die Errichtung und den Betrieb von Anlagen zur Lagerung, Abfüllung und Beförderung brennbarer Flüssigkeiten (regulation in the Federal Republic of Germany)
s.c.	subcutaneous	
SI	International System of Units	
SIMS	secondary ion mass spectrometry	
S phrase	safety phrase according to (S-Satz) ChemG and GefStoffV (Federal Republic of Germany)	
STEL	Short Term Exposure Limit (see TLV)	
STP	standard temperature and pressure (0° C, 101.325 kPa)	
T_g	glass transition temperature	
TA Luft	Technische Anleitung zur Reinhaltung der Luft (clean air	

	concerning the construction and operation of plants for storage, filling, and transportation of flammable liquids; classification according to the flash point of liquids, in accordance with the classification in the United States)	vs.	versus
VDE	Verband Deutscher Elektroingenieure (Federal Republic of Germany)	WGK	Wassergefährdungsklasse (water hazard class)
VDI	Verein Deutscher Ingenieure (Federal Republic of Germany)	WHO	World Health Organization (United Nations)
vol	volume		Winnacker-Küchler Chemische Technologie, 4th ed., Carl Hanser Verlag, München, 1982-1986;
vol.	volume (of a series of books)	wt	Winnacker-Küchler, Chemische Technik: Prozesse und Produkte, Wiley-VCH, Weinheim, from 2003
		\$	weight
			U.S. dollar, unless otherwise stated

Frequently Cited Companies (Abbreviations)

Air Products	Air Products and Chemicals	ICI	Imperial Chemical Industries
Akzo	Algemene Koninklijke Zout Organon	IFP	Institut Français du Pétrole
Alcoa	Aluminum Company of America	INCO	International Nickel Company
Allied	Allied Corporation	3M	Minnesota Mining and Manufacturing Company
Amer.	American Cyanamid	Mitsubishi	Mitsubishi Chemical Industries
Cyanamid	Company	Chemical	Monsanto Company
BASF	BASF Aktiengesellschaft	Monsanto	Nippon Shokubai Kagaku Kogyo
Bayer	Bayer AG	Nippon	Pechiney Ugine Kuhlmann
BP	British Petroleum Company	Shokubai	Pittsburg Plate Glass Industries
Celanese	Celanese Corporation	PCUK	G.D. Searle & Company
Daicel	Daicel Chemical Industries	PPG	Smith Kline & French
Dainippon	Dainippon Ink and Chemicals Inc.	Searle	Laboratories
Dow Chemical	The Dow Chemical Company	SKF	Società Nazionale Metandotti
DSM	Dutch Staats Mijnen	SNAM	Standard Oil of Ohio
Du Pont	E.I. du Pont de Nemours & Company	Sohio	Stauffer Chemical Company
Exxon	Exxon Corporation	Stauffer	Sumitomo Chemical Company
FMC	Food Machinery & Chemical Corporation	Sumitomo	Toray Industries Inc.
GAF	General Aniline & Film Corporation	Toray	Union Chimique Belge
W.R. Grace	W.R. Grace & Company	UCB	Union Carbide Corporation
Hoechst	Hoechst Aktiengesellschaft	Union Carbide	Universal Oil Products Company
IBM	International Business Machines Corporation	UOP	Vereinigte Elektrizitäts- und Bergwerks-AG
		VEBA	Wacker Chemie GmbH
		Wacker	

Country Codes

The following list contains a selection of standard country codes used in the patent references.

AT	Austria	ID	Indonesia
AU	Australia	IL	Israel
BE	Belgium	IT	Italy
BG	Bulgaria	JP	Japan *
BR	Brazil	LU	Luxembourg
CA	Canada	MA	Morocco
CH	Switzerland	NL	Netherlands *
CS	Czechoslovakia	NO	Norway
DD	German Democratic Republic	NZ	New Zealand
DE	Federal Republic of Germany (and Germany before 1949) *	PL	Poland
DK	Denmark	PT	Portugal
ES	Spain	SE	Sweden
FI	Finland	SU	Soviet Union
FR	France	US	United States of America
GB	United Kingdom	YU	Yugoslavia
GR	Greece	ZA	South Africa
HU	Hungary	EP	European Patent Office *
		WO	World Intellectual Property Organization

* For Europe, Federal Republic of Germany, Japan, and the Netherlands, the type of patent is specified:
EP (patent), EP-A (application), DE (patent), DE-OS (Offenlegungsschrift), DE-AS (Auslegeschrift),
JP (patent), JP-Kokai (Kokai tokkyo koho), NL (patent), and NL-A (application).

Periodic Table of Elements

element symbol, atomic number, and relative atomic mass (atomic weight)

a

	La	Ce	Pr	Nd	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Lr*
57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
La	138.91	140.12	140.91	144.24	146.92	150.36	151.97	157.25	158.93	162.50	164.93	167.26	168.93	173.04
89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
Ac*	227.03	232.04	231.04	238.03	237.05	244.06	243.06	247.07	247.07	251.08	252.08	257.10	258.10	259.10
	Pa*	Th*	Pa*	U*	Np*	Pu*	Am*	Cm*	Bk*	Cf*	Es*	Fm*	Md*	No*

* radioactive element: mass of most important isotope given

Contents

Air Classifying	1	Aluminum Compounds, Inorganic	299
Alcohols, Aliphatic	19	Aluminum Compounds, Organic	317
Alcohols, Polyhydric	47	Aluminum Oxide	339
Aldehydes, Aliphatic and Araliphatic ...	65	Amines, Aliphatic	379
Alkaloids	105	Amines, Aromatic	433
Alkyd Resins	173	Amino Acids	455
Allyl Compounds	191	Aminophenols	517
Aluminothermic Processes	215	Amino Resins	537
Aluminum	227	Ammonia	567
Aluminum Alloys	251		

Cross References

Air Pollution Control → Air **1**
 Alanine → Amino Acids **2**
 Albumin → Blood **5**
 Alcoholates → Alcohols, Aliphatic **2**
 Alcoholic Spirits → Spirits **33**
 Aldehyde Polymers → Polyoxymethylenes **28**
 Aldols → Aldehydes, Aliphatic and
 Araliphatic **2**
 Alfol Process → Fatty Alcohols **13**
 Algin → Polysaccharides **28**
 Alkali and Chlorine Products → Chlorine **8**;
 → Sodium Hydroxide **33**
 Alkoxides → Alcohols, Aliphatic **2**
 Alkyl Amines → Amines, Aliphatic **2**
 Alkylation → Acylation and Alkylation **1**
 Alkyl Phenols → Phenol Derivatives **25**
 Allyl Alcohol → Allyl Compounds **2**

Alumina → Aluminum Oxide **2**
 Amalgams → Mercury, Mercury Alloys, and
 Mercury Compounds **21**
 Americium → Transuranium Elements **37**
 Amidosulfuric Acid → Sulfamic Acid **34**
 Amine Oxides → Surfactants **35**
 Aminoanthraquinone → Anthraquinone Dyes
 and Intermediates **3**
 Aminobenzenesulfonic Acids →
 Benzenesulfonic Acids and Their
 Derivatives **5**
 Aminobenzoic Acids → Benzoic Acid and
 Derivatives **5**
 Aminonaphthalenes → Naphthalene
 Derivatives **22**
 Aminoplastics → Amino Resins **2**

Air Classifying

See also → Solid–Solid Separation, Introduction

ROLAND NIED, Alpine Aktiengesellschaft, Augsburg, Federal Republic of Germany

HERBERT HORLAMUS, Alpine Aktiengesellschaft, Augsburg, Federal Republic of Germany

1.	Introduction	1	4.2.1.	Countercurrent Gravity Classifiers	7
2.	Forces on the Individual Particle	2	4.2.2.	Countercurrent Centrifugal Classifiers	8
3.	Classifier Performance	4	4.3.	Crosscurrent Classifiers	14
3.1.	Throughput	4	4.4.	Recirculating-Air Classifiers	15
3.2.	Cut-Point Range	5	5.	Operating Properties	16
3.3.	Sharpness of Cut	5	5.1.	Effect of Feed	16
3.4.	Energy Requirement	5	5.2.	Scaleup	17
4.	Description of Individual Classifier Types	5	5.3.	Special Requirements	17
4.1.	General	5	6.	References	18
4.2.	Countercurrent Classifiers	7			

Symbols:

c_w	drag coefficient
F_M	mass force
F_W	drag force
g	acceleration due to gravity
\dot{m}	mass flow rate
P	passage
r	radius
Re	Reynolds number
v	velocity
\dot{V}	volume flow rate
W	mass fraction
W_c	mass fraction of coarse material
W_f	mass fraction of fines
x	particle diameter
x_{f97}	reference cut size
x_t	cut size (general)
x_{50}	Tromp's cut size
η	dynamic viscosity
κ	sharpness of cut
μ	load
ξ	efficiency
ϱ	density
φ	coefficient

Indices

A	gas
c	coarse material

F	feed material
f	fines
S	solid
v_r	radial component of velocity
v_p	peripheral component of velocity

1. Introduction

Air classification is a process for the dry separation of a disperse phase according to particle size, particle shape or density, or more precisely, settling rate. It is the analogue of hydraulic classification in wet-processing technology (→ Elutriation). The bulk material to be separated is introduced into a gas flow, and the particles are subjected primarily to two forces: (1) the resistance or drag force caused by the gas flowing around the particle, and (2) the mass force. The mass forces acting on the particle can be field forces (e.g., gravity) or inertial forces (e.g., centrifugal force). Depending on magnitude and direction of these forces, particles move along different trajectories and can thus be collected separately after leaving the classification zone.

Air classifiers are used partly as sorters but primarily as classifiers. In sorting, a heterogeneous bulk is separated into components of uniform material. The particles are separated ac-