

NOBEL LECTURES



CHEMISTRY

1942 – 1962

NOBEL LECTURES
INCLUDING PRESENTATION SPEECHES
AND LAUREATES' BIOGRAPHIES

CHEMISTRY

1942–1962



World Scientific

Singapore • New Jersey • London • Hong Kong

Published for the Nobel Foundation in 1999 by

World Scientific Publishing Co. Pte. Ltd.

P O Box 128, Farrer Road, Singapore 912805

USA office: Suite 1B, 1060 Main Street, River Edge, NJ 07661

UK office: 57 Shelton Street, Covent Garden, London WC2H 9HE

NOBEL LECTURES IN CHEMISTRY (1942–1962)

All rights reserved.

ISBN 981-02-3407-4

Printed in Singapore.

NOBEL LECTURES IN CHEMISTRY
1942-1962

NOBEL LECTURES

INCLUDING PRESENTATION SPEECHES
AND LAUREATES' BIOGRAPHIES

PHYSICS

CHEMISTRY

PHYSIOLOGY OR MEDICINE

LITERATURE

PEACE

ECONOMIC SCIENCES

Foreword

Since 1901 the Nobel Foundation has published annually *Les Prix Nobel* with reports from the Nobel award ceremonies in Stockholm and Oslo as well as the biographies and Nobel lectures of the Laureates. In order to make the lectures available to people with special interests in the different prize fields the Foundation gave Elsevier Publishing Company the right to publish in English the lectures for 1901–1970, which were published in 1964–1972 through the following volumes:

Physics 1901–1970	4 vols.
Chemistry 1901–1970	4 vols.
Physiology or Medicine 1901–1970	4 vols.
Literature 1901–1967	1 vol.
Peace 1901–1970	3 vols.

Since the Elsevier series has been out of print for many years the Nobel Foundation has given World Scientific Publishing Company the right to publish these Nobel lectures, biographies and presentation speeches. The Nobel Foundation is very pleased that the intellectual and spiritual message to the world laid down in the laureates' lectures will, thanks to the efforts of World Scientific, reach new readers all over the world.

Bengt Samuelsson
Chairman of the Board

Michael Sohlman
Executive Director

Stockholm, March 1998

Contents

Foreword	v
1942 (Prize not awarded)	i
1943 GEORGE DE HEVESY	
Motivation	3
Presentation by A. Westgren	5
Some applications of isotopic indicators, by G. de Hevesy	9
Biography G. de Hevesy	42
1944 OTTO HAHN	
Motivation	45
Presentation by A. Westgren	47
Address by A. Tiselius	49
From the natural transmutations of uranium to its artificial fission, by O. Hahn	51
Biography O. Hahn	67
1945 ARTTURI ILMARI VIRTANEN	
Motivation	69
Presentation by A. Westgren	71
The biological fixation of nitrogen and the preservation of fodder in agriculture, and their importance to human nutrition, by A. I. Virtanen	74
Biography A. I. Virtanen	104
1946 JAMES BATCHELLER SUMNER, JOHN HOWARD NORTHROP, and WENDELL MEREDITH STANLEY	
Motivation	107

	Presentation by A. Tiselius	109
	The chemical nature of enzymes, by J. B. Sumner	114
	Biography J. B. Sumner	122
	The preparation of pure enzymes and virus proteins, by J. H. Northrop	124
	Biography J. H. Northrop	135
	The isolation and properties of crystalline tobacco mosaic virus, by W. M. Stanley	137
	Biography W. M. Stanley	158
1947	Sir ROBERT ROBINSON	
	Motivation	161
	Presentation by A. Fredga	163
	Some polycyclic natural products, by R. Robinson	166
	Biography R. Robinson	186
1948	ARNE WILHELM KAURIN TISELIUS	
	Motivation	189
	Presentation by A. Westgren	191
	Electrophoresis and adsorption analysis as aids in investigations of large-molecular weight substances and their breakdown products, by A. W. K. Tiselius	195
	Biography A. W. K. Tiselius	216
1949	WILLIAM FRANCIS GIAUQUE	
	Motivation	219
	Presentation by A. Tiselius	221
	Some consequences of low-temperature research in chemical thermodynamics, by W. F. Giauque	227
	Biography W. F. Giauque	251
1950	OTTO PAUL HERMANN DIELS and KURT ALDER	
	Motivation	253
	Presentation by A. Fredga	255
	Description and importance of the aromatic basic skeleton of the steroids, by O. P. H. Diels	259
	Biography O. P. H. Diels	265

	Diene synthesis and related reaction types, by K. Alder	267
	Biography K. Alder	304
1951	EDWIN MATTISON McMILLAN and GLENN THEODORE SEABORG	
	Motivation	307
	Presentation by A. Westgren	309
	The transuranium elements: early history, by E. M. McMillan	314
	Biography E. M. McMillan	323
	The transuranium elements: present status, by G. T. Seaborg	325
	Biography G. T. Seaborg	350
1952	ARCHER JOHN PORTER MARTIN and RICHARD LAURENCE MILLINGTON SYNGE	
	Motivation	353
	Presentation by A. Tiselius	355
	The development of partition chromatography, by A. J. P. Martin	359
	Biography A. J. P. Martin	372
	Applications of partition chromatography, by R. L. M. Synge	374
	Biography R. L. M. Synge	388
1953	HERMANN STAUDINGER	
	Motivation	391
	Presentation by A. Fredga	393
	Macromolecular chemistry, by H. Staudinger	397
	Biography H. Staudinger	420
1954	LINUS CARL PAULING	
	Motivation	423
	Presentation by G. Hägg	425
	Modern structural chemistry, by L. C. Pauling	429
	Biography L. C. Pauling	438
1955	VINCENT DU VIGNEAUD	
	Motivation	441
	Presentation by A. Fredga	443
	A trail of sulfur research: from insulin to oxytocin, by	

	V. du Vigneaud	446
	Biography V. du Vigneaud	466
1956	Sir CYRIL NORMAN HINSHELWOOD and NIKOLAI NIKOLAEVIČ SEMENOV	
	Motivation	469
	Presentation by A. Ölander	471
	Chemical kinetics in the past few decades, by C.N. Hinshelwood	474
	Biography C.N. Hinshelwood	485
	Some problems relating to chain reactions and to the theory of combustion, by N.N. Semenov	487
	Biography N.N. Semenov	515
1957	Sir ALEXANDER ROBERTUS TODD	
	Motivation	517
	Presentation by A. Fredga	519
	Synthesis in the study of nucleotides, by A.R. Todd	522
	Biography A.R. Todd	537
1958	FREDERICK SANGER	
	Motivation	539
	Presentation by A. Tiselius	541
	The chemistry of insulin, by F. Sanger	544
	Biography F. Sanger	557
1959	JAROSLAV HEYROVSKÝ	
	Motivation	559
	Presentation by A. Ölander	561
	The trends of polarography, by J. Heyrovský	564
	Biography J. Heyrovský	585
1960	WILLARD FRANK LIBBY	
	Motivation	587
	Presentation by A. Westgren	589
	Radiocarbon dating, by W.F. Libby	593
	Biography W.F. Libby	611

1961	MELVIN CALVIN	
	Motivation	613
	Presentation by K. Myrbäck	615
	The path of carbon in photosynthesis, by M. Calvin	618
	Biography M. Calvin	645
1962	MAX FERDINAND PERUTZ and JOHN COWDERY KENDREW	
	Motivation	647
	Presentation by G. Hägg	649
	X-ray analysis of haemoglobin, by M. F. Perutz	653
	Biography M. F. Perutz	674
	Myoglobin and the structure of proteins, by J. C. Kendrew	676
	Biography J. C. Kendrew	699
	Name Index	701
	Subject Index	711
	Index of Biographies	712

Chemistry 1942

Prize not awarded.

Chemistry 1943

GEORGE DE HEVESY

«for his work on the use of isotopes as tracers in the study of chemical processes»

Chemistry 1943

*In regard to de Hevesy's work, Professor A. Westgren, member of the Nobel Committee for Chemistry of the Royal Swedish Academy of Sciences, made the following statement**

When, in 1913, de Hevesy was working with Rutherford in Manchester, this young scientist had been commissioned to isolate radium D from radioactive lead. His efforts were unsuccessful. It had in fact become apparent that radioactive radium D differed so little from inactive radium G, the last of the series of descendants of radium, that all attempts to isolate them from each other seemed destined to failure. The reason for this was at the same time discovered. Radium D and radium G are isotopes and constitute different species of lead. They differ in their atomic weight whilst their atoms have the same nuclear charge. The shells of their electrons, shells which determine their chemical properties, are therefore more or less identical.

Although unsuccessful, de Hevesy's efforts were not wasted. They gave him the idea for a new method of chemical research.

If it is impossible to isolate chemically a radioactive isotope from an element of which it is part, it must be possible to use this peculiarity to follow in its details the behaviour of this element during chemical reactions and physical processes of different kinds. The active atoms are recognized by their radiation and, being faithful companions of the inactive atoms of an element, they serve as markers for them. Since the intensity of radiation can be determined with such precision that imponderable quantities can be measured in this way, extremely small quantities of a marker of this kind are sufficient.

By using radium D as a marker, de Hevesy determined the solubility of highly insoluble lead compounds. He succeeded in determining exactly the quantity of lead sulphide or of lead chromate taken up under different conditions from solvents of different types. He studied the exchangeability of lead atoms into the dissolved substances and was able to confirm that it corresponded to the behaviour of the lead atoms as ions. The movements of the atoms in solid lead, i.e. the self-diffusion which occurs in this metal, would be determined; it had previously been impossible to measure this process. By

* Talk given on the radio on 10th December, 1944, with amendments and additions

precipitating thorium B, a very active isotope of lead, on the surface of a lead crystal and by following the reduction in radiation intensity brought about by the changes in place of the active atoms with the inactive lead atoms of the lower layer, and hence with the penetrations which took place in the crystal, he was able to measure the energy needed to liberate an atom from the crystallised part of the lead, in other words the dissociation energy of the crystal lattice. This energy was found to be of the same order of magnitude as the heat of vaporisation of lead. This latter research is particularly interesting from the physico-chemical point of view.

The new method has also enabled biological processes to be studied. Beans placed in solutions containing lead salts with a mixture of active lead atoms absorbed a part of these salts but the distribution of the metal was not the same in the root, the stem and the leaves. Most of the lead, which does not favour natural biological development but on the contrary acts as a poison, stays in the root. Relatively more lead was extracted from dilute than from more concentrated solutions. Absorption and elimination of lead, bismuth and thallium salts by animal organisms was studied in this way. A knowledge of the distribution of bismuth compounds introduced into an animal organism is valuable from the medical point of view, since some of these compounds, as we know, are used therapeutically.

So long as natural radioactive elements only were used as markers, use of the new method was inevitably very limited. In fact the method could be applied only in the case of heavy metals—lead, thorium, bismuth and thallium—and their compounds. The situation was to be very different when Frédéric and Irène Joliot-Curie, and Fermi succeeded in producing radioactive isotopes from any element by bombarding it with particles. This discovery was made some ten years ago and the study of chemical processes by means of radioactive markers has since then been carried to such a point that it is now widely used in laboratories throughout the world. De Hevesy has remained the prime mover in this new field of activity and much first-class and important research has been carried out by him and his co-workers.

Exceptionally valuable results have thus been obtained in biology. An isotope of radioactive phosphorus, which can be obtained by exposing sulphur to neutron radiation or ordinary phosphorus to radiation from nuclei of heavy hydrogen, has mostly been used. This radioactive phosphorus is sufficiently long-lasting for tests of this nature. It has a half-life of approximately 14.8 days. De Hevesy produced physiological solutions of sodium phosphate containing this marker and injected them into animals and hu-