

LECTURE NOTES
IN PHYSICS

A. N. Gorban
I. V. Karlin

Invariant Manifolds for Physical and Chemical Kinetics



Springer

0189.3
G661
A.N. Gorban I.V. Karlin

Invariant Manifolds for Physical and Chemical Kinetics



E200501304

 Springer

Authors

Alexander N. Gorban
Multidisciplinary Research Institute 213
Department of Mathematics
University of Leicester
University Road
LE1 7RH Leicester
United Kingdom
ag153@leicester.ac.uk
and
Institute of Computational Modeling
Russian Academy of Sciences
660036 Krasnoyarsk
Russia

Ilya V. Karlin
Institute of Energy Technology
Clausiusstrasse 33
ETH Center CLT A 6
8092 Zürich
Switzerland
karlin@lav.mavt.ethz.ch
and
Institute of Computational Modeling
Russian Academy of Sciences
660036 Krasnoyarsk
Russia

A. N. Gorban, I. V. Karlin, *Invariant Manifolds for Physical and Chemical Kinetics*,
Lect. Notes Phys. **660** (Springer, Berlin Heidelberg 2005), DOI 10.1007/b98103

Library of Congress Control Number: 2004113306

ISSN 0075-8450

ISBN 3-540-22684-2 Springer Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

Springer is a part of Springer Science+Business Media

springeronline.com

© Springer-Verlag Berlin Heidelberg 2005

Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Typesetting: by the authors and TechBooks using a Springer $\text{\LaTeX}$ macro package

Cover design: *design & production*, Heidelberg

Printed on acid-free paper

55/3141/jl - 5 4 3 2 1 0

Lecture Notes in Physics

Editorial Board

R. Beig, Wien, Austria
W. Beiglböck, Heidelberg, Germany
W. Domcke, Garching, Germany
B.-G. Englert, Singapore
U. Frisch, Nice, France
P. Hänggi, Augsburg, Germany
G. Hasinger, Garching, Germany
K. Hepp, Zürich, Switzerland
W. Hillebrandt, Garching, Germany
D. Imboden, Zürich, Switzerland
R. L. Jaffe, Cambridge, MA, USA
R. Lipowsky, Golm, Germany
H. v. Löhneysen, Karlsruhe, Germany
I. Ojima, Kyoto, Japan
D. Sornette, Nice, France, and Los Angeles, CA, USA
S. Theisen, Golm, Germany
W. Weise, Garching, Germany
J. Wess, München, Germany
J. Zittartz, Köln, Germany

The Editorial Policy for Monographs

The series Lecture Notes in Physics reports new developments in physical research and teaching - quickly, informally, and at a high level. The type of material considered for publication includes monographs presenting original research or new angles in a classical field. The timeliness of a manuscript is more important than its form, which may be preliminary or tentative. Manuscripts should be reasonably self-contained. They will often present not only results of the author(s) but also related work by other people and will provide sufficient motivation, examples, and applications.

Acceptance

The manuscripts or a detailed description thereof should be submitted either to one of the series editors or to the managing editor. The proposal is then carefully refereed. A final decision concerning publication can often only be made on the basis of the complete manuscript, but otherwise the editors will try to make a preliminary decision as definite as they can on the basis of the available information.

Contractual Aspects

Authors receive jointly 30 complimentary copies of their book. No royalty is paid on Lecture Notes in Physics volumes. But authors are entitled to purchase directly from Springer other books from Springer (excluding Hager and Landolt-Börnstein) at a $33\frac{1}{3}\%$ discount off the list price. Resale of such copies or of free copies is not permitted. Commitment to publish is made by a letter of interest rather than by signing a formal contract. Springer secures the copyright for each volume.

Manuscript Submission

Manuscripts should be no less than 100 and preferably no more than 400 pages in length. Final manuscripts should be in English. They should include a table of contents and an informative introduction accessible also to readers not particularly familiar with the topic treated. Authors are free to use the material in other publications. However, if extensive use is made elsewhere, the publisher should be informed. As a special service, we offer free of charge $\text{\LaTeX}$ macro packages to format the text according to Springer's quality requirements. We strongly recommend authors to make use of this offer, as the result will be a book of considerably improved technical quality. The books are hardbound, and quality paper appropriate to the needs of the author(s) is used. Publication time is about ten weeks. More than twenty years of experience guarantee authors the best possible service.

LNP Homepage (springerlink.com)

On the LNP homepage you will find:

- The LNP online archive. It contains the full texts (PDF) of all volumes published since 2000. Abstracts, table of contents and prefaces are accessible free of charge to everyone. Information about the availability of printed volumes can be obtained.
- The subscription information. The online archive is free of charge to all subscribers of the printed volumes.
- The editorial contacts, with respect to both scientific and technical matters.
- The author's / editor's instructions.

To our parents

Preface

This book is about model reduction in kinetics. Is this physics or mathematics? There are at least four reasonable answers to this question:

- It is physics, it is not mathematics;
- It is mathematics, it is not physics;
- It is both physics *and* mathematics;
- It is neither physics, nor mathematics, it is something else (but what could that be?).

Of course, it is physics. Model reduction in kinetics requires physical concepts and structures; it is impossible to make an expedient reduction of a kinetic model without thermodynamics, for example. The entropy, the Legendre transformation generated by the entropy, and the Riemann structure defined by the second differential of the entropy provide the elementary geometrical basis for the first approximation. The physical sense of the models gives many hints for their further processing. So, it is not mathematics; we care about the physical sense more than about rigorous proofs. We should deal with equations even in the absence of theorems about existence and uniqueness of solutions. Mathematics assimilates the physical notions with a considerable delay in time, but any such an assimilation leads to further insights.¹

But, without doubt, it is mathematics. The story about invariant manifolds for differential equations began inside mathematics. The first significant steps were taken by two great mathematicians, A.M. Lyapunov and H. Poincaré, at the end of the XIXth century. Then N.M. Krylov and N.N. Bogolyubov, A.N. Kolmogorov, V.I. Arnold and J. Moser, J.E. Marsden, M.I. Vishik, R. Temam, and many other mathematicians developed this field of science, and many elegant theorems and useful methods were created. This is not only pure mathematics, the wide field of applications was developed too, from hydrodynamics to process engineering and control theory and methods. This is *pure and applied dynamics*. The language of model reduction, the basic notions that we use, the theorems and methods, all this either came from

¹ The closest example: after mathematicians discovered how the entropy functional may be important for the theory of the Boltzmann equation, then they proved the existence theorem (P.L. Lions and R. DiPerna, this work was awarded the Fields medal in 1994).

pure and applied dynamics directly, or bears the visible imprint of its ideas and methods. Maybe the book presents a specific chapter on this subject?

But, of course, the problems came from physics, from engineering. Maybe it is both physics *and* mathematics? Or perhaps it is something different, but what can it be? It is not so easy to answer the question, what is the subject of our book, even for the authors. But we can say what we want it to be. We want it to be a special “meeting point” of pure and applied dynamics, of physics, and of engineering sciences. This meeting point has a sufficient number of specific problems, methods and results to deserve a special name. We propose the name *Model Engineering*. As long as it is engineering, it is synthetic subject: if it is possible to prove something exactly, this is great, and we should follow this possibility, but if the physical sense gives us a seminal hint, well, we should use it even if the rigorous foundations are far from complete. *The result is the model that works*. In this enormous field of intellectual activity our book tends to be in the theoretical corner; we focus our study on constructive *methods*, and the examples that fill up more than three-quarters of the book are used for motivation, demonstration and development of the methods.

Which scientific disciplines should meet at the meeting point we build in our book? The last century demonstrated the emergence of two disciplines, of the theory of dynamical systems in mathematics, and of statistical physics. Nonequilibrium statistical physics, in short, is a science about slow-fast motion decomposition. Dynamic theory is about general features of long-time typical behaviour. Our book is about what dynamic theory has to say about nonequilibrium systems. The very brief answer is – it makes the theory of nonequilibrium systems the theory of slow invariant manifolds. But the reverse impact of physics on methods is also significant. Applied mathematics and computational physics create a “second (computational) reality”. This is a beautiful intellectual building, but in each element of this building, at each step of the work, we should take into account the basic physics; the violation of a physical law at one place can destroy an important part of the whole construction.

The presented methods to construct slow invariant manifolds certainly reflect the authors’ preference and their own work. Much effort was spent to coordinate the developed methods with the basic physics at each step.

The book can be used for various purposes:

- As a collection of tools for model reduction in kinetics;
- As a source of mathematical problems;
- As a guide to physical concepts useful for model reduction;
- As a collection of successful examples of model reduction;
- As a source of recent literature on model reduction, invariant manifolds and related topics.

We wrote the book for our colleagues and for our students in order to avoid in the future the usual excessive explanation: to explain the basic notions and

physical sense, to answer the common questions about invariant manifolds and model reduction, about our point of view, about the balance between physics, mathematics (dynamics) and engineering in our work. Now we can simply hand over this book and suggest reading approaches. There are many possible approaches for different purposes. Some of them are presented in the introduction.

As useful background for reading the book, three graduate courses should be mentioned: differential equations and dynamical systems, kinetics and thermodynamics, and elementary functional analysis.

Once upon a time Lev Landau gave the following advice: If the Contents of a book is interesting to you, close the book and try to write it. If it is too difficult a task, then look through the first chapter and try to write it. If it is still too hard, go ahead and try to write a section, a subsection, a paragraph, a formula. We completely agree with this advice with just one addition: please send us your results, because your book will contain another point of view, and will be highly interesting.

Acknowledgements

First of all, we are grateful to our collaborators, S. Ansumali (Zürich), V.I. Bykov (Krasnoyarsk), C. Frouzakis (Zürich), M. Deville (Lausanne), G. Dušek (Ulm), P.A. Gorban (Krasnoyarsk–Omsk–Zürich), P. Ilg (Zürich–Berlin), R.G. Khlebopros (Krasnoyarsk), T.F. Nonnenmacher (Ulm), V.A. Okhonin (Krasnoyarsk–Toronto), H.C. Öttinger (Zürich), A.A. Rossiev (Krasnoyarsk), S. Succi (Rome), L.L. Tatarinova (Krasnoyarsk–Zürich), G.S. Yablonskii (Novosibirsk–Saint-Louis), D.C. Wunsch (Lubbock–Missouri–Rolla), A.Yu. Zinovyev (Krasnoyarsk–Bures-sur-Yvette), and V.B. Zmievskii (Krasnoyarsk–Lausanne–Montreal), for years of collaboration, stimulating discussions and support. We appreciate the comments from T. Kaper (Boston), H. Lam (Princeton), and A. Santos (Badajoz) about various parts of the book. We thank M. Grmela (Montreal) for detailed and encouraging discussions of the geometrical foundations of nonequilibrium thermodynamics. M. Shubin (Moscow–Boston) explained to us some important chapters on the pseudodifferential operators theory. Finally, it is our pleasure to thank Misha Gromov (Bures-sur-Yvette) for encouragement and the spirit of Geometry.

Zürich,
November 2004

Alexander Gorban
Iliya Karlin

Contents

1	Introduction	1
1.1	Ideas and References	1
1.2	Content and Reading Approaches	11
2	The Source of Examples	21
2.1	The Boltzmann Equation	21
2.1.1	The Equation	21
2.1.2	The Basic Properties of the Boltzmann Equation	23
2.1.3	Linearized Collision Integral	25
2.2	Phenomenology and Quasi-Chemical Representation of the Boltzmann Equation	26
2.3	Kinetic Models	27
2.4	Methods of Reduced Description	28
2.4.1	The Hilbert Method	29
2.4.2	The Chapman–Enskog Method	30
2.4.3	The Grad Moment Method	32
2.4.4	Special Approximations	33
2.4.5	The Method of Invariant Manifold	33
2.4.6	Quasiequilibrium Approximations	35
2.5	Discrete Velocity Models	36
2.6	Direct Simulation	36
2.7	Lattice Gas and Lattice Boltzmann Models	37
2.7.1	Discrete Velocity Models for Hydrodynamics	37
2.7.2	Entropic Lattice Boltzmann Method	42
2.7.3	Entropic Lattice BGK Method (ELBGK)	42
2.7.4	Boundary Conditions	46
2.7.5	Numerical Illustrations of the ELBGK	46
2.8	Other Kinetic Equations	46
2.8.1	The Enskog Equation for Hard Spheres	46
2.8.2	The Vlasov Equation	48
2.8.3	The Fokker–Planck Equation	49
2.9	Equations of Chemical Kinetics and Their Reduction	50
2.9.1	Dissipative Reaction Kinetics	50

2.9.2	The Problem of Reduced Description in Chemical Kinetics	55
2.9.3	Partial Equilibrium Approximations	55
2.9.4	Model Equations	57
2.9.5	Quasi-Steady State Approximation	59
2.9.6	Thermodynamic Criteria for the Selection of Important Reactions	61
2.9.7	Opening	62
3	Invariance Equation in Differential Form	65
4	Film Extension of the Dynamics: Slowness as Stability	69
4.1	Equation for the Film Motion	69
4.2	Stability of Analytical Solutions	71
5	Entropy, Quasiequilibrium, and Projectors Field	79
5.1	Moment Parameterization	79
5.2	Entropy and Quasiequilibrium	80
5.3	Thermodynamic Projector without a Priori Parameterization	85
5.4	Uniqueness of Thermodynamic Projector	87
5.4.1	Projection of Linear Vector Field	87
5.4.2	The Uniqueness Theorem	88
5.4.3	Orthogonality of the Thermodynamic Projector and Entropic Gradient Models	90
5.4.4	Violation of the Transversality Condition, Singularity of Thermodynamic Projection, and Steps of Relaxation	92
5.4.5	Thermodynamic Projector, Quasiequilibrium, and Entropy Maximum	93
5.5	Example: Quasiequilibrium Projector and Defect of Invariance for the Local Maxwellians Manifold of the Boltzmann Equation	97
5.5.1	Difficulties of Classical Methods of the Boltzmann Equation Theory	98
5.5.2	Boltzmann Equation	99
5.5.3	Local Manifolds	100
5.5.4	Thermodynamic Quasiequilibrium Projector	101
5.5.5	Defect of Invariance for the LM Manifold	102
5.6	Example: Quasiequilibrium Closure Hierarchies for the Boltzmann Equation	103
5.6.1	Triangle Entropy Method	103
5.6.2	Linear Macroscopic Variables	106

5.6.3	Transport Equations for Scattering Rates in the Neighbourhood of Local Equilibrium. Second and Mixed Hydrodynamic Chains.....	113
5.6.4	Distribution Functions of the Second Quasiequilibrium Approximation for Scattering Rates	116
5.6.5	Closure of the Second and Mixed Hydrodynamic Chains	123
5.6.6	Appendix: Formulas of the Second Quasiequilibrium Approximation of the Second and Mixed Hydrodynamic Chains for Maxwell Molecules and Hard Spheres	126
5.7	Example: Alternative Grad Equations and a “New Determination of Molecular Dimensions” (Revisited)	131
5.7.1	Nonlinear Functionals Instead of Moments in the Closure Problem.....	132
5.7.2	Linearization	133
5.7.3	Truncating the Chain	134
5.7.4	Entropy Maximization	134
5.7.5	A New Determination of Molecular Dimensions (Revisited)	136

6 Newton Method

	with Incomplete Linearization	139
6.1	The Method	139
6.2	Example: Two-Step Catalytic Reaction.....	141
6.3	Example: Non-Perturbative Correction of Local Maxwellian Manifold and Derivation of Nonlinear Hydrodynamics from Boltzmann Equation (1D)	144
6.3.1	Positivity and Normalization.....	144
6.3.2	Galilean Invariance of Invariance Equation.....	145
6.3.3	Equation of the First Iteration	146
6.3.4	Parametrix Expansion	149
6.3.5	Finite-Dimensional Approximations to Integral Equations	154
6.3.6	Hydrodynamic Equations.....	159
6.3.7	Nonlocality	160
6.3.8	Acoustic Spectra	160
6.3.9	Nonlinearity	161
6.4	Example: Non-Perturbative Derivation of Linear Hydrodynamics from the Boltzmann Equation (3D)	163

6.5	Example: Dynamic Correction to Moment Approximations	170
6.5.1	Dynamic Correction or Extension of the List of Variables?	170
6.5.2	Invariance Equation for Thirteen-Moment Parameterization	171
6.5.3	Solution of the Invariance Equation	174
6.5.4	Corrected Thirteen-Moment Equations	175
6.5.5	Discussion: Transport Coefficients, Destroying the Hyperbolicity, etc.	177
7	Quasi-Chemical Representation	179
7.1	Decomposition of Motions, Non-Uniqueness of Selection of Fast Motions, Self-Adjoint Linearization, Onsager Filter, and Quasi-Chemical Representation	179
7.2	Example: Quasi-Chemical Representation and Self-Adjoint Linearization of the Boltzmann Collision Operator	183
8	Hydrodynamics From Grad's Equations: What Can We Learn From Exact Solutions?	189
8.1	The "Ultra-Violet Catastrophe" of the Chapman-Enskog Expansion	189
8.2	The Chapman-Enskog Method for Linearized Grad's Equations	192
8.3	Exact Summation of the Chapman-Enskog Expansion	195
8.3.1	The $1D10M$ Grad Equations	195
8.3.2	The $3D10M$ Grad Equations	202
8.4	The Dynamic Invariance Principle	212
8.4.1	Partial Summation of the Chapman-Enskog Expansion	212
8.4.2	The Dynamic Invariance	215
8.4.3	The Newton Method	217
8.4.4	Invariance Equation for the $1D13M$ Grad System	223
8.4.5	Invariance Equation for the $3D13M$ Grad System	228
8.4.6	Gradient Expansions in Kinetic Theory of Phonons	230
8.4.7	Nonlinear Grad Equations	239
8.5	The Main Lesson	246
9	Relaxation Methods	247
9.1	"Large Stepping" for the Equation of the Film Motion	247
9.2	Example: Relaxation Method for the Fokker-Planck Equation	248

9.2.1	Quasi-Equilibrium Approximations for the Fokker-Planck Equation	248
9.2.2	The Invariance Equation for the Fokker-Planck Equation	251
9.2.3	Diagonal Approximation	252
9.3	Example: Relaxational Trajectories: Global Approximations	254
9.3.1	Initial Layer and Large Stepping	254
9.3.2	Extremal Properties of the Limiting State	256
9.3.3	Approximate Trajectories	259
9.3.4	Relaxation of the Boltzmann Gas	262
9.3.5	Estimations	268
9.3.6	Discussion	276
10	Method of Invariant Grids	279
10.1	Invariant Grids	279
10.2	Grid Construction Strategy	282
10.2.1	Growing Lump	282
10.2.2	Invariant Flag	282
10.2.3	Boundaries Check and the Entropy	283
10.3	Instability of Fine Grids	283
10.4	Which Space is Most Appropriate for the Grid Construction?	284
10.5	Carleman's Formula in the Analytical Invariant Manifolds Approximations. First Benefit of Analyticity: Superresolution	285
10.6	Example: Two-Step Catalytic Reaction	287
10.7	Example: Model Hydrogen Burning Reaction	291
10.8	Invariant Grid as a Tool for Data Visualization	295
11	Method of Natural Projector	299
11.1	Ehrenfests' Coarse-Graining Extended to a Formalism of Nonequilibrium Thermodynamics	299
11.2	Example: From Reversible Dynamics to Navier-Stokes and Post-Navier-Stokes Hydrodynamics by Natural Projector	301
11.2.1	General Construction	303
11.2.2	Enhancement of Quasiequilibrium Approximations for Entropy-Conserving Dynamics	304
11.2.3	Entropy Production	307
11.2.4	Relation to the Work of Lewis	308
11.2.5	Equations of Hydrodynamics	310
11.2.6	Derivation of the Navier-Stokes Equations	310
11.2.7	Post-Navier-Stokes Equations	313

11.3 Example: Natural Projector	
for the Mc Kean Model	316
11.3.1 General Scheme	316
11.3.2 Natural Projector for Linear Systems	318
11.3.3 Explicit Example of the Fluctuation–Dissipation Formula	319
11.3.4 Comparison with the Chapman–Enskog Method and Solution of the Invariance Equation	321
12 Geometry of Irreversibility:	
The Film of Nonequilibrium States	325
12.1 The Thesis About Macroscopically Definable Ensembles and the Hypothesis About Primitive Macroscopically Definable Ensembles	325
12.2 The Problem of Irreversibility	328
12.2.1 The Phenomenon of the Macroscopic Irreversibility ...	328
12.2.2 Phase Volume and Dynamics of Ensembles	329
12.2.3 Macroscopically Definable Ensembles and Quasiequilibria	331
12.2.4 Irreversibility and Initial Conditions	334
12.2.5 Weak and Strong Tendency to Equilibrium, Shaking and Short Memory	335
12.2.6 Subjective Time and Irreversibility	336
12.3 Geometrization of Irreversibility	336
12.3.1 Quasiequilibrium Manifold	336
12.3.2 Quasiequilibrium Approximation	339
12.4 Natural Projector and Models of Nonequilibrium Dynamics	341
12.4.1 Natural Projector	341
12.4.2 One-Dimensional Model of Nonequilibrium States ...	343
12.4.3 Curvature and Entropy Production: Entropic Circle and First Kinetic Equations	346
12.5 The Film of Non-Equilibrium States	348
12.5.1 Equations for the Film	348
12.5.2 Thermodynamic Projector on the Film	349
12.5.3 Fixed Points of the Film Equation	352
12.5.4 The Failure of the Simplest Galerkin-Type Approximations for Conservative Systems	353
12.5.5 Second Order Kepler Models of the Film	355
12.5.6 The Finite Models: Termination at the Horizon Points	356
12.5.7 The Transversal Restart Lemma	359
12.5.8 The Time Replacement, and the Invariance of the Projector	360
12.5.9 Correction to the Infinite Models	360

12.5.10	The Film, and the Macroscopic Equations	361
12.5.11	New in the Separation of the Relaxation Times	363
12.6	The Main Results	364
13	Slow Invariant Manifolds for Open Systems.....	367
13.1	Slow Invariant Manifold for a Closed System Has Been Found. What Next?.....	367
13.2	Slow Dynamics in Open Systems. Zero-Order Approximation and the Thermodynamic Projector	368
13.3	Slow Dynamics in Open Systems. First-Order Approximation	371
13.4	Beyond the First-Order Approximation: Higher-Order Dynamic Corrections, Stability Loss and Invariant Manifold Explosion.....	373
13.5	Example: The Universal Limit in Dynamics of Dilute Polymeric Solutions	375
13.5.1	The Problem of Reduced Description in Polymer Dynamics	377
13.5.2	The Method of Invariant Manifold for Weakly Driven Systems	382
13.5.3	Linear Zero-Order Equations.....	387
13.5.4	Auxiliary Formulas. 1. Approximations to Eigenfunctions of the Fokker–Planck Operator ...	388
13.5.5	Auxiliary Formulas. 2. Integral Relations	390
13.5.6	Microscopic Derivation of Constitutive Equations...	391
13.5.7	Tests on the FENE Dumbbell Model.....	397
13.5.8	The Main Results of this Example are as Follows: ..	401
13.6	Example: Explosion of Invariant Manifold, Limits of Macroscopic Description for Polymer Molecules, Molecular Individualism, and Multimodal Distributions	403
13.6.1	Dumbbell Models and the Problem of the Classical Gaussian Solution Stability	403
13.6.2	Dynamics of the Moments and Explosion of the Gaussian Manifold.....	405
13.6.3	Two-Peak Approximation for Polymer Stretching in Flow and Explosion of the Gaussian Manifold ...	407
13.6.4	Polymodal Polyhedron and Molecular Individualism	411
14	Dimension of Attractors Estimation	419
14.1	Lyapunov Norms, Finite-Dimensional Asymptotics and Volume Contraction	419
14.2	Examples: Lyapunov Norms for Reaction Kinetics	423

14.3	Examples: Infinite-Dimensional Systems With Finite-Dimensional Attractors.....	426
14.4	Systems with Inheritance: Dynamics of Distributions with Conservation of Support, Natural Selection and Finite-Dimensional Asymptotics	432
14.4.1	Introduction: Unusual Conservation Law	432
14.4.2	Optimality Principle for Limit Diversity	436
14.4.3	How Many Points Does the Limit Distribution Support Hold?	438
14.4.4	Selection Efficiency	440
14.4.5	Gromov's Interpretation of Selection Theorems	444
14.4.6	Drift Equations	445
14.4.7	Three Main Types of Stability	449
14.4.8	Main Results About Systems with Inheritance	450
14.5	Example: Cell Division Self-Synchronization	451
15	Accuracy Estimation and Post-Processing in Invariant Manifolds Construction	457
15.1	Formulas for Dynamic and Static Post-Processing	457
15.2	Example: Defect of Invariance Estimation and Switching from the Microscopic Simulations to Macroscopic Equations	460
15.2.1	Invariance Principle and Micro-Macro Computations	460
15.2.2	Application to Dynamics of Dilute Polymer Solution	461
16	Conclusion	467
	References	469
	Mathematical Notation and Some Terminology	491
	Index	493