

FIFTH EDITION



Fluid Mechanics

RAYMOND C. BINDER

RAYMOND C. BINDER

*Professor of Mechanical Engineering
University of Southern California*

Fluid Mechanics

FIFTH EDITION

PRENTICE-HALL, Inc. Englewood Cliffs, N.J.

Library of Congress Cataloging in Publication Data

BINDER, RAYMOND CHARLES.

Fluid mechanics.

Includes bibliographical references.

1.—Fluid mechanics. 2.—Hydraulics.

QA901. B5—1972 532'.5 72—7242

ISBN 0-13-322594-1

© 1973, 1962, 1955, 1949, 1943, by
PRENTICE-HALL, INC.
Englewood Cliffs, N.J.

All rights reserved. No part of this book may
be reproduced in any form, by mimeograph or
any other means, without permission in writing
from the publishers.

10 9 8 7 6 5 4 3 2 1

Printed in the United States of America

PRENTICE-HALL INTERNATIONAL, INC., London
PRENTICE-HALL OF AUSTRALIA, PTY. LTD., Sydney
PRENTICE-HALL OF JAPAN, INC., Tokyo
PRENTICE-HALL OF CANADA, LTD., Toronto
PRENTICE-HALL OF INDIA PRIVATE LTD., New Delhi

Fluid Mechanics

Preface

Fluid mechanics is that study of fluid motion involving a rational method of approach based on general physical laws and consistent with the results of modern experimental study. The word *fluid* implies a treatment of both liquids and gases. Fluid mechanics uses the same principles employed in the mechanics of solids. The modern trend is to avoid a collection of specialized empirical data of limited applicability; the trend is to develop general relations, and to organize experimental observations in a form suitable for use over a wide range of conditions.

There is real economy and value in studying at one time the same principles underlying the flow of different fluids. Such a study tends to develop a sound background and to make one versatile in approaching problems new to him. Studying fluid mechanics is analogous to studying applied mechanics and thermodynamics as a broad, unified preparation for subsequent specialized courses.

The aim of this book is to present an introduction to the fundamentals of fluid mechanics. The wisdom of concentrating on all the minute details of all existing applications is open to some question, in view of the time usually available in a course and the possible development of new and unexpected applications.

A serious attempt has been made to provide a balanced treatment in a logical fashion, and to keep physical concepts and basic quantitative relations in the foreground. Physical concepts are stressed with the hope that once the student has a good physical picture he can proceed of his own accord, with interest, in understanding and analyzing flow phenomena.

Experience has shown that problem work on the part of the student is

very helpful, if not necessary, to give him a working knowledge of the subject. Problem work offers the student a definite test and challenge to supplement his reading.

This book is divided into two parts:

Part I—*Basic Relations*

Part II—*Selected Topics in Fluid Mechanics*

Part I presents an introduction to various fundamental physical relations and also provides tools which can be used to answer directly many practical problems. Part II gives information about different cases of flow and shows how the various basic relations can be applied. With Part I as a background, each chapter in Part II is essentially self-contained. This arrangement provides flexibility in arranging a course. Various chapters in Part II can be taken in a different sequence without difficulty.

It is not possible to give adequate, explicit credit to all those individuals and organizations who have directly and indirectly given aid in the preparation of this book. The writer, however, is deeply grateful to all of them for help, and wishes to acknowledge it as best he can. Many fellow workers, in industrial and research work, have made suggestions particularly as to material content. Various instructors and students in different schools have offered suggestions as to method of presentation. Dr. Theodore von Kármán and Dean Andrey A. Potter, each in his own particular way, has provided wise counsel and an outstanding stimulus. Dr. George V. Chillingar has made specific suggestions as to subject matter and arrangement of topics.

RAYMOND C. BINDER

Los Angeles, California

Contents

Preface

PART I BASIC RELATIONS

- | | |
|---|-----------|
| 1. Introduction—Some Fluid Properties | 3 |
| 1-1. Fluids. 1-2. Pressure. 1-3. Force and mass. 1-4. Density and specific weight. 1-5. Density of liquids. 1-6. Equation of state for gases. 1-7. Definition of viscosity. 1-8. Units of dynamic viscosity. 1-9. Kinematic viscosity. 1-10. Numerical values of viscosity. 1-11. The viscosity of an ideal gas. 1-12. Fluids and other substances. 1-13. Some conversion factors. | |
| 2. Fluid Statics | 11 |
| 2-1. Pressure in a fluid. 2-2. Static fluid in a gravitational field. 2-3. Pressure-height relation for incompressible fluids. 2-4. Manometers. 2-5. Bourdon gages. 2-6. Total force on plane submerged surfaces. 2-7. Location of total force on a plane submerged area. 2-8. Forces on irregular surfaces. 2-9. Buoyancy and static stability. 2-10. Pressure-height relations for compressible fluids. 2-11. Atmosphere. 2-12. Convective stability of masses in fluids. | |

3. Kinematic, Dynamic and Energy Equations 44
- 3-1. Methods of describing motion. 3-2. One-dimensional method of flow analysis. 3-3. Equation of continuity-steady flow. 3-4. Equation of continuity-unsteady flow. 3-5. Velocity distribution. 3-6. Laws of motion. 3-7. Euler's equation for a frictionless fluid. 3-8. Some illustrations. 3-9. Dynamic equation with friction. 3-10. Linear momentum relation for steady flow. 3-11. Some illustrations. 3-12. D'Alembert's principle. 3-13. Flow in a curved path. 3-14. Action between runner and fluid. 3-15. Some terms. 3-16. Energy equation for steady flow. 3-17. Work done against friction. 3-18. Adiabatic process. 3-19. Values of internal energy and enthalpy.

PART II SELECTED TOPICS IN FLUID MECHANICS

4. Dimensional Analysis and Dynamic Similarity 87
- Dimensional Analysis:* 4-1. Dimensions. 4-2. Equations and concept of function. 4-3. Dimensionless groups. 4-4. Illustrations. *Dynamic Similarity:* 4-5. Mechanically similar flows. 4-6. Reynolds number. 4-7. Froude number. 4-8. Surface tension. 4-9. Other numbers.

5. Steady Motion of Viscous Fluids 105

FLOW OF INCOMPRESSIBLE FLUIDS IN PIPES

5-1. Laminar and turbulent flow. 5-2. Critical Reynolds numbers. 5-3. Energy relations for pipe flow. 5-4. Smooth and rough pipes. 5-5. Friction losses in circular pipes. 5-6. Hagen-Poiseuille law for laminar flow in circular pipes. 5-7. Velocity distributions in circular pipes. 5-8. Friction losses in noncircular pipes. 5-9. Losses due to a sudden enlargement. 5-10. Efficiency of diffusers. 5-11. Losses in fittings and valves. 5-12. Direct computation of pipe-line flow. 5-13. Parallel pipes.

FORCES ON IMMERSED BODIES

5-14. Deformation resistance at very low Reynolds numbers. 5-15. Fluid resistance at high Reynolds numbers. 5-16. Drag coefficients. 5-17. Drag of sphere, disk, and bodies of revolution. 5-18. Drag of cylinder, flat plate, and streamlined sections. 5-19. Drag of smooth flat plate-skin friction. 5-20. Resistance of ships. 5-21. Direct determination of the velocity of a body. 5-22. Development of lift. 5-23. Lift coefficient.

BOUNDARY LAYER FLOW

5-24. Boundary layer. 5-25. Separation. 5-26. Transition between laminar and turbulent flow. 5-27. Instability of laminar boundary layer. 5-28. Mechanism of turbulent flow. 5-29. Types of flow. 5-30. Momentum study of boundary layer. 5-31. Some velocity distributions for two-dimensional flow. 5-32. Logarithmic velocity distribution.

6. Gas Dynamics, Compressible Flow in Channels 168

6-1. Some relations for gases. 6-2. Bulk modulus. 6-3. Energy equation in convenient form. 6-4. Velocity of pressure propagation. 6-5. Dynamic similarity for compressible flow—Mach number. 6-6. Pressure at a stagnation point. 6-7. Relation between area and velocity. 6-8. Flow between converging-diverging streamlines with no friction. 6-9. Flow between converging-diverging streamlines with energy loss. 6-10. Normal compression shock. 6-11. Entropy study of normal compression shock. 6-12. Normal and oblique shocks. 6-13. Particle action at subsonic and supersonic velocities. 6-14. Optical studies of compressibility effects. 6-15. Velocity and temperature measurements. 6-16. Effect of compressibility on lift and drag forces. 6-17. Analogy between open-channel flow and flow of compressible fluid. 6-18. Types of flow around a body. 6-19. Flow of vapors.

**COMPRESSIBLE FLOW IN CHANNELS
WITH FRICTION AND HEAT TRANSFER**

6-20. General relations for pipe flow. 6-21. Isothermal flow in pipes with friction. 6-22. Flow of gases in insulated pipes. 6-23. Supersonic diffusers. 6-24. General case of compressible flow in a variable area channel with heat transfer and friction.

7. Flow Measurement 228

7-1. Pitot tubes. 7-2. Venturi meter. 7-3. Flow nozzles. 7-4. Jet flow. 7-5. Orifice meter. 7-6. Weir. 7-7. Anemometers. 7-8. Some volumetric meters. 7-9. Salt-velocity method of measuring discharge. 7-10. Pipe elbow as a flow meter. 7-11. Rotameter. 7-12. Capillary-tube viscometer. 7-13. Other types of viscometers. 7-14. Meters for measuring mass rate of flow. 7-15. Compressible flow through fluid meters.

8. Fluid Machinery	254
8-1. Terminology. 8-2. Types of machines. 8-3. Reciprocating pumps and fluid motors. 8-4. Some other positive-displacement machines. 8-5. Performance characteristics of positive-displacement pumps and fluid motors. 8-6. Dynamic machines. 8-7. Performance terms for dynamic machines. 8-8. Basic equations for dynamic machines. 8-9. Performance characteristics of dynamic machines. 8-10. Combination of dynamic machine and system. 8-11. Similarity relations. 8-12. Specific speed. 8-13. Cavitation. 8-14. Net positive suction head. 8-15. Types of turbines. 8-16. Impulse turbines. 8-17. Reaction turbines. 8-18. Turbine runners. 8-19. Some performance features of water turbines. 8-20. Power plants. 8-21. Fluid couplings. 8-22. Fluid torque converters. 8-23. Combination of fluid coupling and torque converter. 8-24. General relations. 8-25. Special relations for fluid couplings. 8-26. Maximum propulsive efficiency. 8-27. Propeller characteristics. 8-28. Turbojet engine. 8-29. Rocket engines. 8-30. Motion of craft through a fluid-force study. 8-31. Motion of craft through a fluid-power study.	
9. Unsteady Flow-Galloping, Water Hammer	306
9-1. The galloping system. 9-2. General Analytical relations. 9-3. Equations of motion. 9-4. Conditions for galloping. 9-5. Experimental observations. 9-6. Water hammer. 9-7. Velocity of pressure wave. 9-8. Rapid or sudden valve closure. 9-9. Slow valve closure. 9-10. Graphical method of solution.	
10. Flow of Liquids in Open Channels	324
10-1. Definitions. 10-2. Energy relation for steady, uniform flow. 10-3. Friction relation for steady, uniform flow. 10-4. Velocity distribution in open channels. 10-5. Specific energy. 10-6. Nonuniform flow in channels of constant shape. 10-7. Hydraulic jump. 10-8. Flow over a fall. 10-9. Supercritical, critical, and subcritical flows. 10-10. Laminar flow with a free surface.	

11. General Analytical Relations for Frictionless and Viscous Flow	344
11-1. Velocity and acceleration. 11-2. Continuity equation in three dimensions. 11-3. Dynamic equation for a frictionless fluid. 11-4. Simple case of viscous flow. 11-5. Stress components for the general case. 11-6. Deformation rate components for the general case. 11-7. General relation between stress and deformation rates. 11-8. Dynamic equation with viscous forces. 11-9. Vector analysis in flow studies. 11-10. Scalar and vector products. 11-11. Vector calculus. 11-12. Examples of flow using vector analysis.	
12. Steady Two-Dimensional Incompressible Flow	364
12-1. Source and sink flow. 12-2. Vector addition of rectilinear, source, and sink flows. 12-3. Types of motion. 12-4. Velocity potential and stream function. 12-5. Velocity potential for source and sink. 12-6. Stream function for source and sink. 12-8. Doublet. 12-9. Combination of rectilinear flow and doublet. 12-10. Pressure distribution around a circular cylinder. 12-11. Line integral and circulation. 12-12. Flow around a cylinder with a free vortex. 12-13. Vortex and source. 12-14. Properties of velocity and stream functions.	
Selected References	386
Answers	388
Index	397

PART I

Basic Relations

In approaching a problem we must establish what factors are known or given, and what factor we wish to determine. Then there is this question: What fundamental relations, equations, or tools are available for solving our problem?

There are certain relations that must hold in any case of flow. For example, we should be able to account for all material, all energy and work. In any flow case there is a definite relation between force, mass and acceleration.

This book is divided into two main parts. Part I discusses the tools or basic relations. Chapter One defines some terms. Chapter Two covers fluids at rest. Chapter Three deals with the geometry of motion, a material accounting, a relation between force, mass and acceleration, and an energy accounting. Chapter Four outlines techniques for organizing experimental data.

Part II, starting with Chapter Five, serves several purposes. It gives information about different cases of flow. It also shows how basic relations are applied. With Part I as a background, each chapter in Part II is essentially self-contained. Various chapters in Part II can be studied in a different sequence without any difficulty.

CHAPTER ONE

Introduction—Some Fluid Properties

It may be permitted to doubt whether the public at large has any adequately realizing sense of the part which fluid mechanics plays, not only in our daily lives, but throughout the entire domain of Nature. Matter as we know it is either solid or fluid. . . .

Thus the flow of rivers and streams in their boundaries, . . . the circulation of the blood in our arteries and veins . . . the flight of the insect, the bird and the airplane; the movement of a ship in the water or of a fish in the depths, . . . these are all, in major degree, varied expressions of the laws of fluid mechanics . . . everywhere we find fluids and solids in reactive contact, usually in relative motion, and everywhere in this domain, the laws of fluid mechanics must control.

—W. F. DURAND,¹

This chapter defines some terms and discusses units; these terms and units will be used in subsequent parts of the book.

Mechanics is a science concerned with the motion of bodies and the conditions governing such motion. The subject of mechanics is frequently divided into two general sections, one *kinematics* and the other *dynamics*. Kinematics deals with the geometry of motion without consideration of the forces causing that motion; kinematics is concerned with a description of *how* bodies move. Dynamics, on the other hand, is concerned with the action of forces on bodies.

1-1. Fluids

The term “fluid” can be characterized in different ways, as by molecular spacing and activity. In a fluid the spacing between molecules is greater than that in a solid. In a fluid the range of motion of the molecules is greater than that in a solid. For example, if a solid such as iron is heated sufficiently, the

¹ “The Outlook in Fluid Mechanics,” *Journal of the Franklin Institute*, vol. 228, No. 2, August, 1939, page 183.

molecules become more violently agitated and less closely bound together, and the molten or fluid state finally results.

A more precise and useful definition of the word “fluid” can be formed on the basis of action under stress. A *fluid* is a substance which when in static equilibrium cannot sustain tangential or shear forces. A fluid yields continuously to tangential forces, no matter how small they are. This property of action under stress distinguishes between the two states of matter, the solid and the fluid. Imagine two plates of metal joined by a solid rivet, as shown in Fig. 1-1. The two parallel pulls tend to slide one plate with



Fig. 1-1. Plates joined by a rivet.

respect to the other; a shearing tendency is developed. For small pulls, the solid rivet sustains shear forces in static equilibrium. If a fluid, such as oil, water, or air, were subjected to a shear action, there would be continuous relative motion, even for small forces.

Fluids are commonly divided into two subclasses: liquids and gases. A liquid occupies a definite volume, independent of the dimensions of the vessel in which it is contained. A liquid can have a free surface, like the surface of a lake. A gas, on the other hand, tends to expand to fill any container in which it is placed. In a gas the spacing between molecules is greater than that in a liquid. Sometimes a distinction is drawn between gases and vapors. A vapor, such as steam or ammonia, differs from a gas by being readily condensable to a liquid.

Gases are frequently regarded as compressible, liquids as incompressible. Strictly speaking, all fluids are compressible to some extent. Although air is usually treated as a compressible fluid, there are some cases of flow in which the pressure and density changes are so small that the air may be assumed to be incompressible. Illustrations are the flow of air in ventilating systems and the flow of air around aircraft and other craft at low speeds. Liquids, like oil and water, may be considered as incompressible in many cases; in other cases, the compressibility of such liquids is important. For instance, common experience shows that sound or pressure waves travel through water and other liquids; such pressure waves depend upon the compressibility or elasticity of the liquid.

Fluids will be discussed as continuous media. Actually, liquids and gases consist of molecules and atoms; fluid properties and phenomena are intimately related to molecular behavior. In many engineering problems, however, the mean free path of the molecule is small in comparison with the distances involved, and the flow phenomena can be studied by reference to bulk properties, without a detailed consideration of the behavior of the molecules.

1-2. Pressure

Shear force, tensile force, and compressive force are the three kinds of force which may act on any body. Fluids move continuously under the action of shear or tangential forces. It is well established that fluids are capable of withstanding a compressive stress, which is usually called pressure.

The term "pressure" will be used to denote a *force per unit area*. Probably a more descriptive label would be "pressure-intensity," but the briefer term "pressure" will be employed. Sometimes the term "pressure" is used in the sense of a total force, but this practice in fluid mechanics is apt to be confusing, and will not be followed in this book.

Atmospheric pressure is the force exerted on a unit area due to the weight of the atmosphere. Many pressure-measuring instruments indicate relative or *gauge* pressure. Gauge pressure is the difference between the pressure of the fluid measured and atmospheric pressure. *Absolute* pressure is the sum of gauge pressure plus atmospheric pressure. The word "vacuum" is frequently used in referring to pressures below atmospheric.

Example. Assume that the atmospheric pressure is 14.7 pounds per square inch. A pressure of 5 pounds per square inch gauge would mean an absolute pressure of $14.7 + 5$ or 19.7 pounds per square inch. A vacuum of 4 pounds per square inch would mean an absolute pressure of $14.7 - 4$ or 10.7 pounds per square inch.

Note in the foregoing example that the *pound* is used as a unit of force. When using the American system, the *pound* will be taken *only* as a unit of *force*.

1-3. Force and mass

A quantity which has both magnitude and direction is called a *vector* quantity. A quantity which has magnitude only is called a *scalar* quantity. The linear *displacement* of a moving point, or a very small particle, is its change of position. Displacement is a directed distance or a vector quantity; displacement has both magnitude and direction. The linear *velocity* of a moving particle is defined as the time rate at which the particle is changing position, or the rate of displacement with respect to time. Velocity is a vector quantity with both magnitude and direction; the magnitude of velocity is frequently called *speed*. Linear *acceleration* is defined as the rate of change of linear velocity with respect to time; acceleration also is a vector quantity.

If the linear velocity of a moving particle changes, some force is causing that change. For example, imagine a particle or body moving in a certain direction along a straight line. If the magnitude of the velocity is increasing in the direction of motion, the body is accelerating, and a force is acting in the direction of acceleration to cause the velocity change. A particle may be moving in a curved path, with constant speed or constant magnitude of velocity. There is an acceleration, however, because the velocity direction is changing, and a force must be acting on the particle to change the velocity direction. A basic relation in both solid-body and fluid mechanics is the dynamic equation

Force equals mass times acceleration

Note that mass is a scalar quantity; it has magnitude only. The foregoing is a vector equation, with the vector force in the same direction as the vector acceleration.

A consistent set of units, following modern practice, will be employed in order to avoid confusion. When using the American system, the *pound* will be taken as a unit of force and the *slug* as a unit of mass. As an example, one pound is the force acting on a mass of one slug which will accelerate the body by one foot per second each second. Inertia or sluggishness is a mass tendency to resist any force causing acceleration. The word “slug” was probably prompted by the word “sluggishness.”

In the CGS (centimeter-gram-second) system the dyne is a force acting on a mass of one gram which will accelerate it one centimeter per second per second. In the MKS (meter-kilogram-second) system the force of one newton acting on a mass of one kilogram accelerates it one meter per second per second.

1–4. Density and specific weight

Each body in the universe exerts a force of gravitational attraction on every other body. The earth attracts a body on its surface, the earth attracts the moon, and the sun attracts the earth and other planets of the solar system. The force of gravitational attraction which the earth exerts on body is called the *weight* of the body. Weight is *not* the same as mass. A body of mass m is attracted by the earth with a force of magnitude mg , where g is the gravitational acceleration. The weight of a given mass changes as the gravitational acceleration changes.

Density ρ (Greek letter rho) is defined as *mass per unit volume*. For example, water, at a certain temperature and pressure, has a density ρ of 1.94 slugs per cubic foot. For standard sea-level air, at 59 degrees Fahrenheit and 14.7 pounds per square inch absolute, the density ρ is 0.002378 slug per cubic foot.