



Sustainable Food Processing

Edited by Brijesh K. Tiwari, Tomas Norton and Nicholas M. Holden



WILEY Blackwell

Sustainable Food Processing

Edited by

Brijesh K. Tiwari

*Department of Food Biosciences,
Teagasc Food Research Centre, Dublin, Ireland*

Tomas Norton

*Department of Engineering, Harper Adams University,
Shropshire, UK*

Nicholas M. Holden

*School of Biosystems Engineering, Agriculture and Food Science Centre,
University College Dublin, Belfield, Dublin, Ireland*



WILEY Blackwell

This edition first published 2014 © 2014 by John Wiley & Sons, Ltd

Registered office: John Wiley & Sons, Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

Editorial offices: 9600 Garsington Road, Oxford, OX4 2DQ, UK
The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK
111 River Street, Hoboken, NJ 07030-5774, USA

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com/wiley-blackwell.

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book.

Limit of Liability/Disclaimer of Warranty: While the publisher and author(s) have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. It is sold on the understanding that the publisher is not engaged in rendering professional services and neither the publisher nor the author shall be liable for damages arising herefrom. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloging-in-Publication Data

Sustainable food processing / edited by Brijesh K. Tiwari, Tomas Norton, and Nicholas M. Holden.

pages cm

Includes index.

ISBN 978-0-470-67223-5 (cloth)

1. Food industry and trade. 2. Processed foods. 3. Food industry and trade--Environmental aspects. 4. Sustainable agriculture. I. Tiwari, Brijesh K. II. Norton, Tomas. III. Holden, Nicholas M. TP370.5.S935 2013
664--dc23

2013018939

A catalogue record for this book is available from the British Library.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Cover image: Egg Factory: Istock © Choja

Agricultural Storage: Istock © YinYang

Sorting Potatoes: Istock © bluebird13

Cover design by Meaden Creative

Set in 10.5/12.5pt Times Ten Roman by Thomson Digital, Noida

Printed and bound in Singapore by Markono Print Media Pte Ltd

Sustainable Food Processing

List of Contributors

Belarmino Adenso-Díaz, Escuela Politécnica de Ingenieros, Universidad de Oviedo, Gijon, Spain

Encarna Aguayo, Postharvest and Refrigeration Group, Department of Food Engineering, Universidad Politécnica de Cartagena, Murcia, Spain; Institute of Plant Biotechnology, Universidad Politécnica de Cartagena, Murcia, Spain

Imran Ahmad, Food Engineering and Bioprocess Technology, Asian Institute of Technology, Bangkok, Thailand

Jasim Ahmed, Food & Nutrition Program, Kuwait Institute for Scientific Research, Kuwait

Tanweer Alam, Indian Institute of Packaging, Delhi, India

Anil Kumar Anal, Food Engineering and Bioprocess Technology, Asian Institute of Technology, Bangkok, Thailand

Dr. Daniel M. Anang, Department of Food and Consumer Technology, Manchester Metropolitan University, Manchester, UK

Francisco Artés, Postharvest and Refrigeration Group, Department of Food Engineering, Universidad Politécnica de Cartagena, Murcia, Spain

Francisco Artés-Hernández, Postharvest and Refrigeration Group, Department of Food Engineering, Universidad Politécnica de Cartagena, Murcia, Spain

Francis Butler, UCD School of Biosystems Engineering, College of Engineering and Architecture, University College Dublin, Belfield, Dublin, Ireland

David Coley, Department of Architecture and Civil Engineering, University of Bath, UK

Gerard Corkery, UCD School of Biosystems Engineering, College of Engineering and Architecture, University College Dublin, Belfield, Dublin, Ireland

Enda Cummins, School of Biosystems Engineering, Agriculture and Food Science Centre, University College Dublin, Belfield, Dublin, Ireland

Shantanu Das, Riddet Institute, Massey University, Palmerston North, New Zealand

Anant Dave, Riddet Institute, Massey University, Palmerston North, New Zealand

Lakshmi Dave, Riddet Institute, Massey University, Palmerston North, New Zealand

Colm D. Everard, School of Biosystems Engineering, University College Dublin, Dublin, Ireland

Colette C. Fagan, Department of Food and Nutritional Sciences, University of Reading, Whiteknights, Reading, UK

Dr Tim Finnigan, Technical Director, Quorn Foods Ltd, Stokesley, North Yorkshire, UK

Perla A. Gómez, Postharvest and Refrigeration Group, Department of Food Engineering, Universidad Politécnica de Cartagena, Murcia, Spain

Nicholas M. Holden, School of Biosystems Engineering, Agriculture and Food Science Centre, University College Dublin, Belfield, Dublin, Ireland

Mark Howard, Centre for Rural Policy Research, Department of Politics, University of Exeter, Exeter, UK

Christian James, Food Refrigeration & Process Engineering Research Centre (FRPERC), The Grimsby Institute (GIFHE), Grimsby, North East Lincolnshire, UK

Stephen J. James, Food Refrigeration & Process Engineering Research Centre (FRPERC), The Grimsby Institute (GIFHE), Grimsby, North East Lincolnshire, UK

Magalie Laniel, Department of Electrical Engineering, University of South Florida, Tampa, Florida, USA

Dr Kritika Mahadevan, Department of Food and Consumer Technology, Hollings Faculty, Manchester Metropolitan University, Manchester, UK

Dr Wayne Martindale, Corporate Social Responsibility Group, Sheffield Business School, Sheffield Hallam University, Sheffield, UK

Ultan McCarthy, Department of Electrical Engineering, University of South Florida, Tampa, Florida, USA

Kevin P. McDonnell, UCD School of Agriculture, University College Dublin, Belfield, Dublin, Ireland

Carlos Mena, Cranfield School of Management, Cranfield, Bedford, UK

N. N. Misra, School of Food Science and Environmental Health, Dublin Institute of Technology, Dublin, Ireland

Kasiviswanathan Muthukumarappan, Department of Agricultural and Biosystems Engineering, South Dakota State University, Brookings, South Dakota, USA

Nobutaka Nakamura, Distribution Engineering Laboratory, National Food Research Institute, Tsukuba, Ibaraki, Japan

Louise Needham, Quorn Foods Ltd, Stokesley, North Yorkshire, UK

Athapol Noomhorm, Food Engineering and Bioprocess Technology, Asian Institute of Technology, Bangkok, Thailand

Tomas Norton, Department of Engineering, Harper Adams University, Shropshire, UK

Dr Hülya Ölmez, TÜBİTAK Marmara Research Center, Food Institute, Kocaeli, Turkey

Takahiro Orikasa, Miyagi University, Sendai, Miyagi, Japan

Graham Purnell, Food Refrigeration & Process Engineering Research Centre (FRPERC), The Grimsby Institute (GIFHE), Grimsby, North East Lincolnshire, UK

Poritosh Roy, School of Engineering, University of Guelph, Guelph, Ontario, Canada

Anwasha Sarkar, Riddet Institute, Massey University, Palmerston North, New Zealand

Takeo Shiina, Distribution Engineering Laboratory, National Food Research Institute, Tsukuba, Ibaraki, Japan

Dr Anne Sibbel, Science, Engineering and Technology Portfolio, RMIT University, Melbourne, Australia

Jiraporn Sripinyowanich, Food Engineering and Bioprocess Technology, Asian Institute of Technology, Bangkok, Thailand

Brijesh K. Tiwari, Department of Food Biosciences, Teagasc Food Research Centre, Dublin, Ireland

Uma Tiwari, School of Biosystems Engineering, Agriculture and Food Science Centre, University College Dublin, Belfield, Dublin, Ireland

Alejandro Tomás-Callejas, Postharvest and Refrigeration Group, Department of Food Engineering, Universidad Politécnica de Cartagena, Murcia, Spain

Ismail Uysal, Department of Electrical Engineering, University of South Florida, Tampa, Florida, USA

Lijun Wang, Biological Engineering Program, North Carolina Agricultural and Technical State University, Greensboro, North Carolina, USA

Shane Ward, UCD School of Biosystems Engineering, College of Engineering and Architecture, University College Dublin, Belfield, Dublin, Ireland

Michael Winter, Centre for Rural Policy Research, Department of Politics, University of Exeter, Exeter, UK

Ming-Jia Yan, School of Biosystems Engineering, Agriculture and Food Science Centre, University College Dublin, Belfield, Dublin, Ireland

List of Figures

- Figure 3.1 Relationship between relative LCI and loss in food supply (Shiina, 1998) (The relative LCI = $(x_1 + x_2)/x_3$; where x_1 is production LCI, x_2 is post-harvest LCI and x_3 is production LCI without loss, if $x_2 = x_3/\text{loss}$ in decimal).
- Figure 3.2 Trend of food supply from different sources in different regions.
- Figure 3.3 Trend of energy intake from different food source in Japan (*includes potatoes, legumes, seeds and nuts).
- Figure 3.4 Trend of protein intake from different food source in Japan (*includes potatoes, legumes, seeds and nuts).
- Figure 3.5 Food supply and intake in Japan.
- Figure 3.6 Food supply in different countries and in the world.
- Figure 3.7 Relationship between GDP and food supply in Japan and USA.
- Figure 4.1 An example of a generic cradle-to-grave/cradle LCA system.
- Figure 4.2 Schematic of the system included in the Environmental Product Declaration for liquid milk.
- Figure 4.3 Schematic representation of a typical design process.
- Figure 4.4 Schematic representation of attributional LCA (left) and consequential LCA (right).
- Figure 4.5 Schematic representation of the general requirements for defining the system boundary, processes stages and flows for LCA following ISO standards.
- Figure 4.6 Schematic illustration of allocation (top) vs. system expansion with avoided burden (bottom).
- Figure 4.7 Schematic of broad general processes for LCI.
- Figure 4.8 Schematic of processes closely related to mechanism for LCI.
- Figure 4.9 Material balance for processes.
- Figure 4.10 The link between emissions, midpoint impacts and endpoint impacts.
- Figure 4.11 Schematic representation of the food chain and the place of processing within it.
- Figure 5.1 Schematic of the European Union (EU) Environmental Impact Assessment (EIA) process.
- Figure 6.1 Components of risk analysis.
- Figure 6.2 Qualitative risk matrix.

- Figure 6.3 Schematic representation of the possible entry route for chemical hazards (dioxins, PCBs and PCDDs) in human food.
- Figure 6.4 Steps in risk management.
- Figure 6.5 Risk analysis for sustainability in the food chain.
- Figure 7.1 Schematic diagram showing milk processing, from the farm until the product reaches the consumer.
- Figure 7.2 Flow chart of dairy processing operations.
- Figure 7.3 Flow chart of the operations in the manufacture of fluid milk.
- Figure 7.4 Flow chart of the operations in the manufacture of cream and butter.
- Figure 8.1 Meat processing and associated operations and greenhouse gases emissions.
- Figure 8.2 Flow diagrams of livestock slaughter and waste generation.
- Figure 8.3 Flow diagram of poultry slaughter and waste generation.
- Figure 10.1 Usual steps and unit operations for processing and commercialization of fresh-cut plant produce.
- Figure 10.2 Estimation of V_{\max} values of in vitro PPO activity as a function of initial O₂ concentration, using chlorogenic acid as substrate (bars indicate 95% confidence limits).
- Figure 11.1 Rice processing and its co-products.
- Figure 12.1 Process Flow chart of Instant Coffee Production.
- Figure 12.2 Traditional Brewing Process.
- Figure 12.3 Operations and resources involved in the production of beer.
- Figure 12.4 Value added brewery process.
- Figure 12.5 Water network, heating and cooling system in a typical brewery. Steam is used for mashing and boiling; part of the waste vapour produced during boiling is utilized for wort preheating, while the unused waste vapour is ejected to the atmosphere. Within the packaging area, the steam is used by a Clean-in-Place (CIP) system for the sterilization of filling lines and for pasteurization. Cooling is needed for the preparation of clarified wort for fermentation (chilled water), and during fermentation and maturation.
- Figure 14.1 The four levels and principles of sustainable packaging.
- Figure 14.2 Life Cycle Assessment (LCA) flow diagram for fruit juice packed in polylactide based nanopackaging.
- Figure 14.3 Schematic illustration of the food supply.
- Figure 15.1 Sinner's circle illustrating the energy required to remove soil from a surface with contribution from time, temperature (temp.), detergent (chem.), and mechanical force (mech.).
- Figure 15.2 Results from cleaning of a T-piece that was carried out during the PathogenCombat project (PathogenCombat, 2010). Modelling results of predicted wall shear stress are shown in the top left and right corners with the experimental evidence in the figure below. In this experiment the orange agar depicts uncleaned zones whereas the purple agar represents the clean areas.

-
- Figure 16.1 Delivered energy consumption by the type of fuels in the food manufacturing industry in the United State in 2002.
- Figure 16.2 Energy consumption by the end users.
- Figure 16.3 Schematic diagram of a liquid-liquid heat pump system for pasteurization of milk.
- Figure 17.1 Global water resources.
- Figure 17.2 The dependence of sectoral breakdown of annual freshwater withdrawals to income levels based on the values for the year 2009.
- Figure 17.3 Water fluxes within boundaries of the food and beverage industry.
- Figure 17.4 Determination of the historical technological change in water intensity of the manufacturing of food products, beverages and tobacco, considering two time periods (1953–1983 and 1983–1998).
- Figure 17.5 Scheme for establishing a HACCP plan for reconditioning of process water to be reused in the food industry.
- Figure 17.6 A zero liquid discharge scheme.
- Figure 17.7 Water utilization systems in process plants.
- Figure 17.8 Three-step procedures for SWE minimization.
- Figure 17.9 Types of batch water using processes: (a) truly batch, (b) semi-continuous.
- Figure 18.1 Tonnes of total food waste generation in manufacturing, household and catering in EU27 during 2006.
- Figure 18.2 Per capita tonnes of total food waste generation in EU27 during 2006.
- Figure 18.3 The food supply chain.
- Figure 18.4 Food processing unit operations and associated waste.
- Figure 18.5 The waste hierarchy.
- Figure 18.6 Waste ranges for different products.
- Figure 19.1 Energy consumption of refrigeration systems of transport vehicles.
- Figure 19.2 Energy used in refrigeration systems in catering establishment pre and post refit.
- Figure 19.3 Energy used prior to and after installation of fibre optic lighting on retail display.
- Figure 19.4 Energy consumed by different types of CSCs in different types of catering establishments.
- Figure 19.5 Electrical energy consumption per week in 2009.
- Figure 20.1 Main sources of fossil fuel related carbon emissions and flow of product for the large-scale system. Only those with double borders are considered and used to form Md.
- Figure 20.2 Main sources of fossil fuel related carbon emissions and flow of product for the small-scale system. Only those with double borders are considered and used to form Md.
- Figure 20.3 CO₂ emissions generated by different modes of freight transport.
- Figure 20.4 Mode and location for UK food transport.
- Figure 20.5 A selection (for clarity) of source and mode-weighted emissions (gCO₂/kg imported) estimated for a single farm in each of the 26 countries studied. (Note although the locations are identified by country, they are specific to the farm and supplier used by the retailer in each country and

- they should not necessarily be seen as representative of the whole country.)
- Figure 20.6 Scatter plot of distance vs. CO₂ emissions for international sourcing routes (and all 55 farms in the study), note the low R² value, indicating a poor correlation.
- Figure 20.7 Scatter plot of distance vs. CO₂ separated into routes relying predominantly on road transport and those relying predominantly on sea.
- Figure 20.8 Visual representation of the CO₂ emissions associated with the import of fresh produce into the UK, some source countries have been separated into regions to represent different locations within the country itself.
- Figure 21.1 Illustration of biometric traceability systems for animals and poultry: a) facial recognition of sheep, b) muzzle identification of cattle, c) retina identification of sheep and d) comb identification of poultry.
- Figure 22.1 Four dimensions of food security.
- Figure 22.2 Barriers to sustainable food consumption.
- Figure 22.3 Per capita food losses and waste, at consumption and pre-consumption stages, in different regions (FAO, 2011).

List of Tables

- Table 2.1 Trends in production for selected agricultural products obtained from FAOSTAT (2011) data that provide key ingredients in the food production system
- Table 4.1 Summary of example environmental assessment tools that can be used for the food chain indicating the focus, scale at which it can be deployed and overlap with economic analysis
- Table 4.2 Examples of LCA databases (open access and commercial) that can be used to build LCI data tables for specific LCA projects
- Table 4.3 Examples of LCIA methodologies that can be used for LCA projects
- Table 4.4 Guiding principles of the Food SCP Round Table
- Table 6.1 Main principles of food safety risk management
- Table 8.1 *Per capita* meat consumption (Kg per person) in selected countries
- Table 8.2 Meat production and the meat trade (import and export) of selected countries
- Table 8.3 Characteristics of wastewater generated from livestock and poultry slaughter
- Table 8.4 Positive and negative nutrition and health aspects of consumption of processed meat
- Table 8.5 Water usage and wastewater generation from the production of salami and sausages
- Table 9.1 Energy performance of industrial fisheries
- Table 9.2 Energy required to manufacture ice kWh/tonne
- Table 9.3 Relative contribution (%) of ice production to AP, ADP, EP, GWP, OLP, METP in relation to the catching of Atlantic mackerel
- Table 11.1 Approximated composition of paddy and its milling fractions at the moisture content of 14%w.b
- Table 11.2 Vitamin and mineral contents of paddy and its milling fractions at the moisture content of 14%w.b
- Table 11.3 Effects of the proposed techniques on insect mortality, milled rice quality and the storability of packaged rice
- Table 12.1 Cellular wall constituents and structural polysaccharides (%) in coffee pulp

Table 12.2	Amino acid content of coffee pulp protein compared to other important protein sources
Table 12.3	Composition (%) of mucilage
Table 14.1	The principle and levels of sustainable package
Table 14.2	General strategies and key performance indicators for the design, procurement or evaluation of sustainable packaging
Table 14.3	Life cycle environmental impact indicators reported in PIQET
Table 14.4	The environmental impact from food, F, and environmental impact from packaging, T, and the ratio F/T
Table 16.1	Energy use and indicator in different food manufacturing sectors in the United States in 2006
Table 16.2	Energy use for production of different food products in the Netherlands in 2001
Table 16.3	Potential energy savings in British industry
Table 16.4	Summary of some energy savings identified in a Nestle factory
Table 17.1	Water quantity and quality as a function of use by food and beverage industry
Table 17.2	Industry shares of emissions of organic pollutants measured in terms of BOD (% of total) in 2007
Table 17.3	Overview of representative unit processes and operations used in water reclamation
Table 17.4	Wastewater disinfection technologies
Table 17.5	Water consumption and wastewater generation rates in food industry
Table 17.6	Examples of water conservation and effluent minimization practices for food processing industries
Table 17.7	Advantages and limitations of disinfection methods proposed for fresh-cut organic vegetables
Table 17.8	Drivers, barriers, challenges and solutions to implementation of water reuse in the food industry
Table 18.1	Classification of food waste based on Lebersorger and Schneider (2011) and WRAP (2011)
Table 18.2	Retail formats and causes of waste
Table 18.3	Main causes of wastage
Table 18.4	Summary of causes and main links of the food supply chain affected
Table 18.5	Retailer's waste hierarchy for product disposal
Table 19.1	Refrigeration requirements and losses due to lack of refrigeration
Table 19.2	Transport emissions estimated for transporting food from its source to UK stores and on to consumers homes
Table 19.3	Energy consumed by each cold store
Table 19.4	Best estimate of the top ten food refrigeration processes ranked in terms of their potential for total energy saving (basis of estimations provided on www.grimsby.ac.uk/documents/defra/ursr-top10users.pdf)
Table 19.5	Specific energy required (MJ/t) to chill, freeze and process (cutting and deboning) meat
Table 19.6	Characteristics and applications of new/alternative refrigeration technologies
Table 19.7	Refrigeration loads (kW) in factory

Table 20.1	The negative externalities of UK agriculture (year 2000). For comparison the UK's GDP in 2005 was around £1.2T
Table 20.2	National Travel Survey data about personal travel for shopping in the UK, 1998–2000
Table 20.3	Carbon emissions from the large-scale box system
Table 20.4	Sources of Embedded Energy in Box System
Table 20.5	Emission factors used in the study
Table 22.1	Undernourishment in the developing regions 1990–92 to 2010–12
Table 22.2	Global and regional per capita food consumption (kcal per capita per day)
Table 22.3	Rating system developed by Marine Conservation Society as advice for choosing the most environmentally sustainable fish
Table 22.4	Summary of impacts of framework guidelines for 'sustainable' and healthy diets

Contents

List of Contributors	vii
List of Figures	xi
List of Tables	xv
1 Introduction	1
<i>Brijesh K. Tiwari, Tomas Norton and Nicholas M. Holden</i>	
Section 1: Principles and Assessment	9
2 Current Concepts and Applied Research in Sustainable Food Processing	11
<i>Wayne Martindale, Tim Finnigan and Louise Needham</i>	
3 Environmental Sustainability in Food Processing	39
<i>Poritosh Roy, Takahiro Orikasa, Nobutaka Nakamura and Takeo Shiina</i>	
4 Life Cycle Assessment and Sustainable Food Processing	63
<i>Nicholas M. Holden and Ming-Jia Yan</i>	
5 Environmental Impact Assessment (EIA)	93
<i>Colm D. Everard, Colette C. Fagan and Kevin P. McDonnell</i>	
6 Risk Analysis for a Sustainable Food Chain	103
<i>Uma Tiwari and Enda Cummins</i>	
Section 2: Food Processing Applications	125
7 Dairy Processing	127
<i>Anwasha Sarkar, Lakshmi Dave, Anant Dave and Shantanu Das</i>	
8 Meat Processing	169
<i>Daniel M. Anang</i>	
9 Seafood Processing	195
<i>Christian James, Graham Purnell and Stephen J. James</i>	

10	Sustainable Processing of Fresh-Cut Fruit and Vegetables <i>Francisco Artés-Hernández, Perla A. Gómez, Encarna Aguayo, Alejandro Tomás-Callejas and Francisco Artés</i>	219
11	Sustainable Food Grain Processing <i>Anil Kumar Anal, Imran Ahmad, Jiraporn Sripinyowanich and Athapol Noomhorm</i>	269
12	Sustainable Brewing <i>Kasiviswanathan Muthukumarappan and N. N. Misra</i>	295
13	Sustainable Processed Food <i>Anne Sibbel</i>	313
Section 3: Food Manufacturing Operations		337
14	Concept of Sustainable Packaging System and Its Development <i>Jasim Ahmed and Tanweer Alam</i>	339
15	Sustainable Cleaning and Sanitation in the Food Industry <i>Tomas Norton and Brijesh K. Tiwari</i>	363
16	Energy Consumption and Reduction Strategies in Food Processing <i>Lijun Wang</i>	377
17	Water Consumption, Reuse and Reduction Strategies in Food Processing <i>Hülya Ölmez</i>	401
18	Food Industry Waste Management <i>Belarmino Adenso-Díaz and Carlos Mena</i>	435
19	Sustainable Cold Chain <i>Stephen J. James and Christian James</i>	463
Section 4: Food Distribution and Consumption		497
20	National and International Food Distribution: Do Food Miles Really Matter? <i>David Coley, Michael Winter and Mark Howard</i>	499
21	Sustainable Global Food Supply Networks <i>Ultan McCarthy, Ismail Uysal, Magalie Laniel, Gerard Corkery, Francis Butler, Kevin P. McDonnell and Shane Ward</i>	521
22	Sustainable Food Consumption <i>Kritika Mahadevan</i>	539
Index		557