


OXFORD

Physical Chemistry

Quanta, Matter, and Change

Second Edition



Peter Atkins | Julio de Paula | Ronald Friedman

PHYSICAL CHEMISTRY

Quanta, Matter, and Change

Second edition

Peter Atkins

Fellow of Lincoln College, Oxford

Julio de Paula

Professor of Chemistry

Lewis & Clark College, Portland, Oregon

Ronald Friedman

Professor and Chair of Chemistry,

Indiana University–Purdue University Fort Wayne,

Fort Wayne, Indiana



OXFORD
UNIVERSITY PRESS

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford, OX2 6DP,
United Kingdom

Oxford University Press is a department of the University of Oxford.
It furthers the University's objective of excellence in research, scholarship,
and education by publishing worldwide. Oxford is a registered trade mark of
Oxford University Press in the UK and in certain other countries

© Peter Atkins, Julio de Paula, and Ronald Friedman 2014

The moral rights of the authors have been asserted

First Edition copyright 2009

Impression: 1

All rights reserved. No part of this publication may be reproduced, stored in
a retrieval system, or transmitted, in any form or by any means, without the
prior permission in writing of Oxford University Press, or as expressly permitted
by law, by licence or under terms agreed with the appropriate reprographics
rights organization. Enquiries concerning reproduction outside the scope of the
above should be sent to the Rights Department, Oxford University Press, at the
address above

You must not circulate this work in any other form
and you must impose this same condition on any acquirer

British Library Cataloguing in Publication Data
Data available

Library of Congress Cataloguing in Publication Data
Data available

ISBN 978-0-19-960981-9

Printed and bound in China by C&C Offset Printing Co. Ltd

QR Code images are used throughout this book. QR Code is a registered trademark of
DENSO WAVE INCORPORATED. If your mobile device does not have a
QR Code reader try this website for advice www.mobile-barcodes.com/qr-code-software.

Links to third party websites are provided by Oxford in good faith and
for information only. Oxford disclaims any responsibility for the materials
contained in any third party website referenced in this work.

FUNDAMENTAL CONSTANTS

Constant	Symbol		Value	
			Power of 10	Units
Speed of light	c	2.997 924 58*	10^8	m s^{-1}
Elementary charge	e	1.602 176 565	10^{-19}	C
Planck's constant	h	6.626 069 57	10^{-34}	J s
	$\hbar = h/2\pi$	1.054 571 726	10^{-34}	J s
Boltzmann's constant	k	1.380 6488	10^{-23}	J K^{-1}
Avogadro's constant	N_A	6.022 141 29	10^{23}	mol^{-1}
Gas constant	$R = N_A k$	8.314 4621		$\text{J K}^{-1} \text{mol}^{-1}$
Faraday's constant	$F = N_A e$	9.648 533 65	10^4	C mol^{-1}
Mass				
electron	m_e	9.109 382 91	10^{-31}	kg
proton	m_p	1.672 621 777	10^{-27}	kg
neutron	m_n	1.674 927 351	10^{-27}	kg
atomic mass constant	m_u	1.660 538 921	10^{-27}	kg
Vacuum permeability	μ_0	$4\pi^*$	10^{-7}	$\text{J s}^2 \text{C}^{-2} \text{m}^{-1}$
Vacuum permittivity	$\epsilon_0 = 1/\mu_0 c^2$	8.854 187 817	10^{-12}	$\text{J}^{-1} \text{C}^2 \text{m}^{-1}$
	$4\pi\epsilon_0$	1.112 650 056	10^{-10}	$\text{J}^{-1} \text{C}^2 \text{m}^{-1}$
Bohr magneton	$\mu_B = e\hbar/2m_e$	9.274 009 68	10^{-24}	J T^{-1}
Nuclear magneton	$\mu_N = e\hbar/2m_p$	5.050 783 53	10^{-27}	J T^{-1}
Proton magnetic moment	μ_p	1.410 606 743	10^{-26}	J T^{-1}
g-Value of electron	g_e	2.002 319 304		
Magnetogyric ratio				
electron	$\gamma_e = -g_e e/2m_e$	-1.001 159 652	10^{10}	C kg^{-1}
proton	$\gamma_p = 2\mu_p/\hbar$	2.675 222 004	10^8	C kg^{-1}
Bohr radius	$a_0 = 4\pi\epsilon_0 \hbar^2 / e^2 m_e$	5.291 772 109	10^{-11}	m
Rydberg constant	$\tilde{R}_\infty = m_e e^4 / 8h^3 c \epsilon_0^2$	1.097 373 157	10^5	cm^{-1}
	$hc\tilde{R}_\infty / e$	13.605 692 53		eV
Fine-structure constant	$\alpha = \mu_0 e^2 c / 2h$	7.297 352 5698	10^{-3}	
	α^{-1}	1.370 359 990 74	10^2	
Second radiation constant	$c_2 = hc/k$	1.438 777 0	10^{-2}	m K
Stefan-Boltzmann constant	$\sigma = 2\pi^5 k^4 / 15h^3 c^2$	5.670 373	10^{-8}	$\text{W m}^{-2} \text{K}^{-4}$
Standard acceleration of free fall	g	9.806 65*		m s^{-2}
Gravitational constant	G	6.673 84	10^{-11}	$\text{N m}^2 \text{kg}^{-2}$

* Exact value. For current values of the constants, see the National Institute of Standards and Technology (NIST) website.

Useful relations

At 298.15 K

RT	2.4790 kJ mol ⁻¹	RT/F	25.693 mV
$RT \ln 10/F$	59.160 mV	kT/hc	207.225 cm ⁻¹
kT/e	25.693 meV	V_m^\ominus	2.4790 × 10 ⁻² m ³ mol ⁻¹ 24.790 dm ³ mol ⁻¹

Selected units*

1 N	1 kg m s ⁻²	1 J	1 kg m ² s ⁻²
1 Pa	1 kg m ⁻¹ s ⁻²	1 W	1 J s ⁻¹
1 V	1 J C ⁻¹	1 A	1 C s ⁻¹
1 T	1 kg s ⁻² A ⁻¹	1 P	10 ⁻¹ kg m ⁻¹ s ⁻¹
1 S	1 Ω ⁻¹ = 1 A V ⁻¹		

* For multiples (milli, mega, etc.), see the *Resource section*

Conversion factors

$$\theta/^{\circ}\text{C} = T/\text{K} - 273.15^*$$

1 eV	1.602 177 × 10 ⁻¹⁹ J	1 cal	4.184* J
	96.485 kJ mol ⁻¹		
	8065.5 cm ⁻¹		
1 atm	101.325* kPa	1 cm ⁻¹	1.9864 × 10 ⁻²³ J
	760* Torr		
1 D	3.335 64 × 10 ⁻³⁰ C m	1 Å	10 ⁻¹⁰ m*

* Exact value

Mathematical relations

$$\pi = 3.141\,592\,653\,59 \dots$$

$$e = 2.718\,281\,828\,46 \dots$$

Logarithms and exponentials

$$\ln x + \ln y + \dots = \ln xy \dots$$

$$a \ln x = \ln x^a$$

$$e^x e^y e^z \dots = e^{x+y+z+\dots}$$

$$(e^x)^a = e^{ax}$$

$$\ln x - \ln y = \ln(x/y)$$

$$\ln x = (\ln 10)$$

$$\log x = (2.302\,585 \dots) \log x$$

$$e^x/e^y = e^{x-y}$$

$$e^{\pm ix} = \cos x \pm i \sin x$$

Series expansions

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \dots$$

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \dots \quad \ln x = (x-1) - \frac{(x-1)^2}{2} + \frac{(x-1)^3}{3} - \dots$$

$$\frac{1}{1+x} = 1 - x + x^2 - \dots$$

$$\frac{1}{1-x} = 1 + x + x^2 + \dots$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \dots$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \dots$$

Derivatives; for Integrals, see the Resource section

$$d(f+g) = df + dg \quad d(fg) = f dg + g df$$

$$d \frac{f}{g} = \frac{1}{g} df - \frac{f}{g^2} dg \quad \frac{df}{dt} = \frac{df}{dg} \frac{dg}{dt} \text{ for } f = f(g(t))$$

$$\left(\frac{\partial y}{\partial x} \right)_z = 1 / \left(\frac{\partial x}{\partial y} \right)_z \quad \left(\frac{\partial y}{\partial x} \right)_z \left(\frac{\partial x}{\partial z} \right)_y \left(\frac{\partial z}{\partial y} \right)_x = -1$$

$$\frac{dx^n}{dx} = nx^{n-1} \quad \frac{d e^{ax}}{dx} = a e^{ax} \quad \frac{d \ln(ax)}{dx} = \frac{1}{x}$$

$$df = g(x, y)dx + h(x, y)dy \text{ is exact if } \left(\frac{\partial g}{\partial y} \right)_x = \left(\frac{\partial h}{\partial x} \right)_y$$

Greek alphabet*

A, α alpha	I, ι iota	P, ρ rho
B, β beta	K, κ kappa	Σ, σ sigma
Γ, γ gamma	Λ, λ lambda	T, τ tau
Δ, δ delta	M, μ mu	Υ, υ upsilon
E, ε epsilon	N, ν nu	Φ, φ phi
Z, ζ zeta	Ξ, ξ xi	X, χ chi
H, η eta	O, ο omicron	Ψ, ψ psi
Θ, θ theta	Π, π pi	Ω, ω omega

* Oblique versions (α, β, ...) are used to denote physical observables.

ABOUT THE BOOK

This new edition follows the approach of the first edition in so far as it puts quantum theory in the forefront of the development, but we have transformed the presentation. Instead of the chapters of conventional texts, we have presented the material as a series of short *Topics* arranged into thematic groups we call *Foci*. Our aim is to present reader and instructor with maximum flexibility. Although we had in mind a particular sequence when writing the book, we acknowledge that instructors might have different ideas. The division into many Topics will allow the instructor to tailor the text within the time constraints of the course as omissions will be much easier to make. The student should also find the Topics easier to assimilate and review. No longer is it necessary to take a linear path through chapters. Instead, students and instructors can match the choice of Topics to their learning objectives. Indeed, we have carefully avoided language that suggests the Topics have been read in the order they appear in the book.

We did consider avoiding any implication of structure, but came to the view that because the Topics do fall into thematic groups it would be sensible to acknowledge that fact. Moreover, we wanted the student, if not the instructor, to appreciate the intellectual coherence of the subject and to understand the context of each Topic. Each Focus therefore begins with a brief discussion of how its Topics cover a shared theme and how that theme links to others in the book. This contextual relationship is also captured by the 'Road Map' that lies at the head of each Focus. These maps also indicate not only how the Topics relate to each other but how certain Topics can be discarded and how each one draws on and feeds into other Focus groups. We wanted to convey the intellectual structure of the subject without imposing our will on its order of presentation.

We have focused on helping students master this sometimes daunting material. Thus, each Topic opens with three questions a student typically asks: 'Why do you need to know this

material?', 'What is the key idea?', and 'What do you need to know already?'. The answers to the third question point to other Topics that we consider appropriate to have studied or at least to refer to as background to the current Topic.

This edition has more *Examples*, which require readers to collect and organize their thoughts about how to proceed, and more *Brief illustrations*, which show how to use an equation in a straightforward way. Both have *Self-tests* to enable the reader to assess their grasp of the material. In response to requests from students and reviewers, we have added more steps to many of the derivations of equations and solutions of Examples and have added hints about how to go from one expression to the next. Furthermore, we bring to this edition a new feature: *The chemist's toolkit*, which offers quick and immediate help on a concept from mathematics or physics. The *Mathematical background* sections provide more support and appear where we judge they are most needed. We have structured the end-of-Focus *Discussion questions*, *Exercises*, and *Problems* to match the grouping of the Topics, but have added Topic- and Focus-crossing *Integrated activities* to emphasize that no Topic is an island. We have added new material throughout the text and have incorporated as Topics sections that were previously 'Further information' sections.

Teaching and learning are being transformed by technology, and this edition of the text incorporates several web-based resources that enhance learning: they are identified in the *How to use this book* section that follows this preface.

We hope that you will enjoy using this text as much as we have enjoyed writing it. As ever, we hope that you will contact us with your suggestions for its continued improvement.

PWA
JdeP
RSF

USING THE BOOK


For the second edition of *Physical Chemistry: Quanta, Matter, and Change* we have tailored the text even more closely to meet the needs of students. First, it has been radically re-organized to improve its accessibility, clarity, and flexibility. Second, in addition to the variety of learning features already

present in the first edition, we have significantly enhanced the mathematics support by adding new Chemist's toolkit boxes, equation annotations and labels, and checklists of key equations at the end of each Topic.

Organizing the information

► Innovative new structure

Instead of being organized into chapters, the material is presented as 97 short Topics grouped into 20 Focus sections. The 'Roadmaps' at the beginning of each Focus group show you the connections between the different Topics. Then each Topic opens with a comment on why it is important, a statement of the key idea, and a short summary of the background needed.



► Notes on good practice

Our Notes on good practice will help you avoid making common mistakes. They encourage conformity to the international language of science by setting out the language and procedures adopted by the International Union of Pure and Applied Chemistry (IUPAC).

A note on good practice Be careful to distinguish atomic or molecular mass (the mass of a single atom or molecule; units kg) from molar mass (the mass per mole of atoms or molecules; units kg mol⁻¹). Relative molecular masses of atoms and molecules, $M_r = m/m_u$, where m is the mass of the atom or molecule and m_u is the atomic mass constant (see inside front cover), are still widely called 'atomic weights' and 'molecular weights' even though they are dimensionless quantities and not weights (the gravitational force exerted on an object).

► Resource section

The comprehensive Resource section at the end of the book contains a table of integrals, operators, quantum numbers, and data, a summary of conventions about units, and character tables. Short extracts of these tables often appear in the Topics themselves principally to give an idea of the typical values of the physical quantities we are introducing.

PART 1 Common integrals

Algebraic functions

A.1 $\int x^n dx = \frac{x^{n+1}}{n+1} + \text{constant}, n \neq -1$

A.2 $\int \frac{1}{x} dx = \ln x + \text{constant}$

Exponential functions

E.1 $\int x^n e^{ax} dx = \frac{x^n}{a} - \frac{n}{a^2} \int x^{n-1} e^{ax} dx, n = 0, 1, 2, \dots$

E.2 $\int \frac{x^n e^{ax}}{(x^2 - b^2)^2} dx = \frac{x^n}{2b^2} + \frac{n}{2b^2} \int \frac{x^{n-2} e^{ax}}{(x^2 - b^2)^2} dx$

Gaussian functions

G.1 $\int_{-\infty}^{\infty} e^{-ax^2} dx = \sqrt{\frac{\pi}{a}}$

G.2 $\int_{-\infty}^{\infty} x e^{-ax^2} dx = 0$

G.3 $\int_{-\infty}^{\infty} x^2 e^{-ax^2} dx = \frac{\sqrt{\pi}}{2a^{3/2}}$

G.4 $\int_{-\infty}^{\infty} x^4 e^{-ax^2} dx = \frac{3\sqrt{\pi}}{8a^{5/2}}$

T.2 $\int \sin^2 ax dx = \frac{x}{2} - \frac{\sin 2ax}{4a} + \text{constant}$

T.3 $\int \sin^3 ax dx = -\frac{\cos ax}{a} + \frac{\sin ax \cos^2 ax}{3a} + \text{constant}$

T.4 $\int \sin^4 ax dx = \frac{3x}{8} - \frac{\sin 2ax}{4a} + \frac{\sin^2 2ax}{32a} + \text{constant}$

T.5 $\int \sin ax \sin bx dx = \frac{\sin(a-b)x}{2(a-b)} - \frac{\sin(a+b)x}{2(a+b)} + \text{constant}, a^2 \neq b^2$

T.6 $\int \sin ax \cos bx dx = \frac{\cos(a-b)x}{2(a-b)} - \frac{\cos(a+b)x}{2(a+b)} + \text{constant}, a^2 \neq b^2$

T.7 $\int \sin ax \sin bx dx = \frac{\cos(a-b)x}{2(a-b)} - \frac{\cos(a+b)x}{2(a+b)} + \text{constant}, a^2 \neq b^2$

T.8 $\int \sin ax \cos bx dx = \frac{\cos(a-b)x}{2(a-b)} - \frac{\cos(a+b)x}{2(a+b)} + \text{constant}, a^2 \neq b^2$

T.9 $\int x \sin ax \sin bx dx = -\frac{x}{a} \sin bx \cos ax + \frac{b}{a^2} \sin bx \cos ax$

► Checklist of concepts

A checklist of key concepts is provided at the end of each Topic, so that you can tick off those concepts which you feel you have mastered.

Checklist of concepts

1. In the nuclear model of an atom negatively charged electrons occupy atomic orbitals which are arranged in shells around a positively charged nucleus.
2. The periodic table highlights similarities in electronic configurations of atoms, which in turn lead to similarities in their physical and chemical properties.
3. Covalent compounds consist of discrete molecules in which atoms are linked by covalent bonds.
4. Ionic compounds consist of cations and anions in a crystalline array.
5. Lewis structures are useful models of the pattern of bonding in molecules.
6. The valence-shell electron pair repulsion theory (VSEPR theory) is used to predict the three-dimensional shapes of molecules from their Lewis structures.
7. The electrons in polar covalent bonds are shared unequally between the bonded nuclei.
8. The physical states of bulk matter are solid, liquid, or gas.
9. The state of a sample of bulk matter is defined by specifying its properties, such as mass, volume, amount, pressure, and temperature.
10. The perfect gas equation is a relation between the pressure, volume, amount, and temperature of an idealized gas.
11. A limiting law is a law that becomes increasingly valid in a particular limit.

Presenting the mathematics

► Justifications

Mathematical development is an intrinsic part of physical chemistry, and to achieve full understanding you need to see how a particular expression is obtained and if any assumptions have been made. The Justifications are set off from the text to let you adjust the level of detail that you require to your current needs and make it easier to review material.

Justification 6.1 The hermiticity of the linear momentum operator

Our task is to show that

$$\int_{-\infty}^{\infty} f^* \hat{p} g dx = \left\{ \int_{-\infty}^{\infty} g^* \hat{p} f dx \right\}^*$$

with \hat{p} given in eqn 6.4b. To do so, we use 'integration by parts', the relation

$$\int u \frac{dv}{dx} dx = uv - \int v \frac{du}{dx} dx$$

with $u = f^*$ and $v = g$. In the present case we write

► Chemist's toolkits

New to this edition, the Chemist's toolkits are succinct reminders of the mathematical concepts and techniques that you will need in order to understand a particular derivation being described in the main text.

The chemist's toolkit 10.1 Hyperbolic functions


The hyperbolic cosine (cosh) and hyperbolic sine (sinh) functions are defined as

$$\cosh x = (e^x + e^{-x})/2 \quad \sinh x = (e^x - e^{-x})/2$$

These functions, which are illustrated in Sketch 10.1 and available in most mathematical software packages, are related by

$$\cosh^2 x - \sinh^2 x = 1$$

At $x = 0$, $\cosh x = 1$ and $\sinh x = 0$. The cosh function is even, $\cosh(-x) = \cosh x$, whereas the sinh function is odd, $\sinh(-x) = -\sinh x$. In the limits of $x \rightarrow \pm\infty$,



► Mathematical backgrounds

There are eight Mathematical background sections dispersed throughout the text. They cover in detail the main mathematical concepts that you need to understand in order to be able to master physical chemistry. Each one is located at the end of the Focus where it is first needed.

Mathematical background 1 Differentiation and integration

Two of the most important mathematical techniques in the physical sciences are differentiation and integration. They occur throughout the subject, and it is essential to be aware of the procedures involved.

MB1.1 Differentiation: definitions

Differentiation is concerned with the slopes of functions, such as the rate of change of a variable with time. The formal definition of the derivative, df/dx , of a function $f(x)$ is

$$\frac{df}{dx} = \lim_{\delta x \rightarrow 0} \frac{f(x + \delta x) - f(x)}{\delta x} \quad \text{Definition First derivative (MB1.1)}$$

As shown in Fig. MB1.1, the derivative can be interpreted as the slope of the tangent to the graph of $f(x)$. A positive first derivative indicates that the function slopes upwards (as x increases), and a negative first derivative indicates the opposite. It is sometimes convenient to denote the first derivative as $f'(x)$. The second derivative, d^2f/dx^2 , of a function is the derivative of the first derivative (here denoted f'):

$$\frac{d^2f}{dx^2} = \lim_{\delta x \rightarrow 0} \frac{f'(x + \delta x) - f'(x)}{\delta x} \quad \text{Definition Second derivative (MB1.2)}$$

It is sometimes convenient to denote the second derivative f'' . As shown in Fig. MB1.1, the second derivative of a function can be interpreted as an indication of the sharpness of

the curvature¹ of the function. A positive second derivative indicates that the function is \cup shaped, and a negative second derivative indicates that it is \cap shaped.

The derivatives of some common functions are as follows:

$$\frac{d}{dx} x^n = nx^{n-1} \quad (\text{MB1.3a})$$

$$\frac{d}{dx} e^x = e^x \quad (\text{MB1.3b})$$

$$\frac{d}{dx} \sin x = \cos x \quad \frac{d}{dx} \cos x = -\sin x \quad (\text{MB1.3c})$$

$$\frac{d}{dx} \ln ax = \frac{1}{x} \quad (\text{MB1.3d})$$

When a function depends on more than one variable, we need the concept of a **partial derivative**, $\partial/\partial x$. Note the change from d to ∂ : partial derivatives are dealt with at length in *Mathematical background 8*; all we need know at this stage is that they signify that all variables other than the stated variable are regarded as constant when evaluating the derivative.

Brief illustration MB1.1 Partial derivatives

Suppose we are told that f is a function of two variables, and specifically $f = 4x^2y^3$. Then, to evaluate the partial derivative of f with respect to x , we regard y as a constant (just like the 4), and obtain

$$\frac{\partial f}{\partial x} = \frac{\partial}{\partial x} (4x^2y^3) = 4y^3 \frac{\partial}{\partial x} x^2 = 8xy^3$$

► Annotated equations and equation labels

We have annotated many equations to help you follow how they are developed. An annotation can take you across the equals sign: it is a reminder of the substitution used, an approximation made, the terms that have been assumed constant, the integral used, and so on. An annotation can also be a reminder of the significance of an individual term in an expression. We sometimes colour a collection of numbers or symbols to show how they carry from one line to the next. Many of the equations are labelled to highlight their significance.

$$\int_{-\infty}^{\infty} (\psi')^* \psi' dx = 1 \quad (5.1)$$

A wavefunction that satisfies condition (5.1) is said to be **normalized** (strictly, normalized to 1). In terms of the original wavefunction this equation becomes

$$N^2 \int_{-\infty}^{\infty} \psi^* \psi dx = 1$$

It follows that the **normalization constant** N is given by

$$N = \frac{1}{\left(\int_{-\infty}^{\infty} \psi^* \psi dx \right)^{1/2}} \quad \text{Definition Normalization constant} \quad (5.2)$$

Almost all wavefunctions go to zero at sufficiently great distances so there is rarely any difficulty with the evaluation of the integral in eqn 5.2. Wavefunctions for which the integral exists (in the sense of having a finite value) are said to be 'square-integrable'.

From now on, unless we state otherwise, we always use wavefunctions that have been normalized to 1. That is, from now on we assume that ψ already includes a factor which ensures that (in one dimension)

$$\int_{-\infty}^{\infty} \psi^* \psi dx = 1 \quad \text{One dimension Normalization condition} \quad (5.3a)$$

In three dimensions, the wavefunction is normalized if

$$\int_{-\infty}^{\infty} \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} \psi^* \psi dx dy dz = 1 \quad \text{Three dimensions Normalization condition} \quad (5.3b)$$

► Checklists of equations

You don't have to memorize every equation in the text. A checklist at the end of each Topic summarizes the most important equations and the conditions under which they apply.

Checklist of equations

Property	Equation	Comment	Equation number
Velocity	$v = dr/dt$	Definition	2.1
Linear momentum	$p = mv$	Definition	2.2
Angular momentum	$L = I\omega$, $L = mrv$	Point particle	2.3–4
Force	$F = ma = dp/dt$	Definition	2.5
Torque	$T = dE/d\theta$	Definition	2.6
Work	$dw = -F \cdot ds$	Definition	2.7
Kinetic energy	$E_k = \frac{1}{2}mv^2$	Definition	2.8
Potential energy	$F_k = -dV/dx$	One dimension	2.10
Coulomb potential energy	$V(r) = Q_1 Q_2 / (4\pi\epsilon_0 r)$	Vacuum	2.14
Coulomb potential	$\phi = Q_2 / (4\pi\epsilon_0 r)$	Vacuum	2.16
Electric field strength	$E = -d\phi/dx$	One dimension	2.18
Electrical power	$P = I\Delta\phi$		2.19


Setting up and solving problems

► Brief illustrations

A Brief illustration shows you how to use equations or concepts that have just been introduced in the text. They will help you to learn how to use data, manipulate units correctly, and become familiar with the magnitudes of properties. They are all accompanied by a Self-test which you can use to monitor your progress.

Brief Illustration 1.1 Octet expansion

Octet expansion is also encountered in species that do not necessarily require it, but which, if it is permitted, may acquire a lower energy. Thus, of the structures (1a) and (1b) of the SO_4^{2-} ion, the second has a lower energy than the first. The actual structure of the ion is a resonance hybrid of both structures (together with analogous structures with double bonds in different locations), but the latter structure makes the dominant contribution.



► Worked examples

Worked examples are more detailed illustrations of the application of the material, which require you to assemble and develop concepts and equations. We provide a suggested method for solving the problem and then implement it to reach the answer. Worked examples are also accompanied by Self-tests.

► Discussion questions

Discussion questions appear at the end of every Focus, where they are organized by Topic. These questions are designed to encourage you to reflect on the material you have just read, and to view it conceptually.

► Exercises and problems

Exercises and problems are also provided at the end of every Focus and organized by Topic. They prompt you to test your understanding of the Topics in that Focus group. Exercises are designed as relatively straightforward numerical tests whereas the problems are more challenging. The Integrated activities, which are problems that cross several Topics, also appear at the end of each Focus.

► Integrated activities

At the end of most Focus sections, you will find questions designed to help you use your knowledge creatively in a variety of ways. Some of the questions refer to the Living graphs on the Online Resource Centre, which you will find helpful for answering them.

► Solutions manuals

Two solutions manuals have been written by Charles Trapp, Marshall Cady, and Carmen Giunta to accompany this book.

The *Student's Solutions Manual* (ISBN 9780198701286) provides full solutions to the 'a' exercises and to the odd-numbered problems.

The *Instructor's Solutions Manual* provides full solutions to the 'b' exercises and to the even-numbered problems (available on the Online Resource Centre to registered adopters of the book only).

Example 1.1 Using the perfect gas equation

Calculate the pressure in kilopascals exerted by 1.25 g of nitrogen gas in a flask of volume 250 cm³ at 20 °C.

Method To use eqn 1.5, we need to know the amount of molecules (in moles) in the sample, which we can obtain from the mass and the molar mass (by using eqn 1.3) and to convert the temperature to the Kelvin scale (by using eqn 1.4).

Answer The amount of N₂ molecules (of molar mass 28.02 g mol⁻¹) present is

$$n(\text{N}_2) = \frac{m}{M(\text{N}_2)} = \frac{1.25 \text{ g}}{28.02 \text{ g mol}^{-1}} = \frac{1.25}{28.02} \text{ mol}$$

The temperature of the sample is

Discussion questions

1.1 Summarize the features of the nuclear model of the atom. Define the terms atomic number, nuclear number, mass number.

1.2 Where in the periodic table are metals, non-metals, transition metals, lanthanoids, and actinoids found?

1.3 Summarize what is meant by a single and a multiple bond.

Exercises

1.1(a) Express the typical ground-state electron configuration of an atom of an element in (a) Group 2, (b) Group 7, (c) Group 15 of the periodic table.

1.1(b) Express the typical ground-state electron configuration of an atom of an element in (a) Group 3, (b) Group 5, (c) Group 13 of the periodic table.

1.2(a) Identify the oxidation numbers of the elements in (a) MgCl₂, (b) FeCl₃, (c) H₂C₂.

1.2(b) Identify the oxidation numbers of the elements in (a) CaH₂, (b) CaH₂, (c) Li₂N.

1.3(a) Identify a molecule with a (a) single, (b) double, (c) triple bond between a carbon and a nitrogen atom.

1.3(b) Identify a molecule with (a) one, (b) two, (c) three lone pairs on the central atom.

1.4(a) Draw the Lewis (electron dot) structures of (a) SO₄²⁻, (b) XeF₄, (c) P₄, (d) H₂C₂.

1.4(b) Draw the Lewis (electron dot) structures of (a) O₂, (b) CH₃, (c) N₂.

1.5(a) Identify four hypervalent compounds.

1.6(a) Use VSEPR theory to predict the structures of (a) PCl₃, (b) PCl₅, (c) XeF₄, (d) XeF₂.

1.6(b) Use VSEPR theory to predict the structures of (a) H₂O, (b) PFO₃, (c) XeF₄, (d) PCl₅.

1.7(a) Identify the polarities (by attaching partial charges δ⁺ and δ⁻) of the bonds in (a) C-Cl, (b) P-H, (c) N-O.

1.7(b) Identify the polarities (by attaching partial charges δ⁺ and δ⁻) of the bonds in (a) C-H, (b) P-S, (c) N-Cl.

1.8(a) State whether you expect the following molecules to be polar or nonpolar: (a) CO₂, (b) SO₂, (c) N₂O, (d) SF₆.

1.8(b) State whether you expect the following molecules to be polar or nonpolar: (a) O₂, (b) XeF₄, (c) NO₂, (d) C₂H₄.

1.9(a) Arrange the molecules in Exercise 1.8(a) by increasing dipole moment.

1.9(b) Arrange the molecules in Exercise 1.8(b) by increasing dipole moment.

1.10(a) Calculate the following properties as extensive or intensive: (a) mass, (b) mass density, (c) temperature, (d) number density.

1.10(b) Calculate the following properties as extensive or intensive: (a) pressure, (b) specific heat capacity, (c) weight, (d) molarity.

1.11(a) Calculate (a) the amount of C₂H₅OH (in moles) and (b) the number of molecules present in 25.0 g of ethanol.

1.11(b) Calculate (a) the amount of C₂H₅OH₂ (in moles) and (b) the number of molecules present in 5.0 g of glucose.

1.4 Summarize the principal concepts of the VSEPR theory of molecular shape.

1.5 Compare and contrast the properties of (a) the solid, liquid, and gas states of matter, (b) the condensed and gaseous states of matter.

1.12(a) Calculate (a) the mass, (b) the weight on the surface of the Earth (where g = 9.81 m s⁻²) of 10.0 mol H₂O.

1.12(b) Calculate (a) the mass, (b) the weight on the surface of Mars (where g = 3.72 m s⁻²) of 10.0 mol C₂H₆.

1.13(a) Calculate the pressure exerted by a person of mass 65 kg standing (on the surface of the Earth) on shoes with soles of area 150 cm².

1.13(b) Calculate the pressure exerted by a person of mass 60 kg standing (on the surface of the Earth) on shoes with stiletto heels of area 2 cm² (assume that the weight is entirely on the heels).

1.14(a) Express the pressure calculated in Exercise 1.13(a) in atmospheres.

1.14(b) Express the pressure calculated in Exercise 1.13(b) in atmospheres.

1.15(a) Express a pressure of 1.45 atm in (a) pascal, (b) bar.

1.15(b) Express a pressure of 222 atm in (a) pascal, (b) bar.

1.16(a) Convert blood temperature, 37.0 °C, to the Kelvin scale.

1.16(b) Convert the boiling point of oxygen, 90.18 K, to the Celsius scale.

1.17(a) Equation 1.4 is a relation between the Kelvin and Celsius scales. Devise the corresponding equation relating the Fahrenheit and Celsius scales and use it to express the boiling point of ethanol (78.5 °C) in degrees Fahrenheit.

1.17(b) The Rankine scale is a version of the thermodynamic temperature scale in which the degrees (°R) are the same size as degrees Fahrenheit. Devise an expression relating the Rankine and Kelvin scales and express the freezing point of water in degrees Rankine.

1.18(a) A sample of hydrogen gas was found to have a pressure of 110 kPa when the temperature was 20.0 °C. What can its pressure be expected to be when the temperature is 7.0 °C?

1.18(b) A sample of 325 mg of neon occupies 2.00 dm³ at 20.0 °C. Use the perfect gas law to calculate the pressure of the gas.

1.19(a) At 500 °C and 93.2 kPa, the mass density of sulfur vapour is 3.710 kg m⁻³. What is the molecular formula of sulfur under these conditions?

1.19(b) At 100 °C and 1.60 kPa, the mass density of phosphorus vapour is 0.638 kg m⁻³. What is the molecular formula of phosphorus under these conditions?

1.20(a) Calculate the pressure exerted by 22 g of ethane behaving as a perfect gas when confined to 1000 cm³ at 25.0 °C.

1.20(b) Calculate the pressure exerted by 7.05 g of oxygen behaving as a perfect gas when confined to 100 cm³ at 100.0 °C.

1.21(a) A vessel of volume 10.0 dm³ contains 2.0 mol H₂ and 1.0 mol N₂ at 8.0 °C. Calculate the partial pressure of each component and their total pressure.

1.21(b) A vessel of volume 100 cm³ contains 0.25 mol O₂ and 0.034 mol CO₂ at 10.0 °C. Calculate the partial pressure of each component and their total pressure.

ONLINE RESOURCE CENTRE

The Online Resource Centre to accompany *Physical Chemistry: Quanta, Matter, and Change*, second edition provides a number of useful teaching and learning resources for students and lecturers.

The site can be accessed at:

<http://www.oxfordtextbooks.com/orc/qchem2e/>

Lecturer resources are available only to registered adopters of the textbook. To register, simply visit

<http://www.oxfordtextbooks.com/orc/qchem2e/>

and follow the appropriate links.

Student resources are openly available to all, without registration.



Materials on the online resource centre include:

Online Impact sections

Impact sections place the subject of physical chemistry in context by showing how it has been applied in a variety of modern contexts. New for this edition, the Impacts are linked from the text by QR codes. Alternatively, visit the URL displayed next to the QR code.

Group theory tables

Comprehensive group theory tables are available to download.

Web links

This collection of links to a range of useful websites is organized by chapter to aid navigation.

Instructor's Solutions Manual

Lecturers can download the *Instructor's Solutions Manual* in PDF format. This provides full solutions to the 'b' exercises and to the even-numbered problems in the book.

Figures and tables from the book

Lecturers can find the artwork and tables from the book online in ready-to-download format. These may be used for lectures without charge (but not for commercial purposes without specific permission).

Molecular modelling problems

PDFs containing molecular modelling problems can be downloaded, designed for use with the Spartan Student™ software. However they can also be completed using any modelling software programme that allows Hartree-Fock, density functional, and MP2 calculations.

Living graphs

These interactive graphs can be used to explore how a property changes as various parameters are changed. Living graphs are sometimes referred to in the Integrated activities section of a Focus group.

ACKNOWLEDGEMENTS

The authors have received a great deal of help during the preparation and production of this text and wish to thank all their colleagues who have made such useful and thought-provoking suggestions. This edition has also benefited from student feedback, both spontaneous and commissioned: that has proved really helpful in guiding our approach. We are particularly grateful to Charles Trapp, Carmen Giunta, and Marshall Cady for their critical reading of the end-of-Focus *Discussion questions, Exercises, Problems, and Integrated activities*.

Many people have contributed to this edition, sometimes unknowingly. In particular, we wish to record publicly our thanks to:

Hashim M. Ali, Arkansas State University
Simon Banks, University College London
Michael Bearpark, Imperial College London
David Benoit, University of Hull
Julia Bingham Wiester, Saint Xavier University
Geoffrey M. Bowers, Alfred University
Fernando Bresme, Imperial College London
Thandi Buthelezi, Wheaton College
Mauricio Cafiero, Rhodes College
Henry J. Castejon, Wilkes University
David L. Cedeño, Illinois State University
Qiao Chen, University of Sussex
Allen Clabo, Francis Marion University
Zachary J. Donhauser, Vassar College
Pamela C. Douglass, Goucher College
Gordana Dukovic, University of Colorado
Mark Ellison, Ursinus College
Haiyan Fan-Hagenstein, Claflin University
Ron L. Fedie, Augsburg College
Neville Y. Forlemu, Georgia Gwinnett College
Robert J. Glinski, Tennessee Tech University
Jerry Goodman, Syracuse University
Tandy Grubbs, Stetson University
Alex Grushow, Rider University
Joseph C. Hall, Norfolk State University
Grant Hill, University of Glasgow

Gary G. Hoffman, Elizabethtown College
Jason Hofstein, Siena College
Carey K. Johnson, University of Kansas
Miklos Kertesz, Georgetown University
Scott J. Kirkby, East Tennessee State University
Ranjit T. Koodali, University of South Dakota
Don Kouri, University of Houston
Roderick M. Macrae, Marian University
Tony Masiello, California State University - East Bay
Nicholas Materer, Oklahoma State University
Steven G. Mayer, University of Portland
Laura McCunn, Marshall University
Danny G. Miles, Jr., Mount St. Mary's University
Marcelo P. de Miranda, University of Leeds
Andrew M. Napper, Shawnee State University
Chifuru Noda, Bridgewater State University
Gunnar Nyman, University of Gothenburg
Jason J. Pagano, Saginaw Valley State University
Codrina V. Popescu, Ursinus College
Robert Quandt, Illinois State University
Scott W. Reeve, Arkansas State University
Keith B. Rider, Longwood College
Steve Robinson, Belmont University
Raymond Sadeghi, University of Texas at San Antonio
Stephan P. A. Sauer, University of Copenhagen
Joe Scanlon, Ripon College
Paul D. Schettler, Juniata College
Nicholas Schlotter, Hamline University
Cheryl Schnitzer, Stonehill College
Louis Scudiero, Washington State University
Steven Singleton, Coe College
John M. Stubbs, The University of New England
John Thoemke, Minnesota State University - Mankato
Chia-Kuang (Frank) Tsung, Boston College
Carlos Vázquez-Vázquez, University of Santiago de Compostela
Darren Walsh, University of Nottingham

Lichang Wang, Southern Illinois University
Lauren J. Webb, The University of Texas at Austin
William C. Wetzel, Thomas More College
Darren L. Williams, Sam Houston State University

Last, but by no means least, we wish to acknowledge the wholehearted and unstinting support of our two commissioning editors, Jonathan Crowe of Oxford University Press and Jessica Fiorillo of W. H. Freeman & Co., who, together with their wonderful teams, have helped the authors to realize their vision.

Periodic table of the elements

Group	1	2	Period 1										13	14	15	16	17	VIIA
	I	II											III	IV	V	VI	VII	
	IA	IIA											IIIA	IVA	VA	VIA	VIIA	
1	1 H hydrogen 1.0079 1s ¹												5 B boron 10.81 2s ² 2p ¹	6 C carbon 12.01 2s ² 2p ²	7 N nitrogen 14.01 2s ² 2p ³	8 O oxygen 16.00 2s ² 2p ⁴	9 F fluorine 19.00 2s ² 2p ⁵	10 Ne neon 20.18 2s ² 2p ⁶
2	3 Li lithium 6.94 2s ¹	4 Be beryllium 9.01 2s ²											13 Al aluminum 26.98 3s ² 3p ¹	14 Si silicon 28.09 3s ² 3p ²	15 P phosphorus 30.97 3s ² 3p ³	16 S sulfur 32.06 3s ² 3p ⁴	17 Cl chlorine 35.45 3s ² 3p ⁵	18 Ar argon 39.95 3s ² 3p ⁶
3	11 Na sodium 22.99 3s ¹	12 Mg magnesium 24.31 3s ²											31 Ga gallium 69.72 4s ² 4p ¹	32 Ge germanium 72.64 4s ² 4p ²	33 As arsenic 74.92 4s ² 4p ³	34 Se selenium 78.96 4s ² 4p ⁴	35 Br bromine 79.90 4s ² 4p ⁵	36 Kr krypton 83.80 4s ² 4p ⁶
4	19 K potassium 39.10 4s ¹	20 Ca calcium 40.08 4s ²	21 Sc scandium 44.96 3d ¹ 4s ²	22 Ti titanium 47.87 3d ² 4s ²	23 V vanadium 50.94 3d ³ 4s ²	24 Cr chromium 52.00 3d ⁵ 4s ¹	25 Mn manganese 54.94 3d ⁵ 4s ²	26 Fe iron 55.84 3d ⁶ 4s ²	27 Co cobalt 58.93 3d ⁷ 4s ²	28 Ni nickel 58.69 3d ⁸ 4s ²	29 Cu copper 63.55 3d ¹⁰ 4s ¹	30 Zn zinc 65.41 3d ¹⁰ 4s ²	31 Ga gallium 69.72 4s ² 4p ¹	32 Ge germanium 72.64 4s ² 4p ²	33 As arsenic 74.92 4s ² 4p ³	34 Se selenium 78.96 4s ² 4p ⁴	35 Br bromine 79.90 4s ² 4p ⁵	36 Kr krypton 83.80 4s ² 4p ⁶
5	37 Rb rubidium 85.47 5s ¹	38 Sr strontium 87.62 5s ²	39 Y yttrium 88.91 4d ¹ 5s ²	40 Zr zirconium 91.22 4d ² 5s ²	41 Nb niobium 92.91 4d ⁴ 5s ¹	42 Mo molybdenum 95.94 4d ⁵ 5s ¹	43 Tc technetium (98) 4d ⁵ 5s ²	44 Ru ruthenium 101.07 4d ⁷ 5s ¹	45 Rh rhodium 102.90 4d ⁸ 5s ¹	46 Pd palladium 106.42 4d ¹⁰	47 Ag silver 107.87 4d ¹⁰ 5s ¹	48 Cd cadmium 112.41 4d ¹⁰ 5s ²	49 In indium 114.82 5s ² 5p ¹	50 Sn tin 118.71 5s ² 5p ²	51 Sb antimony 121.76 5s ² 5p ³	52 Te tellurium 127.60 5s ² 5p ⁴	53 I iodine 126.90 5s ² 5p ⁵	54 Xe xenon 131.29 5s ² 5p ⁶
6	55 Cs cesium 132.91 6s ¹	56 Ba barium 137.33 6s ²	57 La lanthanum 138.91 5d ¹ 6s ²	58 Ce cerium 140.12 4f ¹ 5d ¹ 6s ²	59 Pr praseodymium 140.91 4f ³ 6s ²	60 Nd neodymium 144.24 4f ⁴ 6s ²	61 Pm promethium (145) 4f ⁵ 6s ²	62 Sm samarium 150.36 4f ⁶ 6s ²	63 Eu europium 151.96 4f ⁷ 6s ²	64 Gd gadolinium 157.25 4f ⁷ 5d ¹ 6s ²	65 Tb terbium 158.93 4f ⁹ 6s ²	66 Dy dysprosium 162.50 4f ¹⁰ 6s ²	67 Ho holmium 164.93 4f ¹¹ 6s ²	68 Er erbium 167.26 4f ¹² 6s ²	69 Tm thulium 168.93 4f ¹³ 6s ²	70 Yb ytterbium 173.04 4f ¹⁴ 6s ²	71 Lu lutetium 174.97 5d ¹ 6s ²	
7	87 Fr francium (223) 7s ¹	88 Ra radium (226) 7s ²	89 Ac actinium (227) 6d ¹ 7s ²	90 Th thorium 232.04 6d ² 7s ²	91 Pa protactinium 231.04 5f ² 6d ¹ 7s ²	92 U uranium 238.03 5f ³ 6d ¹ 7s ²	93 Np neptunium (237) 5f ⁴ 6d ¹ 7s ²	94 Pu plutonium (244) 5f ⁶ 7s ²	95 Am americium (243) 5f ⁷ 7s ²	96 Cm curium (247) 5f ⁷ 6d ¹ 7s ²	97 Bk berkelium (247) 5f ⁷ 7s ²	98 Cf californium (251) 5f ¹⁰ 7s ²	99 Es einsteinium (252) 5f ¹¹ 7s ²	100 Fm fermium (257) 5f ¹² 7s ²	101 Md mendelevium (258) 5f ¹³ 7s ²	102 No nobelium (259) 5f ¹⁴ 7s ²	103 Lr lawrencium (262) 6d ¹ 7s ²	

Molar masses (atomic weights) quoted to the number of significant figures given here can be regarded as typical of most naturally occurring samples -

6

7

Lanthanoids
(lanthanides)

Actinoids
(actinides)

BRIEF CONTENTS

FOCUS 1 Foundations	1	FOCUS 12 The First Law of thermodynamics	539
Mathematical background 1 Differentiation and integration	27	Mathematical background 8 Multivariate calculus	589
FOCUS 2 The principles of quantum mechanics	31	FOCUS 13 The Second and Third Laws of thermodynamics	593
Mathematical background 2 Differential equations	69	FOCUS 14 Physical equilibria	655
FOCUS 3 The quantum mechanics of motion	71	FOCUS 15 Chemical equilibria	713
Mathematical background 3 Complex numbers	128	FOCUS 16 Molecular motion	755
FOCUS 4 Approximation methods	131	FOCUS 17 Chemical kinetics	797
FOCUS 5 Atomic structure and spectra	149	FOCUS 18 Reaction dynamics	835
Mathematical background 4 Vectors	195	FOCUS 19 Processes in fluid systems	875
FOCUS 6 Molecular structure	199	FOCUS 20 Processes on solid surfaces	911
Mathematical background 5 Matrices	270	Resource section	939
FOCUS 7 Molecular symmetry	273	Index	977
FOCUS 8 Interactions	301		
Mathematical background 6 Fourier series and Fourier transforms	371		
FOCUS 9 Molecular spectroscopy	375		
FOCUS 10 Magnetic resonance	455		
FOCUS 11 Statistical thermodynamics	497		
Mathematical background 7 Probability theory	535		

FULL CONTENTS

List of the chemist's toolkits

xxii

FOCUS 1 Foundations

TOPIC 1 Matter

1.1 Atoms

1.2 Molecules

1.3 Bulk matter

Checklist of concepts

Checklist of equations

TOPIC 2 Energy

2.1 Force

2.2 Energy: a first look

2.3 The relation between molecular and bulk properties

Checklist of concepts

Checklist of equations

TOPIC 3 WAVES

3.1 Harmonic waves

3.2 The electromagnetic field

Checklist of concepts

Checklist of equations

Discussion questions and exercises

Integrated activities

Mathematical background 1 Differentiation and integration

FOCUS 2 The principles of quantum mechanics

TOPIC 4 The emergence of quantum theory

4.1 The quantization of energy

4.2 Wave-particle duality

4.3 Retrospect and summary

Checklist of concepts

Checklist of equations

TOPIC 5 The wavefunction

5.1 Postulate I: the wavefunction

5.2 Postulate II: the Born interpretation

Checklist of concepts

Checklist of equations

TOPIC 6 Extracting information from the wavefunction

6.1 Postulate III: quantum mechanical operators

6.2 Postulate IV: eigenvalues and eigenfunctions

Checklist of concepts

Checklist of equations

TOPIC 7 Predicting the outcome of experiments

7.1 Wavefunctions as linear combinations

7.2 Mean values as expectation values

7.3 The orthogonality of eigenfunctions

7.4 The expectation value of a linear combination of eigenfunctions

Checklist of concepts

Checklist of equations

TOPIC 8 The uncertainty principle

8.1 Complementarity

8.2 The Heisenberg uncertainty principle

8.3 Commutation and complementarity

Checklist of concepts

Checklist of equations

Discussion questions, exercises, and problems

Integrated activities

Mathematical background 2 Differential equations

FOCUS 3 The quantum mechanics of motion

TOPIC 9 Translational motion in one dimension

9.1 Free motion

9.2 Confined motion: the particle in a box

Checklist of concepts

Checklist of equations

TOPIC 10 Tunnelling

10.1 The rectangular potential energy barrier

10.2 The Eckart potential energy barrier

10.3 The double-well potential

Checklist of concepts

Checklist of equations

TOPIC 11 Translational motion in several dimensions	87	17.2 The atomic orbitals and their energies	155
11.1 Motion in two dimensions	87	Checklist of concepts	159
11.2 Motion in three dimensions	90	Checklist of equations	159
Checklist of concepts	91	TOPIC 18 Hydrogenic atomic orbitals	160
Checklist of equations	91	18.1 Shells and subshells	160
TOPIC 12 Vibrational motion	92	18.2 Radial distribution functions	165
12.1 The energy levels	93	Checklist of concepts	168
12.2 The wavefunctions	94	Checklist of equations	168
12.3 The properties of oscillators	97	TOPIC 19 Many-electron atoms	169
12.4 Applications of the harmonic oscillator model in chemistry	99	19.1 The orbital approximation	169
Checklist of concepts	101	19.2 Factors affecting electronic structure	170
Checklist of equations	102	19.3 Self-consistent field calculations	174
TOPIC 13 Rotational motion in two dimensions	103	Checklist of concepts	175
13.1 A particle on a ring	103	Checklist of equations	175
13.2 Quantization of angular momentum	108	TOPIC 20 Periodicity	176
Checklist of concepts	110	20.1 The building-up principle	176
Checklist of equations	110	20.2 The configurations of the elements	177
TOPIC 14 Rotational motion in three dimensions	111	20.3 The periodicity of atomic properties	178
14.1 A particle on a sphere	111	Checklist of concepts	180
14.2 Angular momentum	115	TOPIC 21 Atomic spectroscopy	181
Checklist of concepts	118	21.1 The spectrum of hydrogen	181
Checklist of equations	119	21.2 Term symbols	183
Discussion questions, exercises, and problems	120	21.3 Selection rules of many-electron atoms	187
Integrated activities	127	Checklist of concepts	188
Mathematical background 3 Complex numbers	128	Checklist of equations	189
FOCUS 4 Approximation methods	131	Discussion questions, exercises, and problems	190
TOPIC 15 Time-independent perturbation theory	132	Integrated activities	193
15.1 Perturbation expansions	132	Mathematical background 4 Vectors	195
15.2 The first-order correction to the energy	134	FOCUS 6 Molecular structure	199
15.3 The first-order correction to the wavefunction	135	TOPIC 22 Valence-bond theory	201
15.4 The second-order correction to the energy	136	22.1 Diatomic molecules	202
Checklist of concepts	137	22.2 Polyatomic molecules	204
Checklist of equations	138	Checklist of concepts	208
TOPIC 16 Transitions	139	Checklist of equations	208
16.1 Time-dependent perturbation theory	140	TOPIC 23 The principles of molecular orbital theory	209
16.2 The absorption and emission of radiation	143	23.1 Linear combinations of atomic orbitals	209
Checklist of concepts	145	23.2 Orbital notation	214
Checklist of equations	145	Checklist of concepts	214
Discussion questions, exercises, and problems	146	Checklist of equations	215
FOCUS 5 Atomic structure and spectra	149	TOPIC 24 Homonuclear diatomic molecules	216
TOPIC 17 Hydrogenic atoms	150	24.1 Electron configurations	216
17.1 The structure of hydrogenic atoms	150	24.2 Photoelectron spectroscopy	221
		Checklist of concepts	223
		Checklist of equations	223