


HANDBOOK OF HYBRID SYSTEMS CONTROL

THEORY, TOOLS, APPLICATIONS

Edited by Jan Lunze and Françoise Lamnabhi-Lagarrigue



Handbook of Hybrid Systems Control

Theory, Tools, Applications

Edited by

JAN LUNZE

Ruhr-Universität Bochum, Germany

FRANÇOISE LAMNABHI-LAGARRIGUE

Centre National de la Recherche Scientifique (CNRS), France



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo, Delhi

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521765053

© Cambridge University Press 2009

This publication is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without
the written permission of Cambridge University Press.

First published 2009

Printed in the United Kingdom at the University Press, Cambridge

A catalog record for this publication is available from the British Library

ISBN 978-0-521-76505-3 hardback

Cambridge University Press has no responsibility for the persistence or
accuracy of URLs for external or third-party internet websites referred to
in this publication, and does not guarantee that any content on such
websites is, or will remain, accurate or appropriate.

HANDBOOK OF HYBRID SYSTEMS CONTROL

Setting out core theory and reviewing a range of new methods, theoretical problems, and applications, this handbook shows how hybrid dynamical systems can be modeled and understood. Sixty expert authors involved in the recent research activities and industrial application studies provide practical insights on topics ranging from the theoretical investigations over computer-aided design and verification tools to applications in several domains.

Structured into three parts, the book opens with a thorough introduction to hybrid systems theory, illustrating new dynamical phenomena through numerous examples and showing novel modeling, analysis, and design techniques that have been elaborated recently for this new system class. Part II then provides a survey of key tools and tool integration activities. Finally, Part III is dedicated to applications, implementation issues, and system integration, considering applications to energy management, the process industry, automotive systems, and digital networks.

Three running examples are referred to throughout the book, together with numerous illustrations, helping both researchers and industry professionals to understand complex theory, recognize problems, and find appropriate solutions.

JAN LUNZE is Head of the Institute of Automation and Computer Control at Ruhr-Universität Bochum, where he teaches systems and control theory. His research interests are in hybrid and discrete-event systems, in fault diagnosis, and in control theory of networked systems in which he currently coordinates a Priority Program of the German Science Foundation (Deutsche Forschungsgemeinschaft). He is the author or co-author of numerous technical papers and several monographs and textbooks.

FRANÇOISE LAMNABHI-LAGARRIGUE is Director of Research at the CNRS within the Signals and Systems Laboratory (L2S). She is an Associate Editor of the *International Journal of Control*, Scientific Manager of the HYCON Network of Excellence, and President of the European Embedded Control Institute (EECI). In 2008, she won the Michel Monpetit prize of the French Academy of Science.

Contributors

Andrea Balluchi

DANA ITALIA S.p.A.,
Off-Highway Products Group,
Zona Industriale Lifano,
38062 Arco (TN), Italy

Andrea Giovanni Beccuti

ETH Zurich, Automatic Control
Laboratory, Physikstrasse 3,
8092 Zurich, Switzerland

Bert van Beek

Eindhoven University of Technology,
Mechanical Engineering, Systems
Engineering,
PO Box 513, 5600 MB Eindhoven,
The Netherlands

Alberto Bemporad

Dipartimento di Ingegneria dell'
Informazione, Università di Siena,
Via Roma 56, 53100 Siena, Italy

Maria Domenica Di Benedetto

Department of Electrical and Informa-
tion Engineering, University of
L'Aquila, Centre of Excellence DEWS,
Poggio di Roio, 67040 L'Aquila, Italy

Luca Benvenuti

Università degli Studi di Roma "La
Sapienza," Dipartimento di Informatica
e Sistemistica "Antonio Ruberti,"
Via Ariosto 25, 00185 Roma, Italy

Antonio Bicchi

Dip. Sistemi Elettrici e Automazione
and Centro Interdipartimentale
"E. Piaggio," Università di Pisa,
Via Diotisalvi 2, 56100 Pisa, Italy

Vincent Blondel

Department of Mathematical Engineer-
ing, Université catholique de Louvain,
Avenue Georges Lemaître, 4,
B-1348 Louvain-la-Neuve, Belgium

Stefano Di Cairano

Dipartimento di Ingegneria dell'
Informazione Università di Siena,
Via Roma 56, 53100 Siena, Italy

Eduardo F. Camacho

Dpto. Ingeniería de Sistemas y
Automática, Escuela Superior de
Ingenieros, Camino de los Descubrim-
ientos s/n, 41092-Sevilla, Spain

Kanat Çamlıbel

University of Groningen, Institute of
Mathematics and Computer Science,
P.O. Box 407, 9700 AK Groningen,
The Netherlands

Jamal Daafouz

Institut National Polytechnique de
Lorraine, Centre de Recherche en
Automatique de Nancy,
2, avenue de la forêt de Haye,
54500 Vandoeuvre-lès-Nancy, France

Sebastian Engell

Technische Universität Dortmund,
Bio- und Chemieingenieurwesen,
Lehrstuhl für Systemdynamik und
Prozessführung,
44221 Dortmund, Germany

Giancarlo Ferrari-Trecate

Dipartimento di Informatica e
Sistemistica, Università degli Studi di
Pavia, Via Ferrata 1, 27100 Pavia, Italy

Goran Frehse

Verimag, UMR Université Joseph
Fourier/CNRS/INPG Verimag Centre
Equation, 2, ave de Vignate
38610 Gieres, France

Mauro Garavello

Dipartimento di Scienze e Tecnologie
Avanzate, Università del Piemonte
Orientale "A. Avogadro," via Bellini
25/G, 15100 Alessandria, Italy

Hervé Guéguen

SUPELEC, CS 47601, 35576 Cesson-
Sevigne cedex, France

Maurice Heemels

Eindhoven University of Technology,
Mechanical Engineering, Control
Systems Technology,
PO Box 513, 5600 MB Eindhoven,
The Netherlands

Gerlind Herberich

RWTH Aachen,
Lehrstuhl für Informatik 11
Ahornstr. 55, 52074 Aachen,
Germany

Laurentiu Hetel

Institut National Polytechnique de
Lorraine, Centre de Recherche en
Automatique de Nancy,
2, avenue de la forêt de Haye,
54500 Vandoeuvre-lès-Nancy, France

Alessandro D'Innocenzo

Department of Electrical and Informa-
tion Engineering, University of
L'Aquila, Centre of Excellence DEWS,
Poggio di Roio, 67040 L'Aquila, Italy

Bengt Johansson

Dept. of Energy Sciences,
Lund University,
S-221 00 Lund, Sweden

Karl Henrik Johansson

School of Electrical Engineering,
Automatic Control, Royal Institute of
Technology, Osquidas väg 10,
SE-100 44 Stockholm, Sweden

Mikael Johansson

Department of Signals, Systems and
Sensors, Royal Institute of Technology
SE-100 44 Stockholm, Sweden

Rolf Johansson

Dept. Automatic Control,
Lund Institute of Technology,
Lund University,
PO Box 118, S-221 00 Lund, Sweden

Aleksandar Juloski

Siemens AG, Corporate Technology,
Gunter-Scharowsky-Str. 1,
91058 Erlangen, Germany

Stefan Kowalewski

RWTH Aachen,
Lehrstuhl für Informatik 11
Ahornstr. 55, 52074 Aachen,
Germany

Michal Kvasnica

Slovak University of Technology,
Radlinskeho 9, 81237 Bratislava,
Slovakia

Françoise Lamnabhi-Lagarrigue

Laboratoire des Signaux
et Systèmes, SUPELEC,
3 rue Joliot Curie,
91192 Gif-sur-Yvette, France

Rom Langerak

University of Twente, Department of
Computer Science,
P.O. Box 217, 7500 AE Enschede,
The Netherlands

Daniel Lehmann

Ruhr-Universität Bochum,
Lehrstuhl für Automatisierungstechnik
und Prozessinformatik,
44780 Bochum, Germany

Sven Lohmann

Technische Universität Dortmund,
Bio- und Chemieingenieurwesen,
Lehrstuhl für Systemdynamik und
Prozessführung,
44221 Dortmund, Germany

Jan Lunze

Ruhr-Universität Bochum,
Lehrstuhl für Automatisierungstechnik
und Prozessinformatik,
44780 Bochum, Germany

John Lygeros

ETH Zurich, Automatic Control
Laboratory, Physikstrasse 3,
8092 Zurich, Switzerland

Sébastien Mariéthoz

ETH Zurich, Automatic Control
Laboratory, Physikstrasse 3,
8092 Zurich, Switzerland

Thomas Moor

Lehrstuhl für Regelungstechnik,
Friedrich-Alexander Universität,
D-91058 Erlangen, Germany

Manfred Morari

ETH Zurich, Automatic Control
Laboratory, Physikstrasse 3,
8092 Zurich, Switzerland

Luigi Palopoli

Dipartimento di Ingegneria e Scienza
dell'Informazione, Università di
Trento, Via Sommarive 14,
38100 Povo (TN), Italy

Simone Paoletti

Dipartimento di Ingegneria dell'
Informazione, Università di Siena,
Via Roma 56, 53100 Siena, Italy

Georgios Papafotiou

ETH Zurich, Automatic Control
Laboratory, Physikstrasse 3,
8092 Zurich, Switzerland

Bruno Picasso

Centro Interdipartimentale "E. Piaggio,"
Università di Pisa and Dipartimento
di Elettronica e Informazione,
Politecnico di Milano,
Via Ponzio 34/5, 20133 Milano, Italy

Benedetto Piccoli

Istituto per le Applicazioni del
Calcolo "Mauro Picone", Viale del
Policlinico 137, I-00161 Roma, Italy

Giordano Pola

Department of Electrical and Informa-
tion Engineering, University of
L'Aquila, Centre of Excellence DEWS,
Poggio di Roio, 67040 L'Aquila, Italy

Jan Willem Polderman

University of Twente, Department
of Applied Mathematics,
P.O. Box 217, 7500 AE Enschede,
The Netherlands

Cesar de Prada

Departamento de Ingenieria de Sistemas
y Automatica, Universidad de
Valladolid, c/Real de Burgos s/n.
47011 Valladolid, Spain

Maria Prandini

Dipartimento di Elettronica e
Informazione, Politecnico di Milano,
Piazza Leonardo da Vinci 32,
20133 Milano, Italy

Christophe Prieur

LAAS-CNRS, University of Toulouse,
7, avenue du Colonel Roche,
31077 Toulouse, France

Jörg Raisch

Technische Universität Berlin,
Fachgebiet Regelungssysteme,
Einsteinufer 17, D-10587 Berlin,
and Max-Planck-Institut für Dynamik
komplexer technischer Systeme,
Systems and Control Theory Group

Michel Reniers

Eindhoven University of Technology,
Computer Science, Design and
Analysis of Systems,
PO Box 513, 5600 MB Eindhoven,
The Netherlands

Anders Robertsson

Dept. Automatic Control
Lund Institute of Technology
Lund University,
PO Box 118, SE-221 00 Lund, Sweden

Jacobus Rooda

Eindhoven University of Technology,
Mechanical Engineering, Systems
Engineering,
PO Box 513, 5600 MB Eindhoven,
The Netherlands

Alberto Sangiovanni Vincentelli

University of California at Berkeley,
Berkeley, CA, USA

Elena De Santis

Department of Electrical and Informa-
tion Engineering, University of
L'Aquila, Centre of Excellence DEWS,
Poggio di Roio, 67040 L'Aquila, Italy

Fortunato Santucci

Department of Electrical and Informa-
tion Engineering, University of
L'Aquila, Centre of Excellence DEWS,
Poggio di Roio, 67040 L'Aquila, Italy

Daniel Sarabia

Departamento de Ingenieria de Sistemas
y Automatica, Universidad de
Valladolid, c/Real de Burgos s/n.
47011 Valladolid, Spain

Arjan van der Schaft

University of Groningen, Institute of
Mathematics and Computer Science,
P.O. Box 407, 9700 AK Groningen,
The Netherlands

Ramon Schiffelers

Eindhoven University of Technology,
Mechanical Engineering, Systems
Engineering,
PO Box 513, 5600 MB Eindhoven,
The Netherlands

Axel Schild

Ruhr-Universität Bochum,
Lehrstuhl für Automatisierungstechnik
und Prozessinformatik,
44780 Bochum, Germany

Hans Schumacher

Department of Econometrics and
Operations Research,
Tilburg University,
P.O. Box 90153, 5000 LE Tilburg,
The Netherlands

Bart De Schutter

Delft Center for Systems and
Control and Marine and Transport
Technology, Delft University of
Technology, Mekelweg 2,
2628 CD Delft, The Netherlands

Christian Sonntag

Technische Universität Dortmund,
Bio- und Chemieingenieurwesen,
Lehrstuhl für Systemdynamik und
Prozessführung,
44221 Dortmund, Germany

Ubaldo Tiberi

Department of Electrical and Informa-
tion Engineering,
University of L'Aquila,
Centre of Excellence DEWS,
Poggio di Roio, 67040 L'Aquila, Italy

Per Tunestål

Dept. of Energy Sciences,
Lund University,
S-221 00 Lund, Sweden

Anthony Tzes

Department of Electrical and Computer
Engineering,
University of Patras,
University campus, 26504 Rio, Patras,
Greece

Rene Vidal

Center for Imaging Science,
Department of Biomedical Engineering,
Johns Hopkins University,
3400 N. Charles St.,
Baltimore MD 21218, USA

Carsten Weise

RWTH Aachen
Lehrstuhl für Informatik 11
Ahornstr. 55, 52074 Aachen,
Germany

Darine Zambrano

Dpto. Ingeniería de Sistemas y
Automática, Escuela Superior de
Ingenieros, Camino de los Descubrim-
ientos s/n, 41092-Sevilla, Spain

Preface

Hybrid systems are dynamical systems that consist of components with continuous and discrete behavior. Modeling, analysis, and design of such systems raise severe methodological questions, because they necessitate the combination of continuous-variable system descriptions like differential and difference equations with discrete-event models like automata or Petri nets. Consequently, hybrid systems methodology is based on the principles and results of the theories of continuous and discrete systems, which, until recently, have been elaborated separately, with contributions coming from different disciplines, such as control theory, computer science, and mathematics.

This handbook reviews the new phenomena and theoretical problems brought about by the combination of continuous and discrete dynamics and surveys the main approaches, methods, and results that have been obtained during the last decade of research in this field. It is structured into three main parts:

- *Part I: Modeling, analysis, and control design methods:* The first part gives a thorough introduction to hybrid systems theory. The material is classified by the modeling approaches used to represent hybrid systems in a form that is convenient for analysis and control design. Hybrid automata and switched systems are well-studied system classes, which are extensively described, but other approaches like mixed logical dynamical systems, complementarity systems, quantized systems, and stochastic hybrid systems are also explained.
- *Part II: Tools:* The second part is concerned with computer-aided systems analysis, control design, and verification. After a survey of the variety of relevant tools, selected tools are described in more detail. This part concludes with a presentation of current tool integration activities.
- *Part III: Applications:* The third part is devoted to applications, implementation issues, and system integration. Concentrating on energy management, industrial control, automotive control, and networked control systems, important application domains are considered.

This bridge from the theory over the tools towards applications shows the advances made in hybrid systems theory over the last 10 years as well as the main gaps that have to be closed in the near future to improve the multidisciplinary design of modern technological systems. Due to its restricted size, the handbook has to concentrate on the most successful lines of current research and on the fields of applications where hybrid systems theory has facilitated significant progress.

This handbook is considerably different from the increasing number of publications that have recently appeared. Monographs and paper collections concerning specific types of hybrid systems focus on the theoretical background and place little importance on applications. The handbook fills the current lack of a basic introduction to hybrid systems from a control perspective, gives a survey of the field as a whole, and indicates the importance of recent theoretical developments using examples of applications.

Readership and structure The handbook has been written for all those who require an overview of the theory of hybrid systems. Potential readers are researchers in academia and industrial professionals who are engaged in the development of control systems for complex applications, as well as graduate and PhD students. They are assumed to be familiar with dynamical systems theory and should have some knowledge of both continuous and discrete-event systems.

For this readership, the handbook provides basic introductory information, detailed descriptions of selected topics, and extensive references to the rapidly growing literature. In each chapter, the first section gives a **broad introduction** to the subject followed by sections that provide a more detailed development of important sub-topics. Three **running examples** are used for the illustration of the methods and tools described in Parts I and II. Each chapter ends with **bibliographical notes**.

There is no uniform theory of hybrid systems yet, but the development of this field has been guided by different modeling approaches, which have in turn led to corresponding analysis and design methods. Although some relations among these approaches have been established, each approach is particularly suitable for its specific class of hybrid systems. The handbook, in particular Part I, is structured accordingly. As hybrid automata and piecewise affine systems have gained particular interest in research, a whole chapter is devoted to each of them, whereas further modeling ideas are summarized in additional theory chapters.

In addition, the field does not yet have a uniform terminology and notation, but instead has a mixture of notions and symbols with their origins in control theory and computer science. An important aim of this handbook is to bring them closer together.

Hybrid systems research, training, and innovation This handbook is a result of four years of cooperation within the FP6 *Network of Excellence HYCON*—“Hybrid Control: Taming Heterogeneity and Complexity of Networked Embedded Systems” (EU project IST-2004-511368, <http://www.ist-hycon.org>), gathering 26 partners from European academic institutions, industry, and private and public research agencies. It summarizes the research interests and common expertise of more

than 60 authors in this network and gives, in this sense, a *European* view on the field with emphasis on the research results of the participating institutions and groups. All sections are co-authored by researchers who have contributed to the corresponding topic during recent years. They are mentioned in alphabetic order with the responsible author first.

The Network of Excellence will end in the spring of 2009. The goals of the HYCON Network include the coordination of the efforts of the European scientific community through the creation of a common research program on the control of networked embedded systems, the creation of a research infrastructure shared among the members of the network in order to facilitate long-term scientific collaborations, and the implementation of new working methodologies and improving the research efficiency by several coordination, education, and mobility programs. A further important aspect of HYCON is the collaboration of academic research institutions with industrial partners in the fields of process and energy control, automotive applications, and communication networks, the result of which is presented in Part III of this handbook.

As a tangible and durable result of HYCON, the **European Embedded Control Institute** (EECI) was incorporated (under the French Association Law 1901) in 2006 to provide a sustainable structure to support the research community in this field (<http://www.eeci-institute.eu>). EECI is rapidly becoming a worldwide leading focal point in hybrid systems research and is helping to attract the brightest minds in the field to the European research area. After the HYCON Network of Excellence has finished, the EECI will remain and will continue to attract young and senior researchers and practitioners, thus yielding strong long-term collaborations among the participating members. EECI is currently located in Gif-sur-Yvette, France, and has a networked embedded control laboratory in L'Aquila, Italy.

Acknowledgement Several organizations and persons have helped to make this handbook idea a reality. The funding of the HYCON Network of Excellence by the European Union created the organizational environment. Mr. Daniel Lehmann has structured the writing process by creating guidelines and templates and by retaining the communication among the co-authors. Ms. Andrea Marschall has drawn and redrawn many figures and Ms. Hannelore Hupp has helped to give the book a uniform layout.

Finally, the close cooperation of the editors with Cambridge University Press, in particular with Dr. Phil Meyler, is gratefully acknowledged.

Notation

The symbols are chosen according to the following conventions. Scalar values or signals are denoted by lower-case letters such as x , a or t , vectors by boldface letters such as \mathbf{x} or \mathbf{y} and matrices by boldface upper-case letters such as \mathbf{A} , \mathbf{B} . Accordingly, the elements x_1, \dots, x_n of a vector \mathbf{x} or $a_{11}, a_{12}, \dots, a_{mn}$ of a matrix \mathbf{A} are represented by italics. Sets are symbolized by calligraphic letters such as \mathcal{F} and \mathcal{Z} .

Unless the current literature uses other notations, q is the discrete state and \mathbf{x} the continuous state of a hybrid system. \mathbf{u} and \mathbf{y} denote the continuous input or continuous output, respectively, of the system.

The inequality $\mathbf{P} > 0$ is interpreted in two different ways, which is explicitly mentioned. In connection with optimal control or linear matrix inequalities, it states that the matrix \mathbf{P} is positive definite. Alternatively, the sign $>$ has to be interpreted as an elementwise relation saying that all elements of the matrix \mathbf{P} are positive ($p_{ij} > 0$ for all i, j).

Book homepage See book homepage at <http://www.rub.de/atp> → Books for further information and computer programs for the animation of important hybrid systems phenomena.

Contents

List of contributors	page vii
Preface	xiii
Notation	xvi

Part I Theory

1 Introduction to hybrid systems	3
<i>W. P. M. H. Heemels, D. Lehmann, J. Lunze, and B. De Schutter</i>	
2 Survey of modeling, analysis, and control of hybrid systems	31
<i>B. De Schutter, W. P. M. H. Heemels, J. Lunze, and C. Prieur</i>	
3 Hybrid automata	57
<i>S. Kowalewski, M. Garavello, H. Guéguen, G. Herberich, R. Langerak, B. Piccoli, J. W. Polderman, and C. Weise</i>	
4 Switched and piecewise affine systems	87
<i>J. Daafouz, M. D. Di Benedetto, V. D. Blondel, G. Ferrari-Trecate, L. Hetel, M. Johansson, A. L. Juloski, S. Paoletti, G. Pola, E. De Santis, and R. Vidal</i>	
5 Further switched systems	139
<i>A. Bemporad, M. K. Çamlıbel, W. P. M. H. Heemels, A. J. van der Schaft, J. M. Schumacher, and B. De Schutter</i>	
6 Hybrid systems: quantization and abstraction	193
<i>J. Lunze, A. Bicchi, T. Moor, L. Palopoli, B. Picasso, J. Raisch, and A. Schild</i>	
7 Stochastic hybrid systems	249
<i>J. Lygeros and M. Prandini</i>	

Part II Tools

8 Overview of tools development and open problems	279
<i>D. A. van Beek and S. Engell</i>	
9 Verification tools for linear hybrid automata	285
<i>G. Frehse</i>	
10 Tools for modeling, simulation, control, and verification of piecewise affine systems	297
<i>A. Bemporad, S. Di Cairano, G. Ferrari-Trecate, M. Kvasnica, M. Morari, and S. Paoletti</i>	
11 Modeling, simulation, and optimization environments	325
<i>C. Sonntag</i>	
12 Interchange formats and tool integration	361
<i>D. A. van Beek, M. A. Reniers, J. E. Rooda, and R. R. H. Schiffelers</i>	

Part III Applications

13 Energy management	377
<i>M. Morari, A. G. Beccuti, S. Mariéthoz, and G. Papafotiou</i>	
14 Industrial controls	405
<i>S. Engell, S. Lohmann, T. Moor, C. de Prada, J. Raisch, D. Sarabia, and C. Sonntag</i>	
15 Automotive control	439
<i>L. Benvenuti, A. Balluchi, A. Bemporad, S. Di Cairano, B. Johansson, R. Johansson, A. Sangiovanni Vincentelli, and P. Tunestål</i>	
16 Networked control	471
<i>M. D. Di Benedetto, A. Bicchi, A. D’Innocenzo, K. H. Johansson, A. Robertsson, F. Santucci, U. Tiberi, and A. Tzes</i>	
17 Solar air conditioning – a benchmark for hybrid systems control	501
<i>E. F. Camacho and D. Zambrano</i>	
References	511
Index	553

Part I

Theory

