

# PROGRAMMING THE FINITE ELEMENT METHOD

Fifth Edition

I. M. Smith


University of Manchester, UK

D. V. Griffiths

Colorado School of Mines, USA

L. Margetts

University of Manchester, UK



This edition first published 2014 © 2014 John Wiley & Sons Ltd

Registered office

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, United Kingdom

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com.

The right of the author to be identified as the author of this work has been asserted in accordance with the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. It is sold on the understanding that the publisher is not engaged in rendering professional services and neither the publisher nor the author shall be liable for damages arising herefrom. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloguing-in-Publication Data

Smith, I. M. (Ian Moffat), 1940- author.

Programming the finite element method. – Fifth edition/Ian M. Smith, D. Vaughan Griffiths, Lee Margetts. pages cm

Includes bibliographical references and index.

ISBN 978-1-119-97334-8 (hardback)

1. Finite element method-Data processing. 2. Engineering-Data processing. 3. FORTRAN 2003

(Computer program language) I. Griffiths, D. V., author. II. Margetts, Lee, author. III. Title.

TA347.F5S64 2014 620.001'51825-dc23

2013019445

A catalogue record for this book is available from the British Library.

ISBN: 978-1-119-97334-8

Set in 10/12pt Times by Laserwords Private Limited, Chennai, India. Printed and bound in Malaysia by Vivar Printing Sdn Bhd

## PROGRAMMING THE FINITE ELEMENT METHOD

#### Preface to Fifth Edition

This edition maintains the successful theme of previous editions, namely a modular programming style which leads to concise, easy to read computer programs for the solution of a wide range of problems in engineering and science governed by partial differential equations.

The programming style has remained essentially the same despite huge advances in computer hardware. Readers will include beginners, making acquaintance with the finite element method for the first time, and specialists solving very large problems using the latest generation of parallel supercomputers.

In this edition special attention is paid to interfacing with other open access software, for example ParaView for results visualisation, ABAQUS user subroutines for a range of material constitutive models, ARPACK for large eigenvalue analyses, and METIS for mesh partitioning.

Chapter 1 has been extensively rewritten to take account of rapid developments in computer hardware, for example the availability of GPUs and cloud computing environments. In Chapters 2 to 11 numerous additions have been made to enhance analytical options, for example new return algorithms for elastoplastic analyses, more general boundary condition specification and a complex response option for dynamic analyses.

Chapter 12 has been updated to illustrate the rapidly advancing possibilities for finite element analyses in parallel computing environments. In the fourth edition the maximum number of parallel 'processes' used was 64 whereas in this edition the number has increased to 64,000. The use of GPUs to accelerate computations is illustrated.

### Acknowledgements

The authors wish to acknowledge the contributions of a number of individuals and organizations. The support of the Australian Research Council Centre of Excellence for Geotechnical Science and Engineering (CGSE) at the University of Newcastle NSW is recognised, and particularly Jinsong Huang, who contributed to the development and validation of several of the new and modified programs in Chapters 6, 8 and 9. Louise Lever (University of Manchester), one of the principal ParaFEM developers, provided expertise in the use of ParaView for Chapters 1, 5, 6 and 12 and set up the community building website http://parafem.org.uk.

There were many contributions to Chapter 12. Llion Evans, Paul Mummery, Philip Manning, Graham Hall and Dimitris Christias (all University of Manchester) provided scientific case studies. Florent Lebeau and Francois Bodin (CAPS Entreprise) evaluated the use of GPUs and Philippe Young (Simpleware Ltd) provided support in image-based modelling.

Benchmarking of the programs in Chapter 12 was carried out using supercomputers hosted by the UK National High Performance Computing Service "HECToR" (e107, e254) and the UK Regional Service "N8 HPC" (EP/K000225/1). The EU FP7 project "Venus-C" and Barcelona Supercomputing Center (Spain) provided access, resources and training to use Microsoft Azure.

The authors would also like to thank family members for their support during preparation of the book, including Valerie Griffiths, Laura Sanchez and Nathan Margetts.

### Contents

Prefa	ce to Fif	th Edition	XV
Ackn	owledger	ments	xvii
1	Prelimi	inaries: Computer Strategies	1
1.1	Introdu	ction ction	1
1.2	Hardwa	are	-
1.3		Managament	2
1.4		Processors	3
1.5		ore Processors	3
1.6	Co-pro		4
1.7		Processors	4
1.8		ations Software	5
	1.8.1	Compilers	5
	1.8.2	Arithmetic	6
	1.8.3	Conditions The Manual Park of a property of the Wilds	7
	1.8.4	Loops	8
1.9		Features	9
78	1.9.1	Dynamic Arrays	9
	1.9.2	Broadcasting	9
	1.9.3	Constructors	9
	1.9.4	Vector Subscripts	10
	1.9.5	Array Sections	11
	1.9.6	Whole-array Manipulations	11
	1.9.7	Intrinsic Procedures for Arrays	11
	1.9.8	Modules	12
	1.9.9	Subprogram Libraries The Libraries and Libra	13
	1.9.10	Structured Programming	15
1.10		party Libraries	17
1.0	1.10.1	BLAS Libraries	17
	1.10.2	Maths Libraries	17
	1.10.3	User Subroutines	18
	1.10.4	MPI Libraries	18
1.11	Visuali		18
	1.11.1	Starting ParaView	19
	1.11.2	Display Restrained Nodes	20

vi Contents

	1.11.3 Display Applied Loads		21
	1.11.4 Display Deformed Mesh		21
1.12	Conclusions		23
	References		24
2	Spatial Discretisation by Finite Elements		25
2.1	Introduction		25
2.2	Rod Element		25
2	2.2.1 Rod Stiffness Matrix		25
	2.2.2 Rod Mass Element		28
2.3	The Eigenvalue Equation		28
2.4	Beam Element		29
2.4	2.4.1 Beam Element Stiffness Matrix		
	2.4.2 Beam Element Mass Matrix		31
2.5	Beam with an Axial Force		
	Beam on an Elastic Foundation		32
2.6			33
2.7	General Remarks on the Discretisation Process		33
2.8	Alternative Derivation of Element Stiffness		35
2.9	Two-dimensional Elements: Plane Stress		
2.10	Energy Approach and Plane Strain		38
	2.10.1 Thermoelasticity		39
2.11	Plane Element Mass Matrix		40
2.12	Axisymmetric Stress and Strain		40
2.13	Three-dimensional Stress and Strain		42
2.14	Plate Bending Element		44
2.15	Summary of Element Equations for Solids		47
2.16	Flow of Fluids: Navier-Stokes Equations		47
2.17	Simplified Flow Equations		50
	2.17.1 Steady State		51
	2.17.2 Transient State		53
	2.17.3 Convection		53
2.18	Further Coupled Equations: Biot Consolidation		54
2.19	Conclusions		56
	References		56
3	Programming Finite Element Computations		59
3.1	Introduction		59
3.2	Local Coordinates for Quadrilateral Elements		59
	3.2.1 Numerical Integration for Quadrilaterals		61
	3.2.2 Analytical Integration for Quadrilaterals		63
3.3			64
			65
			65
3.4			66
3.5	'Element-by-Element' Techniques		68
P.I.	3.5.1 Conjugate Gradient Method for Linear Eq.		68
	3.5.2 Preconditioning	LAA CONTRACTOR	69

	3.5.3 Unsymmetric Systems and pulsar solution to according to the state of the stat	70
	3.5.4 Symmetric Non-Positive Definite Equations	
	3.5.5 Eigenvalue Systems	71
3.6		71
3.0	Incorporation of Boundary Conditions	72
2.7	3.6.1 Convection Boundary Conditions	74
3.7	Programming using Building Blocks	75
	3.7.1 Black Box Routines	76
	3.7.2 Special Purpose Routines	77
	3.7.3 Plane Elastic Analysis using Quadrilateral Elements	77
	3.7.4 Plane Elastic Analysis using Triangular Elements	81
	3.7.5 Axisymmetric Strain of Elastic Solids	82
	3.7.6 Plane Steady Laminar Fluid Flow	83
	3.7.7 Mass Matrix Formation	83
	3.7.8 Higher-Order 2D Elements	84
	3.7.9 Three-Dimensional Elements	86
	3.7.10 Assembly of Elements	90
3.8	Solution of Equilibrium Equations	95
3.9	Evaluation of Eigenvalues and Eigenvectors	96
	3.9.1 Jacobi Algorithm	96
	3.9.2 Lanczos and Arnoldi Algorithms	98
3.10	Solution of First-Order Time-Dependent Problems	99
3.11	Solution of Coupled Navier-Stokes Problems	103
3.12	Solution of Coupled Transient Problems	103
3.14	3.12.1 Absolute Load Version	104
	3.12.2 Incremental Load Version	105
3.13	Solution of Second-Order Time-Dependent Problems	106
3.13		
	3.13.1 Modal Superposition	107
	3.13.2 Newmark or Crank–Nicolson Method	109
	3.13.3 Wilson's Method	110
	3.13.4 Complex Response	111
	3.13.5 Explicit Methods and Other Storage-Saving Strategies	112
	References described and the property of the following state of the second state of th	113
4	Static Equilibrium of Structures	115
4.1	Introduction TAM J AND LEA TOWN TO THE TAMES AND TAKEN THE TAMES	115
	Program 4.1 One-dimensional analysis of axially loaded elastic rods	
	using 2-node rod elements	116
	Program 4.2 Analysis of elastic pin-jointed frames using 2-node rod	
	elements in two or three dimensions	121
	Program 4.3 Analysis of elastic beams using 2-node beam elements	
	(elastic foundation optional)	127
	Program 4.4 Analysis of elastic rigid-jointed frames using 2-node	
	beam/rod elements in two or three dimensions	133
	Program 4.5 Analysis of elastic-plastic beams or frames using	
	2-node beam or beam/rod elements in one, two or three	
	dimensions	141
	Program 4.6 Stability (buckling) analysis of elastic beams using	
	2-node beam elements (elastic foundation optional)	150
	2-node beam elements (elastic foundation optional)	150

	Program 4.7 Analysis of plates using 4-node rectangular plate elements. Homogeneous material with identical elements. Mesh	
	numbered in x- or y-direction	153
4.2	Conclusions and the control of the c	157
4.3	Glossary of Variable Names	157
4.4	Exercises Admid guralith grown and managed to	159
	References	168
5	Static Equilibrium of Linear Elastic Solids	169
5.1	Introduction and with subspace of property and the American States	169
	Program 5.1 Plane or axisymmetric strain analysis of a rectangular elastic solid using 3-, 6-, 10- or 15-node right-angled triangles or 4-, 8- or 9-node rectangular quadrilaterals. Mesh numbered	
	in $x(r)$ - or $y(z)$ -direction	170
	Program 5.2 Non-axisymmetric analysis of a rectangular axisymmet-	170
	ric elastic solid using 8-node rectangular quadrilaterals. Mesh numbered in $r$ - or $z$ -direction	184
	Program 5.3 Three-dimensional analysis of a cuboidal elastic solid	104
	using 8-, 14- or 20-node brick hexahedra. Mesh numbered in	
	xz-planes then in the $y$ -direction	191
	Program 5.4 General 2D (plane strain) or 3D analysis of elastic solids.	171
	Gravity loading option	196
	Program 5.5 Plane or axisymmetric thermoelastic analysis of an elas-	120
	tic solid using 3-, 6-, 10- or 15-node right-angled triangles or	
	4-, 8- or 9-node rectangular quadrilaterals. Mesh numbered in	205
	x(r)- or $y(z)$ -direction and application of the state	205
	Program 5.6 Three-dimensional strain of a cuboidal elastic solid using	
	8-, 14- or 20-node brick hexahedra. Mesh numbered in xz-	
	planes then in the y-direction. No global stiffness matrix assem-	200
	bly. Diagonally preconditioned conjugate gradient solver	209
	Program 5.7 Three-dimensional strain of a cuboidal elastic solid using	
	8-, 14- or 20-node brick hexahedra. Mesh numbered in xz-	
	planes then in the y-direction. No global stiffness matrix. Diag-	
	onally preconditioned conjugate gradient solver. Optimised	212
5.0	maths library, ABAQUS UMAT version	213
5.2	Glossary of Variable Names	221
5.3	Exercises Atomic Unidensity allows	224
	References in County and the state of the st	232
,	m (which give a display of the strains)	222
6	Material Non-linearity and as an experience of the defendance of a managed to	233
6.1	Introduction	233
6.2	Stress-strain Behaviour	235
6.3	Stress Invariants	236
6.4	Failure Criteria and the entrol added to attempt to the land of the unit of the	238
	6.4.1 Von Mises	238
( =	6.4.2 Mohr–Coulomb and Tresca	239
6.5	Generation of Body Loads in the manufacture of the state	240 240
6.6	Viscoplasticity (analysis and distance of the Caragoda mand change	240

Contents

6.7	Initial Stress and a place of the to and arriange on the small after memorial	242
6.8	Corners on the Failure and Potential Surfaces	243
	Program 6.1 Plane-strain-bearing capacity analysis of an elastic-plastic	
	(von Mises) material using 8-node rectangular quadrilaterals.	244
	Flexible smooth footing. Load control. Viscoplastic strain method Program 6.2 Plane-strain-bearing capacity analysis of an elastic—plastic	244
	(von Mises) material using 8-node rectangular quadrilaterals.  Flexible smooth footing. Load control. Viscoplastic strain method.  No global stiffness matrix assembly. Diagonally preconditioned	
	conjugate gradient solver	250
	Program 6.3 Plane-strain-bearing capacity analysis of an elastic—plastic (Mohr–Coulomb) material using 8-node rectangular quadrilaterals. Rigid smooth footing. Displacement control. Viscoplastic strain method	254
	Program 6.4 Plane-strain slope stability analysis of an elastic-plastic	234
	(Mohr–Coulomb) material using 8-node rectangular quadrilaterals. Gravity loading. Viscoplastic strain method	260
	Program 6.5 Plane-strain earth pressure analysis of an elastic-plastic	200
	(Mohr–Coulomb) material using 8-node rectangular quadrilat-	
	erals. Rigid smooth wall. Initial stress method	265
6.9	Elastoplastic Rate Integration	270
	6.9.1 Forward Euler Method	272
	6.9.2 Backward Euler Method	274
6.10	Tangent Stiffness Approaches	275
	6.10.1 Inconsistent Tangent Matrix	275
	6.10.2 Consistent Tangent Matrix	275
	6.10.3 Convergence Criterion	276
	Program 6.6 Plane-strain-bearing capacity analysis of an elastic—plastic (von Mises) material using 8-node rectangular quadrilaterals.  Flexible smooth footing. Load control. Consistent tangent stiff-	277
	ness. Closest point projection method (CPPM)	277
	Program 6.7 Plane-strain-bearing capacity analysis of an elastic—plastic (von Mises) material using 8-node rectangular quadrilaterals.  Flexible smooth footing. Load control. Consistent tangent stiffness. CPPM. No global stiffness matrix assembly. Diagonally	
	preconditioned conjugate gradient solver	282
	Program 6.8 Plane-strain-bearing capacity analysis of an elastic—plastic (von Mises) material using 8-node rectangular quadrilaterals. Flexible smooth footing. Load control. Consistent tangent stiff-	
	ness. Radial return method (RR) with 'line search'	286
6.11	The Geotechnical Processes of Embanking and Excavation	289
0.11	6.11.1 Embanking	289
	Program 6.9 Plane-strain construction of an elastic-plastic	
	(Mohr–Coulomb) embankment in layers on a foundation using	
	8-node quadrilaterals. Viscoplastic strain method	290
	6.11.2 Excavation	294

	Program 6.10 Plane-strain construction of an elastic-plastic	
	(Mohr-Coulomb) excavation in layers using 8-node quadrilat-	
( 10	erals. Viscoplastic strain method	300
6.12	Undrained Analysis and a second second second north	305
	Program 6.11 Axisymmetric 'undrained' strain of an elastic-plastic	
	(Mohr–Coulomb) solid using 8-node rectangular quadrilater-	200
	als. Viscoplastic strain method	308
	Program 6.12 Three-dimensional strain analysis of an elastic-plastic (Mohr-Coulomb) slope using 20-node hexahedra. Gravity load-	
	ing. Viscoplastic strain method	313
	Program 6.13 Three-dimensional strain analysis of an elastic–plastic	313
	(Mohr–Coulomb) slope using 20-node hexahedra. Gravity load-	
	ing. Viscoplastic strain method. No global stiffness matrix	
	assembly. Diagonally preconditioned conjugate gradient solver	319
6.13	Glossary of Variable Names	322
6.14	Exercises	327
	References	331
7	Steady State Flow	333
7.1	Introduction	333
	Program 7.1 One-dimensional analysis of steady seepage using	
	2-node line elements	334
	Program 7.2 Plane or axisymmetric analysis of steady seepage using	
	4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or	
	y(z)-direction	337
	Program 7.3 Analysis of plane free surface flow using 4-node quadri-	
	laterals. 'Analytical' form of element conductivity matrix	344
	Program 7.4 General two- (plane) or three-dimensional analysis of	
	steady seepage	351
	Program 7.5 General two- (plane) or three-dimensional analysis of	
	steady seepage. No global conductivity matrix assembly. Diag-	255
7.0	onally preconditioned conjugate gradient solver	355
7.2	Glossary of Variable Names  Exercises	359
7.3		361
	References	367
8	Transient Problems: First Order (Uncoupled)	369
8.1	Introduction	369
	Program 8.1 One-dimensional transient (consolidation) analysis using	
	2-node 'line' elements. Implicit time integration using the 'theta'	
	method	370
	Program 8.2 One-dimensional transient (consolidation) analysis (set-	
	tlement and excess pore pressure) using 2-node 'line' elements.	
	Implicit time integration using the 'theta' method	373
	Program 8.3 One-dimensional consolidation analysis using 2-node 'line'	
	elements. Explicit time integration. Element by element. Lumped	
	mass	377

	Program 8.4 Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered	
	in $x(r)$ - or $y(z)$ -direction. Implicit time integration using the 'theta' method	380
	Program 8.5 Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered	
	in $x(r)$ - or $y(z)$ -direction. Implicit time integration using the 'theta' method. No global stiffness matrix assembly. Diago-	200
	nally preconditioned conjugate gradient solver  Program 8.6 Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction. Explicit time integration using the	388
	'theta = 0' method Program 8.7 Plane or axisymmetric transient (consolidation) analysis using 4-node rectangular quadrilaterals. Mesh numbered in $x(r)$ - or $y(z)$ -direction. 'theta' method using an element-by-	390
	element product algorithm	394
8.2	Comparison of Programs 8.4, 8.5, 8.6 and 8.7	397
	Program 8.8 General two- (plane) or three-dimensional transient (consolidation) analysis. Implicit time integration using the 'theta'	
	method	397
	Program 8.9 Plane analysis of the diffusion—convection equation using 4-node rectangular quadrilaterals. Implicit time integration using	401
	the 'theta' method. Self-adjoint transformation  Program 8.10 Plane analysis of the diffusion—convection equation	401
	using 4-node rectangular quadrilaterals. Implicit time integra- tion using the 'theta' method. Untransformed solution	405
	Program 8.11 Plane or axisymmetric transient thermal conduction analysis using 4-node rectangular quadrilaterals. Implicit time integration using the 'theta' method. Option of convection and flux	
	boundary conditions	410
8.3	Glossary of Variable Names when he had been maded some manufactured	416
8.4	Exercises units a time country is a constraint salastisant lett many of	419
	References The Standard Landard Landar	422
9	Coupled Problems	423
9.1	Introduction	423
	Program 9.1 Analysis of the plane steady-state Navier-Stokes equation using 8-node rectangular quadrilaterals for velocities coupled	
	to 4-node rectangular quadrilaterals for pressures. Mesh num-	
	bered in x-direction. Freedoms numbered in the order $u - p - v$	424
	Program 9.2 Analysis of the plane steady-state Navier–Stokes equation using 8-node rectangular quadrilaterals for velocities coupled	
	to 4-node rectangular quadrilaterals for pressures. Mesh numbered in $x$ -direction. Freedoms numbered in the order $u - p - v$ . Element-by-element solution using BiCGStab(l) with no pre-	429
	conditioning. No global matrix assembly	429

	Program 9.3 One-dimensional coupled consolidation analysis of a Biot poroelastic solid using 2-node 'line' elements. Freedoms numbered in the order was a second or the order	122
	bered in the order $v - u_w$ Program 9.4 Plane strain consolidation analysis of a Biot elastic solid	433
	using 8-node rectangular quadrilaterals for displacements cou-	
	pled to 4-node rectangular quadrilaterals for pressures. Free-	438
	doms numbered in order $u - v - u_w$ . Incremental load version Program 9.5 Plane strain consolidation analysis of a Biot elastic solid	436
	using 8-node rectangular quadrilaterals for displacements cou-	
	pled to 4-node rectangular quadrilaterals for pressures. Free-	
	doms numbered in order $u - v - u_w$ . Incremental load ver-	
	sion. No global stiffness matrix assembly. Diagonally precon-	
	ditioned conjugate gradient solver	445
	Program 9.6 Plane strain consolidation analysis of a Biot poroelas-	
	tic-plastic (Mohr-Coulomb) material using 8-node rectangu-	
	lar quadrilaterals for displacements coupled to 4-node rectan-	
	gular quadrilaterals for pressures. Freedoms numbered in the	
	order $u - v - u_w$ . Viscoplastic strain method	448
9.2	Glossary of Variable Names	454
9.3	Exercises	459
	References	460
10	Eigenvalue Problems	461
10.1	Introduction	461
10.1	Program 10.1 Eigenvalue analysis of elastic beams using 2-node beam	401
	elements. Lumped mass	462
	Program 10.2 Eigenvalue analysis of an elastic solid in plane strain	
	using 4- or 8-node rectangular quadrilaterals. Lumped mass.	165
	Mesh numbered in y-direction	465
	Program 10.3 Eigenvalue analysis of an elastic solid in plane strain	
	using 4-node rectangular quadrilaterals. Lanczos method, Con-	469
	sistent mass. Mesh numbered in y-direction	409
	Program 10.4 Eigenvalue analysis of an elastic solid in plane strain using 4-node rectangular quadrilaterals with ARPACK. Lumped	
	mass. Element-by-element formulation. Mesh numbered in	
	y-direction	474
10.2	Glossary of Variable Names	477
10.3	Exercises Exerci	480
10.5	References	482
11	Forced Vibrations	483
11.1	Introduction	483
	Program 11.1 Forced vibration analysis of elastic beams using 2-node	
	beam elements. Consistent mass. Newmark time stepping	483
	Program 11.2 Forced vibration analysis of an elastic solid in plane	
	strain using 4- or 8-node rectangular quadrilaterals. Lumped	100
	mass Mash numbered in the vidirection Model superposition	120

	Program 11.3 Forced vibration analysis of an elastic solid in plane strain using rectangular 8-node quadrilaterals. Lumped or consistent mass. Mesh numbered in the y-direction. Implicit time	
	integration using the 'theta' method	493
	Program 11.4 Forced vibration analysis of an elastic solid in plane strain using rectangular 8-node quadrilaterals. Lumped or consistent mass. Mesh numbered in the y-direction. Implicit time	493
	integration using Wilson's method  Program 11.5 Forced vibration of a rectangular elastic solid in plane	498
	strain using 8-node quadrilateral elements numbered in the y-direction. Lumped mass, complex response	501
	Program 11.6 Forced vibration analysis of an elastic solid in plane strain using uniform size rectangular 4-node quadrilaterals.	301
	Mesh numbered in the <i>y</i> -direction. Lumped or consistent mass.  Mixed explicit/ implicit time integration	504
	Program 11.7 Forced vibration analysis of an elastic solid in plane strain using rectangular 8-node quadrilaterals. Lumped or consistent mass. Mesh numbered in the y-direction. Implicit time integration using the 'theta' method. No global matrix assem-	304
	bly. Diagonally preconditioned conjugate gradient solver	508
	Program 11.8 Forced vibration analysis of an elastic-plastic (von	
	Mises) solid in plane strain using rectangular 8-node quadri- lateral elements. Lumped mass. Mesh numbered in the	
	y-direction. Explicit time integration	512
1.2	Glossary of Variable Names	517
11.3	Exercises	521
	References	522
12	Parallel Processing of Finite Element Analyses	523
12.1	Introduction who consider greated action of rela-	523
12.2	Differences between Parallel and Serial Programs	525
	12.2.1 Parallel Libraries	525
	12.2.2 Global Variables	526
	12.2.3 MPI Library Routines	526
	12.2.4 The _pp Appendage	527
	12.2.5 Simple Test Problems	527
	12.2.6 Reading and Writing	530
	12.2.7 rest Instead of nf	532
	12.2.8 Gathering and Scattering	533
	12.2.9 Reindexing	533
	12.2.10 Domain Composition	533
	12.2.11 Third-party Mesh-partitioning Tools	534
	12.2.12 Load Balancing	535
	Program 12.1 Three-dimensional analysis of an elastic solid.	500
	Compare Program 5.6	536
	Program 12.2 Three-dimensional analysis of an elastoplastic	540
	(Mohr-Coulomb) solid. Compare Program 6.13	542 548
	Program 12.3 Three-dimensional Laplacian flow. Compare Program 7.5	340

		n 12.4 Three-dimensional transi analysis in time. Compare Progr	ent heat conduction-implicit	550		
		n 12.5 Three-dimensional transi		553		
		time. Compare Program 8.6		562		
		n 12.6 Three-dimensional stead sis. Compare Program 9.2	t 8 iuliu in 10m taken mitati	565		
	Prograi	n 12.7 Three-dimensional analy		570		
	Drogram	Incremental version. Compare P m 12.8 Eigenvalue analysis of the		572		
	Tiograi	Compare Program 103		576		
	Prograi	m 12.9 Forced vibration analysis		570		
	110	solid. Implicit integration in tim	e. Compare Program 11.7	581		
	Prograi	m 12.10 Forced vibration analys				
			in time. Compare Program 11.8	585		
12.3		Graphics Processing Units  Program 12.11 Three-dimensional strain of an elastic solid using				
		8-, 14- or 20-node brick hexahed				
		assembly. Diagonally precondition				
		GPU version. Compare Program		589		
12.4	Cloud	Computing		594		
12.5				596		
12.6		ry of Variable Names		597		
	Refere			602		
Appe	ndix A	<b>Equivalent Nodal Loads</b>		605		
Appe	ndix B	Shape Functions and Element	Node Numbering	611		
Appe	ndix C	Plastic Stress-Strain Matrices	and Plastic Potential Derivatives	619		
Appe	ndix D	main Library Subprograms		623		
Appe	ndix E	geom Library Subroutines		635		
Appe	ndix F	Parallel Library Subroutines		639		
Appe	endix G	External Subprograms		645		
Auth	or Index			649		
Subi	ect Inde			653		
No Belle	THE BEARING					

### Preliminaries: Computer Strategies

#### 1.1 Introduction

Many textbooks exist which describe the principles of the finite element method of analysis and the wide scope of its applications to the solution of practical engineering and scientific problems. Usually, little attention is devoted to the construction of the computer programs by which the numerical results are actually produced. It is presumed that readers have access to pre-written programs (perhaps to rather complicated 'packages') or can write their own. However, the gulf between understanding in principle what to do, and actually doing it, can still be large for those without years of experience in this field.

The present book bridges this gulf. Its intention is to help readers assemble their own computer programs to solve particular engineering and scientific problems by using a 'building block' strategy specifically designed for computations via the finite element technique. At the heart of what will be described is not a 'program' or a set of programs but rather a collection (library) of procedures or subroutines which perform certain functions analogous to the standard functions (SIN, SQRT, ABS, etc.) provided in permanent library form in all useful scientific computer languages. Because of the matrix structure of finite element formulations, most of the building block routines are concerned with manipulation of matrices.

The building blocks are then assembled in different patterns to make test programs for solving a variety of problems in engineering and science. The intention is that one of these test programs then serves as a platform from which new applications programs are developed by interested users.

The aim of the present book is to teach the reader to write intelligible programs and to use them. Both serial and parallel computing environments are addressed and the building block routines (numbering over 100) and all test programs (numbering over 70) have been verified on a wide range of computers. Efficiency is considered.

The chosen programming language is FORTRAN which remains, overwhelmingly, the most popular language for writing large engineering and scientific programs. Later in this chapter a brief description of the features of FORTRAN which influence the programming of the finite element method will be given. The most recent update of the language was in 2008 (ISO/IEC 1539-1:2010). For parallel environments, MPI has been used, although the programming strategy has also been tested with OpenMP, or a combination of the two.