


汪毅 / 李朝斗 / 杨卫平 / 司晓雯 / 夏同珩

郭锡勇 / 李俊 / 罗贵廷 / 编写

# 药色集 草彩图



贵州科技出版社

# 草药彩色图集

汪 毅 李朝斗 杨卫平 司晓雯  
夏同珩 郭锡勇 李 俊 罗贵廷 编写

贵州科技出版社

**图书在版编目(CIP)数据**

草药彩色图集/汪毅等编写. —贵阳: 贵州科技出版社, 2001. 9

ISBN 7-80662-137-7

I. 草… II. 汪… III. 植物药—图谱  
IV. R282.71-64

中国版本图书馆 CIP 数据核字(2001)第 057587 号



贵州科技出版社出版发行  
(贵阳市中华北路 289 号 邮编 550004)

出版人: 丁 聪

贵州新华印刷厂印刷 贵州省新华书店经销  
890mm×1194mm 32 开本 28 印张 700 千字  
2001 年 11 月第 1 版 2001 年 11 月第 1 次印刷  
印数 1—3 000 定价: 189.00 元

# 前 言

中草药防治疾病,在我国有悠久的历史。早在周代(公元前1066年~公元前221年)的一些非医药著作中,就有不少关于药物的资料,如《周礼》有“五药”。汉代郑玄注:“五药”,草、木、虫、石、谷也。《诗经》中也记载了多种药用植物的名称,如苓、葛、艾、蕤(今“益母草”)、莢(今“泽泻”)、芣苢(今“车前子”)、卷耳(今“苍耳子”)等。经过历代医家的努力,逐渐形成了完整的中医药体系,并广传世界,普济众生。这完全得力于我国历代人民的智慧和优越的自然环境。随着中草药的广泛使用,在我国逐渐形成了云(云南)、贵(贵州)、川(四川)、广(广西)四大药材产区,其中尤以贵州的自然条件得天独厚。这是因为贵州位于云贵高原东部的斜坡地带(东经 $103^{\circ}36'$ ~ $109^{\circ}35'$ ,北纬 $24^{\circ}37'$ ~ $29^{\circ}13'$ ),西高东低,平均海拔1 100m左右,最低处海拔仅137m,最高处海拔2 903m,因此从低洼河谷至高山山原形成了明显的垂直分布的气候特征;加上又处于南亚热带向中亚热带的过渡区域内,有丰富充沛的雨量,年平均降雨量一般在1 100~1 300mm之间。除个别地区外,一般冬无严寒,夏无酷暑,形成冬暖夏凉宜人的气候环境。年平均气温在 $11.0\sim 19.0^{\circ}\text{C}$ 之间。大部分地区无霜期270天以上,部分地区长达350天,形成了优越的生态环境。

贵州境内苗岭山脉、娄山山脉、乌蒙山脉、武陵山脉等山脉绵延,溪流纵横,河谷深切,地形崎岖,岩溶地貌发育(占全省总面积的73%),高山与丘陵并存;土壤类型复杂多样,在这种得天独厚的自然条件和生态环境中,动植物大量繁衍生息,既有热带植物种群,又有暖温带植物种群,形成了“黔中无闲草,贵州多名药”的特点。据不完全统计,贵州有野生植物药4 000余种,是中国四大

药材产区之一。贵州又是一个多民族的省份,各族人民自古以来就利用天然药(民族药)来防治疾病。随着社会的发展和科学技术的进步,丰富的药物资源被逐渐开发利用。特别是新中国成立以来,党和政府十分重视中草药、中草医在防治疾病中的作用和地位,对贵州中草药资源的进一步开发和利用起到了积极的推动作用。自党的十一届三中全会以来,随着改革开放的不断深入和受国际上返璞归真,回归自然,用天然药物防治疾病趋势的影响,贵州民族药生产的企业如雨后春笋般涌现,现在有药品生产企业183家。面对这种情况,对中草药资源的合理开发和利用,是一个摆在人们面前的实际问题,也是涉及到中草药产业能否可持续发展的一个重大问题。因此,我们在贵州省科学技术厅、贵州省中医管理局及贵州科技出版社的大力支持下,在收集整理贵州草药的基础上,编写了这本《草药彩色图集》,以满足广大中草药爱好者、科研、教学人员及临床医务工作者、药品生产企业的需要。

《草药彩色图集》收集了在民间应用较为普遍、疗效确实可靠的草药800余种,分别按常用药名、异名(民间常用名)、来源(拉丁学名)、产地、植物形态、性味功效、主要化学成分、临床运用(处方举例3~6首)、用法、用量等内容介绍;药物编排顺序按裸子植物、被子植物分科排列。全书约70余万字,并配以相应的彩色照片1600余幅。这些照片都是在山野林间、悬崖峭壁、溪沟沼泽等生长地实地拍摄的,珍贵难得。

参加本书野外拍摄照片的除本书作者外,尚有王冬梅、李杰、王明芹、张建生、洪冠生、何书敏、杨仕荣、魏生华、陈舒羽、汪晶晶、陈友军等同志,在此一并致谢。

《草药彩色图集》的编写和出版,尚属首次尝试,加之我们水平有限,书中难免有不妥之处,敬请广大读者和专家批评指正,以便再版时修正。

编者 2001年6月18日

· 2 ·

## Preface

It has a long history of using Chinese medical herbs to prevent and cure diseases in China. Dating from Zhou Dynasty (1066 B.C. ~ 221 B.C.) a lot of information about medicines has appeared in some non-medical works. For example, there was "Five Medicines" on record in the book of Zhou Li. Zheng Xuan in Han Dynasty noted: " 'Five Medicines' means herbs, woody plants, insects, rocks and cereals." In the Book of Song we can also find many names of medical plants, such as Ling (Fuling), kudzu vine, Chinese mugwort, Tui (called motherwort nowadays), Mai (called the rhizome of oriental water plantain nowadays), Fuyi (called Asiatic Slantach nowadays), Juan'er (called Siberian Cocklebur nowadays) etc. By the hard work of doctors for many generations, a complete Chinese medical herbs system has gradually come into being and the system has been spread far and wide and used to release those troubled by disease. All these are due to the wisdom of the Chinese people for many generations and the marvellous natural environment. As the Chinese medical herbs have been widely used, the four crude drug production bases with a large scale have been gradually formed. They are Yun (Yunnan), Gui (Guizhou), Chuan (Sichuan), Guang (Guangxi). Among them, Guizhou enjoys the exceptional advantages in natural environment. The reasons for this are: Guizhou lies in the eastern side of the slope zone of Yun Gui Plateau ( $E 103^{\circ}36' \sim 109^{\circ}35'$ ,  $N 24^{\circ}37' \sim 29^{\circ}13'$ ). Its western side is higher

than the eastern. The average elevation is around 1 000 m with the lowest elevation of 137 m and the highest of 2 903 m. The climate is vertically distributed with characters obviously seen from the low – lying river valleys to the high plateaus. In addition to this, Guizhou is situated in the obvious transitional area from the southern subtropics to the middle subtropics and very rich in rainfall with the annual average rainfall of 1 100 ~ 1 300 mm. It is neither too cold in winter nor too hot in summer with the average temperature of 11 ~ 19℃, and frost – free period of over 270 days for most areas or as long as 350 days for some areas with only few exceptions.

In Guizhou, Miaoling Mountain Range, Loushan Mountain Range, Wumeng Mountain Range, Wuling Mountain Range stretch long and unbroken with vertical and horizontal brooks, deep river valleys, rugged topography and rich Karst (73% of the total area). There are many high mountains as well as hills. It also has many kinds of soil types. Due to its typical and superior ecological environment, animals and plants multiply quickly. There are groups of tropical plants here as well as those of temperate zone plants. Moreover, the saying that “there is no spare herbs in Guizhou, many famous medical herbs can be found here” is typically described as the rich herb medicine resources in Guizhou. According to the incomplete statistics, about 4 000 kinds of wild medical plants can be found in Guizhou and it is one of the four medical herb production bases in China. Guizhou is a province with many minority nationalities and the long history of using natural medical herbs to

prevent and cure diseases has had for these local people. Along with the development of science and technology, the rich wild medical resources have gradually been developed. Especially, after the establishment of the People's Republic of China, the Chinese Communist Party and the People's Government have paid much attention to the special curative effect of medical herbs. This has fully helped to promote the development and application of medical herbs. After Third Plenary Session of the Eleventh Central Committee, with the opening and reformation of China and affected by the international trend of returning to the nature, a large number of enterprises for producing national medical herbs have sprung up in Guizhou. Now, there are 183 enterprises for producing national medical herbs. In this situation, the realistic question of how to reasonably develop and utilize the Chinese medical herb resources has appeared urgently for waiting to be solved. It is also the question of whether the Chinese medical herbs can have sustainable development or not. For the great support from Guizhou Science and Technology Department, and Guizhou Administrative Bureau of Traditional Chinese Medicine, and Guizhou Science and Technology Publishing House, and on the base of collecting and systematizing Guizhou medical herbs, the book of A Collection of Colorful Pictures of Medical Herbs will be published. It will meet the needs of enthusiasts, scientific researchers, teachers, clinicians and medicine production enterprises.

In this book there is a collection of about 80 kinds of medical herbs

which are the most popular among the people and have dependable curative effects. These medicines are organized according to the general name, the different name (called among the people), resources (Latin scientific names), place of origin, plant shape, properties, main chemical composition, clinical application (36 recipe examples), usage, dosage and so on. Besides, they are arranged in the order of gymnosperm and angiosperm. All these pictures are taken on the spot of remote mountains, wild woods, sheer precipices, overhanging rocks, brooks, gullies, marsh swamps etc.

Since it is the first edition as well as the first try, and our level is limited, there may be something improper and inappropriate existing. Therefore, we sincerely hope that readers and experts can point them out, so that we can correct them in the second edition.

June 18, 2001 in Guiyang, China

**Translated by** Xia Xuan

**Revised by** Tang Wen, Wang Xia

# 目 录

|             |        |             |        |
|-------------|--------|-------------|--------|
| 银耳 .....    | ( 1 )  | 岭南铁角蕨 ..... | ( 28 ) |
| 木耳 .....    | ( 2 )  | 华中铁角蕨 ..... | ( 29 ) |
| 灵芝 .....    | ( 3 )  | 石上铁角蕨 ..... | ( 30 ) |
| 海花草 .....   | ( 4 )  | 刺齿贯众 .....  | ( 31 ) |
| 舒筋草 .....   | ( 5 )  | 小贯众 .....   | ( 32 ) |
| 藤石松 .....   | ( 6 )  | 肾蕨 .....    | ( 33 ) |
| 狮子草 .....   | ( 7 )  | 多羽节肢蕨 ..... | ( 34 ) |
| 大叶菜 .....   | ( 8 )  | 肉质伏石蕨 ..... | ( 35 ) |
| 细叶卷柏 .....  | ( 9 )  | 抱石莲 .....   | ( 36 ) |
| 石上柏 .....   | ( 10 ) | 狭叶瓦韦 .....  | ( 37 ) |
| 一朵云 .....   | ( 11 ) | 江南星蕨 .....  | ( 38 ) |
| 一支箭 .....   | ( 12 ) | 盾蕨 .....    | ( 39 ) |
| 观音座莲 .....  | ( 13 ) | 友水龙骨 .....  | ( 40 ) |
| 月亮蕨 .....   | ( 14 ) | 水龙骨 .....   | ( 41 ) |
| 芒萁 .....    | ( 15 ) | 石韦 .....    | ( 42 ) |
| 须须药 .....   | ( 16 ) | 伏石蕨 .....   | ( 43 ) |
| 左转藤 .....   | ( 17 ) | 胃叶线蕨 .....  | ( 44 ) |
| 乌韭 .....    | ( 18 ) | 岩穴蕨 .....   | ( 45 ) |
| 粉背蕨 .....   | ( 19 ) | 田字草 .....   | ( 46 ) |
| 蕨菜 .....    | ( 20 ) | 满江红 .....   | ( 47 ) |
| 猪鬃凤尾蕨 ..... | ( 21 ) | 贵州苏铁 .....  | ( 48 ) |
| 岩凤尾蕨 .....  | ( 22 ) | 银杏 .....    | ( 49 ) |
| 剑叶凤尾草 ..... | ( 23 ) | 马尾松 .....   | ( 51 ) |
| 凤尾草 .....   | ( 24 ) | 云南松 .....   | ( 53 ) |
| 蜈蚣蕨 .....   | ( 25 ) | 柳杉 .....    | ( 54 ) |
| 猪鬃草 .....   | ( 26 ) | 杉树 .....    | ( 55 ) |
| 单叶新月蕨 ..... | ( 27 ) | 侧柏 .....    | ( 56 ) |

|             |      |             |       |
|-------------|------|-------------|-------|
| 三尖杉 .....   | (57) | 水麻 .....    | (91)  |
| 罗汉松 .....   | (58) | 半边山 .....   | (92)  |
| 红豆杉 .....   | (59) | 红禾麻 .....   | (93)  |
| 白折耳 .....   | (60) | 禾麻 .....    | (94)  |
| 折耳根 .....   | (61) | 糯米藤 .....   | (95)  |
| 三白草 .....   | (63) | 冷水花 .....   | (96)  |
| 爬岩香 .....   | (64) | 百蕊草 .....   | (97)  |
| 四块瓦 .....   | (65) | 桑寄生 .....   | (98)  |
| 毛白杨 .....   | (66) | 青木香 .....   | (99)  |
| 垂柳 .....    | (67) | 大叶马兜铃 ..... | (100) |
| 杨梅 .....    | (68) | 管花马兜铃 ..... | (101) |
| 核桃 .....    | (70) | 菝葜细辛 .....  | (102) |
| 圆果化香树 ..... | (71) | 土细辛 .....   | (103) |
| 化香 .....    | (72) | 草狗肾 .....   | (104) |
| 枫杨 .....    | (73) | 金线草 .....   | (105) |
| 桤木 .....    | (74) | 芥子 .....    | (106) |
| 榛 .....     | (75) | 万年芥 .....   | (107) |
| 栗 .....     | (76) | 篇蓄 .....    | (108) |
| 甜茶 .....    | (77) | 地马蜂 .....   | (109) |
| 榭栎 .....    | (78) | 丛枝蓼 .....   | (110) |
| 榔榆 .....    | (79) | 四季红 .....   | (111) |
| 榆树 .....    | (80) | 血苕 .....    | (112) |
| 小叶朴 .....   | (81) | 酸汤杆 .....   | (113) |
| 小构树 .....   | (82) | 胖血藤 .....   | (114) |
| 火麻 .....    | (83) | 辣蓼 .....    | (115) |
| 无花果 .....   | (84) | 首乌 .....    | (116) |
| 凉粉子 .....   | (85) | 红草 .....    | (117) |
| 珍珠榕 .....   | (86) | 蛇倒退 .....   | (118) |
| 地瓜藤 .....   | (87) | 花蝴蝶 .....   | (119) |
| 黄葛 .....    | (88) | 箭叶蓼 .....   | (120) |
| 律草 .....    | (89) | 牛耳大黄 .....  | (121) |
| 大水麻 .....   | (90) | 金不换 .....   | (122) |

|            |       |            |       |
|------------|-------|------------|-------|
| 土荆芥·····   | (123) | 大木通·····   | (155) |
| 灰灰菜·····   | (124) | 毛蕊铁线莲····· | (156) |
| 地肤子·····   | (125) | 毛柱铁线莲····· | (157) |
| 土牛膝·····   | (126) | 绣球藤·····   | (158) |
| 柳叶牛膝·····  | (127) | 钝萼铁线莲····· | (159) |
| 空心莲子草····· | (128) | 柱果铁线莲····· | (160) |
| 红苋菜·····   | (129) | 飞燕草·····   | (161) |
| 鸡冠花·····   | (130) | 还亮草·····   | (162) |
| 千日红·····   | (131) | 水乌头·····   | (163) |
| 胭脂花·····   | (132) | 嘎嘎羊·····   | (164) |
| 见肿消·····   | (133) | 禺毛茛·····   | (165) |
| 半枝莲·····   | (134) | 回回蒜·····   | (166) |
| 马齿苋·····   | (135) | 毛茛·····    | (167) |
| 土人參·····   | (136) | 石龙芮·····   | (168) |
| 木耳菜·····   | (137) | 扬子毛茛·····  | (169) |
| 藤三七·····   | (138) | 千年耗子屎····· | (170) |
| 大鹅儿肠·····  | (139) | 唐松草·····   | (171) |
| 石竹·····    | (140) | 马尾黄连·····  | (172) |
| 瞿麦·····    | (141) | 八月瓜·····   | (173) |
| 漆姑草·····   | (142) | 五花血藤·····  | (174) |
| 小鹅儿肠·····  | (143) | 七叶莲·····   | (175) |
| 荷莲豆菜·····  | (144) | 三颗针·····   | (176) |
| 睡莲·····    | (145) | 淫羊藿·····   | (177) |
| 耗子头·····   | (146) | 八角莲·····   | (178) |
| 藤乌·····    | (147) | 十大功劳·····  | (179) |
| 岩乌头·····   | (148) | 南天竹·····   | (180) |
| 野棉花·····   | (149) | 大风藤·····   | (181) |
| 三叶升麻·····  | (150) | 小青藤香·····  | (182) |
| 钝齿女娄·····  | (151) | 山乌龟·····   | (183) |
| 粗糠藤·····   | (152) | 地苦胆·····   | (184) |
| 小木通·····   | (153) | 红茴香·····   | (185) |
| 平坝铁线莲····· | (154) | 土八角·····   | (186) |

大血藤····· (187)  
 黄角兰····· (188)  
 铁筷子····· (189)  
 红果楠····· (190)  
 毛黄肉楠····· (191)  
 山桂皮····· (192)  
 猴樟····· (193)  
 阴香····· (194)  
 狭叶阴香····· (195)  
 香樟····· (196)  
 大叶桂····· (197)  
 川桂····· (198)  
 三条筋····· (199)  
 山胡椒····· (200)  
 清香木姜子····· (201)  
 小木姜子····· (202)  
 落叶桢楠····· (203)  
 檫木····· (204)  
 紫堇····· (205)  
 断肠草····· (206)  
 岩黄连····· (207)  
 血水草····· (208)  
 博落回····· (209)  
 油菜····· (210)  
 茅菜····· (211)  
 水田碎米荠····· (212)  
 独行菜····· (213)  
 白萝卜····· (214)  
 野油菜····· (215)  
 落地生根····· (216)  
 养母草····· (217)  
 狗牙瓣····· (218)

凹叶景天····· (219)  
 景天····· (220)  
 鼠牙半枝莲····· (221)  
 垂盆草····· (222)  
 石莲花····· (223)  
 岩白菜····· (224)  
 川洩疏····· (225)  
 黄常山····· (226)  
 西南绣球····· (227)  
 粉团花····· (228)  
 圆锥绣球····· (229)  
 鬼灯檠····· (230)  
 虎耳草····· (231)  
 山枝茶····· (232)  
 牛鼻栓····· (233)  
 枫香树····· (234)  
 榧木····· (236)  
 蛇疔瘡····· (237)  
 山櫻桃····· (238)  
 西南栲子····· (239)  
 平枝栲子····· (240)  
 地红子····· (241)  
 野山楂····· (242)  
 蛇莓····· (243)  
 枇杷花····· (244)  
 水杨梅····· (245)  
 清明花····· (246)  
 花红····· (247)  
 石南····· (248)  
 委陵菜····· (249)  
 翻白草····· (250)  
 白地莓····· (251)

|              |       |             |       |
|--------------|-------|-------------|-------|
| 地蜂子 .....    | (252) | 西南蒺子梢 ..... | (284) |
| 五匹风 .....    | (253) | 毛蒺子梢 .....  | (285) |
| 打枪果 .....    | (254) | 阳雀花 .....   | (286) |
| 山桃 .....     | (255) | 水皂角 .....   | (287) |
| 梅 .....      | (256) | 紫荆 .....    | (288) |
| 樱桃 .....     | (257) | 响铃草 .....   | (289) |
| 李 .....      | (258) | 小槐花 .....   | (290) |
| 红子 .....     | (259) | 疏花山蚂蚱 ..... | (291) |
| 白花刺 .....    | (260) | 粘人花 .....   | (292) |
| 和尚头 .....    | (261) | 葫芦茶 .....   | (293) |
| 蜂糖罐 .....    | (262) | 皂角 .....    | (294) |
| 七姊妹 .....    | (263) | 黄豆 .....    | (295) |
| 粉团蔷薇 .....   | (264) | 铁扫帚 .....   | (296) |
| 刺梨 .....     | (265) | 血人参 .....   | (297) |
| 钝叶蔷薇 .....   | (266) | 鸡眼草 .....   | (298) |
| 山楂叶悬钩子 ..... | (267) | 小夜关门 .....  | (299) |
| 椭圆悬钩子 .....  | (268) | 金花菜 .....   | (300) |
| 黄锁梅 .....    | (269) | 野花生 .....   | (301) |
| 牛尾泡 .....    | (270) | 草木樨 .....   | (302) |
| 高粱泡 .....    | (271) | 鸡血藤 .....   | (303) |
| 三月泡 .....    | (272) | 岩豆藤 .....   | (304) |
| 大乌泡 .....    | (273) | 苦蚕子 .....   | (305) |
| 倒触伞 .....    | (274) | 油麻藤 .....   | (306) |
| 茅莓 .....     | (275) | 地瓜 .....    | (307) |
| 红毛悬钩子 .....  | (276) | 金雀花 .....   | (308) |
| 枣儿红 .....    | (277) | 赤小豆 .....   | (309) |
| 强盗九杆子 .....  | (278) | 苦葛 .....    | (310) |
| 羽叶金合欢 .....  | (279) | 甘葛 .....    | (311) |
| 山合欢 .....    | (280) | 洋槐 .....    | (312) |
| 花生 .....     | (281) | 白花槐 .....   | (313) |
| 大夜关门 .....   | (282) | 苦参 .....    | (314) |
| 阎王刺 .....    | (283) | 槐 .....     | (315) |

|            |       |             |       |
|------------|-------|-------------|-------|
| 山豆根 .....  | (316) | 水黄花 .....   | (348) |
| 白刺花 .....  | (317) | 五朵云 .....   | (349) |
| 胡豆 .....   | (318) | 地锦 .....    | (350) |
| 野豌豆 .....  | (319) | 千金子 .....   | (351) |
| 豇豆 .....   | (320) | 算盘子 .....   | (352) |
| 歪头草 .....  | (321) | 白背叶 .....   | (353) |
| 紫藤 .....   | (322) | 毛桐 .....    | (354) |
| 人字草 .....  | (323) | 橄榄 .....    | (355) |
| 酸咪咪 .....  | (324) | 叶下珠 .....   | (356) |
| 山酢酱草 ..... | (325) | 蓖麻子 .....   | (357) |
| 生扯拢 .....  | (326) | 乌桕 .....    | (358) |
| 老鹳草 .....  | (327) | 千年矮 .....   | (359) |
| 旱金莲 .....  | (328) | 三角咪 .....   | (360) |
| 松风草 .....  | (329) | 马桑 .....    | (361) |
| 柚 .....    | (330) | 月亮柴 .....   | (362) |
| 甜橙 .....   | (331) | 盐肤木 .....   | (363) |
| 野吴萸 .....  | (332) | 木蜡树 .....   | (364) |
| 九里香 .....  | (333) | 紫柄冬青 .....  | (365) |
| 大山羊 .....  | (334) | 铁冬青 .....   | (366) |
| 芸香 .....   | (335) | 吊干麻 .....   | (367) |
| 见血飞 .....  | (336) | 鬼见羽 .....   | (368) |
| 散血飞 .....  | (337) | 丝棉木 .....   | (369) |
| 大叶花椒 ..... | (338) | 野鸦椿 .....   | (370) |
| 多叶花椒 ..... | (339) | 罗浮槭 .....   | (371) |
| 野花椒 .....  | (340) | 清风藤 .....   | (372) |
| 苦木 .....   | (341) | 云南清风藤 ..... | (373) |
| 香椿 .....   | (342) | 指甲花 .....   | (374) |
| 乌棒子 .....  | (343) | 路南凤仙花 ..... | (375) |
| 瓜子金 .....  | (344) | 万年把 .....   | (376) |
| 铁苋菜 .....  | (345) | 野凤仙花 .....  | (377) |
| 油桐 .....   | (346) | 水金凤 .....   | (378) |
| 黑面神 .....  | (347) | 铁包金 .....   | (379) |

|           |       |            |       |
|-----------|-------|------------|-------|
| 拐枣·····   | (380) | 转枝莲·····   | (412) |
| 薄叶鼠李····· | (381) | 锅铲叶·····   | (413) |
| 小冻绿·····  | (382) | 番木瓜·····   | (414) |
| 赤葛·····   | (383) | 爬山猴·····   | (415) |
| 苦郎藤·····  | (384) | 一口血·····   | (416) |
| 母猪藤·····  | (385) | 红八角莲·····  | (417) |
| 大母猪藤····· | (386) | 长柄秋海棠····· | (418) |
| 爬山虎·····  | (387) | 一点血·····   | (419) |
| 野葡萄·····  | (388) | 梦花·····    | (420) |
| 黄麻·····   | (389) | 了哥王·····   | (421) |
| 苘麻·····   | (390) | 羊奶奶·····   | (422) |
| 蜀葵·····   | (391) | 怕痒树·····   | (423) |
| 木芙蓉·····  | (392) | 石榴·····    | (424) |
| 木槿·····   | (393) | 喜树·····    | (425) |
| 野西瓜苗····· | (394) | 八角枫·····   | (426) |
| 冬葵·····   | (395) | 狭叶八角枫····· | (427) |
| 黄蜀葵·····  | (396) | 桉树·····    | (428) |
| 黄花稔·····  | (397) | 朝天罐·····   | (429) |
| 肖梵天花····· | (398) | 地蕊·····    | (430) |
| 猕猴桃·····  | (399) | 金锦香·····   | (431) |
| 油茶·····   | (400) | 锦香草·····   | (432) |
| 茶·····    | (401) | 红敷地发·····  | (433) |
| 湖南连翘····· | (402) | 柳叶菜·····   | (434) |
| 金丝桃·····  | (403) | 夜来香·····   | (435) |
| 田基黄·····  | (404) | 刺五加·····   | (436) |
| 贯叶连翘····· | (405) | 刺三甲·····   | (437) |
| 元宝草·····  | (406) | 刺老包·····   | (438) |
| 西河柳·····  | (407) | 三角风·····   | (439) |
| 地核桃·····  | (408) | 梁王茶·····   | (440) |
| 黄瓜香·····  | (409) | 七叶烂·····   | (441) |
| 柞木·····   | (410) | 伞把木·····   | (442) |
| 钻地风·····  | (411) | 小叶鹅掌柴····· | (443) |

|             |       |            |       |
|-------------|-------|------------|-------|
| 大马蹄草·····   | (444) | 木樨·····    | (476) |
| 大铜钱菜·····   | (445) | 酒药花·····   | (477) |
| 地星宿·····    | (446) | 醉鱼草·····   | (478) |
| 西南水芹·····   | (447) | 青鱼胆草·····  | (479) |
| 水芹·····     | (448) | 黑及草·····   | (480) |
| 骚羊古·····    | (449) | 双蝴蝶·····   | (481) |
| 变豆菜·····    | (450) | 蔓龙胆·····   | (482) |
| 天蓝变豆菜·····  | (451) | 长春花·····   | (483) |
| 狭叶桃叶珊瑚····· | (452) | 夹竹桃·····   | (484) |
| 叶上果·····    | (453) | 萝芙木·····   | (485) |
| 水冬瓜·····    | (454) | 山橙·····    | (486) |
| 鹿衔草·····    | (455) | 络石藤·····   | (487) |
| 透骨香·····    | (456) | 乳突果·····   | (488) |
| 羊蹄躅·····    | (457) | 马利筋·····   | (489) |
| 白映山红·····   | (458) | 婆婆针线包····· | (490) |
| 映山红·····    | (459) | 隔山消·····   | (491) |
| 八爪金龙·····   | (460) | 球兰·····    | (492) |
| 矮地茶·····    | (461) | 通光散·····   | (493) |
| 山高梁·····    | (462) | 黑骨藤·····   | (494) |
| 灵香草·····    | (463) | 打碗花·····   | (495) |
| 星宿草·····    | (464) | 无娘藤·····   | (496) |
| 花被单·····    | (465) | 马蹄金·····   | (497) |
| 大四块瓦·····   | (466) | 红苕·····    | (498) |
| 点地梅·····    | (467) | 翼蓼藤·····   | (499) |
| 紫金标·····    | (468) | 小花琉璃草····· | (500) |
| 华山矾·····    | (469) | 琉璃草·····   | (501) |
| 金钟花·····    | (470) | 老鸦糊·····   | (502) |
| 白蜡树·····    | (471) | 尖尾凤·····   | (503) |
| 迎春花·····    | (472) | 紫珠·····    | (504) |
| 茉莉花·····    | (473) | 臭牡丹·····   | (505) |
| 苦丁茶·····    | (474) | 三百棒·····   | (506) |
| 小叶女贞·····   | (475) | 五色梅·····   | (507) |