

汉英桥梁工程常用词汇



汉英桥梁工程常用词汇

Chinese—English Common Terms
in Bridge Engineering

(京)新登字 063 号

内 容 简 介

本词汇收有桥梁工程及与其有关的力学、数学、水文、工程地质、测量、机械、材料等汉英对照词条二万余条。内容包括设计、施工、科学研究、经贸等方面。可供桥梁、土木工程等专业人员及翻译、信息人员使用。

汉 英 桥 梁 工 程 常 用 词 汇

铁道部第三勘测设计院 编

*

中国铁道出版社出版、发行

(北京市东单三条 14 号)

责任编辑 张悦 安鸿逵 封面设计 王毓平

各 地 新 华 书 店 经 售

中国铁道出版社印刷厂印

开本：850×1168 毫米 1/32 印张：14 字数：584 千
1993 年 12 月 第 1 版 第 1 次印刷
印数：1—1000 册

ISBN7-113-01587-5/TU · 345 定价：14.90 元

前 言

随着我国改革开放的深化,桥梁工程在国际上的交流愈来愈广泛,广大桥梁工程技术人员也愈来愈需要一本实用的汉英桥梁工程词汇,为此,我们编写了这本词汇。

桥梁工程包括设计、施工和科研三大部分,其中除了桥梁结构之外,还涉及力学、数学、水文、工程地质、测量、机械、材料、交通运输……等许多领域,为了便于读者参考,本词汇收集了这三大部分中上述有关领域的常用词条。

桥梁工程的常用词非常多,有的词具有约定俗成的习惯译文,不能任意创造,但是较多的词却没有统一的译文,以致使本词汇中同一词条存在多种译文,同一词条的多种译文之间,有的在含义上不存在差别,但有的在含义上具有本质的区别。譬如,“双曲拱桥”一词可以译为 *two-way curved arch bridge*,也可译为 *double-curved arch bridge*,这两种译文在含义上没有本质的差别,可根据译文通顺的需要来选用。但是,对于“速度”一词,虽然可以译为 *speed*,也可以译为 *velocity*,然而这两种译文是有一定差异的,有时二者可以换用,有时却不能互相替代。一般来说, *speed* 指的是距离与时间的比值,不存在方向的概念,而 *velocity* 除指距离与时间的比值外,还具有方向的概念,所以有时二者是不可混用的。又如“正桥”一词可以译为 *main bridge*,也可译为 *right bridge*,但前者指的是主桥,后者指的是正交桥,二者的含义是不同的。再如“强度”一词可以译为 *strength*,也可译为 *intensity*,通常对于材料的强度采用 *strength*,对于力的强度则采用 *intensity*。因此,读者在使用本词汇时,应按原文的本意和译文通顺方面的要求,进行判断和选择。

为了编写方便,本词汇将单个汉字按汉语拼音顺序排列,对于同一个单汉字起首的各个词条,则将汉字字数少的词条排在前面,字数多的词条排在后面,但对于同一个单汉字起首而字数相同的词条,就不再按其第二个汉字的汉语拼音顺序进行排列,对于使用不会有影响。读者在使用本词汇时;可利用“汉字拼音音节索引”或“汉字笔画索引”查找词条。

本词汇由胡人礼执笔编写，编写过程中参考了国内外大量有关词典和文献，欢迎读者对本词汇存在的缺点和错误给予批评指正。

目 录

| | |
|----------------|-------|
| 正文 | (1) |
| 汉字拼音音节索引 | (419) |
| 汉字笔画索引 | (429) |
| 附录: 数词 | (438) |

A

埃 āi

埃尔森屈罗地震波 Elcentro earthquake wave

矮 āi

矮桥 low bridge

矮桥墩 low pier of bridge; low pier

安 ān

安设 placing; installation; installing

安全 safety; security; insurance

安培 ampere

安装 erection; installation; assemblage; mounting

安排 placement

安全线(铁路的) safety line (for railway); safety siding (for railway)

安全网 safety netting

安全梯 safety ladder; escape stair; fire escape; emergency staircase

安全值 safety value; value of safety

安全带 safety belt; safety band; life belt; seat belt

安全岛 refuge island; refuge; safety island; pedestrian island

安全度 degree of safety; degree of security; reliability

安息角 angle of repose

安装工 erector

安装队 fitting-up gang; erection gang; erection team

安装塔 erection tower

安装者 erector

安装费 installation charge; installation expenses

安装环 erection loop

安装图 installation diagram; erecting drawing; erection drawing

安全地带 safety zone

安全系数 safety factor; safe factor; factor of safety; safety coefficient

安全指数 safety index

安全生产 safety in production

安全技术 safety technique

安全应力 safe stress

安全范围 safe range

安全检验 safety checking

安全设备 safety devices; safe equipment; safety equipment; safety aids;safety appliance

安全操作 safe operation

安全距离 safety distance

安全装置 safety installation

安全区域 safety zone

安全设施 safety facilities; safety devices; safe provision; safety installations

安全措施 safety measures;safe guard; safe guarding; safe practice; safety precaution; safe provision ; accident prevention

安全净空 safe clearance

安全防护 safe guarding

安全速度 safe velocity;safe speed

安全荷载 safe load;safety load

安全储备 margin of safety; safe margin;safe reserve

安全规则 safety rules; safety regulations;safety codes

安全行车 safety driving

2 àn～àn 安鞍岸按

| | | |
|--------|---|------------------------------------|
| 安全规程 | safety regulations | 岸 àn |
| 安全法规 | safety codes; safe codes | 岸 bank; coast; shore |
| 安全规范 | safety specifications | 岸坡 bank slope; slope of bank |
| 安装焊接 | erection welding | 岸边 bank side; side of bank |
| 安装速度 | erection rate | 岸标 shore beacon |
| 安装进程 | erection schedule | 岸墩 shore pier; land pier; abutment |
| 安装期限 | erection time | pier |
| 安装工程 | installation engineering; erection engineering; installation work | 岸台 shore abutment |
| 安装设备 | erection equipment; installa- tion equipment | 岸墙 quaywall |
| 安装绳索 | erection cable | 岸壁 bulkhead |
| 安装方法 | erection method | 岸线 water front |
| 安装尺寸 | installation dimension | 岸边线 water front |
| 安装顺序 | erection sequence | 岸上墩 shore pier |
| 安装荷载 | erection load; erecting load | 岸前滩 foreshore |
| 安装应力 | erection stress; erecting stress | 岸坡稳定 bank stabilization |
| 安装平台 | erecting platform | 岸边沉积 bank deposit |
| 安装费用 | fabricating cost | 岸边冲刷 bank erosion |
| 安全载重量 | safe load capacity | 岸边涡流 bank eddy |
| 安全承载力 | safe bearing capacity | |
| 安全工作区 | area of safe operation | |
| 安全度模式 | safety format | |
| 安全度水准 | safety level | |
| 安装脚手架 | erection scaffold | |
| 安全技术规程 | regulations for safety technique | |
| 安全容许荷载 | safe allowable load; safe allowable loading | |
| 安全防护措施 | safe protection guard; safe precaution | |
| 安全操作规程 | safety operation regula- tions | |
| 安装容许偏差 | erection tolerance | |
| 安装技术指南 | instruction for erection technique | |

鞍 àn

鞍座 saddle

暗 àn

- 暗洞 blind hole
 暗管 covered conduit
 暗沟 subdrain; underdrain; blind ditch; covered ditch
 暗涵 culvert with top-fill
 暗渠 underdrain; covered drain
 暗缝 concealed joint
 暗榫 housed tenon; concealed dovetail
 暗河 underground river
 暗沟排水 bling drainage

凹 ào

- 凹陷 sag; depression; indentation; hollow
 凹槽 fillister; groove; socket; notch; chase

凹缝 concave joint; groove joint; recessed joint; hollow joint

凹榫 blind mortise

凹岸 concave bank; cut-bank

凹角 reentrant corner; reentrant angle; concave angle

凹曲线 concave curve; notching curve

凹接合 fillistered joint

凹凸不平 irregularity; sags-and-crests; unevenness

凹形桥台(U形桥台) U-abutment; U-shaped abutment; reentering abutment; reentrant abutment

凹形竖曲线 sag vertical curve; valley vertical curve

凹多边形基础 concave polygon foundation

B**八 bā**

- 八级风(大风) wind of Beaufort force 8 (fresh gale); gale; force 8 wind
 八进制 octal system; octal number system; octonary number system
 八边形 octagon
 八角形 octagon
 八字墙 splayed wall; wing wall
 八面体 octahedron
 八进制数 octal number
 八字侧墙 splayed jambs
 八字形桥台 splayed abutment; flare wing wall abutment; abutment with flare wing wall
 八边形基础 octagon foundation; eight-sided foundation
 八字翼墙涵洞口 culvert inlet with flare wing wall

八面体法向应力 octahedral normal stress

扒 bā

- 扒杆** standing derrick; jib
扒钉 dog; dog anchor; timber dog; cramp

拔 bá

- 拔出** pullout
拔力 pulling force
拔柱 pile pulling
拔桩机 pile drawer; pile extractor; pile puller; pile pulling machine; pile drawing engine; pile drawing machine; extraction jack
拔桩试验 pile pull-out test; pile pulling test; withdraw test of pile

4 bà～bǎn 拔坝白百柏摆班搬板

拔海高度 elevation above mean sea level

拔桩时表面摩阻力 pile skin friction in pull

坝 bà

坝 dam; dike; levee

坝址 dam site

白 bái

白光 white light

白垩 chalk; creta

白松 white pine; fir

白杨 abele

白噪声 white noise

白铁皮 tin; tin plate; tin sheet; galvanized iron sheet; tinned sheet iron; galvanized sheet iron

白口铁 white cast iron; white pig iron; white iron

白垩纪 Cretaceous period

白垩土 chalk soil; malm

白云岩 dolomite

白噪声谱 white noise spectrum

白垩质粘土 chalky soil

白噪声激发 white noise excitation

百 bǎi

百 hundred

百米 hectometer

百万 million

百年(世纪) century

百分比 percent; percentage

百分率 percentage; percent; fraction

百分数 percentage; percent

百米标 hundred meter post

百分刻度(百分标) centigrade scale; centesimal graduation

百分度数 centigrade degree

百年洪水 one hundred year flood

百年一遇 flood frequency 1/100

百分对比数 percent contrast

柏 bǎi

柏油 tar; asphalt; pitch

柏油路 tar-coated road; asphalt road

柏油封层 tar seal coat

柏油涂料 tar paint

柏油混凝土 tar concrete

摆 bǎi

摆动 oscillation; oscillating motion; oscillatory motion; lagging motion; pendulation; pendulum motion; swing; sway; fluctuation

摆幅 amplitude of oscillation; range of oscillation

摆动轴 axis of swing

摆柱支座 articulated rocker bearing

摆式支座 pendulum bearing

摆动中心 centre of oscillation

摆动运动 oscillating motion; oscillating movement

摆动频率 oscillation frequency

班 bān

班长 gang foremen

班组 teams and groups

搬 bān

搬运 transportation, hauling; carry

搬运作用 transportation

搬运距离 hauling distance

板 bǎn

板 board; plate; slab; plank; panel

板条 slat; lath; batten

板桥 slab bridge; plate bridge

板涵 slab culvert

板梁 plate girder; slab beam; girder

| | |
|--|---|
| 板桩 sheet pile;sheeting pile;pile plank | 半径 radius;semi-diameter |
| 板材 board;plate | 半轴 semi-axis;half-axle |
| 板束 plate bundle;bundle of plates | 半圆 semiround;semi-circle |
| 板岩 slate | 半球 hemisphere |
| 板拱 plate arch;slab arch;barrel arch | 半波 half wave |
| 板桩墙 sheet pile wall | 半拱 semi-arch |
| 板梁桥 girder bridge; plate girder bridge; slab bridge; plank-floored bridge | 半剖面 semi-section; demi-section; half-section |
| 板切缘 plate cut edge | 半立面 half-front view;half elevation |
| 板桩围堰 sheet pile cofferdam;sheet-pile cofferdam;sheet-pile enclosure;sheeting cofferdam | 半周长 semi-perimeter |
| 板桩防护 sheet pile protection | 半周期 half cycle;half period;semi-period |
| 板桩岸墙 sheet pile bulkhead | 半圆钩 semicircular hook |
| 板桩基础 sheet pile foundation | 半圆规 protractor |
| 板式基础 bed-plate foundation | 半圆仪 semi-circle protractor |
| 板式桥梁 slab bridge,plate bridge | 半圆形 hemicycle |
| 板式涵洞 slab culvert | 半圆周 semi-circumference |
| 板式轨道 slab track | 半圆拱 full centered arch;half-round arch; semicircular arch; Roman arch |
| 板式桥墩 wall-type pier | 半长轴 semi-major axis |
| 板拱拱圈 slab arch ring | 半短轴 semi-minor axis |
| 板的厚度 plate thickness;thickness of slab | 半路堑 half cut |
| 板梁腹板 web of plate girder;web of slab beam | 半尺寸 half size |
| 板柱式桥台 sheet piling abutment | 半成品 semifinished products |
| 板桩式挡墙 sheet pile retaining wall | 半带宽 half-band width; semiband width |
| 板式柔性墩 slab flexible pier | 半平面 half-plane;semi-plane |
| 板式刚架桥 slab rigid frame bridge | 半圆形钩 semicircular hook |
| 板式橡胶支座 laminated rubber bearing;laminated elastomeric bearing, plate-type rubber bearing | 半椭圆拱 semi-ellipse arch;semi-elliptic arch |
| 板的有效跨长 effective span length of slab | 半纵剖面 half longitudinal section |
| 板的有效宽度 effective width of slab | 半剖视图 half-sectional view |
| 板块构造学说 theory of plate tectonics | 半平面图 half plan |
| | 半经验法 semi-empirical method |
| | 半机械化 semi-mechanization |
| | 半自动焊 semi-automatic welding |
| | 半对数图 semi-logarithmic chart; semilogarithmic diagram |
| | 半对数纸 semi-logarithmic paper |

6 bàn～bàn 半伴拌

| | | |
|-------|---|--|
| 半下承桥 | half-through bridge; mid-heightdeck bridge | nate |
| 半正弦波 | half-sinusoidal wave | 半无限空间 semi-infinite space |
| 半填半挖 | half fill and half cut | 半圆端形桥墩 semicircular ended pier |
| 半堤半堑 | half embankment and half cut | 半穿式桁架桥 half-through truss bridge |
| 半年决算 | half-yearly closing | 半压力式涵洞 inlet submerged culvert; partial pressure culvert |
| 半穿式桥 | half-through bridge; mid-height deck bridge | 半柔半刚桥墩 semiflexible and semi-rigid pier |
| 半穿式拱 | half-through arch | 半埋入的钢筋 half sunk reinforcement |
| 半穿桥跨 | half-through span | 半无限弹性体 semi-infinite elastic body |
| 半定系统 | semi-definite system | 半挖半填断面 part-cut-part-fill section, cut-fill section |
| 半无限梁 | semi-infinite beam | 半挖半填路基 part-cut and part-fill subgrade; cut and fill subgrade |
| 半无限体 | semi-infinite body | 半路堤半路堑 — half embankment and half cut |
| 半刚性墩 | semi-rigid pier | 半永久性桥梁 semi-permanent bridge |
| 半柔性墩 | semi-flexible pier | 半填半挖斜坡 fill-and-cut slope; part-fill and part-cut slope |
| 半剖俯视图 | half top view | 半对数坐标纸 semilogarithmic coordinate paper |
| 半剖侧视图 | half-sectional side view; half-sectional side elevation | 半悬臂拼装法 semi-cantilevering assemblage |
| 半刚性结点 | semi-rigid joint | 半胶结碎石类土 semi-cemented crushed stone |
| 半刚性基层 | semi-rigid type base course | 半无限弹性地基 semi-infinite elastic subgrade |
| 半刚性路面 | semi-rigid pavement | 半干硬状态的粘性土 semi-dry-hard state clayey soil; semi-dry-hard state cohesive soil |
| 半穿式桁架 | half-through truss; pony truss | 伴 bàn |
| 半穿式钢梁 | half-through steel girder | 伴随矩阵 adjoint matrix; conjugate transpose matrix |
| 半穿式桥跨 | half-through span | 拌 bàn |
| 半穿式格梁 | half-through latticed girder | 拌和 mixing |
| 半穿式板梁 | half-through plate girder; half-through girder | |
| 半个静荷载 | half static load | |
| 半个静活载 | half static live load | |
| 半圆头铆钉 | snap-head rivet; half-round rivet; button-headed rivet | |
| 半经验公式 | semi-empirical formula | |
| 半永久性桥 | semi-permanent bridge | |
| 半固体状态 | semi-solid state | |
| 半弹性地基 | semi-elastic subgrade | |
| 半对数坐标 | semi-logarithmic coordi- | |

拌和机 blender; blending machine;
mixer; mixing machine; blender

拌浆机 grout mixer

拌和不匀 incomplete mixing

拌和工厂 mixing plant

拌和用水 mixing water

wall

薄壳板 shell slab

薄壳拱 shell arch; rampant arch

薄层土 thin-laminated soil

薄腹梁 thin-web beam; thin-webbed girder

薄弱断面 weak cross-section

薄壁涵管 thin-walled conduit

薄壁桥墩 thin-wall pier; thin-walled pier

薄壁沉井 thin-walled open caisson

薄膜应力 membrane stress

薄膜理论 membrane theorem

薄壳结构 shell structure; thin-shell construction

薄壳基础 shell foundation

薄成层粘土 finely laminated clay

薄壁开口截面 thin-walled open section

薄壁箱形桥墩 thin-walled box pier

薄壁结构分析 analysis for thin-walled structure

绑 bǎng

绑扎用的钢丝 binding wire; fastening wire

包 bāo

包装 packaging; package

包埋 embedding

包络线 envelope; enveloping line; envelope line; enveloping curve

包络面 enveloping surface

包络曲线 enveloping curve; envelope curve; envelope

包混凝土的钢梁 concrete-encased steel-beam

薄 báo

薄膜 film; membrane

薄板 sheet; sheet metal; thin plate; thin slab; thin plank; thin board

薄片 slice; flake

薄层 thin layer; lamella; lamina

薄壳 thin shell; shell

薄冰 glare ice; glazed ice

薄浆 larry

薄壁 thin wall

薄钢板 steel sheet; sheet steel; light sheet; sheet metal

薄淤泥 shallow muck

薄铁板 sheet iron; iron sheet

薄平板 thin flat plate

薄壁管 thin-walled tube; thin-walled pipe

薄壁墩 thin wall pier; pier with thin

饱 bǎo

饱和 saturation

饱和土 saturated soil

饱和砂 saturated sand

饱和度 degree of saturation; saturation degree

饱和值 saturation value

饱和容重 saturated unit weight

饱和重量 saturated weight

饱和湿度 saturated humidity

饱和系数 saturation factor; saturation coefficient

饱和试验 saturation test

饱和状态 saturation condition; saturation state

饱冰冻土 frozen ground with full ice

饱和含水率 percentage of saturated

8 bǎo～bào 饱保报暴

water content

饱和含水量 saturation moisture content; saturated moisture content

饱和孔隙比 zero air void ratio

饱和土密度 density of saturated soil

饱和透水性 saturated permeability

饱和单轴抗压极限强度 saturated axial compressive ultimate strength

保 bǎo

保证 certification; guarantee; warranty

保温 heat insulation; heat preservation; thermal insulation

保护 protection; safe guard; guard

保养 care; maintenance; maintain; attendance; attention; upkeep

保持 maintain

保管 care

保护层 protection course; protective coat; protecting cover; protective coating; protection covering; protector; cover; protective cover; protection layer; cover layer

保养费 attendance cost; maintenance cost

保温层 heat-insulated course; thermal insulating layer

保证书 guaranty; letter of guarantee

保守力 conservative force

保温材料 thermal insulation material

保护涂层 overcoating

保护涂漆 protective coating

保护措施 protective measure; safety guarding measure; protection

保护装置 protective device; safety guard

保护设施 protective equipment

保证质量 guaranteed quality

保证效率 guaranteed efficiency

保质保量 quality and quantity guarantee

teed

保存期限 storing time; storage life

保护层厚度 thickness of protective course; covering depth

保养与维修 care and maintenance

保持冻结原则 remaining freeze principle

保护层混凝土 protecting concrete

报 bǎo

报告 report

报表 report forms

报刊 newspapers and periodicals

报价 quoted price; offer

报告成果 reporting result

报告资料 reported data

报告文件 report file

报告内容 contents of report

报废的桥 condemned bridge

报废的涵洞 condemned culvert

暴 bào

暴雨 strong rain; rain storm; storm; cloudburst; gush; storm rainfall; torrential rain; rainstorm

暴洪 flashy flood

暴风 (11 级风) storm gale (force 11wind)

暴风 violent storm; storm wind

暴涨 flashing; rising suddenly

暴雨量 storm-water flow; storm runoff

暴雨迳流 rainstorm runoff; rainfall runoff

暴雨频率 rainstorm frequency; storm frequency

暴雨中心 rainstorm centre

暴雨强度 intensity of rainstorm; intensity of storm

暴雨流量 storm flow; discharge of storm

| | |
|--|--|
| 暴雨历时 duration of storm | 背风 out of the wind |
| 暴雨公式 rainfall formula | 背水面 back water face; face of back water |
| 暴洪河流 flashy stream | 背水堤 back levee |
| 暴风海啸 wind high tide | 背风面 leeward face; wind leeward face; lee side; leeward |
| 暴发洪水 flash flood | 背风侧 leeward side |
| 暴露情况 exposure condition | 背视图 back view; back elevation; dorsal view; back elevation drawing |
| 暴雨迳流法 rainfall-runoff method | 背立面图 back elevation |
| 暴露出的面积 exposed area | 背景材料 background information |
| 暴露于海水中的结构 structure exposed to sea water | 背景知识 cultural background |
| 暴露于空气中的混凝土 concrete exposed to weather | 背风面面积 wind leeward area |
| 暴露于碱性土中的结构 structure exposed to alkali soil | 背靠背组合的角钢 angles back to back |
| 暴露于海水中的混凝土 concrete exposed to sea water | |
| 暴露于碱性土中的混凝土 concrete exposed to alkali soil | |
| 爆 bào | 备 bēi |
| 爆破 blasting; blow up; blast | 备料 getting the materials ready |
| 爆扩桩 blow reamed pile; blown tip pile; exploded pile; detonating pedestal pile; bulb pipe | 备案 putting on record |
| 爆破桩 blow pile | 备注 remarks |
| 爆破力 bursting force | 备注栏 remarks column |
| 爆炸压密 blasting compaction | 备用设备 spare unit |
| 爆炸压密法 blasting compaction method | |
| 爆破作用圈 circle of action of explosions | 被 bēi |
| | 被动 passivity |
| 背 bēi | 被加数 augend; summand |
| 背景 background | 被减数 minuend |
| 背板 backboard | 被乘数 multiplicand |
| 背坡 backslope | 被除数 dividend |
| 背部 back | 被动状态 passive state |
| 背面 the back; back | 被动土压力 passive earth pressure |
| 背拱 rear arch; sconcheon arch | 被动土推力 passive thrust of earth |
| 背水 back water | 被动土抗力 passive earth resistance |
| | 被动滑动面 passive sliding surface |
| | 被动土压力系数 coefficient of passive earth pressure |
| | 倍 bēi |
| | 倍数 multiple; times |
| | 倍增 multiplication |

10 běn~bí 倍本崩泵鼻比

倍率 multiplying power

倍增系数 multiplication factor; multiplication constant

本 běn

本金 capital, principal

本质 essentiality

本征值 eigenvalue

本质区别 essential difference

本征向量 eigenvector; latent vector

本征振动 eigenvibration

本征函数 eigenfunction

本征频率 eigen frequency

本构定律 constitutive law

本构方程 constitutive equation

本构关系 constitutive relation

本征值问题 eigenvalue problem

崩 bēng

崩塌 falls; slumping; collapse; eboulement; land slide; land slip; earth creep; crumbling

崩落 dilapidation; avalanche

崩裂 bursting crack; brusting apart; breaking apart

崩陷 falling-in, cave-in

崩积土 colluvial soil; colluvial deposit

崩积物 colluvial deposit

崩积层 colluvium

崩解岩石 crumbling rock

泵 bèng

泵 pump

泵站 pump station; water pumping station

泵房 pump house

泵送 pumping; pumping over

泵送浇注 placement by pumping

泵送混凝土 pumped concrete

鼻 bí

鼻梁 nose girder

比 bi

比值 value of ratio; proportionality

比密 specific density

比重 specific weight; specific gravity; specific gravitation

比例 proportion; proportionality; scale

比率 ratio; rate; proportion

比例数 proportional number

比例律 rule of proportion

比例式 proportion expression

比例尺 scale

比例纸 scale-paper

比例图 scale map

比较线 alternate routes

比拟柱 analogous column

比体积 specific volume

比例系数 scale coefficient; scale factor; scale-up factor; coefficient of proportionality; proportionality factor

比例常数 proportional constant; constant of proportionality

比例极限 proportional limit; limit of proportionality

比例荷载 proportional load; proportional loading

比例阻尼 proportional damping

比例中项 mean proportional

比例因子 scale factor

比例加大 scaling up

比例加载 proportional loading

比例分配 proportional distribution

比例关系 proportional relation

比例加载 proportional loading

比较价格 alternative price

比较造价 comparative cost

比较设计 alternative design; alternate

| | |
|---|--|
| design; alternate layout | 箛 bi |
| 比较试验 comparative test | 箛板 grid plate;grate plate |
| 比较方案 alternative plan; alternative scheme; alternative option | 臂 bi |
| 比贯入阻力 specific penetration resistance | 臂 arm |
| 比较设计方案 alternative project | 臂长 length of arm |
| 比较弹性极限 proportional elastic limit | 边 biān |
| 比较规划方案 alternative plan | 边 edge, side |
| 比较矮的桥墩 lower pier | 边界 boundary; bound; frontier; periphery; border |
| 闭 bì | 边坡 slope; side slope |
| 闭合 close; closure | 边缘 edge; margin; periphery, verge |
| 闭合差 closing error; error of closure; closure discrepancy | 边沟 side ditch; lateral ditch; gutter; side trench; side drain |
| 闭合框架 closed frame | 边跨 side span |
| 闭合导线 closed traverse; loop traverse | 边滩 side shoal; marginal bank |
| 闭合误差 error of closure; closing error | 边墩 side pier; edge pier |
| 闭口截面 closed section | 边拱 side arch |
| 闭合力多边形 closed force polygon | 边梁 side beam; edge beam; side girder; boundary beam; marginal beam |
| 闭口薄壁杆件 thin-walled member with closed section | 边墙 side wall |
| 避 bi | 边线 border line |
| 避车台 refuge; refuge of bridge; refuge platform; refuge bay | 边料 rim charge |
| 避车洞 refuge recess; safety recess; refuge chamber; refuge hole | 边距 edge distance |
| 避车线 refuge track; refuge siding | 边载 side load |
| 避难线 refuge siding; catch siding; run-away catch siding | 边焊 side welding |
| 避车台托架 bracket for refuge platform | 边缘力 edge force |
| 壁 bì | 边缘石 edge stone |
| 壁 wall | 边缘沟 marginal ditch |
| 壁厚 wall thickness; thickness of wall | 边界线 boundary line |

| | | | |
|---------------|---|---------------|--|
| 边缘刨光 | edge planing | 编制 | working out; drawing up |
| 边缘加工 | edge finishing | 编号 | number; numbering; coding; serial number; ordinal number |
| 边缘钢 筋 | edge reinforcement; marginal reinforcement | 编码 | code; coding; encoding |
| 边缘荷载 | edge load | 编程 | programming; coding |
| 边缘裂缝 | arris crack | 编组线 | marshalling track |
| 边缘保护 | arris protection | 编组场 | marshalling yard |
| 边缘地带 | edge zone | 编组站 | marshalling station |
| 边界地带 | boundary zone; boundary strip | 编号次序 | numeral order |
| 边界条件 | edge condition; boundary condition | 编成日期 | creation date |
| 边界尺寸 | boundary dimension | 编制预算 | budget making |
| 边坡破坏 | slope failure | 扁 biān | |
| 边坡保护 | slope protection; protection of slope | 扁拱 | flat arch |
| 边坡设计 | side slope design | 扁壳 | flat shell; shallow shell |
| 边坡坍陷 | collapse of slope | 扁钢 | flat steel; band steel; strap steel; flat bar, flat iron |
| 边坡加固 | slope protection | 扁桩(测量用) | plate stake (for surveying) |
| 边坡铺砌 | slope pavement; pitching of slope | 扁簧 | flat spring |
| 边坡防护 | slope protection; protection of slope | 扁头铆钉 | panhead rivet |
| 边坡斜度 | ratio of slope | 变 biān | |
| 边坡植被 | vegetation on slope | 变形 | deformation; distortion; shape distortion; transfiguration |
| 边部钢筋 | marginal reinforcement | 变位 | displacement; deflection; dislocation; deflexion |
| 边坡稳定性 | stability of side slope; slope stability | 变分 | variation |
| 边界层高度(厚度) | boundary layer height; height of boundary layer | 变数 | variable |
| 边界层摩擦 | boundary layer friction | 变换 | transformation; conversion; change; convert; alteration |
| 边缘正应力 | positive stress at edge | 变化 | change |
| 边缘保护角 | arris cover angle | 变量 | variable; variable quantity; variate |
| 边梁半立面 | half-front view of side beam | 变差 | variation |
| 边至边距离 | edge-to-edge distance | 变流 | variable flow |
| 边缘加强钢筋 | reinforcement for strengthening edge | 变坡 | gradient break |
| 编 biān | | 变幅 | amplitude of variation |
| | | 变革 | reform; transform; change |
| | | 变更 | modification; amending; amend- |