

Shuming Pan

Rare Earth Permanent- Magnet Alloys' High Temperature Phase Transformation

In Situ and Dynamic Observation
and Its Application in Material Design

 Metallurgical
Industry Press

 Springer

Shuming Pan

Rare Earth Permanent- Magnet Alloys' High Temperature Phase Transformation

**In Situ and Dynamic Observation and
Its Application in Material Design**

With 157 figures

 Metallurgical
Industry Press

 Springer

Author

Shuming Pan

General Research Institute for Nonferrous Metal, No.2, Xijiekouwai Street,
Haidian District, Beijing, 100088, China

Based on an original Chinese edition:

《稀土永磁合金高温相变及其应用》(Xitu Yongci Hejin Gaowen Xiangbian Jiqi Yingyong),
Metallurgical Industry Press, 2005.

图书在版编目 (CIP) 数据

稀土永磁合金高温相变: 原位动态观察及在材料设计中的应用=Rare Earth
Permanent-Magnet Alloys' High Temperature Phase Transformation: In Situ and
Dynamic Observation and Its Application in Material Design: 英文 / 潘树明著.
— 北京: 冶金工业出版社, 2013.8

ISBN 978-7-5024-6059-4

I. ①稀… II. ①潘… III. ①稀土永磁材料—高温—相变—研究—英文
IV. ①TM273

中国版本图书馆 CIP 数据核字 (2012) 第 265593 号

ISBN 978-7-5024-6059-4	Metallurgical Industry Press, Beijing
ISBN 978-3-642-36387-0	Springer Heidelberg Dordrecht London New York
e ISBN 978-3-642-36388-7	Springer Heidelberg New York

Library of Congress Control Number: 2013930302

© Metallurgical Industry Press, Beijing and Springer-Verlag Berlin Heidelberg 2013

This work is subject to copyright. All rights are reserved by the Publishers, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's locations, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publishers can accept any legal responsibility for any errors or omissions that may be made. The publishers make no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

198.00 元

Springer is part of Springer Science+Business Media (www.Springer.com)

(仅限中国大陆地区销售)

Shuming Pan

**Rare Earth Permanent-Magnet Alloys'
High Temperature Phase Transformation**

In Situ and Dynamic Observation and Its Application
in Material Design

Foreword

Material is one of the three primary mainstays of the modern civilization and new material is taken for the bases and precursor of new technology revolution. Extent of production, development and application of the permanent-magnetic material is one of the indicators for the extent of development of the contemporary national economy. Average family use of the permanent-magnetic material is also regarded as a measure of the living standard of the modern countries.

In recent years the requirement of the world for the rare earth permanent-magnet material has grown by 30% annually, synchronously, the kinds of this material have been developed, quality of products of the material has been improved and variety of the products has been extended continually in spite of impact the financial crisis on economies of many countries. Scientific and technological researches and industrialization of the rare earth permanent-magnet materials in China have achieved joyful result. "Rare Earth Permanent-Magnet Alloys' High Temperature Phase Transformation: In Situ and Dynamic Observation and Its Application in Material Design" is a monograph written by Professor Shuming Pan, the General Research Institute for Nonferrous Metals, China. This book includes study results of the author for more than thirty years, and researches thermodynamics, kinetics and metallography of phase transformation related to the rare earth permanent-magnet alloys by the current solid phase transformation theory, especially driving force and resistance of phase transformation, homogeneous and inhomogeneous nucleation, the law of growth up of new phase, internal energy change between phase transformation, the free enthalpy of phase transformation, diffusion type continual phase transformation, etc. This book analyzes and discusses in depth magnetism of the first and the second generations rare earth permanent-magnet materials at 1.5K, introduces magnetism and its variation curves at -196°C to 200°C , and introduces the law of phase transformation of the third generation rare earth permanent-magnet alloys at temperature from room temperature to 960°C and experimental video record of the whole process of high temperature phase transformation. The book also discusses manufacturing technique, principle and composition of the rare earth permanent-magnet alloys, and

the effect of above factors and on microstructure and performance of the alloy. These experiment results may be called very precious and provides important reference for study, education, production and development of the permanent-magnet materials.

China is a country with plenty rare earth resource. To transform advantage of resource into higher economic benefit it needs more efforts of scientific technical staffs to promote continual development. For this purpose Professor Shuming Pan has made his contribution. I, hereby, wish him to obtain new achievement.

I congratulate the publish of this book.

April, 2010

Changxu Shi

Preface

Rare earth permanent-magnet alloys are new function materials developed in the 1960s. With the progress of science and technology, human has stridden forward the information age. Permanent-magnet alloys have been rapidly developed. Level of their applications has been one of the measures of people's life standards. The permanent-magnet alloys have been one of substantial bases for developing modern science and technology, such as computer, space and aviation, communications, metallurgy, chemical engineering and medical protection. Meanwhile, the rare earth permanent-magnet alloy has developed gradually from one of common members to dominant role in the family of permanent-magnet alloys. By 2010, it has occupied 55% of the permanent-magnet market. The twenty first century will be the age of great developments for the rare earth permanent-magnet alloys.

The author has studied the first generation of rare earth permanent-magnet alloys, SmCo_5 , the second generation $\text{Sm}(\text{Co}, \text{Cu}, \text{Fe}, \text{Zr})_{7,4}$ with high coercivity, and the third generation NdFeB series for more than twenty years. The studies include the law of phase transition from room temperature to 1000°C for the rare earth permanent-magnet alloys, based on modern theory of solid phase transition. The author studied the driving force and resistant force of the phase transition, homogeneous and non-homogeneous nucleation, growth of new phase, nucleation ratio, free enthalpy, and diffusively continuous phase transition. The phase transition is important in materials science. Theory of solid phase transition is a gold key to open the door of materials science: "you would not understand metal materials without understanding the solid phase transition." It is expected that the book is of benefit to science researchers, producers, teachers and students working in rare earth permanent-magnet and other materials, magnetism, metallurgy and chemical engineering. Therefore, the objectives of the book are to investigate the phase transition of rare earth permanent-magnet alloys from room temperature to high temperature and its correlation with magnetic properties and to summarize the key technology of fabrication, in order to improve the properties of the alloys, create new materials and new process, and accelerate development of the alloys.

Parts of achievements about high temperature phase transition in the book have

been reported on Chinese Science (in English and Chinese), Journal of Physics (in Chinese), Journal of Non-ferrous Metals (in Chinese), Journal of Metal (in Chinese), Journal of Rare Earth (in Chinese), and international journals: Journal of Applied Physics, IEEE Transaction Magnetics, and Journal of Magnetism and Magnetic Materials. The results have attracted much attention of scholars in the international conferences. Professor K. J. Strnant, pioneer in the first generation rare earth permanent-magnet alloys, attended an international conference hold in China in 1983. We showed him the image-recording of high temperature phase transition for rare earth permanent-magnet alloys. When he saw the Sm_2Co_7 phase separated from matrix phase and the process of new phase transition in the image-recording, Professor Strnant was excited and praised that the achievement was the advanced level in the world. He said: "I proposed that the coercivity of SmCo_5 is determined by the pinning of thin layer Sm_2Co_7 at crystal boundary. However, Sm_2Co_7 was not observed directly. Now we see it in China. You should report on this new discovery in journal as soon as possible." Later, the phase was also observed in American Laboratory. Professor Fidler, the famous scientist in micro-structure and magnetic properties, indicated that in situ dynamic observation for diffusively continuous phase transition was the advanced work in the world.

While writing this book, the author recalled many scholars and specialists, who collaborated with the author in the studies of rare earth permanent-magnet alloys and high temperature phase transition during more than thirty years. Here the author expresses heartfelt thanks for their kind helps. They are Fengzuo Tian, Ansheng Liu, Guocheng Zhang, Jiguang Sun, Chengzhou Yu, Qiming Ying and Yujiu Liu in General Research Institute for Nonferrous Metal, Ruzhang Ma, Zuxiong Xu, Jueyun Ping and Zhengwen Li in Department of Materials Physics, Beijing University of Science and Technology, Yuefu Xiao, Shouzeng Zhou, Maocai Zhang, Zhengwen Li, Zhijun Zuo and Jianjun Tian in Department of Materials and Engineering, University of Science and Technology Beijing, and Baogen Shen, Guodong Li, Fuming Yang and Helie Luo in Institute of Physics Chinese Academy of Sciences, Yingchang Yang and Wending Zhong in Peking University, and Wei Li, Jinfang Liu and Youmei Li in General Research Institute of Iron and Steel, Zhenxi Wang, Boping Hu and Yang Luo in Sanhuan Company of Chinese Academy of Sciences, Hanming Jing in University of Jilin, Daku Sun and Guohua Chen in South-West Institute of Physics.

The author kindly appreciates Academician Changxu Shi, Chinese Academy of Engineering, making foreword in the pressing affairs and giving their support and approval to the author's work. The author also appreciates Academician Jun Ke and Jimei Xiao, Chinese Academy of Science, Academician Dianzuo Wang, Chinese Academy of Engineering, Professor Ruzhang Ma, Zhengwen Li, Shengen Zhang, Engineer Wenke Li, Feng Pan, Doctor Chao Wang, Zhijun Zuo and Jianjun Tian, who encouraged author and gave a lot of pertinent common and sugges-

tion while writing the book. Academician Guocheng Zhang, Professor Yang Luo and Shouzeng Zhou communicated with the author and proposed their viewpoints, and thus improving and enriching the book. The editors of Metallurgical Industry Press, Xiaofeng Liu, Xiying Zhang and Yuan Zeng, do their conscientious work during publishing. General Research Institute for Nonferrous Metal and Metallurgical Industry Press and Springer Press offered their supports and encouragement during writing and publishing the book. The author must express deep gratitude to above all because their contributions are involved in the book.

March, 2012

Shuming Pan

Contents

Chapter 1	Introduction	1
1.1	Rare Earth Permanent-magnet Alloys	2
1.1.1	Rare earth	2
1.1.2	Classification and development of rare earth permanent-magnet alloys	2
1.1.3	Crystal structure of rare earth permanent-magnet alloys	4
1.1.4	Magnetic parameters of rare earth permanent-magnet alloys	7
1.1.5	Criterion of permanent-magnet alloys (materials)	8
1.2	Principle for Alloy Phase and Phase Transformation and Growth	
	Rule of New Phase	8
1.2.1	Phase	9
1.2.2	Phase transformation	9
1.2.3	Alloy	9
1.2.4	Material	10
1.2.5	Alloy phase	10
1.2.6	Solid solution	10
1.2.7	Exsolution precipitation	10
1.2.8	Thermodynamic bases for phase transformation and classification	10
1.2.9	Single crystal	17
1.2.10	Single crystal superalloy	17
1.2.11	Enthalpy	18
1.2.12	Entropy	18
1.2.13	Latent heat of phase transformation	19
1.2.14	Driving force of phase transformation	19
1.2.15	Rule of growing up of new phase	20
1.3	Research Methods of the Magnetic Properties of Rare Earth Permanent Magnets	21

References	25
Chapter 2 The First Generation Rare Earth Permanent-magnet Alloys	27
2.1 High temperature Phase Transition and Magnetic Properties of SmCo ₅ Permanent-magnet Alloys	28
2.2 The in Situ and Dynamic Observation on High Temperature Phase Transformation of SmCo ₅ Permanent Magnetic Alloy at 25-750°C	35
2.2.1 Magnetic measurement	36
2.2.2 Sample preparation and experiment method	38
2.2.3 Influence of annealing treated specimen on coercivity	39
2.2.4 The in situ and dynamic observation by 1000 kV HVEM under heating condition	41
2.2.5 Discussion	50
2.3 Magnetism and the in Situ and Dynamic Observation of Permanent Magnetic Alloy of SmCo ₅ by Annealing at 600-1000°C	54
2.3.1 Specimen preparation and experimental method	55
2.3.2 Analysis on chemical composition of the SmCo ₅ permanent magnetic alloy	55
2.3.3 Magnetic measurement	55
2.3.4 Structure of magnetic domain	56
2.3.5 Irreversible loss of SmCo ₅ permanent magnetic alloy after annealing at 25-1000°C	57
2.3.6 Electronic energy spectrum experiment and analysis of SmCo ₅ permanent magnetic alloy	58
2.3.7 The in situ and dynamic observation on eutectoid decomposition of SmCo ₅ by electronic microscope	61
2.3.8 The in situ and dynamic observation of SmCo ₅ in thermal state using transmission electronic microscope	62
2.3.9 The in situ and dynamic observation on SmCo ₅ in thermal condition of 750-960°C by Transmission Electronic Microscope	63
2.3.10 Discussion	65
2.3.11 Conclusions	67
2.4 Analysis on Variation of the Coercivity and Phase Transformation	68
2.4.1 Specimen preparation and experimental method	68
2.4.2 Experimental result and discussion	69
2.4.3 Conclusions	74
2.5 The Optic-electronic Spectrum Study on SmCo ₅ Permanent	

Magnetic Alloy	74
2.5.1 Specimen preparation technique and experimental condition of optic-electronic energy spectrum	75
2.5.2 Investigation on surface composition of SmCo_5	75
2.5.3 Atoms concentration variation of elements of samarium, cobalt and oxygen from surface to depth	76
2.5.4 Surface compound	77
2.5.5 Conclusions	77
2.6 Analysis on Magnetic Hysteresis Loop of SmCo_5 Permanent Magnetic Alloy	77
2.6.1 Specimen preparation technique, magnetic measurement and transmission microscope condition and experimental method	78
2.6.2 Analysis on chemical composition of three kinds of specimens	78
2.6.3 Analysis on preparation technique	80
2.6.4 Curve of magnetic performance and analysis at 77-550K	80
2.6.5 Observation and analysis on specimen using TEM	81
2.6.6 Conclusions	82
2.7 Magnetism of SmCo_5 Permanent Alloy at 1.5-523 K	82
2.7.1 Specimen preparation technique, magnetic measurement apparatus and experimental method	82
2.7.2 Magnetism measurement and curve of SmCo_5 permanent magnetic alloy at 1.5 K and 40 K	83
2.7.3 Measurement of demagnetization curve and value of magnetic parameter at -196 - 250°C by magnetic parameter measurement apparatus	85
2.7.4 Reversible temperature coefficient of SmCo_5 at -196 - 250°C	87
2.7.5 Coercivity of SmCo_5 at 475 - 1000°C	87
2.7.6 Discussion	89
2.7.7 Conclusions	90
References	90

Chapter 3 The Second Generation Rare Earth Permanent-magnet Alloys

95

3.1 Phase Precipitation, Phase Transformation at High Temperature and Magnetism of High Coercivity $\text{Sm}(\text{Co}, \text{Cu}, \text{Fe}, \text{Zr})_{7.4}$	96
3.1.1 Specimen preparation process and experimental method	97
3.1.2 Results of specimen magnetic measurement	98
3.1.3 Microtexture of the alloy at room temperature	99

3.1.4	The in situ and dynamic observation on precipitation, growth up and high temperature phase transformation of cellular structure from room temperature to high temperature	101
3.1.5	Conclusions	116
3.2	Function of Zirconium on $\text{Sm}(\text{Co}, \text{Cu}, \text{Fe}, \text{Zr})_{7.4}$ Permanent Magnetic Alloy & Observation and Analysis by Electron Microscope	118
3.2.1	Specimen preparation and experimental method	118
3.2.2	Research on function of Zirconium	118
3.2.3	Conclusions	121
3.3	Magnetism of High Coercivity $\text{Sm}(\text{Co}, \text{Cu}, \text{Fe}, \text{M})_{7.4}$ Permanent Magnetic Alloy at 1.5-523K	121
3.3.1	Preparation of specimen and magnetism measurement apparatus and measurement method	122
3.3.2	Measurement results and discussion	122
3.3.3	Conclusions	125
	References	126
Chapter 4	The Third Generation Rare Earth Permanent Magnet	129
4.1	Improvement of the Properties of NdFeB Permanent Magnets Due to Element Substitutions	129
4.2	Magnetic Properties and the Occupancy of Co and Ga Atoms for NdFe(Co, Al, Ga)B Permanent-Magnetic Alloys	133
4.2.1	Preparation and method	133
4.2.2	$\text{Nd}_{16}\text{Fe}_{77-x}\text{Co}_x\text{B}_7$ alloy	134
4.2.3	$\text{Nd}_{16}\text{Co}_{10}\text{Fe}_{67-y}\text{Al}_y\text{B}_7$ and $\text{Nd}_{16}\text{Co}_{16}\text{Fe}_{61-y}\text{Al}_y\text{B}_7$ alloys	136
4.2.4	$\text{Nd}_{16}\text{Co}_{16}\text{Fe}_{61-x}\text{Ga}_x\text{B}_7$ alloy	138
4.2.5	Conclusions	144
4.3	The Studies of Main Phase $\text{Nd}_2\text{Fe}_{14}\text{B}$ and $\text{Nd}_2(\text{Fe}, \text{Co})_{14}\text{B}$ in NdFeB Permanent-magnet Alloys	145
4.3.1	The preparation of samples and experimental methods	145
4.3.2	SEM analysis	145
4.3.3	The formation of $\text{Nd}_2\text{Fe}_{14}\text{B}$	146
4.3.4	Mössbauer spectra at room temperature	146
4.3.5	Composition analysis and the studies of Mössbauer spectra for $\text{Nd}_2(\text{Fe}, \text{Co})_{14}\text{B}$	147
4.3.6	In situ and dynamic observation of TEM on $\text{Nd}_2\text{Fe}_{14}\text{B}$ and $\text{Nd}_2(\text{Fe}, \text{Co})_{14}\text{B}$	147
4.3.7	Conclusions	150

4.4	Studies on B-rich Phase in NdFeB Alloy	150
4.4.1	Preparation process and experimental method	151
4.4.2	The in situ and dynamic observation of Nd _{1.11} Fe ₄ B ₄ by TEM	151
4.4.3	Study on Nd _{1+ε} Fe ₄ B ₄ by X-Ray diffraction and Mössbauer effect.....	153
4.4.4	Analysis on Nd _{1.1} Fe ₄ B ₄ phase.....	153
4.4.5	Relationship between B-rich phase and coercivity.....	155
4.4.6	Conclusions	156
4.5	Influence of Boron Content in NdFeB on Nd ₂ Fe ₁₄ B Phase and Magnetic Property	156
4.5.1	Specimen preparation process and experimental method	157
4.5.2	Influence of boron content on alloy magnetic property and phase structure	157
4.5.3	Conclusions	161
4.6	High Curie Temperature NdFeCoGaB Permanent Magnetic Alloy	162
4.6.1	Preparation process and experiment method	162
4.6.2	Using cobalt to replace part of iron.....	163
4.6.3	Use Ga to replace part of iron in NdFeCoB alloy.....	163
4.6.4	Conclusions	168
4.7	Influence of Adding Element Dysprosium on Performance of NdFeB Alloy.....	168
4.7.1	Specimen preparation process and experimental method	169
4.7.2	Experiment result using SEM	169
4.7.3	Measurement of magnetism	170
4.7.4	Experiment result using transmission microscope.....	171
4.7.5	Distribution of Dy ₂ O ₃	171
4.7.6	Conclusions	174
4.8	Nanocrystalline Microstructure and Coercivity Mechanism Model of NdFeB Alloys with Nb and Ga	174
4.8.1	Experimental procedure	175
4.8.2	Magnetic properties measuring	175
4.8.3	Study of Mössbauer effect	176
4.8.4	Study of nano-microstructure of NdFeB alloys with Nb	178
4.8.5	Dynamic cross and microstructure of the NdFeB alloys with Nb and Dy	178
4.8.6	Dynamic cross and microstructure of the NdFeB alloys with Nb, Ga, Co and Dy	179
4.8.7	Curie temperature of the NdFeB alloys with Nb	180

4.8.8	New coercivity mechanism model of multi-component NdFeB alloys	182
4.8.9	Conclusions	183
4.9	In Situ and Dynamic Observation on Magnetic and Phase Transformation of Nd ₁₅ Fe ₇₈ B ₇ Permanent Magnet at High Temperature	184
4.9.1	Preparation process of specimen and experiment method	185
4.9.2	Microstructure and phase in crystal boundary of NdFeB permanent magnet	185
4.9.3	Phase transformation of microstructure of B-rich phase at high temperature	189
4.9.4	Phase transformation of microstructure of Nd-rich filmy belt in Nd ₁₅ Fe ₇₈ B ₇ crystal boundary at high temperature	190
4.9.5	Phase transformation of Nd ₂ Fe ₁₄ B base phase of Nd ₁₅ Fe ₇₈ B ₇ alloy at high temperature	193
4.9.6	Conclusions	194
4.10	In Situ and Dynamic Observation on High Temperature Phase Transformation and Magnetism of Nd ₁₆ Fe ₇₇ B ₇ Permanent Magnetic Alloy	195
4.10.1	Samples preparation process and experimental method	196
4.10.2	The in situ and dynamic observation on nanometer microstructure and high temperature phase transformation	196
4.10.3	Function of cobalt in NdFeCoB alloy	201
4.10.4	Magnetic characteristic measurement result and analysis	201
4.10.5	Curie temperature measurement result	202
4.10.6	Phase analysis by X-ray diffraction, lattice constant and cell volume	202
4.10.7	Relationship between aging temperature and coercivity of Nd ₁₆ Fe ₆₉ Co ₈ B ₇	203
4.10.8	Conclusions	204
4.11	Analysis on Lamella Phase of Grain Boundary in Microstructure of NdFeB Permanent Magnetic Alloy	204
4.11.1	Experimental method	204
4.11.2	Magnetism measurement	205
4.11.3	Analysis on result of the in situ and dynamic observation of samples	205
4.12	Quick Quenched NdFeB Permanent Magnetic Alloy	215
4.12.1	Sample preparation technique and experimental method	215

4.12.2	Measurement result of quick quenched magnet	215
4.12.3	Relationship between crystallization temperature and coercivity	216
4.12.4	Microstructure at room temperature	216
4.12.5	The in situ and dynamic observation on the non-crystal sample transferring to micro-crystal by HVEM	216
4.12.6	Conclusions	217
4.13	Stability of the Rare Earth Permanent Magnetic Alloy	217
4.13.1	Stability on temperature	217
4.13.2	Time stability	224
4.13.3	Chemical stability	224
4.13.4	Conclusions	224
	References	225
Chapter 5	Developments and Prospect of the Rare Earth Permanent- magnet Alloys	231
5.1	Overseas General Development	232
5.2	Domestic General Development	238
5.3	Development Survey of Preparation Technology	243
5.4	Application and Expectation	248
	References	253
Appendix		257
Appendix 1	The Structure of Outer Electrons for Rare Earths	257
Appendix 2	Atomic and Ionic Radius of Rare Earths	258
Appendix 3	Physical Properties of Rare Earths	259
Appendix 4	Fundamental Physical Constants	261
Appendix 5	Conversion of magnetic quantity between SI and Gaussian units	262
Index		265

List of Figures

Fig. 1.1	CaCu ₅ -type crystal lattice	5
Fig. 1.2	Th ₂ Zn ₁₇ -type rhombic crystal lattice	5
Fig. 1.3	Nd ₂ Fe ₁₄ B-compound crystal lattice and B-contained triangular prism in Nd ₂ Fe ₁₄ B crystal lattice	6
Fig. 1.4	Demagnetization curve and magnetic energy curve	8
Fig. 1.5	Relationship of phase transformation and system free energy	11
Fig. 1.6	Variation of free enthalpy, entropy, volume and heat capacity when second-order phase transformation occurs	16
Fig. 1.7	Gliding interface constituted by Shockley displacement	20
Fig. 2.1	The relation curve of coercivity of SmCo ₅ permanent magnet alloy at room temperature vs annealing temperature	36
Fig. 2.2	The relation curves of coercivity of SmCo ₅ alloy vs annealing temperature	37
Fig. 2.3	The diagram of the definition of <i>S</i> -factor of Doppler broadening	39
Fig. 2.4	Annealing time dependence of iH_c , <i>S</i> and $\Delta B_r/(B_r+\Delta B_r)$, in which annealing temperature is 750°C	40
Fig. 2.5	The relation of the intrinsic coercivity iH_c vs annealing temperature	40
Fig. 2.6	The microstructure of SmCo ₅ permanent magnet alloy at room temperature	41
Fig. 2.7	The microstructure of SmCo ₅ specimen under JEM-1000 ultra-high voltage electron microscope	42
Fig. 2.8	The heating-up speed curve of the 1000kV HVEM observation specimen	43
Fig. 2.9	Electron micrographs and electron diffraction patterns of the precipitation process	48
Fig. 2.10	The coercivity of SmCo ₅ specimen after 1h annealing at different annealing temperatures	56
Fig. 2.11	Domain structure (600×) at thermal demagnetization	56
Fig. 2.12	Domain structure (600×) after magnetization with 3T	