


TURING

图灵原版数学·统计学系列

# Matrix Analysis 矩阵分析

(英文版)

[美] Roger A. Horn 著  
Charles R. Johnson



卷1



人民邮电出版社  
POSTS & TELECOM PRESS

**TURING**

图灵原版数学·统计学系列

Matrix Analysis

# 矩阵分析 卷1

(英文版)

[美] Roger A. Horn 著  
Charles R. Johnson

人民邮电出版社

## 图书在版编目 (CIP) 数据

矩阵分析. 第1卷 / (美) 霍恩 (Horn, R. A.), (美) 约翰逊 (Johnson, C. R.) 著.

—北京: 人民邮电出版社, 2005.9

(图灵原版数学·统计学系列)

ISBN 7-115-13768-4

I. 矩... II. ①霍... ②约... III. 矩阵分析—英文 IV. 0151.21

中国版本图书馆 CIP 数据核字 (2005) 第 092225 号

## 版 权 声 明

Roger A. Horn and Charles R. Johnson: Matrix Analysis (ISBN 0-521-38632-2).

Originally published by Cambridge University Press in 1986.

This reprint edition is published with the permission of the Syndicate of the Press of the University of Cambridge, Cambridge, England.

Copyright © 1985 by Cambridge University Press.

This edition is licensed for distribution and sale in the People's Republic of China only, excluding Hong Kong, Taiwan and Macao, and may not be distributed and sold elsewhere.

本书原版由剑桥大学出版社出版。

本书英文影印版由剑桥大学出版社授权人民邮电出版社出版。

此版本仅限在中华人民共和国境内 (中国香港、台湾、澳门地区除外) 销售发行。

版权所有, 侵权必究。

图灵原版数学·统计学系列

矩阵分析 卷1 (英文版)

- 
- ◆ 著 [美] Roger A. Horn Charles R. Johnson  
责任编辑 王丽萍
  - ◆ 人民邮电出版社出版发行 北京市崇文区夕照寺街14号  
邮编 100061 电子函件 315@ptpress.com.cn  
网址 <http://www.ptpress.com.cn>  
北京顺义振华印刷厂印刷  
新华书店总店北京发行所经销
  - ◆ 开本: 800×1000 1/16  
印张: 36  
字数: 788千字 2005年9月第1版  
印数: 1-3000册 2005年9月北京第1次印刷

著作权合同登记号 图字: 01-2005-4373 号

ISBN 7-115-13768-4/TP · 4888

定价: 59.00 元

读者服务热线: (010) 67132705 印装质量热线: (010) 67129223

## 内容提要

本文从数学分析的角度阐述了矩阵分析的经典和现代方法，不仅包括由于数学分析的需要而产生的线性代数的论题，还广泛选择了其他相关学科如微分方程、最优化、逼近理论、工程学和运筹学等有关的论题。本书主要内容有：特征值、特征向量和相似性、酉相似、Schur 三角化及其推论、正规矩阵、标准形和包括 Jordan 标准形在内的各种分解、LU 分解、QR 分解和酉矩阵、Hermite 矩阵和复对称矩阵、向量范数和矩阵范数、特征值的估计和扰动、正定矩阵、非负矩阵。

本书可作为理工科专业研究生或数学专业高年级本科生教材，也可供数学工作者和科技人员参考。

*To the matrix theory community*

*and*

*to our families*

*Dana, Jennifer, and Emily*

*Susan, Ceres, Corinne, and Howard*

*for their understanding support*

## Preface

Linear algebra and matrix theory have long been fundamental tools in mathematical disciplines as well as fertile fields for research in their own right. In this book, and in the companion volume, *Topics in Matrix Analysis*, we present classical and recent results of matrix analysis that have proved to be important to applied mathematics. The book may be used as an undergraduate or graduate text and as a self-contained reference for a variety of audiences. We assume background equivalent to a one-semester elementary linear algebra course and knowledge of rudimentary analytical concepts. We begin with the notions of eigenvalues and eigenvectors; no prior knowledge of these concepts is assumed.

Facts about matrices, beyond those found in an elementary linear algebra course, are necessary to understand virtually any area of mathematical science, whether it be differential equations; probability and statistics; optimization; or applications in theoretical and applied economics, the engineering disciplines, or operations research, to name only a few. But until recently, much of the necessary material has occurred sporadically (or not at all) in the undergraduate and graduate curricula. As interest in applied mathematics has grown and more courses have been devoted to advanced matrix theory, the need for a text offering a broad selection of topics has become more apparent, as has the need for a modern reference on the subject.

There are a number of well-loved classics in matrix theory, but they are not well suited for general classroom use, nor for systematic individual study. A lack of problems, applications, and motivation; an inadequate index; and a dated approach are among the difficulties confronting readers of some traditional references. More recent books tend to be either

elementary texts or treatises devoted to special topics. Our goal was to write a book that would be a useful modern treatment of a broad range of topics.

One view of “matrix analysis” is that it consists of those *topics* in linear algebra that have arisen out of the needs of mathematical analysis, such as multivariable calculus, complex variables, differential equations, optimization, and approximation theory. Another view is that matrix analysis is an *approach* to real and complex linear algebraic problems that does not hesitate to use notions from analysis – such as limits, continuity, and power series – when these seem more efficient or natural than a purely algebraic approach. Both views of matrix analysis are reflected in the choice and treatment of topics in this book. We prefer the term *matrix analysis* to *linear algebra* as an accurate reflection of the broad scope and methodology of the field.

For review and convenience in reference, Chapter 0 contains a summary of necessary facts from elementary linear algebra, as well as other useful, though not necessarily elementary, facts. Chapters 1, 2, and 3 contain mainly core material likely to be included in any second course in linear algebra or matrix theory: a basic treatment of eigenvalues, eigenvectors, and similarity; unitary similarity, Schur triangularization and its implications, and normal matrices; and canonical forms and factorizations including the Jordan form, *LU* factorization, *QR* factorization, and companion matrices. Beyond this, each chapter is developed substantially independently and treats in some depth a major topic:

*Hermitian and complex symmetric matrices* (Chapter 4). We give special emphasis to variational methods for studying eigenvalues of Hermitian matrices and include an introduction to the notion of majorization.

*Norms on vectors and matrices* (Chapter 5) are essential for error analyses of numerical linear algebraic algorithms and for the study of matrix power series and iterative processes. We discuss the algebraic, geometric, and analytic properties of norms in some detail, and make a careful distinction between those norm results for matrices that depend on the submultiplicativity axiom for matrix norms and those that do not.

*Eigenvalue location and perturbation results* (Chapter 6) for general (not necessarily Hermitian) matrices are important for many applications. We give a detailed treatment of the theory of Geršgorin regions, and some of its modern refinements, and of relevant graph theoretic concepts.



*Positive definite matrices* (Chapter 7) and their applications, including inequalities, are considered at some length. A discussion of the polar and singular value decompositions is included, along with applications to matrix approximation problems.

*Component-wise nonnegative and positive matrices* (Chapter 8) arise in many applications in which nonnegative quantities necessarily occur (probability, economics, engineering, etc.), and their remarkable theory reflects the applications. Our development of the theory of nonnegative, positive, primitive, and irreducible matrices proceeds in elementary steps based upon the use of norms.

In the companion volume, further topics of similar interest are treated: the field of values and generalizations; inertia, stable matrices,  $M$ -matrices and related special classes; matrix equations, Kronecker and Hadamard products; and various ways in which functions and matrices may be linked.

This book provides the basis for a variety of one- or two-semester courses through selection of chapters and sections appropriate to a particular audience. We recommend that an instructor make a careful preselection of sections and portions of sections of the book for the needs of a particular course. This would probably include Chapter 1, much of Chapters 2 and 3, and facts about Hermitian matrices and norms from Chapters 4 and 5.

Most chapters contain some relatively specialized or nontraditional material. For example, Chapter 2 includes not only Schur's basic theorem on unitary triangularization of a single matrix, but also a discussion of simultaneous triangularization of families of matrices. In the section on unitary equivalence, our presentation of the usual facts is followed by a discussion of trace conditions for two matrices to be unitarily equivalent. A discussion of complex symmetric matrices in Chapter 4 provides a counterpoint to the development of the classical theory of Hermitian matrices. Basic aspects of a topic appear in the initial sections of each chapter, while more elaborate discussions occur at the ends of sections or in later sections. This strategy has the advantage of presenting topics in a sequence that enhances the book's utility as a reference. It also provides a rich variety of options to the instructor.

Many of the results discussed hold or can be generalized to hold for matrices over other fields or in some broader algebraic setting. However, we deliberately confine our domain to the real and complex fields where familiar methods of classical analysis as well as formal algebraic techniques may be employed.



Though we generally consider matrices to have complex entries, most examples are confined to real matrices, and no deep knowledge of complex analysis is required. Acquaintance with the arithmetic of complex numbers is necessary for an understanding of matrix analysis and is covered to the extent necessary in an appendix. Other brief appendices cover several peripheral, but essential, topics such as Weierstrass's theorem and convexity.

We have included many exercises and problems because we feel these are essential to the development of an understanding of the subject and its implications. The exercises occur throughout as part of the development of each section; they are generally elementary and of immediate use in understanding the concepts. We recommend that the reader work at least a broad selection of these. Problems are listed (in no particular order) at the end of each section; they cover a range of difficulties and types (from theoretical to computational) and they may extend the topic, develop special aspects, or suggest alternate proofs of major ideas. Significant hints are given for the more difficult problems. The results of some problems are referred to in other problems or in the text itself. We cannot overemphasize the importance of the reader's active involvement in carrying out the exercises and solving problems.

While the book itself is not about applications, we have, for motivational purposes, begun each chapter with a section outlining a few applications to introduce the topic of the chapter.

Readers who wish to consult alternate treatments of a topic for additional information are referred to the books listed in the References section following the appendices. These books are cited in the text using a brief mnemonic code; for example, a book by Jones and Smith might be referred to as [JSm]. The codes and complete citations appear alphabetically by author in the References section.

The list of book references is not exhaustive. As a practical concession to the limits of space in a general multitopic book, we have minimized the number of citations in the text. A small selection of references to papers – such as those we have explicitly used – does occur at the end of most sections accompanied by a brief discussion, but we have made no attempt to collect historical references to classical results. Extensive bibliographies are provided in the more specialized books we have referenced. The reader should also be aware of broad and current bibliographical resources covering portions of matrix analysis such as the *KWIC Index for Numerical Linear Algebra* [CaLe] and sections 15 and 65 of the *Mathematical Reviews*.

We appreciate the helpful suggestions of our colleagues and students who have taken the time to convey their reactions to the class notes and

preliminary manuscripts that were the precursors of the book. They include Wayne Barrett, Leroy Beasley, Bryan Cain, David Carlson, Dipa Choudhury, Risana Chowdhury, Yoo Pyo Hong, Dmitry Krass, Dale Olesky, Stephen Pierce, Leiba Rodman, and Pauline van den Driessche.

R.A.H.

C.R.J.

## Contents

<b>Chapter 0</b>	<b>Review and miscellanea</b>	<b>1</b>
0.0	Introduction	1
0.1	Vector spaces	1
0.2	Matrices	4
0.3	Determinants	7
0.4	Rank	12
0.5	Nonsingularity	14
0.6	The usual inner product	14
0.7	Partitioned matrices	17
0.8	Determinants again	19
0.9	Special types of matrices	23
0.10	Change of basis	30
<b>Chapter 1</b>	<b>Eigenvalues, eigenvectors, and similarity</b>	<b>33</b>
1.0	Introduction	33
1.1	The eigenvalue–eigenvector equation	34
1.2	The characteristic polynomial	38
1.3	Similarity	44
1.4	Eigenvectors	57
<b>Chapter 2</b>	<b>Unitary equivalence and normal matrices</b>	<b>65</b>
2.0	Introduction	65
2.1	Unitary matrices	66

2.2	Unitary equivalence	72
2.3	Schur's unitary triangularization theorem	79
2.4	Some implications of Schur's theorem	85
2.5	Normal matrices	100
2.6	$QR$ factorization and algorithm	112
Chapter 3	Canonical forms	119
3.0	Introduction	119
3.1	The Jordan canonical form: a proof	121
3.2	The Jordan canonical form: some observations and applications	129
3.3	Polynomials and matrices: the minimal polynomial	142
3.4	Other canonical forms and factorizations	150
3.5	Triangular factorizations	158
Chapter 4	Hermitian and symmetric matrices	167
4.0	Introduction	167
4.1	Definitions, properties, and characterizations of Hermitian matrices	169
4.2	Variational characterizations of eigenvalues of Hermitian matrices	176
4.3	Some applications of the variational characterizations	181
4.4	Complex symmetric matrices	201
4.5	Congruence and simultaneous diagonalization of Hermitian and symmetric matrices	218
4.6	Consimilarity and condiagonalization	244
Chapter 5	Norms for vectors and matrices	257
5.0	Introduction	257
5.1	Defining properties of vector norms and inner products	259
5.2	Examples of vector norms	264
5.3	Algebraic properties of vector norms	268
5.4	Analytic properties of vector norms	269
5.5	Geometric properties of vector norms	281
5.6	Matrix norms	290
5.7	Vector norms on matrices	320
5.8	Errors in inverses and solutions of linear systems	335

Chapter 6	Location and perturbation of eigenvalues	343
6.0	Introduction	343
6.1	Geršgorin discs	344
6.2	Geršgorin discs – a closer look	353
6.3	Perturbation theorems	364
6.4	Other inclusion regions	378
Chapter 7	Positive definite matrices	391
7.0	Introduction	391
7.1	Definitions and properties	396
7.2	Characterizations	402
7.3	The polar form and the singular value decomposition	411
7.4	Examples and applications of the singular value decomposition	427
7.5	The Schur product theorem	455
7.6	Congruence: products and simultaneous diagonalization	464
7.7	The positive semidefinite ordering	469
7.8	Inequalities for positive definite matrices	476
Chapter 8	Nonnegative matrices	487
8.0	Introduction	487
8.1	Nonnegative matrices – inequalities and generalities	490
8.2	Positive matrices	495
8.3	Nonnegative matrices	503
8.4	Irreducible nonnegative matrices	507
8.5	Primitive matrices	515
8.6	A general limit theorem	524
8.7	Stochastic and doubly stochastic matrices	526
Appendices		
A	Complex numbers	531
B	Convex sets and functions	533
C	The fundamental theorem of algebra	537
D	Continuous dependence of the zeroes of a polynomial on its coefficients	539
E	Weierstrass's theorem	541
References		543
Notation		547
Index		549

## CHAPTER 0

### Review and miscellanea

#### 0.0 Introduction

The purpose of this chapter is to catalog briefly, without proof, a number of useful concepts and facts, many of which implicitly or explicitly underlie the material covered in the main portion of the book. Much of this material would be included, in some form, in an elementary course in linear algebra, but we also include a number of useful items that are not commonly found elsewhere or that do not easily fit into the subsequent structure. Thus, this section may serve the reader as a short review prior to beginning the book or as a convenient reference when necessary. We also use this chapter to set basic notation and give some definitions; thus, reference to it will also be useful for these purposes. We do assume that the reader is already familiar with the elementary concepts of linear algebra and with mechanical aspects of matrix manipulations, such as matrix multiplication and addition.

#### 0.1 Vector spaces

Though generally implicitly, and not usually explicitly, involved in the treatment in this book, a vector space is the fundamental setting for matrix theory.

**0.1.1 Scalar field.** Underlying a vector space is the *field*, or set of scalars, from which multiplication occurs. For our purposes, that underlying field will almost always be the real numbers  $\mathbf{R}$  or the complex numbers  $\mathbf{C}$  (see Appendix A) under the usual addition and multiplication, but

it could be the rational numbers, the integers modulo a specified prime number, or some other field. When the field is unspecified, we use the symbol  $\mathbf{F}$ . To qualify as a field, a set of scalars must be closed under two specified binary operations ("addition" and "multiplication"); both operations must be associative and commutative and have an identity element in the set; inverses must exist in the set for all elements under the addition operation and for all elements except the additive identity (0) under the multiplication operation; the multiplication operation must also be distributive over the addition operation.

**0.1.2 Vector spaces.** A *vector space*  $V$  over a field  $\mathbf{F}$  is a set  $V$  of objects (called vectors) which is closed under a binary operation ("addition") which is associative and commutative and has an identity ("0") and additive inverses in the set. The set is also closed under an operation of left multiplication of the vectors by elements of the scalar field  $\mathbf{F}$ , with the following properties for all  $a, b \in \mathbf{F}$  and all  $x, y \in V$ :  $a(x + y) = ax + ay$ ,  $(a + b)x = ax + bx$ ,  $a(bx) = (ab)x$ , and  $ex = x$  for the multiplicative identity  $e \in \mathbf{F}$ .

For a given field  $\mathbf{F}$ , the set  $\mathbf{F}^n$  of  $n$ -tuples ( $n$  a positive integer) with components from  $\mathbf{F}$  forms a vector space over  $\mathbf{F}$  under the obvious operations (component-wise addition in  $\mathbf{F}^n$ ). The special cases  $\mathbf{R}^n$  and  $\mathbf{C}^n$  are the basic vector spaces of this book. The set of polynomials with real or with complex coefficients (of no more than a specified degree or of arbitrary degree) and the set of real or complex valued continuous functions or arbitrary functions on an interval  $[a, b] \subset \mathbf{R}$  are also examples of vector spaces (over  $\mathbf{R}$  or  $\mathbf{C}$ ). There is, of course, a fundamental difference between the finite-dimensional space  $\mathbf{R}^n$  and the infinite-dimensional vector space of real-valued continuous functions on  $[0, 1]$ .

**0.1.3 Subspaces and span.** A *subspace*  $U$  of a vector space  $V$  is a subset of  $V$  that is, by itself, a vector space over the same scalar field. For example,  $\{[a, b, 0]^T : a, b \in \mathbf{R}\}$  is a subspace of  $\mathbf{R}^3$ . Usually a subspace of a vector space  $V$  is defined by some relation that identifies particular elements of  $V$  in such a way that the resulting set is closed under the addition in  $V$  – for example, the elements of  $\mathbf{R}^3$  with last component 0. It is in this regard that it is useful to think of the resulting set as a subspace rather than as a vector space in its own right. In any event, the intersection of two subspaces is again a subspace.

If  $S$  is a subset of a vector space  $V$ , the *span* of  $S$  is the set  $\text{Span } S \equiv \{a_1 v_1 + a_2 v_2 + \cdots + a_k v_k : a_1, \dots, a_k \in \mathbf{F}, v_1, \dots, v_k \in S, k = 1, 2, \dots\}$ . Notice that  $\text{Span } S$  is always a subspace even if  $S$  is not a subspace. The set  $S$  is said to span the vector space  $V$  if  $\text{Span } S = V$ .



**0.1.4 Linear dependence and independence.** A set of vectors  $\{x_1, x_2, \dots, x_k\}$  in a vector space is said to be *linearly dependent* if there exist coefficients  $a_1, \dots, a_k$ , not all 0, in the underlying scalar field  $\mathbf{F}$  such that

$$a_1x_1 + a_2x_2 + \dots + a_kx_k = 0$$

Equivalently, one of the  $x_i$  terms is a linear combination, with coefficients from  $\mathbf{F}$ , of the others. For example  $\{[1, 2, 3]^T, [1, 0, -1]^T, [2, 2, 2]^T\}$  is a linearly dependent set in  $\mathbf{R}^3$ . A subset of  $V$  that is not linearly dependent over  $\mathbf{F}$  is said to be *linearly independent*. For example,  $\{[1, 2, 3]^T, [1, 0, -1]^T\}$  is a linearly independent set in  $\mathbf{R}^3$ . It is important to note that both concepts intrinsically pertain to *sets* of vectors. Any subset of a linearly independent set is linearly independent;  $\{0\}$  is a linearly dependent set; and hence any set which includes the 0 vector is linearly dependent. It can happen that a set of vectors is linearly dependent, while any proper subset of it is linearly independent.

**0.1.5 Basis.** A subset  $S$  of a vector space  $V$  is said to *span*  $V$  if every element of  $V$  may be represented as a linear combination (with coefficients from the underlying scalar field) of elements of  $S$ . For example,  $\{[1, 0, 0]^T, [0, 1, 0]^T, [0, 0, 1]^T, [1, 0, -1]^T\}$  spans  $\mathbf{R}^3$  over  $\mathbf{R}$  (or  $\mathbf{C}^3$  over  $\mathbf{C}$ ). A linearly independent set which spans a vector space  $V$  is called a *basis* for  $V$ . Bases are highly nonunique, but are very efficient in that each element of  $V$  can be represented in terms of the basis in one and only one way, and this is no longer true if any element whatsoever is appended to or deleted from the basis. An independent set in  $V$  is a basis of  $V$  if and only if no set which properly contains it is independent. A set that spans  $V$  is a basis for  $V$  if and only if no proper subset of it still spans  $V$ . Every vector space has a basis.

**0.1.6 Extension to a basis.** Any linearly independent set in a vector space  $V$  may be extended to a basis of  $V$ ; that is, given a linearly independent set  $\{x_1, x_2, \dots, x_k\}$  in  $V$ , there exist additional vectors  $x_{k+1}, \dots, x_n, \dots \in V$  such that  $\{x_1, \dots, x_n, \dots\}$  is a basis of  $V$ . The extension of a given independent set to a basis is, of course, not unique [for example, any vector with nonzero third component may be appended to the independent set  $\{[1, 0, 0]^T, [0, 1, 0]^T\}$  to produce a basis of  $\mathbf{R}^3$ ]. The example of the real vector space  $C[0, 1]$  of real-valued continuous functions on  $[0, 1]$  shows that a basis need not, in general, be finite; the infinite set of monomials  $\{1, x, x^2, x^3, \dots\}$  is an independent set in  $C[0, 1]$ .

**0.1.7 Dimension.** If some basis of the vector space  $V$  consists of a finite number of elements, then all bases have the same number of

elements; this common number is called the *dimension* of the vector space  $V$ , and is denoted by  $\dim V$ . In this event,  $V$  is said to be finite-dimensional; otherwise  $V$  is said to be infinite-dimensional. In the infinite-dimensional case (e.g.,  $C[0, 1]$ ), there is a one-to-one correspondence between the elements of any two bases. The real vector space  $\mathbf{R}^n$  has dimension  $n$ . The vector space  $\mathbf{C}^n$  has dimension  $n$  over the field  $\mathbf{C}$  but has dimension  $2n$  over the field  $\mathbf{R}$ . The basis  $\{e_1, e_2, \dots, e_n\}$  in which  $e_i$  has a 1 as its  $i$ th component and 0's elsewhere is sometimes called the *standard basis* of  $\mathbf{R}^n$  or  $\mathbf{C}^n$ .

**0.1.8 Isomorphism.** If  $U$  and  $V$  are vector spaces over the same scalar field  $\mathbf{F}$ , and if  $f: U \rightarrow V$  is an invertible function such that  $f(ax + by) = af(x) + bf(y)$  for all  $x, y \in U$  and all  $a, b \in \mathbf{F}$ , then  $f$  is said to be an *isomorphism* and  $U$  and  $V$  are said to be isomorphic ("same-structure"). Two finite-dimensional vector spaces over the same field are isomorphic if and only if they have the same dimension; thus, any  $n$ -dimensional vector space over the field  $\mathbf{F}$  is isomorphic to  $\mathbf{F}^n$ . Any  $n$ -dimensional real vector space is, therefore, isomorphic to  $\mathbf{R}^n$ , and any  $n$ -dimensional complex vector space is isomorphic to  $\mathbf{C}^n$ . Specifically, if  $V$  is an  $n$ -dimensional vector space over a field  $\mathbf{F}$  with specified basis  $\mathcal{B} = \{x_1, \dots, x_n\}$ , then, since any element  $x \in V$  may be written uniquely as  $x = a_1x_1 + \dots + a_nx_n$ ,  $a_i \in \mathbf{F}$ ,  $i = 1, \dots, n$ , we may associate  $x$  with the  $n$ -tuple  $[x]_{\mathcal{B}} = [a_1, \dots, a_n]^T$ , relative to the basis  $\mathcal{B}$ . The mapping  $x \rightarrow [x]_{\mathcal{B}}$  is an isomorphism between  $V$  and  $\mathbf{F}^n$  for any basis  $\mathcal{B}$ .

## 0.2 Matrices

The fundamental object of study here may be thought of in two important ways: as a rectangular array of scalars and as a linear transformation between two vector spaces, given specified bases for each space.

**0.2.1 Rectangular arrays.** A *matrix* is an  $m$ -by- $n$  array of scalars from a field  $\mathbf{F}$ . If  $m = n$ , the matrix is said to be square. The set of all  $m$ -by- $n$  matrices over  $\mathbf{F}$  is denoted by  $M_{m,n}(\mathbf{F})$ , and  $M_{n,n}(\mathbf{F})$  is abbreviated to  $M_n(\mathbf{F})$ . In the most common case in which  $\mathbf{F} = \mathbf{C}$ , the complex numbers,  $M_n(\mathbf{C})$  is further abbreviated to  $M_n$ , and  $M_{m,n}(\mathbf{C})$  to  $M_{m,n}$ . Matrices are usually denoted by capital letters. For example, if

$$A = \begin{bmatrix} 2 & -\frac{3}{2} & 0 \\ -1 & \pi & 4 \end{bmatrix}$$

then  $A \in M_{2,3}(\mathbf{R})$ . A *submatrix* of a given matrix is a rectangular array lying in specified subsets of the rows and columns of a given matrix.