# nature

The Living Record of Science 《自然》百年科学经典

英汉对照版 (平装本)

第六卷(上)

总顾问:李政道(Tsung-Dao Lee)

英方主编:Sir John Maddox Sir Philip Campbell 中方主编:路甬祥

X 2002-2007

VIII 1993 199

1973-1984

IV 1946-1965

I. I. 1931: 1933

IV 1998-2001

VII 1985-1992

V 1966-1972

1934-1945

1969 1930

**小运**数学上研究山临社

麦克米伦教育

CHANTE

FOREIGN LANGUAGE TEACHING AND RESEARCH PRESS MACMILLAN EDUCATION NATURE RESEARCH

# nature

## The Living Record of Science 《自然》百年科学经典

-+ 4000 QQQQQ +-

英汉对照版 (平装本)

第六卷(上)

总顾问:李政道(Tsung-Dao Lee)

英方主编:Sir John Maddox 中方主编:路甬祥



Original English Text © Macmillan Publishers Limited Chinese Translation © Foreign Language Teaching and Research Press

This edition is published under arrangement with Macmillan Publishers (China) Limited. It is for sale in the People's Republic of China only, excluding Hong Kong SAR, Macao SAR and Taiwan Province, and may not be bought for export therefrom.

#### 图书在版编目(CIP)数据

《自然》百年科学经典. 第六卷. 上, 1973-1984 : 英汉对照 / (英)约翰·马多克斯 (Sir John Maddox), (英)菲利普·坎贝尔 (Sir Philip Campbell), 路甬祥主编. — 北京 : 外语教学与研究出版社, 2017.8

ISBN 978-7-5135-9428-8

I. ①自… Ⅱ. ①约… ②菲… ③路… Ⅲ. ①自然科学-文集-英、汉 Ⅳ. ①N53

中国版本图书馆 CIP 数据核字 (2017) 第 217341 号

出版人 蔡剑峰

项目统筹 章思英 Charlotte Liu (加拿大)

项目负责 刘晓楠 黄小斌 Chris Balderston (美)

责任编辑 黄小斌 蔡 迪

执行编辑 王丽霞

装帧设计 彩奇风

出版发行 外语教学与研究出版社

社 址 北京市西三环北路 19号(100089)

网 址 http://www.fltrp.com

印 刷 北京华联印刷有限公司

开 本 787×1092 1/16

印 张 38.5

版 次 2017年10月第1版 2017年10月第1次印刷

书 号 ISBN 978-7-5135-9428-8

定 价 168.00元

购书咨询: (010)88819926 电子邮箱: club@fltrp.com

外研书店: https://waiyants.tmall.com 凡印刷、装订质量问题,请联系我社印制部

联系电话: (010)61207896 电子邮箱: zhijian@fltrp.com

凡侵权、盗版书籍线索,请联系我社法律事务部

举报电话: (010)88817519 电子邮箱: banquan@fltrp.com

法律顾问: 立方律师事务所 刘旭东律师 中咨律师事务所 殷 斌律师

物料号: 294280001

## 《自然》百年科学经典(英汉对照版)

总顾问:李政道(Tsung-Dao Lee)

英方主编: Sir John Maddox

中方主编:路甬祥

Sir Philip Campbell

#### 编审委员会

英方编委:

中方编委(以姓氏笔画为序):

Philip Ball

许智宏

Vikram Savkar

赵忠贤

David Swinbanks

滕吉文

#### 本卷审稿专家(以姓氏笔画为序)

丁梅	于天源	马宇蒨	王 嵬	王敏康	王鹏云	冯兴无
邢 松	同号文	刘武	刘京国	刘朝阳	安俊岭	许 冰
李三忠	李芝芬	李典谟	李素霞	肖伟科	吴庆举	吴学兵
吴新智	何香涛	沈杰	沈志侠	宋心琦	张忠杰	张健旭
陈方	陈尔强	陈继征	陈新文	林圣龙	昌增益	周筠梅
周新华	孟庆任	赵俊猛	赵凌霞	郝伟	胡卓伟	秦志海
顾孝诚	徐义刚	徐仁新	黄晓航	曹文广	崔巍	崔娅铭
梁前进	彭小忠	董为	曾少举	曾长青		

#### 编译委员会

#### 本卷翻译工作组稿人(以姓氏笔画为序)

铭 王晓蕾 王耀杨 刘晓楠 关秀清 琦 何 刘 明 李 蔡则怡

沈乃徵

郭红锋

蔡

油

#### 本卷翻译人员(以姓氏笔画为序)

刘 王耀杨 毛晨晖 邓铭瑞 田晓阳 冯 翀 吕 静 霞 刘振明 阮玉辉 李 李 梅 刘皓芳 齐红艳 孙惠南 响 沈乃徵 张锦彬 李任伟 肖 莉 吴 彦 张玉光 张效良 钱 周志华 周旻辰 郑建全 荆玉祥 姜 薇 磊 高如丽 董培智

#### 本卷校对人员(以姓氏笔画为序)

荣 王 敏 于 萌 平平蓉 马 马晨晨 王可 王 区区 王海纳 王杰琼 王珊珊 王晓敏 王帅帅 王向东 王志云 吕秋莎 欢 毛俊捷 公 晗 史 骁 巩克瑞 王德孚  $\overline{\Delta}$ 乔萌萌 任 奕 任崤铭 刘伟 刘 佩 刘婷 刘子怡 许梅梅 李 四 刘良子 刘若青 闰 妍 许长虹 孙 瑶 李盎然 李芳 李娟 李 景 李 静 邱彩玉 攸 乔 张宜嘉 邹伯夏 宋 乔 张 炐 张 越 张世馥 张向东 张瑞玉 张颖之 陈 Z 陈思婧 陈露芸 范艳璇 周少贞 周玉凤 周晓明 郑娇娇 宗伟凯 赵广宇 侯彦婕 施家靖 郭晓博 黄 欢 黄 瑢 黄璞 黄元耕 黄晓东 崔天明 第文龙 越 焦晓林 曾芃斐 谢周丽 蔡军茹 熊华晖 潮兴娟 潘卫东

Eric Leher(澳) Joanna Pierce(爱尔兰)

## Contents 目录

监控地下爆炸3
DNA Replication Sites within Nuclei of Mammalian Cells
Response of a General Circulation Model of the Atmosphere to Removal of the Arctic Ice-cap
Deep-sea Sediment Source Areas: Implications of Variable Rates of Movement between California and the Pacific Plate
<i>In vitro</i> Fertilization of Rat Eggs
Earth-Moon Mass Ratio from Mariner 9 Radio Tracking Data
Do Honey Bees Have a Language?
The Search for Signals from Extraterrestrial Civilizations
On the Origin of Deuterium
Afar Mantle Plume: Rare Earth Evidence
T and B Lymphocytes and Immune Responses

Section of the Company Collisions and Geological Periods 彗星碰撞与地质年代	
On Estimating Functional Gene Number in Eukaryotes 真核生物功能基因数的估计	
Descent of Lithosphere beneath New Hebrides, Tonga-Fiji and New Zealand: Evidence for Detached Slabs新赫布里底群岛、汤加-斐济及新西兰地区岩石圈的下降: 拆沉板片的证据	
Fusion of Rat and Mouse Morulae and Formation of Chimaeric Blastocysts 大鼠与小鼠桑葚胚的融合以及嵌合囊胚的形成	
Linkage Analysis in Man by Somatic Cell Genetics人类体细胞遗传学连锁分析	
Non-equilibrium Isotopic Fractionation between Seawater and Planktonic Foraminiferal Tests海水与浮游有孔虫壳体间的非平衡同位素分馏	
Image Formation by Induced Local Interactions: Examples Employing Nuclear Magnetic Resonance	
lsolation of the Islets of Langerhans for Transplantation用于移植的朗格汉斯岛( 胰岛 ) 的分离	
Seismic Travel Time Evidence for Lateral Inhomogeneity in the Deep Mantle 深地幔横向非均匀性的地震波走时证据	
Evidence for an Advanced Plio-Pleistocene Hominid from East Rudolf, Kenya 来自肯尼亚鲁道夫湖以东的一个高级上新世–更新世人科动物证据	
Practical Application of Acupuncture Analgesia针刺镇痛的实际应用	
Experiments on Polishing of Diamond	
Tectono-eustatic Changes in Sea Level and Seafloor Spreading 构造-海平面变化和海底扩张	

Resonance Raman Spectroscopy of the Photoreceptor-like Pigment of	
Halobacterium halobium	
盐生盐杆菌中类感光色素的共振拉曼光谱	369
286	
Discontinuous Change in Earth's Spin Rate following Great Solar Storm of	
August 1972	382
1972年8月强太阳风暴过后地球自转速度的不连续变化	383
Removal of Xenon and Radon from Contaminated Atmospheres with	
Dioxygenyl Hexafluoroantimonate, O <sub>2</sub> SbF <sub>6</sub>	390
六氟合锑酸( $V$ )双氧盐( $O_2SbF_6$ )去除污染大气中的氙和氡	391
Cores of the Terrestrial Planets	
类地行星的核	401
Physical State of the Earth's Core	
地核的物理状态	413
Formation of the Earth's Core	
地核的形成	421
Properties of Ultra-high Modulus Linear Polyethylenes	
超高模量线型聚乙烯的性质	429
Double Helix at Atomic Resolution	
原子分辨率的双螺旋	435
Eukaryotes-Prokaryotes Divergence Estimated by 5S Ribosomal RNA	
Sequences	
通过5S核糖体RNA序列估计真核生物-原核生物分化	453
Indiana de Carada I de Producto de Carada De C	4.50
Isolation and Genetic Localization of Three	
三个 φX 174 启动子区的分离和基因定位	461
Tune vine Coliberation of Rediscoulon Determined the Channels and Australia	
Tree-ring Calibration of Radiocarbon Dates and the Chronology of Ancient	474
<b>Egypt</b> 放射性碳年代的树轮校正及古埃及年表	
双划 注	4/5
Padchift of OO 172	400
Redshift of OQ 172 类星体 OO172 的红移	496
大 '土	

Depression of Freezing Point by Glycoproteins from an Antarctic Fish	
一种南极鱼类的糖蛋白具有降低凝固点的作用	503
Muscular Contraction and Cell Motility	510
肌肉收缩与细胞运动	
Effect of Low-level Radioactive Silver on Photographic Emulsions	534
低放射水平的银对感光乳剂的影响	
Effect of Lithium on Brain Dopamine	538
锂对于大脑中多巴胺的作用	
L-Glutamic Acid Decarboxylase in Parkinson's Disease: Effect of L-Dopa	
Therapy	
帕金森氏症中的 L-谷氨酸脱羧酶: L-多巴的治疗效果	545
Neutral Mutations	554
中性突变	555
Relative and Latitudinal Motion of Atlantic Hot Spots	558
大西洋热点的相对运动和纬向运动	559
Black Hole Explosions?	578
黑洞爆炸?	579
Further Evidence of Lower Pleistocene Hominids from East Rudolf, North	
Kenya, 1973	
1973年在肯尼亚北部鲁道夫湖以东下更新统发现更多人科动物证据	587
Stratospheric Sink for Chlorofluoromethanes: Chlorine Atom-Catalysed	
Destruction of Ozone	
氟氯甲烷的平流层汇:氯原子催化破坏臭氧过程	603
Kinky Helix	614
有扭结的螺旋	
Continuous Cultures of Fused Cells Secreting Antibody of Predefined	
Specificity	630
可分泌特异性抗体的融合细胞的连续培养	631

Plio-Pleistocene Hominid Discoveries in Hadar, Ethiopia	
Single-Channel Currents Recorded from Membrane of Denervated Frog Muscle Fibres	
Simple Mathematical Models with Very Complicated Dynamics	
Australopithecus, Homo erectus and the Single Species Hypothesis	
Fossil Hominids from the Laetolil Beds	
Nucleotide Sequence of Bacteriophage φX174 DNA	
Radio Sources with Superluminal Velocities	
New Hominoid Primates from the Siwaliks of Pakistan and their Bearing on Hominoid Evolution	
Pliocene Footprints in the Laetolil Beds at Laetoli, Northern Tanzania	
0957+561 A,B : Twin Quasistellar Objects or Gravitational Lens ?	
Single Strands Induce recA Protein to Unwind Duplex DNA for Homologous Pairing	
Selfish Genes, the Phenotype Paradigm and Genome Evolution	

Selfish DNA: the Ultimate Parasite自私的DNA:最终的寄生物	
	. , , , ,
Selfish DNA	
自私的 DNA	961
Modes of Genome Evolution	
基因组的进化模式	971
Mutations Affecting Segment Number and Polarity in <i>Drosophila</i>	
影响果蝇体节数量和极性的突变	979
Establishment in Culture of Pluripotential Cells from Mouse Embryos	1002
小鼠胚胎多能细胞培养体系的建立	
Test-tube Babies, 1981	1014
试管婴儿,1981	
Form we still Develop at F. Sali Character and Origin in Diding still and	1026
Enzymatic Replication of <i>E. coli</i> Chromosomal Origin is Bidirectional 大肠杆菌染色体起始位点的酶促复制是双向进行的	
Temperature Control of Oxygen-Isotope Fractionation of Cultured Planktonic Foraminifera	1054
培养条件下温度对浮游有孔虫中氧同位素分馏的控制	
Human EJ Bladder Carcinoma Oncogene is Homologue of Harvey Sarcoma	
Virus <i>ras</i> Gene	1062
人类EJ膀胱癌癌基因是哈维肉瘤病毒 <i>ras</i> 基因的同源基因	1063
Neurone Differentiation in Cell Lineage Mutants of Caenorhabditis elegans	1084
秀丽隐杆线虫细胞谱系突变体的神经元分化	
A Millisecond Pulsar	1008
一颗毫秒脉冲星	
Evidence on Human Origins from Haemoglobins of African Apes来自非洲猿血红蛋白的人类起源证据	
-1	
Constraints on Evolution of Earth's Mantle from Rare Gas Systematics	1128 1129
7世 コーロース (4) ボージ (カーローザ /田 )イ・バートリー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	1129

. 1150
1151
1176
1177
1192
1193
1207

# Volume VI (1973-1984)

#### **Monitoring Underground Explosions**

D. Davies

#### Editor's Note

During the Cold War, the testing of nuclear weapons proceeded in parallel with international discussions about whether they might be banned. One of the obstacles to a ban was the problem of verifying a nation's adherence to it. The Soviet Union was particularly reluctant to agree to external inspections of its weapons facilities, so that verification would need to rely on a capacity for detecting tests from afar. Underground tests, still being conducted in the early 1970s, create seismic waves, but to use these for verification they would need to be distinguished from earthquakes. Here David Davies of the Massachusetts Institute of Technology reviews progress towards a sufficiently discriminating seismology, concluding that techniques were becoming adequate but still not infallible.

Seismological means for detecting and identifying underground nuclear explosions have improved steadily during the past ten years. A technique exists for separating explosions from earthquakes. The problem now is lowering the threshold and understanding the occasional problematic event.

N underground nuclear explosion converts about 1 percent of its energy into seismic waves and these carry information about the time, size, and location of the event. They may also indicate that the event is indeed an explosion and not an earthquake. This information is somewhat more difficult to extract, and research in many countries for the past few years has been intensively directed towards discrimination between natural and artificial events. There is no other known way of identifying underground explosions that can be used on a world-wide basis. In this article, I shall describe the progress that has been made recently in this science, which has such obvious implications for arms control. The conclusions that I reach should not, however, be construed as a measure of the prospect of a total test ban. Many ingredients go into the making of a treaty, and ability to police it is only one of them. Seismological capability is thus not sufficient, but it may be necessary, at least down to some level of explosive yield. What would constitute an adequate level is a matter of some discussion at present. The science reported here is the result of the research of many seismologists. In order to reduce the number of references to a manageable level, however, I have cited only a few large compilations of results in which the genealogy of the various ideas and instruments may be found.

### 监控地下爆炸

戴维斯

编者按

冷战期间,核武器试验在进行的同时,国际上对于是否应该禁止核试验的讨论也在继续。禁止核试验的障碍之一是如何证实一个国家是否遵守此禁令。苏联特别不情愿外界对其核武器设施进行监测,因此,证实是否进行核试验将需要依赖于从远处监测核试验的能力。地下核试验直到20世纪70年代早期还在进行,试验会产生地震波,但是利用这些地震波进行核实的话需要将其和天然地震区分开来。本文中,麻省理工学院的戴维·戴维斯综述了地震学识别的进展,并得出结论,该技术已经能够胜任监测需要,但还不是绝对可靠的。

在过去的十年里,监测和识别地下核爆炸的地震学方法取得了稳步发展。这门 技术可以将爆炸和地震区分开来。目前的问题是要降低阈值和理解偶然性的有问题 事件。

一次地下核爆炸所释放的能量中,有百分之一转化为地震波,而这些地震波中就携带着关于这一事件的时间、规模和地点等信息。它们也可以说明,这一事件确实是一次爆炸而不是地震。这种信息的提取还要更难一些,因而在过去的几年中,很多国家的研究都集中指向了对天然事件与人为事件的识别。还不知道有其他识别地下爆炸的方法能够应用于全世界范围。在本文中,我将描述这一学科在最近所取得的进展,这些进展对于武器控制具有如此明显的作用。但是,我所得到的结论并不能被解释为完全禁止核试验前景的一种度量。促进条约制定的因素有很多,监管能力只是其中之一。由此看来,地震学方法的作用并不足够强,但是,至少具体到某些爆炸当量水平时,它可能是必要的。如何制定出合适的水平标准目前还是一件有争议的事情。这里所报道的是很多地震学家的研究成果。不过,为了将参考文献数量减少到可控制的限度,我只引用了一些大型的研究结果汇编,其中汇集了各种研究思想和研究工具。

The reason for testing nuclear weapons underground is not, of course a matter of public discussion, but a paper by Neild and Ruina¹ probably provides a reasonably complete list of purposes. Between 1968 and 1971 there was an average of about twenty-five underground tests a year announced by the United States compared with about ten presumed tests a year for the Soviet Union, one test per year for China and about five a year for France—all but one of the Chinese tests and all of the French tests being atmospheric. Britain has not announced a test for seven years.

When the banning of nuclear tests first became an international issue in 1958, a conference on the technical problems in Geneva clearly indicated that the science of seismology would need substantial advances to reach a stage at which instrumental observations could indicate unambiguously that an explosion with a yield of a few kilotons (kton) had been detonated. Indeed the rather meagre data available during that conference and the subsequent negotiations (there had at that time only been two or three quite small underground tests) suggested that a first objective could reasonably be an international network of about 170 stations which could detect seismic signals down to a certain threshold but not necessarily identify their source. It was expected that most seismic events would clearly indicate their earthquake nature by their location and depth, their radiation pattern and the shape of their signal, but there would be a residue which would need further investigation. In the early days of international negotiations, inspections of the sites of a fraction of these suspicious events were discussed in detail—the number and nature of such inspections being particularly contentious topics. With time, the position of the Soviet Union on the inspection issue hardened to the assertion that inspections were unnecessary, and that purely national means of policing would be satisfactory. Thus the "Geneva network" was never built.

The two issues which were seen as central in 1958 are central today. Background seismic noise (from wind, traffic, ocean waves, and so on) placed a limitation on the detection of events; and a certain number of earthquakes did not immediately reveal themselves as such. The advances in seismology have been substantial since 1958, but increasing the signal-to-noise ratio (s.n.r.) and finding improved methods of separating earthquakes and explosions are still the principal fields of research. The rather narrow frequency bands involved in seismology have controlled techniques rigorously, and because the work is concentrated in situations of low s.n.r., the problem has been that of finding the frequency at which the s.n.r. is highest, and aiming improvement at that frequency, rather than trying to encompass the whole spectrum of the seismic signal. This "mission-oriented" approach to seismology, when combined with the intellectually stimulating problems that have arisen on the way, has exerted a vital role in the development of seismology since 1958.

在地下进行核武器试验的原因,显然不是一个公开讨论的问题,不过尼尔德和鲁伊纳的论文中基本上为此提供了合理的完整解释 III。在 1968 年至 1971 年间,美国宣称平均每年进行大约 25 次地下核试验,与之相比,苏联每年大约进行 10 次核试验,中国每年 1 次,而法国大约每年 5 次——不过中国所进行的除 1 次以外的所有试验和法国进行的所有试验为地上试验。英国已有 7 年没有宣布过核试验。

1958年,禁止核试验首次成为国际问题,在日内瓦举行的关于技术问题的会议明确指出,地震学需要取得实质性的进展,使得仪器观测毫不含糊地指出具有几千吨(kton)当量水平的爆炸的发生。确实,那次会议和随后的商谈中可用数据甚少(当时只有两次或者三次规模很小的地下试验),因此,首要目标是建立包括大约170个台站的国际台网,该台网能够检测到一定阈值之上的地震信号,但是不必确定其来源。人们期望,绝大多数地震事件可以通过其位置、深度、辐射模式和信号形状明确地体现出天然地震的特征,但还剩余少数事件有待于进一步研究。在早期的国际磋商过程中,详细讨论了如何对一小部分可疑事件发生的地点进行检查——检查的数量和性质是争议较大的问题。同时,苏联对于检查问题的立场渐趋强硬,并最终断言检查是不必要的,而单纯的国家监管方式就能满足需要了。因此"日内瓦国际台网"从未曾建立起来。

1958年时所关注的两个中心议题到今天仍然是焦点。地震背景噪声(来自风、交通工具、海浪等)限制了地震事件检测的进行;而且某些地震也不是马上就显现出天然地震的性质。自 1958年以来,地震学已经取得了显著进展,不过提高信噪比(s.n.r.)和寻找区分地震与爆炸事件的改进方法仍然是主要研究领域。地震学中所涉及的极为狭窄的频率段严格地限制着这项技术,由于研究工作集中于低信噪比条件下,因此关键是找到具有最高信噪比的频率,集中在该频率下取得进展,而不是试图包揽震动信号的全部图谱。地震学中这种"任务导向式"的方法,再加上研究过程中产生的理性所激发出的问题,对于地震学自 1958年以来取得的发展具有重要的作用。