

科技文献索引

(特种文献部份)

航 空

001—400

(内部发行)

1

1962

中国国外科技文献編譯委员会
中国科学技术情报研究所

科技文献索引

特种文献部份

航 空

*

中国科学技术情报研究所編輯出版

北京朝內大街117号

北京东单印刷厂印刷

新华书店北京科技发行所发行 全国各地新华书店經售

*

开本 787×1092 毫米 $\frac{1}{16}$ · 印张 $1 \frac{7}{8}$ · 条数400

1962年12月北京第1版 1962年12月北京第1次印刷

印数001—800 定价：0.50元

目 录

1. 一般問題.....	(1)
2. 飞行器的結構和强度.....	(2)
3. 飞行器空气动力学.....	(6)
4. 飞行器設備.....	(16)
5. 航空医学.....	(17)
6. 噴气發动机.....	(18)
7. 核子、离子、等离子体及磁流体动力的發动机.....	(20)
8. 火箭与导彈.....	(23)
9. 人造衛星、宇宙航行.....	(26)
10. 材料与燃料.....	(29)

1. 一般問題

536.242

0001

无重力条件下由核沸騰向膜沸騰轉捩的試驗研究
(An experimental study of the transition from nuclear to film boiling under zero-gravity conditions)—Steinle H. F.; Proc. 1960 Heat transfer and fluid mechanics institute, 208—219 (英文)

533.6.011.6

0002

突破热障

(Beating the heat barrier)—Taylor J.; A.R.C. (英国), C. P. № 545, 1961, 1—3 (英文)

629.19:521.2

0003

应用軌道交会技术的宇宙运输

(Space transport by in-transit rendezvous techniques)—Kaempen C. E.; XIth international astronomical congress, 1960, Stockholm, 351—364 (英文)

629.13.014.58.001.5

0004

在机体一人的駕駛系統中研究側向操纵性要求的确定

(The determination of lateral handling quality requirements from airframe-human pilot system studies)—Ashkenas I. L., McRuer D. T.; PB Report 161538 (WADC TR 59—135), 1959, 1—80 (英文)

629.135:612.001.5

0005

应急压力服的发展

(Development of an emergency pressure suit)—Lutz C. C.; PB Report 161033, (WADC TN 59—148), 1959, 1—20 (英文)

533.697.4:621.432

0006

声振噴管的研究 (第二部分)

(Investigation of acoustic jets: Pt. 2)—Rudinger G., Logan J.; PB Report 128894, (Cornell Aeronautical Lab., Inc. Squid TM № CAL—18; DD—420—A—16, 1948), 1957, 1—5 (英文)

629.19:623.746

0007

623.746:629.19

空中射击控制理論中研究誤差的統計方法
(Statistical methods in airborne fire control theory. Error studies)—Springer M. D.; PB Report 144663, (Naval Avionics Facility, NAFI-TP-15, 1957), 1959, 1—60 (英文)

629.19:621.455

0008

621.455:629.19

热水驱动扩散喷射器的鑑定

(Evaluation of hot-water-driven diffuser ejectors)—Rhodes R. P.; PB Report 144415, (Arnold Engng. Development Center AEDC-TN-59-127, 1959), 1—31 (英文)

629.19:621.455

0009

北大西洋公約集团国家的圓桌會議与先进的推进
(Round table discussion on the NATO Countries and Advanced Propulsion)—Wattendorf F., Clauser M. U. ...; Advanced propulsion techniques, (Proc. of a technical meeting, 1960/8/24-26, Pasadena, Calif.), 1961, 177—188 (英文)

531.25:533.6.011.72

0010

533.6.011.72:531.25

冲击方程的图解

(A graphical solution of shock equations)—Treanor C. E., Williams M. J.; PB Report 144909, (Cornell Aeronautical Laboratory, Inc. Report № AD-1118-A-4; AFOSR-TN-59-1088, 1959), 1—32 (英文)

629.19:536.6

0011

軌道飞行用宇宙服的热分析

(Thermal analysis of space suits in orbit)—Irvine T. F. Jr., Cramer K. R.; PB Report 171143, (WADD-TN-60-145, 1960), 1—15 (英文)

629.19:621.455

0012

軍事空間技术的關鍵問題

(The key problem of military space technology)—Boushey H. A.; Vistas in astronautics, 1960, Vol. 3 (Proc. of the 3rd AFOSR astronautic symp., 1960/10/12-14, Los Angeles), 5—14 (英文)

629.19:621.455

0013

可能的推进系統概述

(A survey of possible propulsion systems)—Shepherd L. R.; Physics and medicine of the atmosphere and space (Proc. of the 2nd int. symp., 1959/11/10-12, San Antonio, Texas), 1960, 217—249 (英文)

535.4:530.1.004.14 **0014**

散射理論的某些应用

(Some applications of scattering theory) — PB Report 125895, 1957, 1—38 (英文)

629.19 **0015**

向前加速的换气反映

(Ventilatory response to forward acceleration) — Zechman F. W.; PB Report 161427, (WADC TR 59-584, 1959), 1959, 1—16 (英文)

621.392.029.64/66 **0016**

微波变相器的现状

(Übersicht über den heutigen stand der phasenschieber für mikrowellen) — Ellend T. H.; DVL, Bericht № 89, 1959, 1—52 (德文; 摘要: 英文)

文)

629.19.001 **0017**

宇宙技术的合理途径

(Der rationelle weg der weltraumtechnik) — Oberth H.; XIth international astronomical congress, 1960, Stockholm, 621 (德文; 摘要: 英文)

527:629.19 **0018**

空间法律与星际航行的历史—今后三十年的准备

(Space law and a history of astronautics—Preparing for the next thirty years) — Haley A. G., Wollenbert H. ...; Advanced propulsion techniques (Proc. of a technical meeting, 1960/8/24—26, Pasadena, Calif.), 1961, 235—250 (英文)

2. 飞行器的结构和强度

533.6.013.6—001.2:629.135.4—004.12: **0019**

533.6.011.7

在不同飞行条件下可压缩性对旋翼直昇机性能的影响的一种理论性估算

(A theoretical estimate of the effects of compressibility on the performance of a helicopter rotor in various flight conditions) — Gessow A., Crim A. D.; PB Report 123634, (NACA-TN-3798), 1957, 33p. (英文)

533.662.6:621.828.2 **0020**

533.662.6:534.141

531.314.2.06

具有铰接桨叶的直昇机旋翼的自激机械振动的理论分析

(Theory of self-excited mechanical oscillations of helicopter rotors with hinged blades) — Coleman R. P., Feingold A.M.; PB Report 125669, (NACA-TN-3844), 1957, 1—131 (英文)

629.13.014.71—6 **0021**

629.13.014.71—752

用各种材料和各种构造方法构成的六个全尺寸直昇机旋翼桨叶结构阻尼系数的测定

(Determination of the structural damping coefficients of six full-scale helicopter rotor blades of different materials and methods of construction) — Gibson F. W.; PB Report 124413, (NACA-TN-3862, 1956), 1957, 1—19 (英文)

629.135.45 **0022**

解决直昇机旋翼结冰问题的办法

(Solution for helicopter rotor blade icing) — Richardson D. A., Wahl H. A.; IAS Report, № 810, 1958, 1—9 (英文)

629.135.4:533.6.013.4:62.135.4.004 **0023**

用机械方法改进直昇飞机的稳定性和操纵性

(Helicopter stabilization and handling Characteristics improvement by mechanical means) — Vague M., Seibel C. M.; IAS Report, № 27, 1959, 1—19 (英文)

533.662.6.001.6 **0024**

直升机旋翼叶片的初步结构和动力设计以及重量的一个分析程序

(An analytical procedure for the preliminary structural and dynamic design, and weight estimation of helicopter rotor blades) — Rasumoff A.; IAS Report, № 811, 1958, 1—24 (英文)

533.6.011.35:533.691.155.11 **0025**

跨音速对机翼—付翼颤振某些可能的影响

(Some possible effects of transonic speeds on wing-aileron flutter) — Broadbent E. G., Hartley E. V.; ARC Reports & Memoranda R. & M. № 3258, 1962, 1—14 (英文)

533.6.013.422 **0026**

第一部份: Meteor 8 型飞机飞行颤振试验所用激励和记录设备的说明

(Part I. A description of the excitation and recording equipment used for flight flutter tests on a Meteor 8) — Luscombe P. D. R.; ARC Reports & Memoranda R. & M. № 3247, 1962, 1—22 (英文)

533.6.013.422**0027**

第二部份: 使用“衰变振荡”和“振幅反应”技术的飞行颤振试验比较

(Part II. Comparative flight flutter tests using the 'decaying oscillation' and 'amplitude response' techniques)—Kirkby W. T., Luscombe P. D. R.; ARC Reports & Memoranda R. & M. № 3247, 1962, 23—32 (英文)

533.69**0028**

冲击载荷的概述

(A survey of buffeting loads)—Seal D. M.; A.R.C. (英国) C. P. № 584, 1962, 1—25 (英文)

533.6.013.422:534.322.3**0029**

壁板颤动与气动力噪音影响的书目评论

(Bibliographical review of panel flutter and effects of aerodynamic noise)—Rattayya J. V., Goodman L. E.; PB Report 151890, (WADC TR 59-70, 1959), 1959, 1—36 (英文)

629.135:533.6.013.4.001.2**0030**

从飞行试验数据求出稳定性参数的统计方法

(A Statistical Method for the Extraction of Stability Parameters from Flight Test Data)—Springer M. N.; PB Report 151901, (WADC TN 57—408), 1957, 1—83 (英文)

629.135:533.6.013.4.001.2**0031**

从飞行试验数据确定飞机稳定性系数, 第一部分理论上的考虑

(The Determination of Aircraft Stability Coefficients from Flight Test Data, Part 1: Theoretical Considerations)—Wilkie L. E., Springer M. N., ...; PB Report 151903 (WADC TN 57—410), 1958, 1—142 (英文)

533.6.013.4**0032**

从飞行试验数据确定飞机稳定性系数, 第三部分, 横稳定性系数的研究

(The determination of aircraft stability coefficients from flight-test data, Part 3. Lateral investigation)—Mazzola L. L.; PB Report 151927, (WADC TR 57—410, 1958), 1958, 1—66 (英文)

629.135.015.001.5**0033**

飞机起飞前试车时传给跑道的振动的研究

(Study on Vibrations Transmitted to Pavements during Warm-Up Period of Airplanes)—PB Report 122266, 1957, 1—50. (英文)

533.6.001**0034**

环形喷气机的气动力原理, 第一部分

(Aerodynamic theory of the annular jet. Part

I)—Boehler G. D.; Spindler J. J.; PB Report 143653, (ONR), 1958, 1—150 (英文)

533.6.055:533.6.013.122:533.696**0035**

用自由飞行模型试验来研究“猎人”F. MK. I 飞机机身的修改对另举力时的跨音速阻力的影响

(The effect of fuselage modifications on the Zero-lift transonic drag of a Fighter aircraft (Hunter F. MK. I) as measured by free-flight model tests)—Greenwood G. H.; A.R.C. (英国), C. P. № 482, 1960, 1—8 (英文)

0036**532.517.4:629.13.014.3:533.6.013.153.001.5****532.517.4:629.13.014.3:533.6.013.154.001.5**

在无规则湍流中机翼横滚和偏航力距动力谱的理论计算

(Theoretical calculation of the power spectra of the rolling and yawing moments on a wing in random turbulence); Eggleston J. M., Diederich F. W., PB Report 124415, (NACA TN 3864, 1956), 1957, 1—56 (英文)

533.6.013.015.1/2**0037**

喷气飞机起落时某些气动力特性的考虑

(Consideration of some aerodynamic characteristics during take-off and landing of jet airplanes)—Riebe J. M.; NASA TN, D-19, 1959, 1—11 (英文)

534.532.3:533.6.011.72.05**0038**

水平飞行在马赫数达到 1.4 和高度达到 45000 呎的飞机的激波噪音的地面测量

(Ground measurements of shock wave noise from airplanes in level flight at Mach numbers to 1.4 and at altitudes to 45000 feet)—Maglievi D. J., Hubbard H. H.; NASA TN, D-48, 1959, 1—38 (英文)

533.6.011.55:629.135.001.6“313”**0039**

高超音速飞行器设计的某些方向

(Some aspects of the design of hypersonic vehicles)—Metcalf H.; Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the university of Bristol April 6th-April 8th, 1959, Bristol, England), 345—368 (英文)

533.65.011.015.05**0040**

用航空弹道场测量超音速飞机的性能和稳定性

(Aeroballistics range measurements of the performance and stability of supersonic aircraft)—Warren H. R., Templin R. J.; IAS Report, № 788, 1958, 1—25 (英文)

533.691.17**0041**

微小增热的超音速翼型性能

(Supersonic airfoil performance with small heat addition) — Mager A.; IAS Report, № 768, 1958, 1—26 (英文)

533.6.011.3:533.69.045.2**0042**

使用涡旋感应速度表对后掠和非后掠机翼下面的亚音速流场的理论和实验研究

(Theoretical and experimental investigation of the subsonic-flow fields beneath swept and unswept wings with tables of vortex-induced velocities) — Alford W. J. Jr.; PB Report 123505, (NACA-TN-3738, 1956), 1957, 91p. (英文)

533.691:533.6.013.13:533.695.3:53.08**0043**

升力—风扇机翼在零前进速度时升力与地面干扰的测量

(Measurements of lift and ground interference on a lifting-fan wing at zero forward speed) — Gregory N., Walker W. S.; ARC Reports & Memoranda R. & M. № 3263, 1962, 1—23 (英文)

0044**621.455:533.69.042:533.6.011.35:533.6.011.5**

由火箭——推进模型飞行所获得的无尾三角机翼飞机在跨音速及低超音速时的气动力特性与飞行性质

(Aerodynamic characteristics and flying qualities of a tailless triangular-wing airplane configuration as obtained from flights of rocket-propelled models at transonic and low supersonic speeds) — Mitcham G. L., Stevens J. E.,...; PB Report 124361, (NACA-TN-3753, 1956), 1957, 1—57 (英文)

629.124.6/.9.001.5**0045**

关于水翼船的研究

(Study of hydrofoil seacraft) — Grumman Aircraft Engineering Corp., PB Report 161759, 1958, (英文)

629.124.6/.9:533.6.013.412.001.2**0046****629.124.6/.9:533.6.013.413.001.2**

计算水翼船的纵向和侧向动稳定性的方法

(Methods for estimating the longitudinal and lateral dynamic stability of hydrofoil craft) — Kaplan P., Hu P. N.,...; PB Report 143133, 1958, 1—65 (英文)

533.6.013.42:629.13.014.3**0047**

关于配合三角机翼的飞机电磁谐振的缺口的研究 (Notch coupling to the electromagnetic resonances of a deltawing aircraft) — Jones W. L.,

PB Report 124508, (Stanford Research Inst., 1955), 1957, 1—40 (英文)

533.697.3:533.691.152-.004.12**0048**

适于喷气襟翼应用的扩散形排气通道的性能

(Performance of flared exhaust ducts suitable for jet flap application) — Lopiccolo R. C., Nelson R. Z. Jr.; PB Report 151466, (WADC TR-57-592, 1958), 1958, 1—9 (英文)

533.69**0049**

用细长体理论研究薄圆锥形曲面三角形机翼的二参数族特性

(Properties of a two-parameter family of thin conically cambered delta wings by slender-body theory) — Cooke J. C.; ARC Reports & Memoranda R. & M. № 3249, 1962, 1—35 (英文)

533.6.011.3:533.691**0050**

关于具有亚音速前缘的三角形机翼综合空气动力学力的计算

(On the evaluation of generalized aerodynamic forces for triangular wings with subsonic leading edges) — Zeijdel E.F.E.; Blackburn R. R.; PB Report 171162, (ARL-TR-60-298, 1960), 1—85 (英文)

533.6.071.004.12**0051**

涵道螺旋桨的研究：具有中央物体的涵道的空气动力特性

(Shrouded propeller investigations: aerodynamic characteristics of a shroud with centerbody) — Hoehne V. O.; PB Report 145123, 1959, 1—45 (英文)

533.691.152.4**0052**

作为一种高举力装置的旋转式襟翼

(The rotating flap as a high-lift device) — Crabtree L. F.; A. R. C. (英国), C. P. № 480, 1960, 1—15 (英文)

0053**629.13.014.3:533.6.011.3:533.6.013.11:533.6.013.15:53.08**

在绕翼弦中点作俯仰振动的机翼——油箱外形上亚音速气动力及气动力矩的一些测量

(Some measurements of aerodynamic forces and moments at subsonic speeds on a wing-tank configuration oscillating in pitch about the wing midchord) — Clevenson S. A., Leadbetter S. A.; PB Report 124386, (NACA-TN-3822, 1956), 1957, 1—37 (英文)

0054

629.13.014.3.005: 629.13.012.2: 533.69.045: 053.072: 533.6.013.4: 53.043.001.5

机翼位置对于具有各种截面形状的机身及无后掠与45°后掠翼面模型的静稳定性影响的低速实验研究

(Experimental investigation at low speed of the effects of wing position on the static stability of models having fuselages of various cross section and unswept and 45° sweptback surfaces)—Letko W.; PB Report 124409, (NACA-TN-3857, 1956), 1957, 77p. (英文)

0055

532.526.4: 533.69.042.5: 533.691: 533.6.011.5
具有紊流附面层的二元翼型及装有不装有安定面的旋成体的超音速后部压力

(Base pressure at supersonic speeds on two-dimensional airfoils and on bodies of revolution with and without fins having turbulent boundary layers)—Love E.S.; PB Report 124384, (NACA-TN-3819, 1957), 1957, 1—65 (英文)

0056

533.6.011.3: 629.13.014.4: 533.691.13: 533.69.045.2

确定水平与垂直尾翼在高亚音速时对一个完整的后掠翼模型飞机的横侧静稳定特性作用的风洞研究

(Wind-tunnel investigation to determine the horizontal- and vertical-tail contributions to the static lateral stability characteristics of a complete-model swept-wing configuration at high subsonic speeds)—Wiggins J. W., Kuhn R. E.; PB Report 124383, (NACA-TN-3818, 1956), 1957, 1—34 (英文)

629.13.014.314: 629.13.014.318.5 0057

多舱机翼理论应力与由塑料模型所得的多舱机翼的挠度实验结果相比较

(Comparison of theoretical stresses and deflections of multicell wings with experimental results obtained from plastic models)—Zender G. W.; PB Report 124379, (NACA-TN-3813, 1956), 1957, 1—32 (英文)

533.693.2: 533.6.013.12: 533.6.011.35/5 0058

设计速度为 $M_0=1.2$ 的某些后掠机翼的形状和随举力而变化的阻力

(The Shapes and Lift-dependent drags of Some Sweptback Wings designed for $M_0=1.2$)—Bagley J. A., Beasley J. A.; A. R. C. (英国), C. P. № 512, 1960, 1—33 (英文)

533.691.17.048.3. 0059

具有65°掠式的尖削前缘机翼所产生的涡流中某

些测量

(Some measurements in the Vortex Flow generated by a Sharp leading edge having 65° sweep)—Lambourne N. C., Bryer D. W.; A.R.C. (英国), C. P. № 477, 1960, 1—6 (英文)

539.431: 533.694: 531.6.048.1 0060

在 Devon 飞机尾翼中的飞行疲劳试验

(Fatigue Loadings in Flight-Loads in the Tailplane of a Devon)—Burns A.; A.R.C. (英国), C. P. № 472, 1960, 1—14 (英文)

531.113: 612: 616.89 0061

加速应力的某些生理效应和病理效应

(Some physiological and pathological effects of acceleration stress)—Burgess B. F.; Symposium on a decade of basic and applied science in the navy, 19—20/3/1957, Washington, D. C.; 98—108 (英文)

539.413: 621—233 0062

具有横向穿孔的轴的弯曲应力

(Bending stress in a shaft with transverse hole)—Roberts E. A.; Selected papers on stress analysis presented at the Institute of physics stress analysis group conference, Delft, 1959, 45—49 (英文)

539.3 0063

承受加热和外载荷的结构的大挠度

(Large deflection of structures subjected to heating and external load)—Turner M. J., Dill B. H., Martin H. C., Melosh R. J.; IAS Report, № 59—56, 1959, 1—34 (英文)

621.43—001.534 0064

按照精确弹性理论的厚壁圆柱体的弯曲振动

(Flexural vibrations of a thick walled cylinder according to the exact theory of elasticity)—Greenspon J. E.; IAS Report, № 59—14, 1959, 1—12 (英文)

629.13.013.76: 621—366.1.001.6 0065

适于高温能自动封严并能快速分开的高温飞机液压联轴器的进展

(Development of High Temperature, Self-Sealing Quick Disconnect Aircraft Hydraulic Couplings)—Marinelli J.; PB Report 151269, (WADC TR 58—387), 1958, 1—65 (英文)

621.3.031: 620.9 0066

自备式电气-液压辅助动力装置

(Self-Contained electric-hydraulic accessory power unit)—McMauns R. L.; IAS Report, № 10, 1959, 1—14 (英文)

533.6.013.62.001**0067**

盲目着陆实验装置的工作

(The work of the blind landing experiment unit)—Charnley W. J.; Seventh Anglo-American aeronautical Conference 5—7/10/59, New York, 197—288 (英文)

533.691.13.043.2:533.6.011.5**0068**两个装有小翼梢安定面的大后掠(以前缘为准的后掠角分别为 87° 和 81°)三角形翼-身组合体模型在 $M=2.47$ 时的举力,阻力和俯仰力矩的风洞测量(Wind tunnel measurements of lift, drag and pitching moment of two highly swept ($\Delta_{LE}=87^\circ$ 和 81°) delta wing-body combination models with small tip fins at $M=2.47$)—Bateman P. J.; A. R. C. (英国), C. P. № 514, 1960, 1—12 (英文)**533.697.3.011.5****0069**

超音速飞行用的进气扩散器

(Einlaufdiffusoren für den überschallflug)—Crispin B.; DVL, Bericht Nr. 144, 1961, 1—59 (德文)

533.6.013.7.08.001.4**0070**

具有开缝的飞机的螺旋测量,关于螺旋试验问题(Trudelmessungen an einem flugzeug mit vorflügel, zur problematik einer trudelerprobung)—Brüivner A.; DVL, Bericht Nr. 169, 1961, 1—52 (德文)

533.6.015.2**0071**

最短着陆距离的计算

(Zur berechnung der kürzesten landesstrecke)—Staufenbiel R.; DVL, Bericht Nr. 130, 1960, 1—60 (德文)

624.075.4**0072**

根据多位法计算热应力不均匀时薄板的翘曲值

(Berechnung der Beulwerte von platen unter ungleichmäßiger temperaturbeanspruchung nach dem Mehrstellenverfahren)—Schnell W., Fischer G.; DVL, Bericht Nr. 78, 1958, 1—35 (德文; 摘要: 英文)

539.319:53.072.14:624.074.4**0073**

关于壳体应力的光学研究报告

(Beitrag zur Spannungsoptischen untersuchung von schalen)—Erantz G., Jeepe W.; Selected Papers on Stress analysis presented at the institute of physics stress analysis group Conference, Delft, 1959, 50—57 (德文; 摘要: 德文, 法文, 英文)

539.4.012.1:620.17:533.662**0074**

飞行器迴轉部分应力的测定

(Messungen on mechanischen spannungen an umlaufenden teilen in fluggeräten)—Hoffmann N.; Selected papers on stress analysis presented at the Institute of physics stress analysis group Conference, Delft, 1959, 107—110 (德文; 摘要: 德文, 英文, 法文)

533.6.015.2**0075**

关于在着陆时飞机冲击速度的确定

(Beitrag zur bestimmung der stoßgeschwindigkeit von flugzeugen bei der landung)—Staufenbiel R.; DVL, Bericht Nr. 71, 1958, 1—38 (德文; 摘要: 英文, 法文)

629.13:533.6.013.8:621—50**0076**

关于飞机阵风调节器理论的新成就

(Über neuere ergebnisse der theorie der böenregler für flugzeuge)—Engelking U.; DVL, Bericht Nr. 115, 1960, 1—73 (德文; 摘要: 英文, 法文)

3. 飞行器空气动力学

517.53:533.6.011.5:533.69.048.3:**533.6.013.13****0077**

超音速流中与振动机翼升力和下洗分布有关的积分方程的核函数

(On the kernel function of the integral equation relating lift and downwash distributions of oscillating wings in supersonic flow)—Watkins C. E., Berman J. H.; PB Report 124462, (NACA-R-1257, 1956), 1957, 1—18 (英文)

533.6.071.1:533.6.011.72**0078**

扩散器中的强迫激波振动

(Forced shock oscillations in diffusers)—Logan J. G. Jr.; PB Report 131309, (CAL-12-M, 1950), 1957, 1—9 (英文)

533.6.011.3:533.6.011.5:530.17**0079**

关于第二亚音速与超音速流动的相似性法则

(The similarity rules for second-order subsonic and supersonic flow)—Van Dyke M. D.; PB Report 124425, (NACA-TN-3875, 1957), 1957, 1—20 (英文)

533.6.011.5:533.6.071.2**0080**

从超音速中平板和圆柱体流出的侧向喷射流的相互作用的影响

(Interaction effects of side jets issuing from flat plates and cylinders aligned with a supersonic stream)—Amick J. L., Hays P. B.; PB Report 171179, (WADD-TR-60-329, 1960), 57p. (英文)

533.6.011.35**0081**

通过具有分离激波的旋转钝体的跨音速流

(Transonic flows past blunt bodies of revolution with detached shock waves)—Schwidorski E. W.; PB Report 145153, (U. S. Naval Weapons Lab., NWL Report № 1673, 1959), 1—47 (英文)

621.381.4:533.6.011.3**533.6.011.3:621.381.4****0082**

具有八个横向饋綫槽的狭窄收集器的气流試驗

(Air flow tests of a narrow collector passage with eight transverse feeder slots)—Bell R. W.; AEC Report, (APEX-650, 1961), 1—21 (英文)

533.691:533.013.152:533.6.011.35**0083**

在亚音速和超音速时二元流动和在亚音速时展弦比为4机翼的俯仰力矩导数的测量

(Measurements of the direct pitching moment derivatives for two-dimensional flow at subsonic and supersonic speeds and for a wing of aspect ratio 4 at subsonic speeds)—Bratt J. B., Raymer W. G. ...; ARC Reports & Memoranda R. & M. № 3257, 1962, 1—56 (英文)

533.6.011.72:621.643:536.2**0084**

对于滞止温度范围为4,100°到8,300°R的圆柱体(模拟一个平板)的内表面上的激波管热传导的测量

(Shock-tube heat-transfer measurements on inner surface of a cylinder [simulating a flat plate] for stagnation-temperature range 4,100° to 8,300°R)—J. Jim. J.; NASA Technical Note D-54, 1959, 1—12 (英文)

533.6.011.35:533.69.048.2**0085**

具有不同腰部的三个物体在 $M=1.2$ 时的表面压力的理論值和实验值的比較

(Comparison of theoretical and measured surface pressure at $M=1.2$ on three bodies having different waistings)—Buckingham W. R.; A. R. C. (英国), C. P. № 520, 1960, 1—8 (英文)

533.6.013.2:536.423.011.5**0086**

钝体驻点附近不稳定汽化的近似分析

(An approximate analysis of unsteady vaporization near the stagnation point of blunt bodies)—Roberts L.; NASA Technical Note D-41, 1959, 1—25 (英文)

533.6.011.5.048.2.001.5**0087**

馬赫数为4.95时在具有相似横断面的二元和三元钝体上的压力分布的实验值

(Experimental pressure distribution over blunt two- and three dimensional bodies having similar cross section at a Mach number of 4.95)—Julius J. D.; NASA, TN D-157, 1959, 1—5 (英文)

533.6:533.697.2**0088**

非压缩气体通过振动的斜罩叶栅的流动

(Flow of an incompressible fluid through an oscillating staggered cascade)—Meister E.; DVL, Bericht Nr. 164, 1960, 199—230 (英文)

532.526.3.054**0089**

探测在20000呎以上高空以超音速飞行时附面层转变的二种技术

(Two techniques for detecting boundary layer transition in flight at supersonic speeds and at altitudes above 20000 feet)—McTigue T. G.; NASA TN, D-18, 1959, 1—30 (英文)

533.69.048.2.011.55.001.2**0090**

计算在高超音速流中曲线剖面的钝形板表面压力的一个近似方法

(An approximate method for calculating surface pressures on curved profile blunt plate in supersonic flow)—Creager M. O.; NASA TN, D-71, 1959, 1—27 (英文)

533.691.17.011.35.013.1.001.2**0091**

计算在薄机翼上馬赫数为1时的气动力载荷的一种方法

(A method for calculating aerodynamic loading on thin wings at a Mach number of 1)—Crigler J. U.; NASA TN, D-96, 1959, 1—30 (英文)

533.6.013:533.6.011.55**0092**

部分离解空气的高超音速流中钝头体上空气动力的研究结果

(Results from aerodynamic studies of blunt bodies in hypersonic flows of partially dissociated air)—Vitale A. J.; Heat transfer and fluid mechanics Institute, 1958, 204—215 (英文)

533.6.011.55 **0093**
 头部有尖端体的高超音速飞行的探索研究
 (Exploratory studies of a spiked body for hypersonic flight) — Bogdonoff S. M.; Heat transfer and fluid mechanics institute, 1958, 187—203 (英文)

551.578.1:53.08:551.55:531.112 **0094**
 从雷雨中测量结果迅速的推导获得了阵风速度
 (Summary of derived gust velocities obtained from measurements within thunderstorms) — Tolefson H.B.; PB Report 125746, (NACA-1285, 1956), 1957, 1—9 (英文)

533.696.3/4:533.6.011.35/5 **0095**
 四种圆锥体圆柱体组合结构在跨音速和超音速时的法向力和俯仰力矩的风洞测量
 (Wind tunnel measurements of normal force and pitching moment on four Cone-cylinder combination at transonic and supersonic speeds) — Huntley E.; A. R. C. (英国), C. P. № 507, 1—12 (英文)

533.6.071.4:533.6.011.55 **0096**
 M=6.8 时杆架干扰的探索试验
 (Exploratory tests on sting interference at a Mach number of 6.8) — Peckham D.H.; A. R. C. (英国), C. P. № 566, 1961, 1—6 (英文)

532.529(047.1) **0097**
 二相流的压力降
 (Two-phase pressure drops) — Isbin H. S.; Lindstan's AEC Report, 1955, 1—98 (英文)

533.6.011.72 **0098**
 论激波与收缩的相互作用
 (On the interaction of a shock with a constriction) — Otto Laport; Lindstan's AEC Report, 1955, 1—30 (英文)

532.529 **0099**
 上升的环形二相流的判据
 (Criteria for upward annular two phase flow) — Brown D. H., Lustenader E. L.; General Electric general Engineering Laboratory, Technical information series, 1—16 (英文)

539.3 **0100**
 固体的动力弹性
 (Dynamic elastic properties of solids) — Cuykendall T. R., Sack H. S.; PB Report 121701, 1—66 (英文)

532.517.43 **0101**
 容器排空过程中涡旋运动的特性
 (The behavior of vortex motion in an emptying container) — Dergarabedian P.; Proceedings of

the 1960 Heat transfer and fluid mechanics Institute, 47—62 (英文)

534.13-13 **0102**
 论固体球在粘性流中的扭转振动—Ⅱ
 (On the torsional oscillations of a solid sphere in a viscous fluid—Ⅱ) — Carrier F. G., Di Prima C. R.; PB Report 124707, (Navy Department Report), 1956, 1—7 (英文)

533.6:533.15:537.562 **0103**
 离解气体中弱的, 不平衡的扩散波
 (Weak, Nonequilibrium, Diffusive waves in a dissociated gas) — Moore F. K., Curtis J. T.; Proc. 1960, Heat transfer and fluid mechanics Institute, 164—178 (英文)

629.13.014.44:629.13.014.33:533.6. **0104**
011.3:533.6.013.4:533.6.013.423

具有去掉翼梢的三角垂直尾翼和后缘杆操纵构型的实验亚音速稳定性和平衡特性
 (Experimental subsonic stability and trim characteristics of a configuration with clipped Delta Fins and Trailing-Edge-Bar controls) — Bloom H.L.; PB Report 145459, (Technical Lib., Redstone Arsenal, DE Hermes Aero memo 4, 1953/5/21), 10 p. (英文)

533.6.011.55:533.6.011.72 **0105**
 论强烈激波后的超音速旋流。1. 绕翼型流动
 (On supersonic rotational flow behind strong shock waves. 1. Flow past airfoil) — Abraham Kogan, PB Report 122224, 1956, 1—51 (英文)

539.374:624.074.4 **0106**
 径向对称加载的圆柱壳的分段线性的各向同性的塑性理论
 (Piecewise linear isotropic plasticity applied to a circular cylindrical shell with symmetrical radial loading) — Hodge P.G.; PB Report 124801, (PIBAL Report №297), 1955, 1—33 (英文)

531.32:534.37 **0107**
 一类非线性离散系的定常阻尼振动及稳定性
 (Steady state damped vibrations and stability of a class of nonlinear discrete systems) — Chow S. T., Sethna P. R.; PB Report 161748, (WADC technical Report 59—543), 1959, 1—48 (英文)

531.31:534.37 **0108**
 一类非线性离散系的无阻尼定常振动
 (Steady state undamped vibrations of a class nonlinear discrete systems) — Sethna P. R., Friedstet B. E.; PB Report 161129, (WADC TR59-141), 1959, 1—31 (英文)

532.542:532.5.013.2**0109**

直管中的非稳定流

(Nonsteady flow in straight ducts)—Ferrari C.; PB Report 131316, (CAL-43, 1951), 1957, 1—40 (英文)

533.6.011.55:629.135.001**0110**

适合于远程高超音速飞行的飞机构型的某些考虑

(Some Considerations of Aircraft Configuration Suitable for long-Range Hypersonic flight)—Eggers A. J., Hypersonic Flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th–April 8th, 1959, Bristol, England), 369—390 (英文)

533.6.011.55.001**0111**

钝体和弓波之间流场的计算

(The calculation of the flow field between a blunt body and the bow wave)—Mangler K. W., Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th–April 8th, 1959, Bristol, England), 219—237 (英文)

533.6.011.5.001.1**0112**

在表面上的牛顿流—理论和应用

(Newtonian flow over a surface—theory and applications)—Gouiraud J. P., Hypersonic flow, (Eleventh Symposium of the Colston research Society held in the University of Bristol April 6th–April 8th, 1959, Bristol, England), 253—296 (英文)

533.6.013.4.011.55**0113**

高超音速物体稳定性和颤振计算的线性扰动法

(A linear perturbation method for stability and flutter calculation on hypersonic bodies)—Holt M.; IAS Report, №793, 1958, 1—20 (英文)

537.56:536.23**0114**

气体离解对传热的影响

(The influence of gas dissociation on heat transfer)—Beal J. L., Lyerly R. L.; PB Report 131040, (WADC-TR-56-494; ASTIA-AD-118074, 1956), 1957, 1—42 (英文)

536.23:533.6.011.5:532.518**0115**

在高表面-自由流温度比时, 超音速流中表面热传导的实验研究技术

(A technique for experimental investigation of heat transfer from a surface in supersonic flow at large surface-to-free-stream temperature ratios)—Bradfield W.S., Hanson A.R....; PB Report 144952, (AFOSR-TR-58-64, 1958), 1958, 1—11 (英文)

532.582.2:539.31:539.31:532.582.2**0116**

自由板的弹塑性热应力分析

(An elasto-plastic thermal stress analysis of a free plate)—Weiner J.H.; PB Report 145145, (Wright Air Development Center WADC-TN-55-512; ASTIA-AD-97338, 1955), 1957, 1—30 (英文)

536.14:536.4:533.6.011.55**0117**

驻点区域的热分析—着重讨论高超音速下维持头部形状不变的热量

(Thermal analysis of stagnation regions with emphasis on sustaining nose shapes at hypersonic speeds)—Hanawalt A.J.; 1958, Heat transfer and fluid mechanics Institute, 241—252 (英文)

533.6.011.6**0118**

非稳定驻点热传导

(Unsteady stagnation-point heat transfer)—Sparrow E.M.; NASA TN, D-77, 1959, 1—26 (英文)

539.242:532.517.2:533.6.011.55**0119**

根据积分法研究钝头体上高超音速层流传热

(The laminar hypersonic heat transfer on a blunt body according to the integral method)—Libby P.A.; Heat transfer and fluid mechanics Institute, 1958, 216—230 (英文)

536.23/531.43:532.517.4**0120**

涡旋紊流中的热传导和表面摩擦

(Heat transfer and friction in swirling turbulent flow)—Frank K.; Heat transfer and fluid mechanics Institute, 1958, 126—142 (英文)

532.549.3:536.244**0121**

激波管内的附面层转捩与传热

(Boundarylayer transition and heat transfer in shock tubes)—Hartunian R.; Heat transfer and fluid mechanics Institute, 1958, 114—125 (英文)

536.242:532.517.4**0122**

离解空气中受到快速冷却的钝头旋转体上的紊流传热

(Turbulent heat transfer on highly cooled blunt nosed bodies of revolution in dissociated air)—Rose P. H.; Heat transfer and fluid mechanics institute, 1958, 143—155 (英文)

533.6.01**0123**

理论空气热力学

(Theoretical Aerothermodynamics)—Emmons H. W.; 1958, Heat transfer and fluid Mechanics Institute, 1—14 (英文)

533.15:537.562**0124**

压力梯度极大时中性气体与离子化气体中的扩散 (Diffusion in neutral and ionized gases with extreme pressure gradients)—Jack L., Kerrebrock, 1959, Heat transfer and fluid mechanics institute, 193—206 (英文)

536.23:536.33:541.1**0125**

辐射与化学反应气体的库埃特流中的能量传递 (Energy transfer in the Couette flow of a Radiant and chemically reacting gas)—Robert and Madeleine Goulard, 1959, Heat transfer and fluid Mechanics Institute, 126—139 (英文)

533.6.011.6:532.526**0126**

具有非平衡附面层的钝头体附近的热传导 (Heat transfer around blunt bodies with nonequilibrium boundary layers)—Paul M. Chung, Aamen D. Anderson; Proceedings of the 1960 Heat transfer and fluid Mechanics Institute, 150—163 (英文)

536.244**0127**

微粒子对高超音速运动体撞击效应的研究。第二部分—腐蚀与传热效应 (Research on the effects of collisions of small particles with bodies moving at hypersonic speed. part II—Erosion and heat transfer effects)—Whitnah G., Wehner G.; PB Report 161657, (WADC TR-58-498, part II), 1959, 1—100 (英文)

532.542.2**0128**

具有体热源的流体的自由对流 (管系与平行板系中层流的理论分析) [Free convection in fluids having a volume heat source (Theoretical laminar flow analysis for pipe and parallel plate systems)]—Hamilton D. C., Pependiek H. F., Redmond R. F., Palmer L. D.; OAK Ridge National Laboratory, AEC Report, 1955, 1—39 (英文)

533.6.011.6:533.6.011.55-3**0129**

普通三元高超音速流中钝头体表面的传热 (Heat transfer on blunt nosed bodies in general three-dimensional hypersonic flow)—Roberto Vaglio-Laurin polytechnic institute of Brooklyn, 1959, Heat transfer and fluid mechanics Institute, 95—109 (英文)

533.6.011.6:537.562**0130**

部分气体中的驻点传热 (Stagnation point heat transfer in a partially ionized gas)—Rotomski R. W., Lockheed Missile and Space Division; 1959, heat transfer and

fluid Mechanics Institute, 110—125 (英文)

533.6.011.55.07.004.12**0131**

关于英国物理实验室对高温气体特性的激波管研究—第二部分: 初步的分光仪测量 (Shock tube research at the national physical Laboratory on the properties of gases at high temperatures, part II, preliminary Spectrographic Measurements)—Lapworth K. C., Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 317—339 (英文)

533.6.011.55.07.004.12**0132**

关于英国物理实验室对高温气体特性的激波管研究—第一部分: 电离测量 (Shock-tube Research at the National Physical Laboratory on the properties of gas at high temperatures, part I. Ionization Measurements)—Schultz D. L., Hypersonic Flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 301—305 (英文)

533.6.011.6**0133**

减轻由动力热所引起的温度及温度梯度的办法 (Alleviation of temperature and temperature gradients due to kinetic heating)—Taylor J.; Sixth Anglo-American aeronautical conference (1957, Folkestone), 122—144 (英文)

536.24**0134**

含有分布热源的流体中热传递的实验研究的初步报告 (Preliminary report on an experimental investigation of heat transfer in a fluid containing a distributed heat source)—Fisher S. A., Wilkie D.; UKAEA, DEG Report 214 (W), 1—12 (英文)

532.517.4:621.565.932:621-462:621-47**0135**

通过多孔壁管道的紊流的蒸发冷却 (Transpiration cooling in the turbulent flow through a porous-wall pipe)—Yuan S. W., Galowin L. S.; PB Report 131151, (PIB-30-P, 1956), 1957, 1—14 (英文)

532.517.4:532.135**0136**

关于紊流液体运动控制中的最高粘滞性 (On the supremacy of viscosity in the control of turbulent fluid motion)—Munk M. M.; PB Report 125861, (The Catholic Univ. of America. 1956), 1957, 1—22 (英文)

532.526.2:517.54:533.6.011.7**0137**

关于三元不可压缩层流附面层的可能相似性解:
第三部分—关于小角变化的定立极坐标的相似性
(On possible similarity solutions for three-dimensional incompressible laminar boundary layers. 3. Similarity with respect to stationary polar coordinates for small angle variation) — Herzig H. Z., Hansen A. G.; PB Report 124433, (NACA-TN-3890), 1957, 1—36 (英文)

517.949.2:532.526.2**0138**

用有限差分法解可压缩层流附面层问题: 第一部分—方法说明书

(The solution of compressible laminar boundary layer problems by a finite difference method) — Flügel-lotz I., Baxter D. C.; PB Report 125137, (Stanford Univ. TR-№ 103, AFOSR-TN-56-544, 1956), 1957, 1—81 (英文)

532-3:532.517.2:532.526.001.2**0139**

关于三元非压缩层流附面层的可能相似性解: 2. 关于定立极坐标的相似性

(On possible similarity solutions for three-dimensional incompressible laminar boundary layers. 2. Similarity with respect to stationary polar coordinates) — Herzig H. Z., Hansen A. G.; PB Report 124391, (NACA-TN-3832, 1956), 1957, 1—16 (英文)

532.526:532.517.4:004.12**0140**

具有零压力梯度的紊流附面层的特性

(Characteristics of turbulence in a boundary layer with zero pressure gradient) — Klebanoff P. S.; PB Report 124459, (NACA-R-1247, 1955), 1—19 (英文)

620.192.47:621-41:532.517.2:533.2:532.526:536.2**0141**

可改变流体喷射的多孔平板上的层流可压缩附面层内的热传导

(Heat transfer in a laminar compressible boundary layer on a porous flat plate with variable fluid injection) — Yuan S. W., Ness N.; PB Report 131150, (PIB-15, 1950), 1957, 1—9 (英文)

532.526:533.276**0142**

在高速和高溫时附面层热传导的测量

(Survey of boundary layer heat transfer at high velocities and high temperatures) — Eckert E. R. G.; PB Report 161843, (WADC TR59-624, 1960), 1960, 1—107 (英文)

517.914.9**0143**

連續微分边界問題

(A singular differential boundary problem) — Shotwell D. A.; PB Report 161416, (WADC TR59-319), 1959, 1—33 (英文)

621.515:532.526.2**0144**

在軸流式压气机中旋轉失速的研究: 第二部分, 非稳定性层流边界层的分离

(Research on rotating stall in axial flow compressors. Part II. On the separation of the unsteady laminar boundary layer) — Hartunian R. A.; PB Report 161072, (WADC TR 59-75, Part II), 1959, 1—25 (英文)

533.6.011.72:532.526.3**0145**

正冲波和紊流边界层之间的相互作用

(Interactions between normal shock waves and turbulent boundary layers) — Gadd G. E.; ARC Reports & Memoranda R. & M. № 3262, 1962, 1—66 (英文)

536.23:532.527:532.517.2/.4**0146**

层流与紊流可压缩涡流内能量分离的分析

(Analysis of the energy separation in laminar and turbulent compressible vortex flows) — Robert G. D.; Heat transfer and fluid mechanics institute, 1958, 40—53 (英文)

512.3.621.43.000.2**0147**

矩陣結構分析的簡單方法, 第三部分: 挠性桁架和增强圆筒壳体分析

(A simple method of matrix structural analysis — part III Flexible frame and stiffened cylindrical shell analysis) — Klein B.; IAS preprint, № 765, 1958, 1—18 (英文)

621.43-001:534**0148**

用 Donnell 型方程解析薄壳圆筒体振动問題

(Vibration of thin cylindrical shells analyzed by means of Donnell-type equations) — Yu. Y. Y.; IAS Report, № 769, 1958, 1—43 (英文)

621.43:533.6.011.55**0149**

流过細长錐体的高超音速粘性流

(Hypersonic viscous flow over slender cones) — Talbot L., Koga T.; IAS Report, № 59-1, 1959, 1—20 (英文)

533.6.011.5.011**0150**

超音速鈍体問題的回顧与展望

(The supersonic blunt-body problem, Review and extension) — Dyke M. D. V., IAS Report, № 801, 1958, 1—19 (英文)

533.6.01:621.43**0151**

在一半球圆柱体尾流中传热的激波管研究及其在高超音速飞行中的应用

(A shock tube investigation of heat transfer in the wake of a hemisphere cylinder, with application to hypersonic flight) — Power W. E., Stetson K. F.; IAS Report, № 59—35, 1959, 1—24 (英文)

532.526.2.011.5**0152**

能适用于轴对称钝体滞止区的具有流逸的可压缩层流附面层方程的解

(Solutions of the laminar compressible boundary-layer equations with transpiration which are applicable to the stagnation regions of axisymmetric blunt bodies) — H. John T., M. William A.; NASA, TN D-12, 1—73 (英文)

532.526.2:538.6**0153**

論一类磁层流附面层

(On a class of magnetic laminar boundary layer) — Lykoudis P. S.; Heat transfer and fluid mechanics institute, 1958, 176—186 (英文)

536.244:532.526.2**0154**

层流附面层内伴有燃烧的传质冷却

(Mass transfer cooling with combustion in a laminar boundary layer) — Hartnett J. P.; Heat transfer and fluid mechanics institute, 1958, 54—68 (英文)

532.526.2**0155**

研究附面层厚度的综合方法

(Synthetic method for boundary layer thickness) — Seth B. R.; Grenzschichtforschung, (1958), 47—58 (英文)

532.54**0156**

注入冷却剂的管内紊流的试验研究

(Experimental investigation of turbulent pipe flow with coolant injection) — Yuan S. W., Barazatti A.; 1958 Heat transfer and fluid Mechanics institute, 25—39 (英文)

533.6.01:532.526.2**0157**

非定常可压缩层流附面层热传导

(Heat transfer in the unsteady compressible laminar boundary layer) — Evans N. A.; Proceedings of the 1960 Heat transfer and fluid mechanics institute, 77—91 (英文)

532.517.3**0158**

泰勒型不稳定性与层流混合

(Taylor instability and laminar mixing) — Carrett Birkhoff—Lindstanl's AEC Report, 1955, 1—76 (英文)

532.526**0159**

分离圆柱附面层的特性

(Characteristics of separated cylindrical boundary layers) — Wehrmann O., Deutsche Versuchsanstalt für Luftfahrt E. V., 1—33 (英文)

532.54.4:669.791**0160**

用轴向磁场抑制管内水银的紊流流动

(The suppression of turbulence in pipe flow of mercury by an axial magnetic field) — Samuel Globe Research and Advanced Development Division AVCO Manufacturing Corporation Wilmington, Mass., 1959 Heat transfer and fluid mechanics institute, 68—79 (英文)

533.6.011.6:532.526.2**0161**

驻点附近定常层流附面层的传质冷却

(Mass transfer colling in a steady laminar boundary layer near the stagnation point) — Hayday A. A.; 1959 Heat transfer and fluid mechanics institute, 156—170 (英文)

532.517.3:534.121.1**0162**

平板上振动带所引起的附面层转捩

(Boundary layer transition induced by a vibrating ribbon on a flate plate) — Francis R. H.; Proceedings of the 1960 Heat transfer and fluid mechanics institute, 92—101 (英文)

532.575.9:532.517.2**0163**

研究附面层转捩的新分析模型

(A new analytical model for boundary layer transition) — Kenneth G.; Proceedings of the 1960 Heat transfer and fluid mechanics institute, 106—119 (英文)

532.526.7/533.6.011.61.7**0164**

可压缩层流附面层表面摩擦与传热的简化理论

(A simplified theory of skin friction and heat transfer for a compressible laminar boundary layer) — Lilley G. M.; The College of Aeronautics Cranfield (英文)

532.517.3:533.6.011.5**0165**

超音速流中锥面上紊流转捩的热线探测研究

(Hot wire exploration of turbulence transition on cone in supersonic flow) — Sandborn V. A., Wisniewski R. J.; Proceedings of the 1960 heat transfer and fluid mechanics institute, 120—134 (英文)

532.526.4**0166**

克罗柯积分对紊流附面层的若干应用

(Some applications of Crocco's integral for the turbulent boundary layer) — Spence D. A.; Proc. 1960, Heat transfer and fluid mechanics institute, 62—76 (英文)

533.6.011.6:532.526**0167**

层流分离区及尾流区内的传热

(Heat transfer in Laminar Separated and Wake flow regions)—Walter O. C.; 1959, Heat transfer and Fluid mechanics Institute, 140—155 (英文)

533.6.011.55.07:526.536.46**0168**

在激波管气流中的附面层和燃烧效应

(Boundary Layer and Combustion effects in Shock tube flows)—Spence D. A., Woods B. A.; Hypersonic Flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 153—180 (英文)

532.526.2.013.4**0169**

关于弯曲层流压缩流的流体动力稳定性

(On the hydrodynamic stability of Curved Laminar Compressible flows)—Lessen M.; IAS Report, № 820, 1—16 (英文)

533.6.071.011.5.001.6**0170**

关于可变超音速风洞设计的 Nilson 法

(Note on the Nilson method of Variable supersonic Wind tunnel design)—Callan M. M.; PB Report 124655, (National Aeronautical Establishment Lab. report LR-174, 1956), 1957, 1—62 (英文)

533.6.011.5:533.6.07:621-52:536.5:**0171****621.365.3.001.1**

在下吹式风洞中自动控制滞止温度的 420 瓩电加热器的理论, 设计与性能

(Theory, design, and performance of a 420 KW electrical heater for automatic control of stagnation temperature in a blow-down wind tunnel)—Hartwig W. H.; PB Report, 123081 (AFOSR-TN-56-163; DRL-383, 1956), 1957, 89p. (英文)

533.6.011.5.071.004.12**0172**

断续作用式高压自由喷射的超音速风洞的临界性能参数

(Critical performance parameters of an intermittent high-pressure free-jet supersonic wind tunnel) Lee J. D., Von Eschen G. L., PB Report 143498, (W33-038ac-21683 FR), 1954, 1—105 (英文)

533.6.071:629.13.012.124**0173**

对具有平流吹风螺旋桨动力的模型取得风洞试验

结果的分析

(Analysis of wind tunnel test results obtained for a propeller-powered model with flat blowing)—Schwartzberg M. A.; PB Report 143603, (Martin Co., ER № 9249), 1957, 1—139 (英文)

533.6.011**0174**

动力学系统研究: 空气动力学研究

(Dynamic System Studies: Aerodynamic Studies)—Saarlas M., Krzywoblock M. Z.; PB Report 121651, (WADC TR-54-250, Part 16, 1956), 1957, 1—42 (英文)

533.6.071**0175**

研究纵向飞机动力的风洞试验设备

(Longitudinal airplane dynamics wind tunnel test equipment)—Tufts O. B.; PB Report 121677, (WADC TR 55-184, 1955), 1957, 1—200 (英文)

533.695.3:533.6**0176**

旁漏面积对空气动力地面干扰现象影响的理论研究

(Theoretical study of the influence of bleed area on aerodynamic ground-interference phenomena)—Kubota T.; PB Report 144985, (U. S. Naval Ordnance Test Station NOTS-TP-2324; NAVORD Report 6592, 1959), 1—90 (英文)

533.693.4:533.6.013.422**0177**

关于一个 M 平面形机翼的风洞颤振试验

(Wind tunnel tests on a M-planform wing)—Molyneux W. G.; A. R. C. (英国), C. P. № 509, 1960, 1—7 (英文)

533.661.071.052**0178**

关于一个串列式旋翼直升机模型的风洞试验

(Wind tunnel experiments on a model of a tandem rotor helicopter)—Halliday A. S., Cox D. H.; A. R. C. (英国), C. P. № 517, 1961, 1—32 (英文)

533.6.011.5**0179**

分离超音速流

(Separated supersonic flows)—Ginoux J.; Proceedings of the 1960 Heat transfer and fluid mechanics Institute, 179—191 (英文)

533.6.013**0180**

有攻角的锥体的低密度空气动力学特性

(Low density aerodynamic characteristics of a cone at angle of attack)—Maslach G. J., Talbot L.; PB Report 145693, (University of California HE-150-172, 1959), 1—33 (英文)

533.5.01(047.1)**0181**

1949—1955 年間普林斯頓大學進行的高超音速研究的評述

(A review of the hypersonic research carried out at Princeton University from 1949—1955)—Bogdonoff M. S., PB Report 121218, (WADC technical report 55-211), 1956, 1—13 (英文)

533.6.011.55.07.001.4(41)**0182**

英國物理試驗室高超音速激波風洞的實驗結果

(Experimental Results from National Physical Laboratory Hypersonic Shock Tunnel)—Henshall B. D.; Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 1—36 (英文)

533.6.011.55.001**0183**

美國海軍軍械實驗室的高超音速研究

(Hypersonic Research at Naval Ordnance Laboratory)—Lobb R. K.; Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 45—73 (英文)

533.6.011.55.07.004.1**0184**

Southampton 大學的高超音速炮洞的性能研究

(Performance Studies for the University of Southampton Hypersonic gun tunnel)—Bray K. N. C., Pennelegion L., East R. A.; Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 89—110 (英文)

533.6.011.55:531.5(73)**0185**

新近在美國武器研究發展中心完成的高超音速彈道的研究 (美國武器研究發展中心的炮洞和高超音速流的某些實驗研究)

[Recent Hyperballistics Research at A. R. D. E. (The A. R. D. E. Gun Tunnels and Some Experimental studies of hypersonic flow)] — Eox R. N., Hypersonic Flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 111—141 (英文)

533.6.011.55.013.2**0186**

高超音速非穩定流

(Unsteady Flow at hypersonic Speeds)—Miles

J. W., Hypersonic Flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 185—197 (英文)

533.6.011.55.001**0187**

聖路易士實驗室的超音速研究

(Hypersonic Research at the L. R. S. L. St. Louise)—Oertel H., Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 203—212 (英文)

533.6.011.55.001**0188**

高超音速流的某些數值

(Some Numerical in Hypersonic flow)—VAN Dyke M. D., Hypersonic flow (Eleventh Symposium of the Colston Research Society held in the University of Bristol April 6th—April 8th, 1959, Bristol, England), 239—246 (英文)

533.6.011.55**0189**

高超音速稀薄氣流的粘性氣動力特性

(Viscous Aerodynamic Characteristics in hypersonic rarefied Gas flow)—Probstein R. F., Kemp N. H.; IAS Report, № 59—62, 1959, 1—48 (英文)

533.69**0190**

理論空氣動力學對設計高性能飛機的一些應用

(Some application of theoretical aerodynamics to the design of high performance aircraft)—Grogen G. C., IAS Report, № 787, 1958, 1—20 (英文)

532.517.4:532.528.5**0191**

二相流動系統中粒子對粒子與粒子對流體的相互作用

(Some effects of particle-particle and particle-fluid interaction in two phase flow systems)—Peskin R. L.; Proceedings of the 1960 Heat transfer and fluid mechanics institute, 192—207 (英文)

532.542.4**0192**

具有均勻壁段的管流速分布與摩擦因數

(Velocity profiles and friction factors for turbulent pipe flow with uniform wall section)—H. L. Weissberg—Lindstan's AEC Report, 1956, 1—31 (英文)