高等院校机电类 工程教育 系列规划教材

机械工程专业英语

■ 主编 唐一平

本书按照"内容新,知识面广,难度适中"的原则编写而成,同时反映了国际机械制造业最新科研成果,如高性能先进陶瓷材料、电主轴与高速加工技术、家庭与医用机器人等;附录给出了4个实用的专题:科技论文英文摘要写作要点、麻省理工学院简介、国际博览会高性能机床说明书翻译样本,以及目前在任何一本国内同类教材中从未收录的校园常用词汇,详见附录。同时,编者还为授课老师准备了中文译稿,申请方式请见前言>>>

高等院校机电类工程教育系列规划教材

机械工程专业英语

主 编 唐一平 副主编 李艳 徐海黎

電子工業出版社・ Publishing House of Electronics Industry 北京·BEIJING

本书按照"内容新,知识面广,难度适中,反应国际机械制造业最新科研成果"的原则编写而成。 全书共有 20 个授课单元,主要内容包括:工程材料、铸造、锻造与模具、常规机械加工工艺、特种加 工技术、公差与配合、定位与夹具、齿轮传动、液压传动、直接传动技术、数控技术、数控加工中心、 自动控制技术、CAD/CAM、传感器、机器人、制造业的发展、信息技术与制造、制造与工程师的作用 等: 附录给出了 4 个实用的专题: 科技论文英文摘要写作要点、麻省理工学院简介、国际博览会高性 能机床说明书翻译样本,以及目前在任何一本国内同类教材中从未收录的校园常用词汇。本书还为授 课教师准备了中文译稿。

该教材可供机械类及相关专业高年级本科生作为专业英语阅读使用,也可作为企业和科研单位技 术人员的英文阅读参考书。

未经许可,不得以任何方式复制或抄袭本书之部分或全部内容 版权所有•侵权必究

图书在版编目(CIP)数据

机械工程专业英语 / 唐一平主编. 一北京: 电子工业出版社,2009.10 (高等院校机电类工程教育系列规划教材) ISBN 978-7-121-09591-7

[. 机··· [[. 唐··· [[]. 高等学校—教材 [N/FF3]] 中国版本图书馆 CIP 数据核字 (2009) 第 172370 号

策划编辑: 余 义 责任编辑:余义

刷: 北京京师印务有限公司

出版发行: 电子工业出版社

北京市海淀区万寿路 173 信箱 邮编 100036

本: 787×1092 1/16 印张: 15.5 字数: 397千字 开

印 次: 2009年10月第1次印刷

数: 4000 册 定价: 28.00 元

凡所购买电子工业出版社图书有缺损问题,请向购买书店调换。若书店售缺,请与本社发行部联 系, 联系及邮购电话: (010) 88254888。

质量投诉请发邮件至 zlts@phei.com.cn, 盗版侵权举报请发邮件至 dbqq@phei.com.cn。 服务热线: (010) 88258888。

2008年7月间,电子工业出版社邀请全国20多所高校几十位机电领域的老师,研讨符合"工程教育"要求的教材的编写方案。大家认为,这适应了目前我国高等院校工科教育发展的趋势,特别是对工科本科生实践能力的提高和创新精神的培养,都会起到积极的推动作用。

教育部于 2007 年 1 月 22 日颁布了教高(2007)1 号文件《教育部财政部关于实施高等学校本科教学质量与教学改革工程的意见》。同年 2 月 17 日,紧接着又颁布了教高(2007)2 号文件《教育部关于进一步深化本科教学改革全面提高教学质量的若干意见》。由这两份文件,可以看到国家教育部已经决定并将逐步实施"高等学校本科教学质量与教学改革工程"(简称质量工程),而质量工程的核心思想就在于培养学生的实践能力和创新精神,提高教师队伍整体素质,以及进一步转变人才培养模式、教学内容和方法。

教学改革和教材建设从来都是相辅相成的。经过近两年的教改实践,不少老师都积累了一定的教学经验,借此机会,编写、出版符合"工程教育"要求的教材,不仅能够满足许多学校对此类教材的需求,而且将进一步促进质量工程的深化。

近一年来,电子工业出版社选派了骨干人员与参加编写的各位教授、专家和老师进行了深入的交流和研究。不仅在教学内容上进行了优化,而且根据不同课程的需要开辟了许多实践性、经验性和工程性较强的栏目,如"经验总结"、"应用点评"、"一般步骤"、"工程实例"、"经典案例"、"工程背景"、"设计者思维"、"学习方法"等,从而将工程中注重的理念与理论教学更有机地结合起来。此外,部分教材还融入了实验指导书和课程设计方案,这样一方面可以满足某些课程对实践教学的需要,另一方面也为教师更深入地开展实践教学提供丰富的素材。

随着我国经济建设的发展,普通高等教育也将随之发展,并培养出适合经济建设需要的人才。"高等院校机电类工程教育系列规划教材"就站在这个发展过程的源头,将最新的教改成果推而广之,并与之共进,协调发展。希望这套教材对更多学校的教学有所裨益,对学生的理论与实践的结合发挥一定的作用。

最后,预祝"高等院校机电类工程教育系列规划教材"项目取得成功。同时,也恳请读者对教材中的不当、不贴切、不足之处提出意见与建议,以便重印和再版时更正。

声光电

中国工程院院士、西安交通大学教授

And the property of the second

教材编写委员会

主任委员 赵升吨(西安交通大学)

副主任委员 (按姓氏笔画排序)

芮延年(苏州大学)

胡大超(上海应用技术学院)

钱瑞明(东南大学)

袁清珂(广东工业大学)

参编院校

(按拼音排序)

- ※ 安徽工业大学
- ※ 长安大学
- ※ 东南大学
- ※ 广东工业大学
- ※ 华南理工大学
- ※ 华南农业大学
- ※ 淮海工学院
- ※ 吉林师范大学
- ※ 南通大学
- ※ 山东建筑大学
- ※ 陕西科技大学
- ※ 上海应用技术学院

试读结束: 需要全本请在线购买: www.ertongbook.com

※ 深圳大学

- ※ 沈阳工业大学
- ※ 苏州大学
- ※ 苏州科技学院
- ※ 同济大学
- ※ 五邑大学
- ※ 武汉科技学院
- ※ 西安电子科技大学
- ※ 西安工程大学
- ※ 西安工业大学
- ※ 西安交通大学
- ※ 西安科技大学
- ※ 西安理工大学
- ※ 西安文理学院

前言

本书是根据电子工业出版社"高等院校机电类工程教育系列规划教材"的出版计划, 组织有关高校编写而成的。目前,机械工程专业英语教材在国内已有数十种。然而,随 着近年来机械制造科学与技术的不断发展,很多教材中的相当一部分内容多年来一直没 有更新和改编,已显得陈旧和落后,从而与当前我们提出的"教育要面向世界,面向未 来,要培养创新型科技人才"的要求很不相适应。鉴于此,我们组织了一些在高校中有 多年专业英语教学经验的教师重新编写了这部教材。该教材没有参考和引用国内已出版 的仟何一本类似的教材,按照"内容新,知识面广,难度适中,要反映机械制造业中最 新的科研成果"的原则,从近年来国外的优秀教材及有关科研论文与专著中,经过严格 筛选、精心编写而成。该教材涵盖面广,信息集成度高,反映了制造业先进技术的发展 趋势和近年来部分尖端成果(如高性能先进陶瓷材料、电主轴与高速加工技术、家庭与 医用机器人、信息化制造技术等)。这些教学内容对拓宽机械(电)类工科学生的眼界, 帮助他们阅读本专业的英文科技文献有很大的促进作用。为了便于教师讲授和学生自学, 每单元都附有详细的课文注释和词汇表。该书的另一个特点是在 20 个单元后增加了 4 个附录。附录包括了科技论文英文摘要写作要点、麻省理工学院简介、机床说明书翻译 样本,以及目前在任何一本教材上从未出现过的、具有趣味性和实用价值的校园词汇。 目前,专业英语在很多工科院校中都设为选修课,一般为30~40个学时,因此要将该教 材 20 个单元和 4 个附录全部讲授完是不可能的。编者建议授课教师根据本校及本专业的 特色有选择性地讲授其中某些内容,而不要按单元的顺序从头讲起。英文中有句常讲的 话: "Last but not least!",也许后面几个单元的内容(包括附录)对不少学生来说会更 加有用。

该教材可供机械类及相关专业高年级本科生作为专业英语阅读使用,也可作为企业 和科研单位技术人员的英文阅读参考书。

本教材由唐一平教授担任主编,李艳副教授、徐海黎副教授担任副主编。唐一平负责其中的第1,2,3,4,15,20单元和4篇附录的编写;李艳负责第5,6,7,8,9,10,13单元的编写;徐海黎负责第11,12,14,16,17,18,19单元的编写。

为使本教材日臻完善,欢迎各有关专家学者在该书的使用过程中不吝赐教,提出宝贵的批评与建议。同时,本教材还将为授课教师提供中文译稿(编者联系电话:029-82665575, E-mail:yptang@mail.xjtu.edu.cn; 出版社联系方式: yuy@phei.com.cn)。

编 者 2009年7月于西安交通大学

CONTENTS

Unit 1	Engineering Materials (I) (工程材料 I)	(1)
1.1	Introduction	(1)
1.2	Ferrous Metals and Alloys	
1.3	Nonferrous Metals and Alloys	(5)
Not	es	(8)
Glo	ssary	(10)
Unit 2	Engineering Materials (II) (工程材料 II)	(12)
2.1	Introduction	(12)
2.2	Ceramics	(12)
2.3	Polymers	(15)
2.4	Composite Materials	(17)
	tes	
Glo	ssary	(20)
Unit 3	Casting (铸造)	(22)
3.1	Introduction	(22)
3.2	Sand Casting	(22)
3.3	Investment Casting	
3.4	— T	(25)
3.5		
3.6		(27)
	tes	
Gle	ossary	(28)
Unit 4	Forging and Die (锻造与模具)	(30)
4.1		(30)
4.2	Open-die Forging	(31)
4.3		
4.4	Precision Forging	(32)
4.5	Die Manufacturing Methods	(33)
No	tes	(35)
Gle	ossary	(36)
Unit 5 Conventional Machining Processes (常规机械加工工艺)		(38)
5.1	Introduction	(38)
5.2	Turning and Lathe	(38)

5.3	Milling and Milling Machine.	(41)				
5.4 Drilling and Drill Press						
No	Notes					
Gle	Glossary					
Unit 6	Nontraditional Machining Processes (特种加工技术)	(52)				
6.1	Introduction	(52)				
6.2	Electrical Discharge Machining (EDM)	(53)				
6.3	Chemical Machining (CM)	(54)				
6.4	Electrochemical Machining (ECM)	(55)				
6.5	Laser Beam Machining (LBM)	(57)				
6.6	Ultrasonic Machining (USM)	(58)				
No	tes	(59)				
Glo	ossary	(61)				
Unit 7	Tolerances and Fits (公差与配合)	(65)				
7.1	Introduction	(65)				
7.2	Tolerances	(66)				
7.3	Fits	(68)				
7.4	ISO System of Llimits and Fits	(69)				
No	tes	(71)				
Glo	ossary	(72)				
Unit 8	Location and Fixtures (定位与夹具)	(75)				
8.1	Introduction	(75)				
8.2	Advantages of Jigs and Fixtures	(75)				
8.3	The Location of The Workpiece	(76)				
8.4						
8.5	Classes of Fixtures	(79)				
No	tes	(82)				
Glo	ossary	(83)				
	Gear Transmission (齿轮传动)	(87)				
9.1	Introduction	(87)				
9.2	Spur Gears	(87)				
9.3	·					
9.4						
9.5						
9.6	-					
No	tes					
Glo	ssarv	(96)				

Unit 10	Hydraulic Transmission (液压传动)	. (99
10.1	Introduction	. (99
10.2	Hydraulic Pump	(100
10.3	Hydraulic Valves	(102
10.4	Hydraulic Cylinder	(104
10.5	Hydraulic Motor	(105
Notes		(107
Gloss	ary	(109
Unit 11	Direct Drive Technology (直接传动技术)	(112
11.1	Introduction	(112
11.2	Direct-Drive Linear (DDL) Motion	(112
11.3	Direct-drive Rotary (DDR) Motors Streamline Machine Design	(114
11.4	Motorized Spindle	(116
Notes		(117
Gloss	ary	(119
Unit 12	Numerical Control (数控技术)	(121
12.1	Introduction	(121
12.2	NC and CNC	(121
12.3	Construction of CNC Machines	(122
12.4	DNC (Distributed Numerical Control) System	
Notes	<u></u>	(128
Gloss	ary	(129
Unit 13	CNC Machining Centers (数控加工中心)	(131
13.1	Introduction	(131
13.2	The Concept of Machining Centers	
13.3	Types of Machining Center	(133
13.4	Components of a Machining Center	(134
13.5	Characteristics and Capabilities of Machining Centers	
Notes	5	(138
Gloss	sary	(138
Unit 14	Automatic Control (自动控制技术)	(14
14.1	Introduction	(14)
14.2	Open-Loop Control and Closed-Loop Control	(14
14.3	Applications of Automatic Control	
14.4	Artificial Intelligence in Mechatronics	
Notes	3	
	sary	

Unit	15	CAD/CAM (计算机辅助设计与制造)	(152)
	15.1	Introduction	(152)
	15.2	Geometric Modeling	(152)
	15.3	CAD/CAM	(154)
	15.4	Computer-Aided Process Planning	(157)
	Notes	I	(158)
	Gloss	ary	(160)
Unit	16	Transducers (传感器)	(162)
	16.1	Introduction	(162)
	16.2	Transducer Elements	(162)
	16.3	Analog and Digital Transducers	(162)
	16.4	Use of Sensors in Programmable Automation	(164)
	16.5	Some Terms	(166)
	Notes	\$	(167)
	Gloss	ary	(169)
Unit	17	Robots (机器人)	(171)
	17.1	Introduction	(171)
	17.2	Definition of Robot	(171)
	17.3	Components of a Robot System	(172)
	17.4	Industrial Robots	(173)
	17.5	Medical Robots	(175)
	17.6	Underwater Robots	(175)
	17.7	Walking Robots	(176)
	17.8	Humanoid Robots	(176)
	Notes	3	(177)
	Gloss	ary	(179)
Unit	t 18	Development of Modern Manufacturing (制造业的发展)	(182)
	18.1	Introduction	(182)
	18.2	Mechanization	(183)
	18.3	Programmable Automation	(183)
	18.4	Computer-aided Manufacturing	(184)
	18.5	Flexibility	(184)
	18.6	Remanufacturing	(186)
		3	
	Gloss	ary	(189)
Unit	t 19	IT and Manufacturing (信息技术与制造)	(191)
	19.1	Introduction	(191)
	19.2	Computer-integrated Manufacturing	(191)

19.3	Ente	erprise Resource Planning (ERP) System	(194)	
19.4	Con	nputer-aided System (CAx)	(194)	
Note	s		(196)	
Glos	sary		(197)	
Unit 20	Ma	nufacturing and Roles of Engineers (制造与工程师的作用)	(199)	
20.1	Mar	nufacturing	(199)	
20.2		es of Engineers		
Appendi	x A	Abstract Writing for Scientific Papers (科技论文英文摘要写作要点).	(209)	
Appendi	x B	Introduction to MIT (麻省理工学院简介)	(216)	
Appendi	x C	Machine Tool Instructions (机床说明书翻译样本)	(225)	
Appendi	x D	Campus Vocabulary (校园常用词汇)	(230)	
References (参考文献) (

Unit 1

Engineering Materials (I)

1.1 Introduction

For industrial purposes, materials can be divided into engineering materials and non-engineering materials. Engineering materials are those used in manufacturing and will become parts of products through definite processing. In generally, engineering materials may be further subdivided into metals, ceramics, composites and polymers.

Metals. Common metals are gold, silver, copper, iron, nickel, aluminum, magnesium and titanium, etc. Among these metals, gold and silver (also platinum) are precious metals; iron and nickel are magnetic materials (they are subject to the action of magnetic force); aluminum, magnesium and titanium are commonly called light metals. Of course, metal materials are seldom used in their pure states but in alloy states. Alloys contain more than one metallic element. Their properties can be modified by changing the element contents present in them. Examples of alloys include stainless steels which are alloys of Fe, Ni and Cr; and brass which is an alloy of Cu and Zn. In addition, metal materials can also be broadly divided into two groups, i.e. ferrous metals and nonferrous metals. Ferrous metals often refer to iron alloys (iron and steel materials) and nonferrous metals include all other metallic materials.

Ceramics. It seems that there hasn't been an exact and complete definition about advanced ceramics so far, but from a viewpoint of modern engineering and technology, advanced ceramics (differentiating from traditional household ceramics) may be defined as the new engineering materials composed of some special kinds of metallic oxides (e.g. alumina or corundum and zirconia) or carbides or nitrides of metallic and nonmetallic elements (e.g. tungsten carbide, silicon carbide, boron nitride, silicon nitride, etc.).[1] They have some unique properties such as high-temperature strength; hardness; inertness to chemicals, food, and environment; resistance to wear and corrosion; and low electrical

and thermal conductivity. So they are widely used in turbine, automobile, aerospace components, heat exchangers, semiconductors and cutting tools.

Polimers. The word polymer was first used in 1866. In essence, they are organic macromolecular compounds. And in 1909, the word plastics was employed as a synonym for "polymers". Plastic is from a Greek word plastikos, meaning "able to be molded and shaped". Plastics are one of numerous polymeric materials and have extremely large molecules. Because of their many unique and diverse properties, polymers have increasingly replaced metallic components in applications such as automobiles, civilian and military air craft, sporting goods, toys, appliances, and office equipment.

Composite materials. Among the major developments in materials in recent years are composite materials. In fact, composites are now one of the most important classes of engineered materials, because they offer several outstanding properties as compared with conventional materials. A composite material is a combination of two or more chemically distinct and insoluble phases; its properties and structural performance are superior to those of the constituents acting independently.[2]

Nanomaterials refer to those materials, at least one of whose three dimensions is at the nano-scale(1-100 nm) and hence we may have nano-powders, nano-fibers and nano-films.[3] They were first investigated in the early 1980s. However, we can not classified them in nature as distinct from other four common engineering materials, i.e. metals, ceramics, composite and macromolecular materials, because various nano-materials developed so far are all composed of one or combination of the above four materials [4] Nevertheless, when the sizes of some common materials are reduced to the nano-scale, they will possess some special properties superior to traditional and commercially available materials. These properties can include strength, hardness, ductility, wear resistance and corrosion resistance suitable for structural (load-bearing) and nonstructural applications, in combination with unique electrical, magnetic, and optical properties. For example, nano-powders have very large specific surface area, up to hundreds even thousands of square meters per gram, making them become highly active adsorbents and catalysts with wide application prospect in organic synthesis and environmental protection.[5]

(a,b) . The second respective (a,b) , (a,b) , (a,b) , (a,b)

1.2 Ferrous Metals and Alloys

By virtue of their wide range of mechanical, physical, and chemical properties, ferrous metals and alloys are among the most useful of all metals. Ferrous metals and alloys contain iron as their base metal; the general categories are cast irons, carbon and alloy steels, stainless steels, tool and die steels.

The term cast iron refers to a family of ferrous alloys composed of iron, carbon (ranging from 2.11% to about 4.5%), and silicon (up to about 3.5%). Cast irons are usually classified as follows:

- 1. Gray cast iron, or gray iron;
- 2. Ductile cast iron, nodular cast iron, or spherical graphite cast iron;
- 3. White cast iron;
- 4. Malleable iron;
- 5. Compacted graphite iron.

The equilibrium phase diagram relevant to cast irons is shown in Fig.1.1, in which the right boundary is 100% carbon, that is, pure graphite. The eutectic temperature is 1154 °C (2109 °F), and so cast irons are completely liquid at temperatures lower than those required for liquid steels. Consequently, iron with high carbon content can be cast at lower temperatures than can steels.




Fig.1.1 composition graphite(%)

Carbon steels are generally classified by their proportion (by weight) of carbon content.

- 1. Low-carbon steel, also called mild steel, has less than 0.30% carbon. It is generally used for common industrial products, such as bolts, nuts, sheet, plate, and tubes, and for machine components that do not require high strength.
- 2. Medium-carbon steel has 0.30% to 0.60% carbon. It is generally used in applications requiring higher strength than is available in low-carbon steels, such as in machinery, in automotive and agricultural equipment parts (gears, axles, connecting rods, crankshafts), in railroad equipment, and in parts for metalworking machinery.
- 3. High-carbon steel has more than 0.60% carbon. It is generally used for parts requiring strength, hardness, and wear resistance, such as cutting tools, cable, music string, springs, and cutlery. After being manufactured into shapes, the parts are usually heat treated and tempered. The higher the carbon content of the steel, the higher is its hardness, strength, and wear resistance after heat treatment.

Alloy steels contain significant amounts of alloying elements. Structural-grade alloy steels, as identified by ASTM specifications, are used mainly in the construction and transportation industries, because of their high strength. Other alloy steels are used in applications where strength, hardness, creep and fatigue resistance, and toughness are required. These steels may also have been heat treated, in order to obtain the desired properties.

Stainless steels are characterized primarily by their corrosion resistance, high strength and ductility, and high chromium content. They are called *stainless* because in the presence of oxygen (air) they develop a thin, hard adherent film of chromium oxide that protects the metal from corrosion (*passivation*). This protective film builds up again in the event that the surface is scratched.[6] For passivation to occur, the minimum chromium content should be 10% to 12% by weight. In addition to chromium, other alloying elements in stainless steels typically are nickel, molybdenum, copper, titanium, silicon, manganese, columbium, aluminum, nitrogen, and sulfur.

Tool and die steels are specially alloyed steels. They are designed for high strength, impact toughness, and wear resistance at room and elevated temperatures. They are commonly used in forming and machining of metals.

High-speed steels (HSS) are the most highly alloyed tool and die steels. First developed in the early 1900s, they maintain their hardness and strength at elevated operating

Engineering Materials (I)

temperatures. There are two basic types of high-speed steels: the molybdenum type (M series) and the tungsten type (T series).

Hot-work steels are designed for use at elevated temperatures. They have high toughness as well as high resistance to wear and cracking. The alloying elements are generally tungsten, molybdenum, chromium, and vanadium.

Cold-work steels are used for cold-working operations. They generally have high resistance to wear and cracking. These steels are available as oil-hardening or air-hardening types.

Shock-resisting steels are designed for impact toughness and are used in applications such as header dies, punches, and chisels. Other properties of these steels depend on the particular composition.

1.3 Nonferrous Metals and Alloys

Nonferrous metals and alloys cover a wide range of materials, from common metals such as aluminum, copper, and magnesium to high-strength, high-temperature alloys, such as those of tungsten, tantalum, and molybdenum. Although generally more expensive than ferrous metals, nonferrous metals and alloys have important applications because of properties such as corrosion resistance, high thermal and electrical conductivity, low density, and ease of fabrication.

Aluminum(Al). Typical examples of the applications of nonferrous metals and alloys are aluminum for cooking utensils and aircraft bodies, copper wire for electricity, copper tubing for residential water supply, zinc for galvanized sheet metal for car bodies, titanium for jet-engine turbine blades and for orthopedic implants.

The principal uses of aluminum and its alloys are in containers and packaging (aluminum cans and foil), in buildings and other types of construction, in transportation (aircraft and aerospace applications, buses, automobiles), in electrical applications (economical and nonmagnetic electrical conductor), in consumer durables (appliances, cooking utensils, and furniture). Nearly all high-voltage transmission wiring is made of aluminum. In its structural (load-bearing) components, 82% of a Boeing 747 aircraft (and 79% of a Boeing 757 aircraft) is aluminum.

Porous Aluminum. Blocks of aluminum have recently been produced that are 37% lighter than solid aluminum and have uniform permeability (microporosity). This characteristic allows their use in applications where a vacuum or differential pressure has

to be maintained. Examples are the vacuum holding of fixtures for assembly and automation and the vacuum forming or thermoforming of plastics.[7] These blocks are 70% to 90% aluminum powder; the rest is epoxy resin. They can be machined with relative ease and can be joined together using adhesives.

Magnesium (Mg) is the lightest engineering metal available, and it has good vibrationdamping characteristics. Its alloys are used in structural and nonstructural applications wherever weight is of primary importance. Magnesium is also an alloying element in various nonferrous metals. A variety of magnesium alloys have good casting, forming, and machining characteristics.

Typical uses of magnesium alloys are in aircraft and missile components, material-handling equipment, portable power tools (such as drills and sanders), ladders, luggage, bicycles, sporting goods, and general lightweight components.

Copper (Cu), first produced in about 4000 B.C., and its alloys have properties somewhat similar to those of aluminum and its alloys. In addition, they are among the best conductors of electricity and heat, and they have good corrosion resistance. They can be processed easily by various forming, machining, casting, and joining techniques.

Copper alloys are often attractive for applications in which a combination of electrical, mechanical, nonmagnetic, corrosion-resistant, thermally conductive, and wear-resistant qualities are required. Applications include electrical and electronic components; springs; cartridges for small arms; plumbing; heat exchangers; marine hardware, and consumer goods, such as cooking utensils, jewelry, and other decorative objects.

Titanium (Ti), named after the giant Greek god Titan, was discovered in 1791, but it was not produced commercially until the 1950s. Although it is expensive, its high strength-to-weight ratio and its corrosion resistance at room and elevated temperatures make it attractive for many applications including aircraft, jet-engine, racing-car, chemical, petrochemical, and marine components, submarine hulls, and biomaterials, such as orthopedic implants. Titanium alloys have been developed for service at 550°C (1000 °F) for long periods of time and at up to 750 °C (1400 °F) for shorter periods.

The properties and manufacturing characteristics of titanium alloys are extremely sensitive to small variations in both alloying and residual elements. These elements cause embrittlement of titanium and, consequently, reduce toughness and ductility.