

中国科学院中国孢子植物志编辑委员会 编辑

中国真菌志

第三十八卷

拟盘多毛孢属

葛超新 陈育新 徐 同 主编

科学出版社

中国科学院中国孢子植物志编辑委员会 编辑

中 国 真 菌 志

第三十八卷

拟盘多毛孢属

葛起新 陈育新 徐 同 主编

中国科学院知识创新工程重大项目

国家自然科学基金重大项目

(国家自然科学基金委员会 中国科学院 国家科学技术部 资助)

科 学 出 版 社

北 京

内 容 简 介

拟盘多毛孢属是一类常见并具有重要经济价值的无性型真菌。本卷是在中国拟盘多毛孢属的研究报告基础上编写而成的。通论部分概略地论述了拟盘多毛孢的经济重要性、生活习性、生理学特性、有性型、植物内生拟盘多毛孢及其多样性、形态以及国内外分类研究的历史和现状及研究进展,并阐明了作者的分类观点。专论部分描述了采自或分离自寄主(或宿主)植物上的拟盘多毛孢 153 种,每个种有形态描述,寄主(或宿主)植物名称,显微镜描绘图或照片,国内和世界分布。附已登录 DNA 相关序列的中国拟盘多毛孢资料,并附图版 4 面。

本书可供真菌学、植物病理学、微生物学、植物保护学、植物学、生态学、医学研究工作者及相关大专院校师生参考。

图书在版编目(CIP)数据

中国真菌志. 第 38 卷, 拟盘多毛孢属/葛起新, 陈育新, 徐同主编. —北京: 科学出版社, 2009

(中国孢子植物志)

ISBN 978-7-03-021327-3

I. 中… II. ①葛…②陈…③徐… III. ①真菌志-中国②盘多毛孢属-真菌志-中国 IV. Q949.32 Q949.331

中国版本图书馆 CIP 数据核字(2008)第 031881 号

责任编辑: 韩学哲 吴伶俐/责任校对: 包志虹

责任印制: 钱玉芬/封面设计: 槐寿明

科学出版社 出版

北京东黄城根北街 16 号

邮政编码: 100717

<http://www.sciencep.com>

双青印刷厂印刷

科学出版社发行 各地新华书店经销

*

2009 年 6 月第 一 版 开本: 787×1092 1/16

2009 年 6 月第一次印刷 印张: 16 1/2 插页: 2

印数: 1—800 字数: 380 000

定价: 95.00 元

(如有印装质量问题, 我社负责调换〈双青〉)

CONSILIO FLORARUM CRYPTOGRAMMARUM SINICARUM
ACADEMIAE SINICAE EDITA

FLORA FUNGORUM SINICORUM

VOL. 38

PESTALOTIOPSIS

REDACTORES PRINCIPALES

Ge Qixin Chen Yuxin Xu Tong

**A Major Project of the Knowledge Innovation Program
of the Chinese Academy of Sciences**

A Major Project of the National Natural Science Foundation of China

(Supported by the National Natural Science Foundation of China,
the Chinese Academy of Sciences, and the Ministry of Science and Technology of China)

Science Press
Beijing

拟盘多毛孢属

本 卷 著 者

葛起新 徐 同 曹若彬 孙小桢 朱培良 张家祥
孙化田 许美琴 陈国贵 刘爱荣
(浙江大学)

陈育新 韦 刚 韦继光 陈卫平 王忠文 何有乾
黄式玲 柯 劲 卢扬江 陈满平 秦永宁
(广西大学)

PESTALOTIOPSIS

AUCTORES

Ge Qixin, Xu Tong, Cao Ruobin, Sun Xiaolan, Zhu Peiliang,
Zhang Jiaxiang, Sun Huatian, Xu Meiqin, Chen Guogui, Liu Airong
(Universitas Zhejiangensis)

Chen Yuxin, Wei Gang, Wei Jiguang, Chen Weiping, Wang Zhongwen
He Youqian, Huang Shiling, Ke Jing, Lu Yangjiang, Chen Manping,
Qin Yongning
(Universitas Guangxiensis)

中国孢子植物志第五届编委名单

(2007年5月)

主 编 魏江春

副 主 编 夏邦美 胡征宇 庄文颖 吴鹏程

编 委 (以姓氏笔画为序)

丁兰平 王全喜 王幼芳 田金秀 吕国忠

刘杏忠 刘国祥 庄剑云 李增智 李仁辉

杨祝良 陈健斌 张天宇 郑儒永 胡鸿钧

施之新 姚一建 贾 渝 郭 林 高亚辉

谢树莲 戴玉成 魏印心

序

中国孢子植物志是非维管束孢子植物志，分《中国海藻志》、《中国淡水藻志》、《中国真菌志》、《中国地衣志》及《中国苔藓志》五部分。中国孢子植物志是在系统生物学原理与方法的指导下对中国孢子植物进行考察、收集和分类的研究成果；是生物多样性研究的主要内容；是物种保护的重要依据，对人类活动与环境甚至全球变化都有不可分割的联系。

中国孢子植物志是我国孢子植物物种数量、形态特征、生理生化性状、地理分布及其与人类关系等方面的综合信息库；是我国生物资源开发利用、科学研究与教学的重要参考文献。

我国气候条件复杂，山河纵横，湖泊星布，海域辽阔，陆生和水生孢子植物资源极其丰富。中国孢子植物分类工作的发展和《中国孢子植物志》的陆续出版，必将为我国开发利用孢子植物资源和促进学科发展发挥积极作用。

随着科学技术的进步，我国孢子植物分类工作在广度和深度方面将有更大的发展，对于这部著作也将不断补充、修订和提高。

中国科学院中国孢子植物志编辑委员会

1984年10月·北京

中国孢子植物志总序

中国孢子植物志是由《中国海藻志》、《中国淡水藻志》、《中国真菌志》、《中国地衣志》及《中国苔藓志》所组成。至于维管束孢子植物蕨类未被包括在中国孢子植物志之内，是因为它早先已被纳入《中国植物志》计划之内。为了将上述未被纳入《中国植物志》计划之内的藻类、真菌、地衣及苔藓植物纳入中国生物志计划之内，出席 1972 年中国科学院计划工作会议的孢子植物学工作者提出筹建“中国孢子植物志编辑委员会”的倡议。该倡议经中国科学院领导批准后，“中国孢子植物志编辑委员会”的筹建工作随之启动，并于 1973 年在广州召开的《中国植物志》、《中国动物志》和中国孢子植物志工作会议上正式成立。自那时起，中国孢子植物志一直在“中国孢子植物志编辑委员会”统一主持下编辑出版。

孢子植物在系统演化上虽然并非单一的自然类群，但是，这并不妨碍在全国统一组织和协调下进行孢子植物志的编写和出版。

随着科学技术的飞速发展，人们关于真菌的知识日益深入的今天，黏菌与卵菌已被从真菌界中分出，分别归隶于原生动物界和管毛生物界。但是，长期以来，由于它们一直被当作真菌由国内外真菌学家进行研究；而且，在“中国孢子植物志编辑委员会”成立时已将黏菌与卵菌纳入中国孢子植物志之一的《中国真菌志》计划之内并陆续出版，因此，沿用包括黏菌与卵菌在内的《中国真菌志》广义名称是必要的。

自“中国孢子植物志编辑委员会”于 1973 年成立以后，作为“三志”的组成部分，中国孢子植物志的编研工作由中国科学院资助；自 1982 年起，国家自然科学基金委员会参与部分资助；自 1993 年以来，作为国家自然科学基金委员会重大项目，在国家基金委资助下，中国科学院及科技部参与部分资助，中国孢子植物志的编辑出版工作不断取得重要进展。

中国孢子植物志是记述我国孢子植物物种的形态、解剖、生态、地理分布及其与人类关系等方面的大型系列著作，是我国孢子植物物种多样性的重要研究成果，是我国孢子植物资源的综合信息库，是我国生物资源开发利用、科学研究与教学的重要参考文献。

我国气候条件复杂，山河纵横，湖泊星布，海域辽阔，陆生与水生孢子植物物种多样性极其丰富。中国孢子植物志的陆续出版，必将为我国孢子植物资源的开发利用，为我国孢子植物科学的发展发挥积极作用。

中国科学院中国孢子植物志编辑委员会

主编 曾呈奎

2000 年 3 月 北京

Foreword of the Cryptogamic Flora of China

Cryptogamic Flora of China is composed of *Flora Algarum Marinarum Sinicarum*, *Flora Algarum Sinicarum Aquae Dulcis*, *Flora Fungorum Sinicorum*, *Flora Lichenum Sinicorum*, and *Flora Bryophytorum Sinicorum*, edited and published under the direction of the Editorial Committee of the Cryptogamic Flora of China, Chinese Academy of Sciences (CAS). It also serves as a comprehensive information bank of Chinese cryptogamic resources.

Cryptogams are not a single natural group from a phylogenetic point of view which, however, does not present an obstacle to the editing and publication of the Cryptogamic Flora of China by a coordinated, nationwide organization. The Cryptogamic Flora of China is restricted to non-vascular cryptogams including the bryophytes, algae, fungi, and lichens. The ferns, a group of vascular cryptogams, were earlier included in the plan of *Flora of China*, and are not taken into consideration here. In order to bring the above groups into the plan of Fauna and Flora of China, some leading scientists on cryptogams, who were attending a working meeting of CAS in Beijing in July 1972, proposed to establish the Editorial Committee of the Cryptogamic Flora of China. The proposal was approved later by the CAS. The committee was formally established in the working conference of Fauna and Flora of China, including cryptogams, held by CAS in Guangzhou in March 1973.

Although myxomycetes and oomycetes do not belong to the Kingdom of Fungi in modern treatments, they have long been studied by mycologists. *Flora Fungorum Sinicorum* volumes including myxomycetes and oomycetes have been published, retaining for *Flora Fungorum Sinicorum* the traditional meaning of the term fungi.

Since the establishment of the editorial committee in 1973, compilation of Cryptogamic Flora of China and related studies have been supported financially by the CAS. The National Natural Science Foundation of China has taken an important part of the financial support since 1982. Under the direction of the committee, progress has been made in compilation and study of Cryptogamic Flora of China by organizing and coordinating the main research institutions and universities all over the country. Since 1993, study and compilation of the Chinese fauna, flora, and cryptogamic flora have become one of the key state projects of the National Natural Science Foundation with the combined support of the CAS and the National Science and Technology Ministry.

Cryptogamic Flora of China derives its results from the investigations, collections, and classification of Chinese cryptogams by using theories and methods of systematic

and evolutionary biology as its guide. It is the summary of study on species diversity of cryptogams and provides important data for species protection. It is closely connected with human activities, environmental changes and even global changes. Cryptogamic Flora of China is a comprehensive information bank concerning morphology, anatomy, physiology, biochemistry, ecology, and phytogeographical distribution. It includes a series of special monographs for using the biological resources in China, for scientific research, and for teaching.

China has complicated weather conditions, with a crisscross network of mountains and rivers, lakes of all sizes, and an extensive sea area. China is rich in terrestrial and aquatic cryptogamic resources. The development of taxonomic studies of cryptogams and the publication of Cryptogamic Flora of China in concert will play an active role in exploration and utilization of the cryptogamic resources of China and in promoting the development of cryptogamic studies in China.

C.K. Tseng

Editor-in-Chief

The Editorial Committee of the Cryptogamic Flora of China

Chinese Academy of Sciences

March, 2000 in Beijing

《中国真菌志》序

《中国真菌志》是在系统生物学原理和方法指导下，对中国真菌，即真菌界的子囊菌、担子菌、壶菌及接合菌四个门以及不属于真菌界的卵菌等三个门和黏菌及其类似的菌类生物进行搜集、考察和研究的成果。本志所谓“真菌”系广义概念，涵盖上述三大菌类生物（地衣型真菌除外），即当今所称“菌物”。

中国先民认识并利用真菌作为生活、生产资料，历史悠久，经验丰富，诸如酒、醋、酱、红曲、豆豉、豆腐乳、豆瓣酱等的酿制，蘑菇、木耳、茭白作食用，茯苓、虫草、灵芝等作药用，在制革、纺织、造纸工业中应用真菌进行发酵，以及利用具有抗癌作用和促进碳素循环的真菌，充分显示其经济价值和生态效益。此外，真菌又是多种植物和人畜病害的病原菌，危害甚大。因此，对真菌物种的形态特征、多样性、生理生化、亲缘关系、区系组成、地理分布、生态环境以及经济价值等进行研究和描述，非常必要。这是一项重要的基础科学研究，也是利用益菌、控制害菌、化害为利、变废为宝的应用科学的源泉和先导。

中国是具有悠久历史的文明古国，从远古到明代的 4500 年间，科学技术一直处于世界前沿，真菌学也不例外。酒是真菌的代谢产物，中国酒文化博大精深、源远流长，有六七千年历史。约在公元 300 年的晋代，江统在其《酒诰》诗中说：“酒之所兴，肇自上皇。或云仪狄，又曰杜康。有饭不尽，委之空桑。郁结成味，久蓄气芳。本出于此，不由奇方。”作者精辟地总结了我国酿酒历史和自然发酵方法，比之意大利学者雷蒂 (Radi, 1860) 提出微生物自然发酵法的学说约早 1500 年。在仰韶文化时期 (5000~3000 B.C.)，我国先民已懂得采食蘑菇。中国历代古籍中均有食用菇蕈的记载，如宋代陈仁玉在其《菌谱》(1245 年) 中记述浙江台州产鹅膏菌、松蕈等 11 种，并对其形态、生态、品级和食用方法等作了论述和分类，是中国第一部地方性食用蕈菌志。先民用真菌作药材也是一大创造，中国最早的药典《神农本草经》(成书于 102~200 A.D.) 所载 365 种药物中，有茯苓、雷丸、桑耳等 10 余种药用真菌的形态、色泽、性味和疗效的叙述。明代李时珍在《本草纲目》(1578) 中，记载“三菌”、“五蕈”、“六芝”、“七耳”以及羊肚菜、桑黄、鸡枞、雪蚕等 30 多种药用真菌。李氏将菌、蕈、芝、耳集为一类论述，在当时尚无显微镜帮助的情况下，其认识颇为精深。该籍的真菌学知识，足可代表中国古代真菌学水平，堪与同时代欧洲人 (如 C. Clusius, 1529~1609) 的水平比拟而无逊色。

15 世纪以后，居世界领先地位的中国科学技术，逐渐落后。从 18 世纪中叶到 20 世纪 40 年代，外国传教士、旅行家、科学工作者、外交官、军官、教师以及负有特殊任务者，纷纷来华考察，搜集资料，采集标本，研究鉴定，发表论文或专辑。如法国传教士西博特 (P.M. Cibot) 1759 年首先来到中国，一住就是 25 年，对中国的植物 (含真菌) 写过不少文章，1775 年他发表的五棱散尾菌 (*Lysurus mokusin*)，是用现代科学方法研究发表的第一个中国真菌。继而，俄国的波塔宁 (G.N. Potanin, 1876)、意大利的吉拉迪 (P. Giraldii, 1890)、奥地利的汉德尔-马泽蒂 (H. Handel-Mazzetti, 1913)、

美国的梅里尔 (E.D. Merrill, 1916)、瑞典的史密斯 (H. Smith, 1921) 等共 27 人次来我国采集标本。研究发表中国真菌论著 114 篇册, 作者多达 60 余人次, 报道中国真菌 2040 种, 其中含 10 新属、361 新种。东邻日本自 1894 年以来, 特别是 1937 年以后, 大批人员涌到中国, 调查真菌资源及植物病害, 采集标本, 鉴定发表。据初步统计, 发表论著 172 篇册, 作者 67 人次以上, 共报道中国真菌约 6000 种 (有重复), 其中含 17 新属、1130 新种。其代表人物在华北有三宅市郎 (1908), 东北有三浦道哉 (1918), 台湾有泽田兼吉 (1912); 此外, 还有斋藤贤道、伊藤诚哉、平冢直秀、山本和太郎、逸见武雄等数十人。

国人用现代科学方法研究中国真菌始于 20 世纪初, 最初工作多侧重于植物病害和工业发酵, 纯真菌学研究较少。在一二十年代便有不少研究报告和学术论文发表在中外各种刊物上, 如胡先骕 1915 年的“菌类鉴别法”, 章祖纯 1916 年的“北京附近发生最盛之植物病害调查表”以及钱穉孙 (1918)、邹钟琳 (1919)、戴芳澜 (1920)、李寅恭 (1921)、朱凤美 (1924)、孙豫寿 (1925)、俞大绂 (1926)、魏岳寿 (1928) 等的论文。三四十年代有陈鸿康、邓叔群、魏景超、凌立、周宗璜、欧世璜、方心芳、王云章、裘维蕃等发表的论文, 为数甚多。他们中有的人终生或大半生都从事中国真菌学的科教工作, 如戴芳澜 (1893~1973) 著“江苏真菌名录” (1927)、“中国真菌杂记” (1932~1946)、《中国已知真菌名录》 (1936, 1937)、《中国真菌总汇》 (1979) 和《真菌的形态和分类》 (1987) 等, 他发表的“三角枫上白粉菌一新种” (1930), 是国人用现代科学方法研究、发表的第一个中国真菌新种。邓叔群 (1902~1970) 著“南京真菌记载” (1932~1933)、“中国真菌续志” (1936~1938)、《中国高等真菌志》 (1939) 和《中国的真菌》 (1963, 1996) 等, 堪称《中国真菌志》的先导。上述学者以及其他许多真菌学工作者, 为《中国真菌志》研编的起步奠定了基础。

在 20 世纪后半叶, 特别是改革开放以来的 20 多年, 中国真菌学有了迅猛的发展, 如各类真菌学课程的开设, 各级学位研究生的招收和培养, 专业机构和学会的建立, 专业刊物的创办和出版, 地区真菌志的问世等, 使真菌学人才辈出, 为《中国真菌志》的研编输送了新鲜血液。1973 年中国科学院广州“三志”会议决定, 《中国真菌志》的研编正式启动, 1987 年由郑儒永、余永年等编辑出版了《中国真菌志》第 1 卷《白粉菌目》, 至 2000 年已出版 14 卷。自第 2 卷开始实行主编负责制, 2. 《银耳目和花耳目》 (刘波主编, 1992); 3. 《多孔菌科》 (赵继鼎, 1998); 4. 《小煤炱目 I》 (胡炎兴, 1996); 5. 《曲霉属及其相关有性型》 (齐祖同, 1997); 6. 《霜霉目》 (余永年, 1998); 7. 《层腹菌目》 (刘波, 1998); 8. 《核盘菌科和地舌菌科》 (庄文颖, 1998); 9. 《假尾孢属》 (刘锡琰、郭英兰, 1998); 10. 《锈菌目 I》 (王云章、庄剑云, 1998); 11. 《小煤炱目 II》 (胡炎兴, 1999); 12. 《黑粉菌科》 (郭林, 2000); 13. 《虫霉目》 (李增智, 2000); 14. 《灵芝科》 (赵继鼎、张小青, 2000)。盛世出巨著, 在国家“科教兴国”英明政策的指引下, 《中国真菌志》的研编和出版, 定将为中华灿烂文化做出新贡献。

余永年 谨识
庄文颖

中国科学院微生物研究所
中国·北京·中关村
公元 2002 年 09 月 15 日

Foreword of Flora Fungorum Sinicorum

Flora Fungorum Sinicorum summarizes the achievements of Chinese mycologists based on principles and methods of systematic biology in intensive studies on the organisms studied by mycologists, which include non-lichenized fungi of the Kingdom Fungi, some organisms of the Chromista, such as oomycetes etc., and some of the Protozoa, such as slime molds. In this series of volumes, results from extensive collections, field investigations, and taxonomic treatments reveal the fungal diversity of China.

Our Chinese ancestors were very experienced in the application of fungi in their daily life and production. Fungi have long been used in China as food, such as edible mushrooms, including jelly fungi, and the hypertrophic stems of water bamboo infected with *Ustilago esculenta*; as medicines, like *Cordyceps sinensis* (caterpillar fungus), *Poria cocos* (China root), and *Ganoderma* spp. (lingzhi); and in the fermentation industry, for example, manufacturing liquors, vinegar, soy-sauce, *Monascus*, fermented soya beans, fermented bean curd, and thick broad-bean sauce. Fungal fermentation is also applied in the tannery, papermaking, and textile industries. The anti-cancer compounds produced by fungi and functions of saprophytic fungi in accelerating the carbon-cycle in nature are of economic value and ecological benefits to human beings. On the other hand, fungal pathogens of plants, animals and human cause a huge amount of damage each year. In order to utilize the beneficial fungi and to control the harmful ones, to turn the harmfulness into advantage, and to convert wastes into valuables, it is necessary to understand the morphology, diversity, physiology, biochemistry, relationship, geographical distribution, ecological environment, and economic value of different groups of fungi. *Flora Fungorum Sinicorum* plays an important role from precursor to fountainhead for the applied sciences.

China is a country with an ancient civilization of long standing. In the 4500 years from remote antiquity to the Ming Dynasty, her science and technology as well as knowledge of fungi stood in the leading position of the world. Wine is a metabolite of fungi. The Wine Culture history in China goes back 6000 to 7000 years ago, which has a distant source and a long stream of extensive knowledge and profound scholarship. In the Jin Dynasty (ca. 300 A.D.), JIANG Tong, the famous writer, gave a vivid account of the Chinese fermentation history and methods of wine processing in one of his poems entitled *Drinking Games* (Jiu Gao), 1500 years earlier than the theory of microbial fermentation in natural conditions raised by the Italian scholar, Radi (1860). During the period of the Yangshao Culture (5000—3000 B.C.), our Chinese ancestors knew how to eat mushrooms. There were a great number of records of edible mushrooms in Chinese

ancient books. For example, back to the Song Dynasty, CHEN Ren-Yu (1245) published the *Mushroom Menu* (Jun Pu) in which he listed 11 species of edible fungi including *Amanita* sp. and *Tricholoma matsutake* from Taizhou, Zhejiang Province, and described in detail their morphology, habitats, taxonomy, taste, and way of cooking. This was the first local flora of the Chinese edible mushrooms. Fungi used as medicines originated in ancient China. The earliest Chinese pharmacopocia, *Shen-Nong Materia Medica* (Shen Nong Ben Cao Jing), was published in 102—200 A.D. Among the 365 medicines recorded, more than 10 fungi, such as *Poria cocos* and *Polyporus mylittae*, were included. Their fruitbody shape, color, taste, and medical functions were provided. The great pharmacist of Ming Dynasty, LI Shi-Zhen (1578) published his eminent work *Compendium Materia Medica* (Ben Cao Gang Mu) in which more than thirty fungal species were accepted as medicines, including *Aecidium mori*, *Cordyceps sinensis*, *Morchella* spp., *Termitomyces* sp., etc. Before the invention of microscope, he managed to bring fungi of different classes together, which demonstrated his intelligence and profound knowledge of biology.

After the 15th century, development of science and technology in China slowed down. From middle of the 18th century to the 1940's, foreign missionaries, tourists, scientists, diplomats, officers, and other professional workers visited China. They collected specimens of plants and fungi, carried out taxonomic studies, and published papers, exsiccatae, and monographs based on Chinese materials. The French missionary, P.M. Cibot, came to China in 1759 and stayed for 25 years to investigate plants including fungi in different regions of China. Many papers were written by him. *Lysurus mokusin*, identified with modern techniques and published in 1775, was probably the first Chinese fungal record by these visitors. Subsequently, around 27 man-times of foreigners attended field excursions in China, such as G.N. Potanin from Russia in 1876, P. Giralddi from Italy in 1890, H. Handel-Mazzetti from Austria in 1913, E.D. Merrill from the United States in 1916, and H. Smith from Sweden in 1921. Based on examinations of the Chinese collections obtained, 2040 species including 10 new genera and 361 new species were reported or described in 114 papers and books. Since 1894, especially after 1937, many Japanese entered China. They investigated the fungal resources and plant diseases, collected specimens, and published their identification results. According to incomplete information, some 6000 fungal names (with synonyms) including 17 new genera and 1130 new species appeared in 172 publications. The main workers were I. Miyake in the Northern China, M. Miura in the Northeast, K. Sawada in Taiwan, as well as K. Saito, S. Ito, N. Hiratsuka, W. Yamamoto, T. Hemmi, etc.

Research by Chinese mycologists started at the turn of the 20th century when plant diseases and fungal fermentation were emphasized with very little systematic work. Scientific papers or experimental reports were published in domestic and international journals during the 1910's to 1920's. The best-known are "Identification of the fungi" by H. H. Hu in 1915, "Plant disease report from Peking and the adjacent regions" by

C.S. Chang in 1916, and papers by S.S. Chian (1918), C.L. Chou (1919), F.L. Tai (1920), Y.G. Li (1921), V.M. Chu (1924), Y.S. Sun (1925), T.F. Yu (1926), and N.S. Wei (1928). Mycologists who were active at the 1930's to 1940's are H.K. Chen, S.C. Teng, C.T. Wei, L. Ling, C.H. Chow, S.H. Ou, S.F. Fang, Y.C. Wang, W.F. Chiu, and others. Some of them dedicated their lifetime to research and teaching in mycology. Prof. F.L. Tai (1893—1973) is one of them, whose representative works were “List of fungi from Jiangsu” (1927), “Notes on Chinese fungi” (1932—1946), *A List of Fungi Hitherto Known from China* (1936, 1937), *Sylloge Fungorum Sinicorum* (1979), *Morphology and Taxonomy of the Fungi* (1987), etc. His paper entitled “A new species of *Uncinula* on *Acer trifidum* Hook. & Arn.” was the first new species described by a Chinese mycologist. Prof. S.C. Teng (1902—1970) is also an eminent teacher. He published “Notes on fungi from Nanking” in 1932—1933, “Notes on Chinese fungi” in 1936—1938, *A Contribution to Our Knowledge of the Higher Fungi of China* in 1939, and *Fungi of China* in 1963 and 1996. Work done by the above-mentioned scholars lays a foundation for our current project on *Flora Fungorum Sinicorum*.

In 1973, an important meeting organized by the Chinese Academy of Sciences was held in Guangzhou (Canton) and a decision was made, uniting the related scientists from all over China to initiate the long term project “Fauna, Flora, and Cryptogamic Flora of China”. Work on *Flora Fungorum Sinicorum* thus started. Significant progress has been made in development of Chinese mycology since 1978. Many mycological institutions were founded in different areas of the country. The Mycological Society of China was established, the journals *Acta Mycological Sinica* and *Mycosystema* were published as well as local floras of the economically important fungi. A young generation in field of mycology grew up through post-graduate training programs in the graduate schools. The first volume of Chinese Mycoflora on the Erysiphales (edited by R.Y. Zheng & Y.N. Yu, 1987) appeared. Up to now, 14 volumes have been published: Tremellales and Dacrymycetales edited by B. Liu (1992), Polyporaceae by J.D. Zhao (1998), Meliolales Part I (Y.X. Hu, 1996), *Aspergillus* and its related teleomorphs (Z.T. Qi, 1997), Peronosporales (Y.N. Yu, 1998), Sclerotiniaceae and Geoglossaceae (W.Y. Zhuang, 1998), *Pseudocercospora* (X.J. Liu & Y.L. Guo, 1998), Uredinales Part I (Y.C. Wang & J.Y. Zhuang, 1998), Meliolales Part II (Y.X. Hu, 1999), Ustilaginaceae (L. Guo, 2000), Entomophthorales (Z.Z. Li, 2000), and Ganodermataceae (J.D. Zhao & X.Q. Zhang, 2000). We eagerly await the coming volumes and expect the completion of *Flora Fungorum Sinicorum* which will reflect the flourishing of Chinese culture.

Y.N. Yu and W.Y. Zhuang
Institute of Microbiology, CAS, Beijing
September 15, 2002

致 谢

衷心感谢国家自然科学基金委员会（资助项目 39899400，30270015，30470004）、中国科学院孢子植物志编辑委员会、中国科学院微生物研究所真菌地衣系统学重点实验室、浙江省科技厅、原浙江农业大学、浙江大学农业与生物技术学院提供研究经费和工作条件。十分感谢广西壮族自治区科技厅的大力支持，广西大学农学院植病教研室人力、物力的具体帮助。

承浙江农业大学戎文治、张炳欣、顾振芳、王拱辰、盛方镜、方华生，华南农业大学戚佩坤，福州市农业科学研究所赖文昌，中国科学院微生物研究所刘杏忠、郭良栋等多年来为我们采集或提供标本和菌种，谨致诚挚的感谢。

在我们采集标本的过程中给予帮助和支持的个人有王秀珍、李建义、王云章、张天宇、张中义、张克勤、张志铭、吴文平、郭良栋、张敬泽、戎文治、陆家云、殷恭毅、郑服丛等，单位有杭州植物园、杭州花圃、杭州市园林局、西天目山自然保护区、武夷山自然保护区、南宁市南湖公园、南宁市青秀山公园、南京植物园、庐山植物园、峨眉山植物园、泰山植物园、衡山植物园、湖北植物园、黔山植物园、广州植物园、上海植物园、宁夏植物园、新疆植物园、西安植物园、吉林植物园、沈阳植物园、北京植物园、云南勐仑植物园、西双版纳热带植物园、中国科学院昆明植物园、广西林业科学研究院植物园、海南儋州热带植物园、海南兴隆热带植物园、华南热带农业大学、中国科学院水土保持研究所、长白山自然保护区、黑龙江通河林场。

承余永年、郑儒永、郭英兰、张天宇、张中义、戚佩坤惠赠他们主编的《中国真菌志》有关卷册及专著。承美国 Syngenta 种子公司还进先生帮助查找并惠寄重要参考资料，承赵震宇、孙守恭惠赠文献。承中国科学院微生物研究所菌物标本馆、英国国际真菌研究所 (IMI) B. Sutton 博士、哈佛大学真菌标本馆 D. Pfister 教授提供方便查阅标本和文献。

承郑儒永、庄文颖、庄剑云、郭英兰对相关文稿的审阅和拉丁文的校订。

承浙江大学植物教研室陈开基先生帮助鉴定部分标本寄主植物名称，并校订寄主植物拉丁名；承浙江大学植保系张志钰先生描图；承浙江大学电镜室洪健、徐颖、黎俊英等及福建省农业科学研究所电镜室林汉章帮助拍摄电镜照片。承浙江大学图书馆郑江平帮助查阅资料。

在编写工作中得到以下研究生及本科生的帮助：刘力、陈达虎、陈卫良、叶琪铭、袁康培、秦文胜、吴维平、宋凤鸣、姚艳平、刘路宁、吴晓鹏、李静、刘亚力、毛美珍。

承浙江农业大学植保系和广西农业大学植保系学生实习中协助采集标本。

谨向未能提及曾给予本志工作帮助和支持的所有个人和单位表示感谢。

最后，谨向中国科学院微生物研究所王云章、相望年、余永年、郑儒永、魏江春研究员，浙江大学陈鸿逵教授多年来对本项工作的关怀和支持表示诚挚的感谢！

说 明

本卷是中国拟盘多毛孢属的研究报告。全书内容包括：通论、专论、附录、参考文献、索引和图版。

通论部分概略地论述了拟盘多毛孢属的经济重要性、生活习性、生理学特性、有性型、植物内生拟盘多毛孢及其多样性、形态以及国内外分类研究的历史、现状及研究进展，并阐明了作者的分类观点。

专论部分报道了中国拟盘多毛孢属 153 种。各个种按学名字母顺序排列，每个种的论述包括汉名、拉丁学名和异名、形态描述、寄（宿）主植物名称及其分布、标本（或菌株）的引证、世界分布及显微镜描绘图或照片。大多数种附有讨论，主要涉及种的历史渊源、分类进展、与相近种的区别，以及国内外其他学者相关研究的述评等。各个种的形态描述和数据均是通过对材料的直接研究和测量所得，形态描述时孢子颜色和菌落颜色的类型是根据 Ridgway 于 1912 年编著的 *Color Standards and Color Nomenclature* 的标准图谱确定的。某些颜色名称因无恰当的中文译名而保留英文名称。标本号包括：标本室名称（HSP）、保藏单位（I：浙江大学农业与生物技术学院；II：广西大学农学院）、采集年份和采集号码，如 HSP 2000I-125。世界分布是由文献资料整理而成的，国家按其英文名称字母顺序排列。每个种都附有形态图，均为本书作者根据标本或菌株进行显微绘图或拍照而成。本志的相关研究历时 20 余年，标本的采集、描述和绘图是由不同的人在不同的时间完成的，致使某些标本陈旧或未能重新采集到，只能采用原来的描述和绘图，在编写本志时虽尽量使其统一，但仍欠完善。

附录内容包括：①中国拟盘多毛孢属资源补遗，内含国内已正式发表而本志作者未观察过的种，均引用他人描述，并注明其出处；②已登录 DNA 相关序列的中国拟盘多毛孢资料。

参考文献中国作者按汉语拼音字母顺序排列，英文语系国家按原作者姓名字母顺序排列，非英文语系国家按其拉丁化姓名的字母顺序排列，文献尽量按其发表时的语种引用。

拟盘多毛孢属的学名按 1981 年在悉尼通过的《国际植物命名法规》订正，并遵循现行的《国际植物命名法规》。真菌的汉名参照科学出版社出版的《真菌名词及名称》（1986 年，第二版）。寄主的学名及汉名主要根据《中国高等植物图鉴》（1972—1976 年，科学出版社）、《中国种子植物科属词典》（1984 年，科学出版社，修订版）和《拉汉种子植物名称》（1974 年，科学出版社，第二版）以及《孢子植物名词及名称》（1990 年，科学出版社）等。在拟盘多毛孢属真菌及寄主植物的汉名中，有些是新拟的。

文献引证中的人名一律用英语或拉丁化后的英语字母。在讨论中出现的人名，如原来采用英语以外文字，则在人名后面的括号内注明原来的语种；我国作者（含外籍华人或华裔）的姓名一律用汉语，如用外文发表的，则在人名后面的括号内注明原来语种和汉语拼音。