牛津英语百科分类词典系列

Oxford

DICTIONARY OF

SCIENTISTS

牛津科学家词典



上海外语教育出版社
SHANGHAI FOREIGN LANGUAGE EDUCATION PRESS
外教社

牛津英语百科分类词典系列

Oxford Dictionary of

Scientists

牛津科学家词典

外教社

上海外语教育出版社
SHANGHAI FOREIGN LANGUAGE EDUCATION PRESS

Oxford Dictionary of

Scientists

Oxford New York
OXFORD UNIVERSITY PRESS

图书在版编目（CIP）数据

牛津科学家词典 /（英）戴蒂斯（Daintith，J.），（英）吉森（Gjertsen，D.）编. —影印本. —上海：上海外语教育出版社，2001
（牛津英语百科分类词典系列）
书名原文：Oxford Dictionary of Scientists
ISBN 7-81080-225-9

Ⅰ. 牛… Ⅱ. ①戴…②吉… Ⅲ. 科学家－列传－世界－英文
Ⅳ. K816.1

中国版本图书馆CIP数据核字（2001）第042491号

图字：09-1999-311号

出版发行：上海外语教育出版社
（上海外国语大学内） 邮编：200083
电　　话：021-65425300（总机），65422031（发行部）
电子邮箱：bookinfo@sflep.com.cn
网　　址：http://www.sflep.com.cn　http://www.sflep.com
责任编辑：杨　帆

印　　刷：常熟市印刷八厂
经　　销：新华书店上海发行所
开　　本：850×1092　1/32　印张 18.625　字数 1334 千字
版　　次：2001 年 9 月第 1 版　2001 年 9 月第 1 次印刷
印　　数：3 200 册

书　　号：ISBN 7-81080-225-9 / H・084
定　　价：24.00 元

Oxford University Press, Great Clarendon Street, Oxford OX2 6DP

and associated companies in
Berlin Ibadan

Oxford is a trade mark of Oxford University Press

First published 1993 by the Institute of Physics as the
Encyclopedia of Scientists
This abridged and updated edition published as an
Oxford University Press paperback 1999

British Library Cataloguing in Publication Data
Data available

Library of Congress Cataloging in Publication Data
Data available

ISBN 0-19-280086-8

Published by permission of the Oxford University Press

Licenced for sale in the People's Republic of China only,
not for sale elsewhere.

本词典(重印本)由牛津大学出版社授权出版，

仅供在中华人民共和国境内销售。

出版说明

随着改革开放的不断深入以及国际交流的日趋广泛，外语学习已经不仅仅局限于语言技能的培养。通过英语获取专业知识、提高专业水平、跟踪学科的最新发展已经成为时代的要求。因此，目前国内急需一批用英语编纂的专业词典。

牛津英语百科分类词典系列是由牛津大学出版社组织编纂的一套工具书。该系列涉及语言学、文学、文化、艺术、社会学、数学、物理学、化学、生物学、医学、食品与营养、计算机等社会科学和自然科学门类近百种，均由造诣很深、经验丰富的专家撰写。作为第一批，我们从中精选了 52 本，以满足国内读者的需要。词典用浅显的英语，精确地解释了常用的专业词汇，充分体现了牛津大学出版社在出版工具书方面严谨的传统。

该系列词典可作为大专院校各专业的学生以及专业技术人员学习专业知识、提高专业英语能力的参考书。

本社编辑部

Preface

This book is a shortened and updated version of *An Encyclopedia of Scientists*, published by the Institute of Physics in 1993. In compiling this edition we have followed the intention of the original editors – to say as much about science as about the scientists who have created it.

All the entries contain basic biographical data – place and date of birth, posts held, etc. – but do not give exhaustive personal details about the subject's family, prizes, honorary degrees, etc. Most of the space has been devoted to their main scientific achievements and the nature and importance of these achievements. This has not always been easy; in particular, it has not always been possible to explain in relatively simple terms work in the higher reaches of abstract mathematics or modern theoretical physics.

Perhaps the most difficult problem was compiling the entry list. We have attempted to include people who have produced major advances in theory or have made influential or well-known discoveries. A particular difficulty has been the selection of contemporary scientists, in view of the fact that of all scientists who have ever lived, the vast majority are still alive. In this we have been guided by lists of prizes and awards made by scientific societies and we have included all Nobel prizewinners in physics, chemistry, and physiology or medicine. A full list of Nobel prizewinners is given in the back of the book. We have to a great extent concentrated on what might be called the traditional pure sciences – physics, chemistry, biology, astronomy, and the earth sciences. We also give a more limited coverage of medicine and mathematics and have included a selection of people who have made important contributions to engineering and technology. A few of the entries cover workers in such fields as anthropology and psychology, and a small number of philosophers are represented.

Where appropriate, entries contain cross-references to other relevant entries. These are given in small capital letters. We have also included an index of key topics in science.

JD
DG
1998

General editors

John Daintith BSc, PhD
Derek Gjertsen BA

Market House editors

John Clark BSc
Elizabeth Martin MA
Anne Stibbs BA
Fran Alexander BA
Jonathan Law BA
Peter Lewis BA DPhil
Mark Salad
Elizabeth Tootill BSc, MSc
Sarah Mitchell BA

Contributors

Eve Daintith BSc
Rosalind Dunning BA
Garry Hammond BSc
Robert Hine BSc, MSc
Valerie Illingworth BSc, MPhil
Susan O'Neill BSc
W. J. Palmer MSc
Roger F. Picken BSc, PhD
Carol Russell BSc
W. J. Sherratt BSc, MSc, PhD
Jackie Smith BA
B. D. Sorsby BSc, PhD
P. Welch D Phil
Anthony Wootton

牛津英语百科分类词典系列书目

牛津缩略语词典 Oxford Concise Dictionary of Abbreviations
牛津英语词源词典 Oxford Concise Dictionary of English Etymology
牛津英语语法词典 Oxford Dictionary of English Grammar
牛津委婉语词典 Oxford Dictionary of Euphemism
牛津现代英语用法词典 Oxford Fowler's Modern English Usage
牛津幽默名言词典 Oxford Dictionary of Humorous Quotations
牛津标准英语词典 Oxford Dictionary of the King's English
牛津语言学词典 Oxford Concise Dictionary of Linguistics
牛津现代名言词典 Oxford Dictionary of Modern Quotation
牛津现代英语俚语词典 Oxford Dictionary of Modern Slang
牛津英语谚语词典 Oxford Concise Dictionary of Proverbs
牛津外来语词典 Oxford Dictionary of Foreign Words and Phrases
牛津简明英语语言词典 Oxford Concise Companion to the English Language

牛津文学术语词典 Oxford Concise Dictionary of Literary Terms
牛津莎士比亚词典 Oxford Dictionary of Shakespeare
牛津二十世纪英语诗歌词典 Oxford Companion to 20th Century Poetry
牛津古典文学词典 Oxford Dictionary of Classical Literature
牛津戏剧词典 Oxford Dictionary of Theatre
牛津作家词典 Oxford Writer's Dictionary

牛津芭蕾词典 Oxford Dictionary of Ballet
牛津历史事件词典 Oxford Dictionary of Dates
牛津艺术与艺术家词典 Oxford Dictionary of Art and Artists
牛津哲学词典 Oxford Dictionary of Philosophy
牛津二十世纪艺术词典 Oxford Dictionary of 20th Century Art
牛津世界神话词典 Oxford Dictionary of World Mythology
牛津百科词典 Oxford Encyclopedia
牛津简明音乐词典 Oxford ABC of Music
牛津社会学词典 Oxford Dictionary of Sociology

牛津会计词典 Oxford Dictionary of Accounting
牛津商务词典 Oxford Dictionary of Business
牛津经济学词典 Oxford Dictionary of Economics
牛津金融与银行词典 Oxford Dictionary of Finance and Banking

牛津天文学词典 Oxford Dictionary of Astronomy
牛津建筑学词典 Oxford Dictionary of Architecture
牛津科学家词典 Oxford Dictionary of Scientists
牛津药学词典 Oxford Concise Medical Dictionary
牛津科学词典 Oxford Dictionary of Science
牛津数学词典 Oxford Dictionary of Mathematics
牛津计算机词典 Oxford Dictionary of Computing
牛津地理学词典 Oxford Dictionary of Geography
牛津生物学词典 Oxford Dictionary of Biology
牛津生态学词典 Oxford Dictionary of Ecology
牛津动物学词典 Oxford Dictionary of Zoology
牛津物理学词典 Oxford Dictionary of Physics
牛津食品与营养词典 Oxford Dictionary of Food and Nutrition
牛津化学词典 Oxford Dictionary of Chemistry
牛津植物学词典 Oxford Dictionary of Plant Sciences

A

Abbe, Cleveland (1838–1916) *American meteorologist*

Abbe was born in New York City and educated there at City College; he later taught at the University of Michigan. He then spent two years (1864–66) in Russia at the Pulkovo Observatory under Otto Struve. On his return to America he worked as director of the Cincinnati Observatory (1868–70).

Abbe was the first official weather forecaster in America. He was appointed, in 1871, chief meteorologist with the weather service, which was later formed into the US Weather Bureau (1891), and remained in this organization for the rest of his life. He was one of the first scientists to see the revolutionary role the telegraph had to play in weather forecasting and used reports conveyed to him from all over the country.

Abbe published over 300 papers on meteorology and from 1893 he was in charge of the journals published by the US Weather Bureau. He was also responsible for the division of America into time zones in 1883.

Abbe, Ernst (1840–1905) *German physicist*

Abbe, who was born in Eisenach (now in Germany), came from poor parents but managed to become a lecturer at the University of Jena, where in 1886 he collaborated with Carl Zeiss, a supplier of optical instruments to the university, to improve the quality of microscope production. Up till then, this had been an empirical art without rigorous theory to aid design. Abbe's contribution was his knowledge of optical theory. He is known for the *Abbe sine condition* – a necessary condition for the elimination of spherical aberration in an optical system; such a system he described as aplanatic. He also invented the apochromatic lens system (1886), which eliminated both primary and secondary color distortions and the *Abbe condenser* (1872) – a combination of lenses for converging light onto the specimen in microscopes.

The partnership between Abbe and Zeiss was a productive combination of Zeiss's practical knowledge and Abbe's mathematical and theoretical ability. After Zeiss's death, Abbe became the sole owner of the Zeiss company.

Abegg, Richard (1869–1910) *German physical chemist*

Abegg was born in the German port of Danzig (now Gdańsk in Poland); he studied chemistry at Kiel, Tübingen, and Berlin. He graduated in 1891 as a pupil of Wilhelm Hofmann. Initially an organic chemist, he was attracted by the advances being made in physical chemistry, and in 1894 moved to Göttingen as an assistant to Hermann Nernst. Here, he worked on electrochemical and related problems and with G. Bodländer produced an important paper on valence, *Die Elektronaffinität* (1899; Electron Affinity). He is remembered for *Abegg's rule* (partially anticipated by Dmitri Mendeleev), which states that each element has two valences: a normal valence and a contravalence, the sum of which is eight. In 1899 he became a professor at Breslau (now Wroclaw in Poland) and was about to become the director of the Physico-Chemical Institute there when he was killed in a ballooning accident.

Abel, Sir Frederick Augustus (1827–1902) *British chemist*

Abel was born in London, the son of a well-known musician and the grandson of a court painter to the grand duke of Mecklenberg-Schwerin. Despite this artistic background, Abel developed an early interest in science after visiting his uncle A. J. Abel, a mineralogist and pupil of Berzelius. In 1845 he was one of the first of the pupils to study at the Royal College of Chemistry under August von Hofmann, remaining there until 1851. After a brief appointment as a chemical demonstrator at St. Bartholomew's Hospital, London, he succeeded Michael Faraday in 1852 as a lecturer in chemistry at the Royal Military Academy at Woolwich. In 1854 he became ordnance chemist and chemist to the war department.

Abel's career was thus devoted exclusively to the chemistry of explosives. New and powerful explosives, including guncotton and nitroglycerin, had recently been invented but were unsafe to use. Abel's first achievement was to show how guncotton could be rendered stable and safe. His method was to remove all traces of the sulfuric and nitric acids used in its manufacture by mincing, washing in soda until all

the acid had been removed, and drying. In 1888 he was appointed president of a government committee to find new high explosives. The two existing propellants, Poudre B and ballistite, had various defects, most important of which was a tendency to deteriorate during storage. Together with Sir James Dewar, Abel introduced the new explosive, cordite, in 1889. This was a mixture of guncotton and nitroglycerin with camphor and petroleum added as stabilizers and preservatives.

Abel was honoured for his services by being made a knight in 1891 and a baronet in 1893.

Abel, John Jacob (1857–1938) *American biochemist*

Abel was born in Cleveland, Ohio, the son of a farmer. He was educated at the University of Michigan and Johns Hopkins University. He spent the years 1884–90 in Europe studying at Leipzig, Heidelberg, Würzburg, Vienna, Bern, and Strasbourg, where he gained an MD in 1888. On his return to America he worked briefly at the University of Michigan before being appointed in 1893 to the first chair of pharmacology at Johns Hopkins, a post he retained until his retirement in 1932.

Abel approached biology with a first-rate training in chemistry and with the conviction that the study of molecules and atoms was as important as the observation of multicellular tissues under the microscope. He thus began by working on the chemical composition of various bodily tissues and fluids and, in 1897, succeeded in isolating a physiologically active substance from the adrenal glands, named by him epinephrine, also known as adrenalin. This extract was actually the monobenzoyl derivative of the hormone. It was left to Jokichi Takamine to purify it in 1900.

As early as 1912 Abel clearly formulated the idea of an artificial kidney and in 1914 isolated for the first time amino acids from the blood. He was less successful with his search (1917–24) for the pituitary hormone, being unaware that he was dealing with not one but several hormones. His announcement in 1926, that he had crystallized insulin met with considerable skepticism, especially regarding its protein nature. This work was not generally accepted until the mid 1930s.

After his retirement Abel devoted himself to a study of the tetanus toxin.

Abel, Niels Henrik (1802–1829) *Norwegian mathematician*

Abel was born in Froland, the son of a poor pastor; he was educated in mathematics at the University of Christiana (Oslo). After the death of his father, Abel had to support a large family; he earned what he could by private teaching and was also helped out by his teacher. He was eventually given a grant by the Norwegian government to make a trip to France and Germany to visit mathematicians. In Germany he met the engineer and mathematician August Crelle, who was to be of great assistance to him. Crelle published Abel's work and exerted what influence he could to obtain him a post in Germany. Tragically Abel died just when Crelle had succeeded in getting him the chair in mathematics at Berlin.

With Evariste Galois (whom he never met), Abel founded the theory of groups (commutative groups are known as *Abelian groups* in his honor), and his early death ranks as one of the great tragedies of 19th-century mathematics. One of Abel's first achievements was to solve the longstanding problem of whether the general quintic (of the fifth degree) equation was solvable by algebraic methods. He showed that the general quintic is not solvable algebraically and sent this proof to Karl Gauss, but unfortunately Gauss threw it away unread, having assumed that it was yet another unsuccessful attempt to solve the quintic.

Abel's greatest work was in the theory of elliptic and transcendental functions. Mathematicians had previously focused their attention on problems associated with elliptic integrals. Abel showed that these problems could be immensely simplified by considering the inverse functions of these integrals – the so-called 'elliptic functions'. He also proved a fundamental theorem, *Abel's theorem*, on transcendental functions, which he submitted to Augustin Cauchy (and unfortunately fared no better than he did with Gauss). The study of elliptic functions inaugurated by Abel was to occupy many of the best mathematicians for the remainder of the 19th century. He also made very important contributions to the theory of infinite series.

Abelson, Philip Hauge (1913–) *American physical chemist*

Abelson, who was born in Tacoma, was educated at Washington State College and at the University of California at Berkeley, where he obtained his PhD in 1939. Apart from the war years at the Naval Research Laboratory in Washington, he spent most of his career at the Carnegie Institution, Washington, serving as the director of the geophysics laboratory from 1953, and as president from 1971 to 1978. He subse-

quently became the editor of a number of scientific journals including the important periodical *Science*, which he edited from 1962 to 1985.

In 1940 he assisted Edwin McMillan in creating the first transuranic element, neptunium, by bombardment of uranium with neutrons in the Berkeley cyclotron. Abelson next worked on separating the isotopes of uranium. It was clear that a nuclear explosion was possible only if sufficient quantities of the rare isotope uranium–235 (only 7 out of every 1000 uranium atoms) could be obtained. The method Abelson chose was that of thermal diffusion. This involved circulating uranium hexafluoride vapor in a narrow space between a hot and a cold pipe; the lighter isotope tended to accumulate nearer the hot surface. Collecting sufficient uranium–235 involved Abelson in one of those massive research and engineering projects only possible in war time. In the Philadelphia Navy Yard, he constructed a hundred or so 48-foot (15-meter) precision-engineered pipes through which steam was pumped. From this Abelson was able to obtain uranium enriched to 14 U-235 atoms per 1000.

Although this was still too weak a mixture for a bomb, it was sufficiently enriched to use in other separation processes. Consequently a bigger plant, consisting of over 2000 towers, was constructed at Oak Ridge, Tennessee, and provided enriched material for the separation process from which came the fuel for the first atom bomb.

After the war Abelson extended the important work of Stanley Miller on the origin of vital biological molecules. He found that amino acids could be produced from a variety of gases if carbon, nitrogen, hydrogen, and oxygen were present. He was also able to show (1955) the great stability of amino acids by identifying them in 300-million-year-old fossils and later (1956) identified the presence of fatty acids in rocks.

Adams, John Couch (1819–1892)

British astronomer

Adams was born in the small Cornish town of Launceston, where his father was a tenant farmer. He developed an early interest in astronomy, constructing his own sundial and observing solar altitudes, and pursuing his astronomical studies in the local Mechanics Institute. He graduated brilliantly from Cambridge University in 1843, and became Lowndean Professor of Astronomy and Geometry there in 1858; in 1860 he was appointed director of the Cambridge Observatory.

His fame rests largely on the dramatic events surrounding the discovery of the planet Neptune in 1846. Astronomers had detected a discrepancy between the observed and predicted positions of Uranus and thus it appeared that either Newton's theory of gravitation was not as universal as had been supposed, or there was an as yet undetected body exerting a significant gravitational influence over the orbit of Uranus. There is evidence that Adams had decided to work on this problem as early as 1841. He had a general solution to the problem by 1843 and a complete solution by September, 1845. It was then that he payed a visit to George Airy, the Astronomer Royal, with the exact position of the new planet.

Airy payed little attention to it and was moved to action only when, in June 1846, the French astronomer, Urbain Leverrier, also announced the position of a new planet. It was within one degree of the position predicted by Adams the previous year. Airy asked James Challis, director of the Cambridge Observatory, to start looking for the new planet with his large 25-inch (63.5-cm) refractor. Unfortunately Challis decided to cover a much wider area of the sky than was necessary and also lacked up-to-date and complete charts of the area. His start was soon lost and Johann Galle in Berlin had no difficulty in discovering the planet on his first night of observation. All the fame, prizes, and honors initially went to Leverrier.

When it was publicly pointed out, by Challis and John Herschel, that Adams's work had priority over Leverrier's, the shy Adams wanted no part of the controversy that followed. In fact he seemed genuinely uninterested in honors. He declined both a knighthood and the post of Astronomer Royal, which was offered him after Airy's retirement in 1881. He later worked on the perturbations of the planets (1866), and on the secular variation of the mean motion of the Moon (1852), both difficult questions of mathematical astronomy. His scientific papers were published by his brother in two volumes, in 1876 and 1901.

Adams, Walter Sydney (1876–1956)

American astronomer

Adams was born in Antioch (now in Turkey). He was the son of missionaries working in Syria, then part of the Ottoman Empire, who returned to America in 1885. Adams graduated from Dartmouth College in 1898 and obtained his AM from the University of Chicago in 1900. After a year in Munich he began his career in astronomy as assistant to George Hale in 1901 at the

Yerkes Observatory. He moved with Hale to the newly established Mount Wilson Observatory in 1904 where he served as assistant director, 1913–23, and then as director from 1923 until his retirement in 1946.

At Mount Wilson Adams was able to use first the 60-inch (1.5-m) and from 1917 the 100-inch (2.5-m) reflecting telescopes in whose design and construction he had been closely associated. His early work was mainly concerned with solar spectroscopy, when he studied sunspots and solar rotation, but he gradually turned to stellar spectroscopy. In 1914 he showed how it was possible to distinguish between a dwarf and a giant star merely from their spectra. He also demonstrated that it was possible to determine the luminosity, i.e. intrinsic brightness, of a star from its spectrum. This led to Adams introducing the method of spectroscopic parallax whereby the luminosity deduced from a star's spectrum could be used to estimate its distance. The distance of many thousands of stars have been calculated by this method.

He is however better known for his work on the orbiting companion of Sirius, named Sirius B. Friedrich Bessel had first shown in 1844 that Sirius must have a companion and had worked out its mass as about the same as our Sun. The faint star was first observed telescopically by Alvan Clark in 1862. He succeeded in obtaining the spectrum of Sirius B in 1915 and found the star to be considerably hotter than the Sun. Adams realized that such a hot body, just eight light-years distant, could only remain invisible to the naked eye if it was very much smaller than the Sun, no bigger in fact than the Earth. In that case it must have an extremely high density, exceeding 100,000 times the density of water. Adams had thus discovered the first 'white dwarf' – a star that has collapsed into a highly compressed object after its nuclear fuel is exhausted.

If such an interpretation was correct then Sirius B should possess a very strong gravitational field. According to Einstein's general theory of relativity, this strong field should shift the wavelengths, of light waves emitted by it toward the red end of the spectrum. In 1924 Adams succeeded in making the difficult spectroscopic observations and did in fact detect the predicted red shift, which confirmed his own account of Sirius B and provided strong evidence for general relativity.

Adhemar, Alphonse Joseph

(1797–1862) *French mathematician*

Adhemar, who was born and died in Paris, France, was a private mathematics tutor who also produced a number of popular mathematical textbooks.

His most important scientific work was his *Les Revolutions de la mer* (1842) in which he was the first to propose a plausible mechanism by which astronomical events could produce ice ages on Earth. It had been known for some time that while the Earth moved in an elliptical orbit around the Sun it also rotated about an axis that was tilted to its orbital plane. Because the orbit is elliptical and the Sun is at one focus, the Earth is closer to the Sun at certain times of year. As a result, the southern hemisphere has a slightly longer winter than its northern counterpart. Adhemar saw this as a possible cause of the great Antarctic icesheet for, as this received about 170 hours less solar radiation per year than the Arctic, this could just be sufficient to keep temperatures cold enough to permit the ice to build up.

Adhemar was also aware that the Earth's axis does not always point in the same direction but itself moves around a small circular orbit every 26,000 years. Thus he postulated a 26,000-year cycle developing in the occurrence of glacial periods, but his views received little support.

Adler, Alfred

(1870–1937) *Austrian psychologist*

Adler was born in Penzing, Austria, the son of a corn merchant, and was educated at the University of Vienna, where he obtained his MD in 1895. After two years at the Vienna General Hospital he set up in private practice in 1898.

In about 1900 Adler began investigating psychopathology and in 1902 he became an original member of Sigmund Freud's circle, which met to discuss psychoanalytical matters. His disagreements with Freud began as early as 1907 – he dismissed Freud's view that sexual conflicts in early childhood cause mental illness – and he finally broke away from the psychoanalytic movement in 1911 to form his own school of individual psychology. Adler tended to minimize the role of the unconscious and sexual repression and instead to see the neurotic as overcompensating for his or her 'inferiority complex', a term he himself introduced. His system was fully expounded in his *Practice and Theory of Individual Psychology* (1927). In 1921 Adler founded his first child-guidance clinic in Vienna, which was to be followed by over 30 more before the Nazi regime in Vienna forced their closure in 1932. From 1926 onward he began to spend more and more time in America, finally settling there permanently in 1932 and taking a profes-

sorship of psychiatry at the Long Island College of Medicine, New York, a post he retained until his death from a heart attack while lecturing in Aberdeen in Scotland.

Adrian, Edgar Douglas, Baron Adrian of Cambridge (1889–1977)
British neurophysiologist

Adrian, a lawyer's son, was born in London and studied at Cambridge University and St. Bartholomew's Hospital, London, where he obtained his MD in 1915. He returned to Cambridge in 1919, was appointed professor of physiology in 1937, and became the master of Trinity College, Cambridge, in 1951, an office he retained until his retirement in 1965. He was raised to the British peerage in 1955.

Adrian's greatest contribution to neurophysiology was his work on the nerve impulse. When he began it was known that nerves transmit nerve impulses as signals, but knowledge of the frequency and control of such impulses was minimal. The first insight into this process came from Adrian's colleague Keith Lucas, who demonstrated in 1905 that the impulse obeyed the 'all-or-none' law. This asserted that below a certain threshold of stimulation a nerve does not respond. However, once the threshold is reached the nerve continues to respond by a fixed amount however much the stimulation increases. Thus, increased stimulation, although it stimulates more fibers, does not affect the magnitude of the signal itself.

It was not until 1925 that Adrian advanced beyond this position. By painstaking surgical techniques he succeeded in separating individual nerve fibers and amplifying and recording the small action potentials in these fibers. By studying the effect of stretching the sternocutaneous muscle of the frog, Adrian demonstrated how the nerve, even though it transmits an impulse of fixed strength, can still convey a complex message. He found that as the extension increased so did the frequency of the nerve impulse, rising from 10 to 50 impulses per second. Thus, he concluded that the message is conveyed by changes in the frequency of the discharge. For this work Adrian shared the 1932 Nobel Prize for physiology or medicine with Charles SHERRINGTON.

Agassiz, Jean Louis Rodolphe
(1807–1873) *Swiss-American biologist*

Generally considered the foremost naturalist of 19th-century America, Agassiz was born in Motier-en-Vuly, Switzerland. He was educated at the universities of Zurich, Heidelberg, and Munich, where he studied under the embryologist Ignaz Döllinger. At the instigation of Georges Cuvier, he cataloged and described the fishes brought back from Brazil by C. F. P. von Martius and J. B. von Spix (*Fishes of Brazil*, 1929), following this with his *History of the Freshwater Fishes of Central Europe* (1839–42) and an extensive pioneering work on fossil fishes, which eventually ran to five volumes: *Recherches sur les poissons fossiles* (1833–43; Researches on Fossil Fishes). These works, completed while Agassiz was professor of natural history at Neuchâtel (1832–46), established his reputation as the greatest ichthyologist of his day. Agassiz's best-known discovery, however, was that of the Ice Ages. Extensive field studies in the Swiss Alps, and later in America and Britain, led him to postulate glacier movements and the former advance and retreat of ice sheets; his findings were published in *Etudes sur les glaciers* (1840; Studies on Glaciers).

A successful series of lectures given at Boston, Massachusetts, in 1846 led to his permanent settlement in America. In 1847 he was appointed professor of zoology and geology at Harvard, where he also established the Museum of Comparative Zoology (1859). Agassiz's subsequent teachings introduced a departure from established practice in emphasizing the importance of first-hand investigation of natural phenomena, thus helping to transform academic study in America. His embryological studies led to a recognition of the similarity between the developing stages of living animals and complete but more primitive species in the fossil record. Agassiz did not, however, share Darwin's view of a gradual evolution of species, but, like Cuvier, considered that there had been repeated separate creations and extinctions of species – thus explaining changes and the appearance of new forms. Unfortunately, one of Agassiz's most influential pronouncements was that there were several species, as distinct from races, of man: an argument used by slavers to justify their subjugation of the negroes as an inferior species. His ambitious *Contributions to the Natural History of the United States* (4 vols. 1857–62) remained uncompleted at his death.

Agricola, Georgius (1494–1555)
German metallurgist

Agricola's true name was Georg Bauer but, as was the custom of the day, he latinized it (Agricola and Bauer both mean 'farmer'). Beyond his place of birth – Glauchau (now in Germany) – little is known about him until his entry into the University of

Leipzig in 1514. He later pursued his studies of philosophy and medicine in Italy at Bologna, Padua, and Venice (1523–27). In 1527 he was engaged as physician to the Bohemian city of Joachimsthal – the center of a rich mining area – moving in 1534 to another celebrated mining town, Chemnitz, near his birthplace. Here he became burgomaster in 1545. He wrote seven books on geological subjects but these were so illuminating of other subjects that he was known in his lifetime as 'the Saxon Pliny'.

His most famous work, *De re metallica* (1556), concentrates on mining and metallurgy with a wealth of information on the conditions of the time, such as management of the mines, the machinery used (e.g. pumps, windmills, and water power), and the processes employed. The book is still in print having the unique distinction of being translated and edited (1912) by a president of the United States, Herbert Hoover, with Lou Henry Hoover (his wife).

Agricola is often regarded as the father of modern mineralogy. In the Middle Ages, the subject was based on accumulated lore from the Orient, the Arabs, and antiquity. Stones were believed to come in male and female form, to have digestive organs, and to possess medicinal and supernatural powers. Agricola began to reject these theories and to provide the basis for a new discipline. Thus in his *De ortu et causis subterraneorum* (1546; On the Origin and Cause of Subterranean Things) he introduced the idea of a lapidifying juice (or *succus lapidescens*) from which stones condensed as a result of heat. This fluid was supposedly subterranean water mixed with rain, which collects earthy material when percolating through the ground.

Agricola also, in *De natura fossilium* (1546), introduced a new basis for the classification of minerals (called 'fossils' at the time). Although far from modern, it was an enormous improvement on earlier works. Agricola based his system on the physical properties of minerals, which he listed as color, weight, transparency, taste, odor, texture, solubility, combustibility, and so on. In this way he tried to distinguish between earths, stones, gems, marbles, metals, building stone, and mineral solutions, carefully describing his terms, which should not be assumed to be synonymous with today's terms, in each case.

Airy, Sir George Biddell (1801–1892)

British astronomer

Airy, the son of a tax collector, was born in Alnwick in the north-east of England. He attended school in Colchester before going to Cambridge University in 1819. He met with early success, producing a mathematical textbook in 1826 and numerous papers on optics. He became Lucasian Professor of Mathematics at Cambridge in 1826 and two years later was made Plumian Professor of Astronomy and director of the Cambridge Observatory. In 1835 he was appointed Astronomer Royal, a post he held for 46 years.

Airy was a very energetic, innovative, and successful Astronomer Royal. He re-equipped the observatory, installing an alt-azimuth for lunar observation in 1847, a new transit circle and zenith tube in 1851, and a 13-inch (33-cm) equatorial telescope in 1859. He created a magnetic and meteorological department in 1838, began spectroscopic investigations in 1868, and started keeping a daily record of sunspots with the Kew Observatory heliograph in 1873. In optics he investigated the use of cylindrical lenses to correct astigmatism (Airy was astigmatic) and examined the disklike image in the diffraction pattern of a point source of light (in an optical device with a central aperture) now called the *Airy disk*. Also named for him is his hypothesis of isostasy: the theory that mountain ranges must have root structures of lower density, proportional to their height, in order to maintain isostatic equilibrium.

Despite his many successes he is now mainly, and unfairly, remembered for his lapses. When John Adams came to him in September, 1845, with news of the position of a new planet, Airy unwisely ignored him, leaving it to others to win fame as the discoverers of Neptune. He also dismissed Michael Faraday's new field theory.

Aitken, Robert Grant (1864–1951)

American astronomer

Born in Jackson, California, Aitken obtained his AB in 1887 and his AM in 1892 from Williams College, Massachusetts. He began his career at the University of the Pacific, then in San Jose, as professor of mathematics from 1891 until 1895 when he joined the staff of Lick Observatory, Mount Hamilton, California. He remained at Lick for his entire career, serving as its director from 1930 until his retirement in 1935.

Aitken did much to advance knowledge of binary stars, i.e. pairs of stars orbiting about the same point under their mutual gravitational attraction. He described over 3000 binary systems and published in 1932 the comprehensive work *New General Catalogue of Double Stars Within 120° of the North Pole*. He also produced the standard work *The Binary Stars* (1918).

Al-Battani (*or* Albategnius) (*c.* 858–929) *Arab astronomer*

Al-Battani was the son of a maker of astronomical instruments in Harran (now in Turkey). He worked mainly in Raqqah on the Euphrates (now ar-Raqqah in Syria) and was basically a follower of Ptolemy, devoting himself to refining and perfecting the work of his master. He improved Ptolemy's measurement of the obliquity of the ecliptic (the angle between the Earth's orbital and equatorial planes), the determination of the equinoxes, and the length of the year. He also corrected Ptolemy in various matters, in particular in his discovery of the movement of the solar perigee (the Sun's nearest point to the Earth) relative to the equinoxes. His work was widely known in the medieval period, having been translated by Plato of Tivoli in about 1120 as *De motu stellarum* (On Stellar Motion), which was finally published in Nuremberg in 1537.

Alcmaeon (*fl.* 450 BC) *Greek philosopher and physician*

Alcmaeon was born in Croton (now Crotone in Italy). Details of his work come from the surviving fragments of his book and through references by later authors, including Aristotle. He was probably influenced by the school of thought founded by Pythagoras in Croton and originated the notion that health was dependent on maintaining a balance between all the pairs of opposite qualities in the body, i.e. wet and dry, hot and cold, etc. Imbalance of these qualities resulted in illness. This theory was later developed by Hippocrates and his followers.

Alcmaeon performed dissections of animals and possibly of human cadavers also. He demonstrated various anatomical features of the eye and ear, including their connections with the brain, and correctly asserted that the brain was the control center of bodily functions and the seat of intelligence.

Alder, Kurt (1902–1958) *German organic chemist. See* DIELS, OTTO.

Alembert, Jean Le Rond d' *See* D'ALEMBERT, JEAN LE ROND.

Alfvén, Hannes Olof Gösta (1908–1995) *Swedish physicist*

Alfvén, who was born in Norrkoeping, Sweden, was educated at the University of Uppsala where he received his PhD in 1934. He subsequently worked at the Royal Institute of Technology, Stockholm, where he served as professor of the theory of electricity (1940–45), professor of electronics (1945–63), and professor of plasma physics (1963–73)

Alfvén is noted for his pioneering theoretical research in the field of magnetohydrodynamics – the study of conducting fluids and their interaction with magnetic fields. This work, for which he shared the 1970 Nobel Prize for physics with Louis NÉEL, was mainly concerned with plasmas; i.e. ionized gases containing positive and negative particles. He investigated the interactions of electrical and magnetic fields and showed theoretically that the magnetic field, under certain circumstances, can move with the plasma. In 1942 he postulated the existence of waves in plasmas; these *Alfvén waves* were later observed in both liquid metals and ionized plasmas.

Alfvén also applied his theories to the motion of particles in the Earth's magnetic field and to the properties of plasmas in stars. In 1942, and later in the 1950s, he developed a theory of the origin of the solar system. This he assumed to have formed from a magnetic plasma, which condensed into small particles that clustered together into larger bodies. His work is also applicable to the properties of plasmas in experimental nuclear fusion reactors. Alfvén's books include *Cosmical Electrodynamics* (1950), which collects his early work, *On the Origin of the Solar System* (1954), and *On the Evolution of the Solar System* (1976, with G. Arrhenius).

In his later years Alfvén argued against the current orthodoxy of the big-bang theory of the origin of the universe. Space, he argued, is full of immensely long plasma filaments. The electromagnetic forces produced have caused the plasma to condense into galaxies. As for the expansion of the universe, he attributed this to the energy released by the collision of matter and antimatter. Whereas Alfven's critics charged him with vagueness, he responded by arguing that cosmologists derive their theories more from mathematical considerations than from laboratory experiments.

Alhazen (*or* Abu Ali Al-Hassan Ibn Al Haytham) (*c.* 965–1038) *Arabian scientist*

Born in Basra (now in Iraq), Alhazen was one of the most original scientists of his time. About a hundred works are attributed to him; the main one was translated into Latin in the 12th century and finally published in 1572 as *Opticae thesaurus* (The Treasury of Optics). This was widely studied and extremely influential. It was the first authoritative work to reject the curious Greek view that the eye sends out rays to