

国外科技资料索引

样 条 函 数

(下册)

主编 林云寰

编辑 杨淑玉 徐光琪 沈莉华

中山 大 学

数 力 系 资 料 室
计 算 机 科 学 系 样 条 小 组
情 报 资 料 科
计 算 机 科 学 系 资 料 室

一九八一年六月

目 录

二、样条函数的应用

B₁ 计算几何 (1)

B₂ 方程数值解 (21)

B₃ 计算统计 (67)

B₄ 优化控制 (85)

三、其它类 (96)

四、样条专著、短论、专题会议论文 (131)

著者索引 (136)

1 计算几何 (2.1.1—2.1.154)

- (2.1.1) Theilheimer, F.; Starkweather, W.
The fairing of ship lines on a high-speed computer.
Math. Comp. **15** (1961), 338-355.
(MR **23**, B1627; Zb **109**, p. 350; RJM (1962), 11V180.)
- (2.1.2) Asker, B.
The spline curve, a smooth interpolating function used in numerical design of ship-lines.
BIT **2** (1962), 76-82.
(Zb **112**, p. 81.)
- (2.1.3) Walsh, J. L.; Ahlberg, J. H.; Nilson, E. N.
Best approximation properties of the spline fit.
J. Math. Mech. **11** (1962), 225-234.
(MR **25**, 738; Zb **196**, p. 486; RJM (1963), 5B112.)
- (2.1.4) Ahlberg, J. H.; Nilson, E. N.
Convergence properties of the spline fit.
J. Soc. Indust. Appl. Math. **11** (1963), 95-104.
(MR **27**, 2763; Zb **196**, p. 487; RJM (1964), 1B574.)
- (2.1.5) Berger, S. A.; Webster, W. C.
An application of linear programming to the fairing of ships' lines.
in: Recent advances in mathematical programming; ed. by R. L. Graves and P. Wolfe, pp. 241-253.
McGraw-Hill, New York, 1963.
- (2.1.6) Ferguson, J.
Multivariable curve interpolation.
J. Assoc. Comput. Mach. **11** (1964), 221-228.
(MR **28**, 5551; Zb **123**, p. 330; RJM (1965), 4B738; CA **8**, 1806.)
- (2.1.7) Mehlum, E.
A curve-fitting method based on a variational criterion.
BIT **4** (1964), 213-223.

- (MR **30**, 4376; RJM (1965), 9B330.)
- (2.1.8) Podolsky, B.; Denman, H. H.
Conditions on minimization criteria for smoothing.
Math. Comp. **18** (1964), 441-448.
(MR **29**, 5368.)
- (2.1.9) Berger, S. A.; Webster, W. C.; Tapia, R. A.; Atkins, D. A.
Mathematical ship lofting.
J. Ship Research 10(1966).203-2223
- (2.1.10) Glass, J. M.
Smooth-curve interpolation: a generalized spline-fit procedure.
BIT **6** (1966), 277-293.
(Zb **173**, p. 186; RJM (1967), 9B619; CR **8**, 12801.)
- (2.1.11) Joly, J. L.
Utilisation des fonctions spline pour le lissage.
in: Actes du 5e Congrès de l'AFIRO (Lille, 1966), pp. 349-352.
Assoc. Franc. d'Inform. et de Rech. Opérat., Paris, 1967.
- (2.1.12) Malozemov, V. N.
On the deviation of broken lines (Russian, English summary).
Vestnik Leningrad. Univ. **21** (1966), no. 7, 150-153.
(MR **33**, 4533; Zb **177**, p. 87; RJM (1966), 9B124; BS **27**, 13147.)
- (2.1.13) Milnes, H. W.,
A variational approach to smoothing unequally spaced data
subject to random errors.
Indust. Math. **16** (1966), 77-93.
(MR **40**, 5108; BS **29**, 14397.)
- (2.1.14) Schweikert, D. G.
An interpolation curve using a spline in tension.
J. Math. and Phys. **45** (1966), 312-317.
(MR **34**, 6990; Zb **146**, p. 141; RJM (1967), 9B617; BS **28**, 7843.)
- (2.1.15) Berkovitz, L. D.; Pollard, H.,
A non-classical variational problem arising from an optimal
filter problem.
Arch. Rational Mech. Anal. **26** (1967), 281-304.
(MR **35**, 5994; RJM (1968), 9B386.)

- (2.1.16) Ferrand, C.
Lissage par utilisation de fonctions analogues aux fonctions spline.
in: Actes du 6^e Congrès de l'AFIRO (Nancy, 1967), pp. 14-31.
Assoc, Franc. d' Inform. et de Rech. Opérat., Paris, 1967.
- (2.1.17) Nord, S.
Approximation properties of the spline fit.
BIT **7** (1967). 132-144.
(MR **36**, 1887; Zb **171**, p. 373; RJM (1968), 5B820; CA **11**, 2215,)
- (2.1.18) Reinsch, Christian H.
Smoothing by spline functions. I.
Numer. Math. **10** (1967), 177-183;
ibid. **16** (1979/71), 451-454.
- (2.1.19) Ahuja, D. V.
An algorithm for generating spline-like curves.
IBM Systems J. **7** (1968), 206-217.
- (2.1.20) Ahuja, D. V.; Coons, S. A.
Geometry for construction and display.
IBM Systems J. **7** (1968), 188-205.
- (2.1.21) Birkhoff, G.; Gordon, W. J.
The draftsman's and related equations.
J. Approximation Theory **1** (1968), 199-208.
(MR **38**, 4055.)
- (2.1.22) Forrest, A. R.
* Curves and surfaces for computer aided design (Doctoral dissertation).
Cambridge Univ., Cambridge, 1968.
- (2.1.23) Pieroni, G.
An interpolation method for the automatic drawing of a plane curve (Italian).
Calcolo **5** (1968), 17-180.
(MR **45**, 1351.)
- (2.1.24) Gordon, W. J.
Spline-blended surface interpolation through curve networks.
J. Math. Mech. **18** (1969), 931-952.

- (MR **39**, 7333; Zb **192**, p. 422; RJM (1970), 2B963; BS **31**, 803.)
- (2.1.25) Hosaka, M.
Theory of curve and surface synthesis and their smooth fitting.
Information Processing in Japan **9** (1969), 60-68.
(MR **41**, 9422.)
- (2.1.26) Loginov, A. S.
Approximation of continuous functions by broken lines.
Mat. Zametki **6** (1969), 149-160 (Russian).
Translated as Math. Notes **6** (1969). 549-555.
(MR **41**, 687; Zb **177**, P. 88; BS **31**, 5102.)
- (2.1.27) Marsaglia, C.
One-sided approximations by linear combinations of functions.
in: Approximation Theory (Prory (Proc. Symp., Lancaster, July 1969); ed. by A. Talbot, pp. 233-242.
Acad. Press, London, 1970.
(MR **42**, 1307; CR **12**, 21050.)
- (2.1.28) Maruashvili, T. I.
The best approximation of continuous functions by piecewise linear functions.
Trudy Vychisl. Centra Akad. Nauk Gruzin. SSR. (1969), no. 1, 13-28.
- (2.1.29) Mehlum, E.
* Curve and surface fitting based on variational criteria for smoothness (Doctoral dissertation).
Central Inst. for Industrial Research, Oslo, 1969.
- (2.1.30) Okada, Y.
A numerical experiment on the fairing of free-form curves.
Information Processing in Japan **9** (1969), 69-74.
- (2.1.31) Shu, H.; Hori, S.; Mann, W. R.; Little, R. N.
The synthesis of sculptured surfaces.
in: Numerical control programming languages (Proc. First Intern. IFIP/IFAC PROLAMAT Conf., Rome, 1969), pp. 358-375.
North-Holland Publ. Co., Amsterdam, 1970.
(CR **12**, 21055.)

- (2.1.32) Woodford, C. H.
Smooth curve interpolation.
BIT **9** (1969), 69-77.
(RJM (1969), 11B715; CR **10**, 18077; BS **31**, 1624.)
- (2.1.33) Young, J. D.
Neneralization of segmented spline fitting of third order.
The Logistics Review **5** (1969), no. 23, 33-40.
(RJM (1970), 4B947; CR **11**, 19819.)
- (2.1.34) Ziegler, Z.
One-sided L_1 -approximation by splines of an arbitrary degree.
in: Approximations with special emphasis on spline functions;
ed. by I. J. Schoenberg, pp. 405-413.
Acad. Press, New York, 1969.
(MR **40**, 7684; Zb. 266, 41009)
- (2.1.35) Ahlberg, J. H.
Spline approxirmtion and computer-aided design.
in: Advances in computers, Vol. 10; ed. by F. L. Alt and M.
Rubinoff, pp. 275-289.
Acad. Press, New York, 1970.
(RJM (1971), 10B824; CR **12**, 21239; BS **32**, 5046.)
- (2.1.36) Akima, H.
A new method of interpolation and smooth curve fitting based
on local procedures.
J. Assoc. Comput. Mach. **17** (1970), 589-602.
(Zb **209**, p. 468; RJM (1971), 6B930; CA **15**, 99; BS **32**, 1208.)
- (2.1.37) Babuska, I.
Approximation by hill functions.
Comment. Math. Univ. Carolinae **11** (1970), 787-811.
(Zb **215**, p. 464.)
- (2.1.38) Dobysh, A. D.
A constructive representation of smooth curves and sud sur-
faces (Russian).
Sb. Trudy Mosk. Inz.-Stroit. Inst. (1970). no. 83, 107-123.
(RJM (1971), 9B53.)
- (2.1.39) McConalogue, D. J.
A quasi-intrinsic scheme for passing a smooth curve through

- a discrete set of points.
 Comp. J. **13** (1970), 392-396.
 (CR **12**, 21066.)
- (2.1.40) Moler, C. B.; Solomon, L. P.
 Use of splines and numerical integration in geometrical acoustics.
 J. Acoustical Soc. Amer. **48** (1970), 739-744.
- (2.1.41) Nielson, G. M.
 * Surface approximation and data smoothing using generalized spline functions (Doctoral dissertation).
 Univ. of Utah, Salt Lake City, 1970.
 (DA **31**, 2833-B.)
- (2.1.42) Powell, M. J. D.
 Curve fitting by splines in one variable.
 in: Numerical approximation, to functions and data; ed. by J. G. Hayes, pp. 65-83.
 Athlone Press, London, 1970.
 (CR **11**, 20157.)
- (2.1.43) Sendov, Bl.; Popov, V. A.
 Approximation of curves in the plane by polynomial curves.
 (Russian)
 C. R. Acad. Bulgare Sci. **23** (1970), 639-642.
- (2.1.44) Smoljak, S. A.
 On the optimal reconstruction of functions in connection with geometrical characteristics of sets (Russian).
 Trudy 3-i Zymn. skoly po Mat. Programmir. i Smezi. Vopr. **3** (1970), 509-557.
- (2.1.45) Yuille, I. M.
 A system for on-line computer aided design of ships-prototype system and future possibilities.
 Trpns. Roy. Inst. Naval Architects **112** (1970), 443-463.
- (2.1.46) Zavjalov, Yu. S.
 An optimal property of bicubic spline functions and the problem of smoothing (Russian).
 Vycisl. Sistemy **42** (1970), 109-158.
 (MR **45**, 6161; Zb **241**, 65013; RJM (1971), 7B995; BS **33**, 23.)

- (2.1.47) Zavjalov, Yu. S.
 An optimal property of cubic spline functions and the problem of smoothing (Russian).
 Vycisl. Sistemy **42** (1970), 89-108.
 (MR **44**, 7710; Zb **241**, 65012; RJM (1971), 7B989; BS **33**, 23.)
- (2.1.48) Burkowski, F. J.; Hoskins, W. D.:
 Rapid generation of periodic spline curves and their application to computer graphics.
 Proc. 25th Summer Meet. Can. math. Congr.,
 Thunder Bay 1971, 427-440 (1971).
- (2.1.49) Cox, M. G.
 An algorithm for approximating concave convex functions by means of first degree splines.
 Comput. J. **14** (1971), 272-275.
 (Zb 225, 65016; RJM (1972), 3B813; CR **13**, 23657; CA **15**, 2648; BS **33**, 26.)
- (2.1.50) Cox, M. G.
 Curve fitting with piecewise polynomials.
 J. Inst. Math. Appl. **8** (1971), 36-52.
 (MR **44**, 4870; Zb **219**, 65012; RJM (1972), 2B875; BS **33**, 22.)
- (2.1.51) Earnshaw, J. L.; Yuille, I. M.
 A method of fitting parametric equations for curves and surfaces to sets of points defining them approximately.
 Computer Aided Design **3** (1971), 19-22.
 (RJM (1971), 8B777; BS **32**, 8111.)
- (2.1.52) Jupp, D. L.
 Curve fitting by splines as an application of unconstrained optimization.
 Optimization (Proc. Sem. Austral. Nat. Univ.,
 Canberra, (1971), PP. 49-59. Univ. Queensland Press, St Lucia, 1972.
- (2.1.53) Kuo, C.
 Computer methods for ship surface design, p. ix; pp 51-62.
 Longman, London, 1971.
- (2.1.54) Reinsch, C. H.
 Smoothing by spline functions. II.

- Numer. Math. **16** (1971), 451-454.
 (MR **45**, 4598; RJM (1971), 6B928; CR **12**, 21904; CA **15**, 2359;
- (2.1.55) Whiten, W. J.
 The use of multi-dimensional cubic spline functions for regression and smoothing.
 Austral. Comput. J. **3** (1971), 81-88.
 (MR **44**, 3466; Zb **226**, 65009.)
- (2.1.56) Belotserkovski, I.M., Belotserkovski, B.M.
 On the construction of a smooth continuation of the first order (Russian).
 Otkor i peredacha inf. Resp. mezhved. sb. **34** (1972), 49-56.
 (RJM(1973), 4B1030.)
- (2.1.57) Belotserkovski, I.M.; Belotserkovski, B.M.
 piecewise approximation of nonlinear characteristics using smooth continuations of the first order (Russian).
 Otkor i peredacha inf. Resp. mezhved. sb. **34** (1972), 56-61.
 (RJM (1973), 4B1032.)
- (2.1.58) Blum, M.
 Optimal smoothing of piecewise continuous functions.
 IEEE Trans. Information Theory IT-**18** (1972), 298-300.
 (zb **231**, 62049.)
- (2.1.59) Cantoni, A.
 Curve fitting with piecewise-linear functions.
 Proc. I.R.E.E. Australia **33** (1972), 417-423.
 (Bs **34**, 9126.)
- 2.1.60 Chi, C.
 Formulation of the curvilinear bicubic.
 Spline-fit interpolation scheme.
 1972 Annual Meeting of the Optical Society of America.
 Abstracts only, San Francisco,
 Calif., USA, 17-20 Dec. 1972 (Washington, D.C.,
 USA: Optical Soc. America 1972). P22.
- 2.1.61 Cox, M.G.
 Cubic Spline Fitting with Convexity and Concavity Constraints (In English)
 NUMERICAL ANAL., DUBLIN NAT. PHYS LAB.,

- TEDDINGTON, UK, Aug. 1972, 28 PP.
- 2.1.62 Hayes, J.; G. J. Halliday.
The least-squares fitting of cubic spline surfaces to general data sets.
Report NAC-22, Nat. phys. Lab., Teddington, England (Dec. 1972), 28PP.
- 2.1.63 Ischke, H.J.
Optimierungsberechnungen und Sensitivitätsanalysen als Hilfsmittel bei der Entwurfsbearbeitung von Strassen (Dissertation).
Universitaet Stuttgart, Stuttgart, 1972.
- 2.1.64 Ahlberg, J. H.
Spline Surfaces. (AD-751675)
U.S.GOV. REPTS. ANNOUNCE.
1973, vol, 73, NO.1.
- 2.1.65 Knudson, W.; D.Nagy.
Spline Interpolation and Automatic Generation of Initial Geometry for Cable-Net Structures In English N74-15631
NTIS SPRINGFIELD VA. 1973, 35PP.
- 2.1.66 Lee, E.H.; G.E.Forsythe
Variational study of nonlinear spline curves.
SIAM Rev. (USA), 1973, Vol, 15, NO. 1, 120-133.
- 2.1.67 RIESENFELD, Richard Franklin
APPLICATIONS OF B-SPLINE APPROXIMATION TO GEOMETRIC PROBLEMS OF COMPUTER-AIDED DESIGN.
Diss. Ph.D. Syracuse University, 1973.
(DA. Vol. 34, No. 10,)
- 2.1.68 Strang, Gilbert.
The dimension of piecewise polynomial Spaces and one-sided approximation.
Confer numer. Solution differ Equations,
Dundee 1973,
Lecture Notes Math 363, 144-152(1974).
- 2.1.69 UTTER, JR., Donald Freeman
VARIATIONAL AND CONVERGENCE PROPERTIES OF SPLINES USED FOR CURVE DESIGN.

- Diss. Ph.D. Arizona State University, 1973.
(DA. Vol. 34, No. 7, 3374-B)
- 2.1.70 CLARK, James Henry
3-D Design of Free-form B-Spline Surfaces.
Diss. Ph.D. University of Utah, 1974.
Chairman: Ivan Edward Sutherland
(DA. Vol. 35, No. 8, 3768-B)
- 2.1.71 Harris, M.
SPLIFIT: An Interactive Graphics Curve Fitting Computer
Program Utilizing Spline Functions (In English)(AD-787 316
/9GA) NTIS SPRINCIFLD VA., Jan 1974, 66pp.
- 2.1.72 Hearris, M.
SPLIFIT: An Interactive Graphics Curve Fitting Computer
Program Utilizing Spline Functions In English N75-16254
NTIS. SPRINGFIFLD. VA., Jan. 1974, 66pp.
- 2.1.73 Knudson, W.; Nagy, D.:
Discrete data smoothing by spline interpolation with applic-
ation to initial geometry of cable nets.
Computer Methods appl. Mech. Engin. 4, 321-448(1974).
- 2.1.74 Vasilenko, V.A.
Smoothingsplines on Subspaces and Compactness Theorems
In Russian
NOVOSIBIRSK SGLAZHIVAY SPLAYNY NA PODPROST-
RANS.
I TEOREMY KOMPAKTNOSTI, VYCHISLITEL' NYY TS-
ENTR SIBIRSKOGO OTDELENIYA AKAD.NAUK SSSR S-
EMINAR, 1974, 7PP.
- 2.1.75 Barnhill, Robert E:
Blending function interpolation: A Survey and Some New
results.
Numer, Methoden Appr-Theor. 3, Tag.
oberwolfach 1975, ISNM 30, 43-89(1976).
- 2.1.76 Delvos, Franz-Jürgen:
On Surface interpolation.
J. Approximation Theory 15, 209-213 (1975),
- 2.1.77 Denmler, A.; C. Reinsch.

Oscillation matrices with spline smoothing
Numer. Math. (Germany),
1975, Vol. 24, No. 5, P. 375-82.

2.1.78 R.P. Dube.

Local schemes for computer aided geometric design.
Univ. Utah, Salt Lake City, USA thesis, 1975. 104PP
Available from Univ. Microfilms.
Ann Arbor, Mich.,
USA, Order No. 75-20273.

2.1.79 Imamov, A.

Nacherungslosung des Glaettungsproblems.
Vycislit. Sistemy, Novosibirsk 65, 74-82,
(Russisch) (1975).

2.1.80 Riesenfeld, R.F.

Nonuniform B-spline curves.
2nd USA-Japan Computer Conference.
Proceedings. Todyo, Japan 26-28 Aug. 1975 P551-5

2.1.81 Shakin, V.V.; P.Breuer.

A daptive Teast-Squares Spline Fitting the Vcctorial Signa-
ls (In. English) (Paper presented at conf. Digit Sig. Proc,
Florence, Italy. Sep 11-13. 1975). IN#PROC. Digit. Sig. Pr-
oc. Conf" SEZ FIRENZE A, N, I, P. L. A, VIAS, MARTA.
3. FIRENIE ITALY, 1975

2.1.82 TSE, Kam-Fook

Generalizations of the B-Spline Approximation and Their
Applications to Geometric Problems in Computer Aided De-
signs.
Diss. Ph.D, Syracuse University, 1975.
(DA. Vol. 36, No, 11, 5687-B)

2.1.83 VERSPRILLE, Kenneth James

Computer-Aided Design Applications of the Rational B-Spl-
ine Approximation Form,
Diss, Ph.D, Syracuse University, 1975.
(DA. Vol. 36. No. 10 5145-B)

2.1.84 Wahba, G.; wold, S.

A completely automatic French curve:

- Fitting spline functions by cross validation.
Commun. Statist. 4, 1-17 (1975).
- 2.1.85 walker, G.H.
Data fitting Using Splines under Tension (In English)
(Paper Presented at wang lab, SWAP Users Soc. Symp Lake Buena Vista, Fla, Feb, 17-20, 1975)
IN "PROC, THIRD SWAP. SYMP" WANG LAB 836.
NORTH ST, TWEKSURY. MA, 1975, PP 65-71.
- 2.1.86 Daniel, James W.
Constrained approximation and Hermite interpolation with smooth quadratic splines:
Some negative results.
J. Approximation Theory 17, 135-149(1976).
- 2.1.87 Duchon, J.
Fonctions-spline et esperances conditionnelles de champs gaussiens.
Ann. Sci. Univ. Clermont 61, Math. 14(1976).
Ec. Ete Calc. Probab. Saint-Flour, 22 Aout-8
Septembre (1976), 19-27 (1977).
- 2.1.88 Inselberg, A.:
Cubic splines with infinite derivatives at some knots.
IBM J. Res. Develop. 20, 430-436(1976).
- 2.1.89 LIOU, Ming-Lei:
Spline fit made easy.
IEEE Trans. Comput. C-25, 522-527 (1976).
- 2.1.90 Passow, Eli; Roulier, John A.:
Shape preserving spline interpolation.
Approx. Theory II, Proc. int. Symp. Austin 1976, 503-507
(1976).
- 2.1.91 Pruess, steven:
Properties of splines in tension.
J. Approximation Theory 17, 86-96 (1976).
- 2.1.92 Schumaker, Larry L:
Fitting Surfaces to Scattered data.
Approx Theory II, Proc. int, Symp
Austin 1976, 203-268(1976).

- 2.1.93 Shumaker, Larry L:
Two-stage spline methods for fitting Surfaces.
Approx. Theory. Proc. int. Colloq., Bonn 1976, Lect. Notes
Math. 556, 378-389 (1976).
- 2.1.94 Thomas, D.H.:
Pseudospline interpolation for space curves.
Math. Comput. 30, 58-67(1976).
- 2.1.95 Tusov, A.D.
Approximation, interpolation and drawing of plane curves.
Vycislit. Sistemy, Novosibirsk 68, 45-50.
(Russian) (1976).
- 2.1.96 Tusov, A.D.
Smoothing of functions which are given by tables.
Vycislit. Sistemy, Novosibirsk 68, 61-66,
(Russian) (1976).
- 2.1.97 Zav'jalov, Ju. S.
Spline functions—a universal mathematical tool for the representation and processing of geometric information in mechanical engineering. (Russian)
Vycisl. Sistemy Vyp. 68 Metody Splain-Funkci (1976), 3-32, 117.
- 2.1.98 Andreev, Andrej S.:
On the onesided trigonometrical and spline approximation of functions.
Constructive function theory, Proc, int. Conf.,
Blagoevgrad 1977 (to appear).
(Zbl.401. 41010)
- 2.1.99 Bohm, w.
Cubic B-spline curves and surfaces in computer aided geometric design. (German summary).
Computing 19 (1977), No. 1, 29-34.
- 2.1.100 Cheng Kuo-Young
An approach to approximation of curves for shipbuilding applications.
J. Chin. Inst. Eng. (Taiwan). vol. 2, no.1, p.23-9 (Jan. 1979).
(CCA, 15, 1036)

- 2.1.101 Dierchx, P.:
An algorithm for Least-squares fitting of cubic spline surfaces to functions in a rectilinear mesh over a rectangle
J. Comput. appl. Math. 3, 113-129 (1977).
- 2.1.102 Feldmann, J.U.
Computer aided design of Optimal plate cam shapes.
Angew. Inf. (Germany),
1977, vol. 19, No. 4, P. 164-70.
- 2.1.103 Forrest, A.R.:
Multivariate approximation problems in computational geometry.
Multivariate approximation, Symp. Univ. Durham 1977,
325-340 (1978).
(Zbl. 404. 65007)
- 2.1.104 Hou, Hsieh S.; Andrews, Harry C.:
Least squares image restoration using spline basis functions.
IEEE Trans. Comput. C-26, 856-873 (1977).
- 2.1.105 Kazakos, D.
Efficient spline fit.
Proceedings of the Workshop on Picture Data Description and Management, Chicago.
Ill. USA, 21-22 April 1977. P. 83-92.
- 2.1.106 Leforestier, C.
Classical trajectories on 3D cardinal Spline-fitted surfaces.
CHEMICAL PHYSICS LETTERS
1977, Vol. 51, No. 1, P132-136.
- 2.1.107 MCALLISTER, D.F.; E.Passow, J. A. Roulier.
Algorithms for computing shape preserving spline interpolations to data.
Math. Comput. (USA)
1977, vol. 31, No. 139, P717-725.
- 2.1.108 Mika, k.; Hossfeld, F.:
A sequential curve fitting algorithm using cubic splines.
Angew. Informatik 19, 120-126(1977).
- 2.1.109 Pavlidis,; T. R. L. P. Chang.
Application of fuzzy sets in curve fitting.

- Preceedings of 1977 IEEE Conference on Decision and Control, Pt. II, New Orleans, LA.
USA, 7-9 Dec. 1977, P 1396-400.
- 2.1.110 C. Stroud, N. Sathyamurthy, P. Rangarajan and L.M. Raff.
Quantum mechanical scattering calculations on a spline-fitted
ab initio surface:

the $\text{He} + \text{H}_2^+(V=0,1,2) \rightarrow \text{HeH}^+ + \text{H}^+$ reaction.
CHEMICAL PHYSICS LETTERS,
1977, vol. 48, No. 2, P350-353.
- 2.1.111 Voevuskii, V.P.
Smoothing s -splines of one or several variables.
(Russian)
Vycisl. Metody i Programirovenie Vyp. 26(1977),
127-137.
- 2.1.112 Weinert, H.L.; R.H. Byrd.; G.S. Sidhu.
Fitting curves to deterministic data.
1977 IEEE International Symposium on Information Theory
It haca, NY, USA,
10-14 Oct. 1977, P110-11.
- 2.1.113 Wu, J. Sheng-chuan F. Abel, D.P. Greenberg.
An interactive computer graphics approach to surface representation.
Commun. ACM(USA),
1977, vol. 20, No. 10, p 703-12.
- 2.1.114 F. Yamaguchi
A Design method of free form surfaces by a computer display-A curve fitting method based on the B-Spline curve.
J. Jpn. Soc. Precis. Eng(Japan),
1977. Vol. 43, No. 2, P 168-73.
- 2.1.115 Battaglia, F.
Analysis of utility surfaces by means of functions of bilinear spline type.
Calcolo 15 (19780), No.3, 233-248.
(CCA14, 20957).
- 2.1.116 Bezier, P.